

Key Points:

- ϵ -type iron carbonitrides undergo two phase transitions at high pressure and high temperature
- N/C and Fe/(N+C) atomic ratios are two key factors affecting the phase stability and elasticity of iron carbonitrides
- Iron carbonitrides with diverse structures may be the main host for nitrogen in the deep mantle and encapsulated in superdeep diamonds

Supporting Information:

Supporting Information may be found in the online version of this article.

Correspondence to:

B. Chen and X. Wu,
binchen@hawaii.edu;
wuxiang@cug.edu.cn

Citation:

Huang, S., Wu, X., Zhu, F., Lai, X., Li, J., Neill, O. K., et al. (2021). High-pressure phase stability and thermoelastic properties of iron carbonitrides and nitrogen in the deep earth. *Journal of Geophysical Research: Solid Earth*, 126, e2021JB021934. <https://doi.org/10.1029/2021JB021934>

Received 23 FEB 2021

Accepted 9 JUN 2021

High-Pressure Phase Stability and Thermoelastic Properties of Iron Carbonitrides and Nitrogen in the Deep Earth

Shengxuan Huang^{1,2,3} , Xiang Wu³ , Feng Zhu², Xiaojing Lai⁴ , Jie Li⁵, Owen K. Neill⁵ , Shan Qin¹ , Robert Rapp^{2,6} , Przemyslaw Dera² , Stella Chariton⁶ , Vitali B. Prakapenka⁶ , and Bin Chen² 

¹Key Laboratory of Orogenic Belts and Crustal Evolution, MOE, Peking University and School of Earth and Space Sciences, Peking University, Beijing, China, ²Hawai'i Institute of Geophysics and Planetology, University of Hawai'i at Mānoa, Honolulu, HI, USA, ³State Key Laboratory of Geological Processes and Mineral Resources, China University of Geosciences, Wuhan, China, ⁴Gemmological Institute, China University of Geosciences, Wuhan, China, ⁵Department of Earth and Environmental Sciences, University of Michigan, Ann Arbor, MI, USA, ⁶Center for Advanced Radiation Sources, University of Chicago, Chicago, IL, USA

Abstract Iron-dominant metallic phases are likely the primary hosts for nitrogen in the reduced deep Earth, hence the storage of nitrogen in the lower mantle and the core is governed by the behavior of the Fe-N-C system at high temperatures and pressures. In this study, phase transitions and thermoelastic properties of iron carbonitrides were investigated at high pressure-temperature conditions by diamond anvil cell experiments and first-principles calculations. Experimental data revealed no phase transition in ϵ -type Fe₄(N_{0.6}C_{0.4}) or Fe₇(N_{0.75}C_{0.25})₃ up to 60 GPa at room temperature. At high temperature, Fe₇(N_{0.75}C_{0.25})₃ transforms into the Fe₃C-type phase at ~27 GPa, and then into the Fe₇C₃-type phase at ~45 GPa, which is also corroborated by our theoretical calculations. We found that the phase stability of iron carbonitrides mainly depends on the N/C ratio, and the elastic properties of iron carbonitrides are dominantly affected by the Fe/(N+C) ratio. Iron carbonitrides with diverse structures may be the main host for nitrogen in the deep mantle. Some iron carbonitride inclusions in lower mantle diamonds could be the residue of the primordial mantle or originate from subducted nitrogen-bearing materials, rather than iron-enriched phases of the outer core. In addition, our experiments confirmed the existence of Fe₇C₃-type Fe₇C₃-Fe₇N₃ solid solutions above 40 GPa. Fe₇C₃-type Fe₇(C, N)₃ has comparable density and thermoelastic properties to its isostructural endmembers and may be a promising candidate constituent of the Earth's inner core.

Plain Language Summary Nitrogen is an essential element for the Earth's atmosphere and life. Most of the Earth's nitrogen may reside in Earth's interior, which may profoundly influence the partial pressure of atmospheric nitrogen. Knowledge on the storage and cycling of nitrogen in the deep Earth is crucial for our understanding of the Earth's evolution and dynamics. We combined high-pressure and high-temperature experiments and theoretical calculations to investigate the phase transitions and elasticity of iron carbonitrides. The results show that iron carbonitrides are stable upon compression at room temperature, but transformed into two high-pressure structures at lower pressures at high temperatures than their iron carbide counterparts. N/C and Fe/(N+C) atomic ratios are two key factors affecting the phase stability and elasticity of iron carbonitrides. Nitrogen could be stored in the Earth's lower mantle in the form of iron carbonitrides. Iron carbonitrides may be the main nitrogen host and be trapped as inclusions in some superdeep diamonds and carried to the shallow regions through geodynamic processes, as we can find in some diamonds of sublithospheric origin.

1. Introduction

Nitrogen (N) is one of the most significant volatiles in our planet, an essential element for life, and the primary component of the atmosphere. Nitrogen in the Earth's interior is linked to that near the surface through processes of subduction and volcanic outgassing, influencing the partial pressure (P) of atmospheric N in a profound way (Busigny et al., 2019; Mikhail & Sverjensky, 2014). This “deep nitrogen” also provides crucial insights into planetary evolution, including the accretion and differentiation of the core and mantle

on Earth, as well as the delivery of late veneers and the deep recycling of other volatiles associated with N (Bergin et al., 2015; Dalou et al., 2017; Grewal, Dasgupta, Sun, et al., 2019; Kaminsky & Wirth, 2017). Based upon the abundance of N in the bulk Earth relative to that measured in carbonaceous chondrites, the bulk Earth is depleted by an order of magnitude in N in comparison with other volatiles, which is the so-called “missing nitrogen” problem (Marty, 2012). A recent study by Johnson and Goldblatt (2015) has suggested that N contents in the “deep Earth” may be considerably underestimated, and that more than 90% of the bulk Earth N content is likely to be residing in these hidden and largely “inaccessible” reservoirs. Core-mantle differentiation represents a first-order process controlling the initial distribution of N among the various reservoirs in the deep Earth. The partitioning behavior of N between iron-enriched alloys and silicates can be affected by P , temperature (T), and the composition of the participating phases, but the prevailing oxygen fugacity (f_{O_2}) appears to be the dominant factor (Dalou et al., 2017; Grewal, Dasgupta, Holmes, et al., 2019; Grewal, Dasgupta, Sun, et al., 2019; Roskosz et al., 2013). At realistic P - T - f_{O_2} conditions for core formation (i.e., 40~60 GPa, 3,000~4000 K and IW-3~0), N prefers to bond with iron (Fe), and is incorporated more into the Earth's core than into the silicate mantle. On the other hand, the silicate mantle may be saturated with Fe at depths >250 km, and Fe concentration can reach ~1 wt% in the lower mantle due to disproportionation of Fe^{2+} and preferential incorporation of Fe^{3+} in bridgmanite (Frost et al., 2004). The partition coefficient for N between metallic Fe and bridgmanite is close to 100, indicating that the N content of the metallic phase in the lower mantle should be nearly equivalent to that of the rest of the silicate lower mantle (Yoshioka et al., 2018). Therefore, the Fe-enriched metallic phase is likely to be a main host for N in the Earth's interior. A more complete picture of the N evolution of the Earth requires the determination of the composition and stability of N-bearing Fe-enriched minerals at high P - T conditions.

In the Fe-N system, several Fe nitrides are stable at ambient conditions, including cubic γ' - Fe_4N (space group: $Pm\bar{3}m$), orthorhombic ζ - Fe_2N (space group: $Pbcn$) and nonstoichiometric ϵ -type Fe_3N_x (Wriedt et al., 1987). The space group of ϵ -type Fe_3N_x has been assigned to either $P3_12$ or $P6_322$, in which N atoms occupy part of the octahedral vacancies. The ϵ -type Fe_3N_x is capable of holding a range of N in its structure, with x varying from 0.6 to 1.5 (Figure S1) (Litasov et al., 2017; Niewa, Rau, Wosylus, Meier, Hanfland, et al., 2009). At 9~15 GPa and 1,400~1600 K, Fe_4N and Fe_2N undergo structural transitions to ϵ -type phases (Guo et al., 2013; Niewa, Rau, Wosylus, Meier, Wessel, et al., 2009; Schwarz et al., 2009). The ϵ -type Fe_3N_x is stable up to ~40 GPa and ~1500 K (Litasov et al., 2017; Minobe et al., 2015). Upon further compression, ϵ -type Fe_3N_x transforms into Fe_7C_3 -type Fe_7N_3 (Minobe et al., 2015). As compared to the ϵ -type phase, Fe_7C_3 -type Fe_7N_3 is stable over a much broader P - T range that is, to at least ~150 GPa and ~3,000 K (Kusakabe et al., 2019; Minobe et al., 2015). These results suggest that, among various Fe nitrides, ϵ -type Fe_3N_x and Fe_7C_3 -type Fe_7N_3 are strong candidates for the storage hosts of N in the Earth's mantle and core.

Because of relatively low abundance of N in the bulk Earth, it is likely that, in addition to forming pure Fe nitrides, N substitutes for other light elements into the crystal structures of Fe-enriched alloys. Carbon (C) has similar geochemical and cosmochemical properties to N. They may mutually coexist and replace each other to form solid solutions in deep reservoirs (Sagatov et al., 2019). Indeed, recent studies have reported various Fe carbonitrides and nitrocarbides, such as $Fe_9(N_{0.8}C_{0.2})_4$, $Fe_5(C_{0.48}N_{0.52})_2$ and $Fe_7(C_{0.73}N_{0.27})_3$, inclusions in superdeep diamonds (Kaminsky & Wirth, 2017). A recent study shows that N could replace C in Fe_3C to form an ϵ -type C-bearing Fe_3N_x at 7~17 GPa, indicating that N appears to have a better affinity to Fe than C at high P - T conditions (Litasov et al., 2016). The combined effects of N and C in the Fe-enriched Fe-N-C system under simultaneous high- P and high- T conditions provide indispensable clues to decipher the storage and speciation of N in the Earth's mantle and core. Sokol et al. (2017) have recently reported a complex phase diagram for the Fe-enriched Fe-N-C system at 7.8 GPa and 1,350°C. However, there are no experimental or theoretical studies to examine the phase stability and physical properties of Fe-N-C compounds at high P - T conditions. In this paper, we report the phase transitions and thermoelastic properties of two synthetic Fe carbonitrides of different stoichiometry at extreme conditions up to 60 GPa and 2,000 K, as determined in experiments carried out using externally heated and laser-heated diamond anvil cells (EH-DAC and LHDAC) combined with synchrotron-based X-ray diffraction (XRD). In addition, first-principles calculations based on density functional theory (DFT) were performed to complement our experimental observations. Our results not only contribute to an improved understanding of the speciations of N stored in the Earth's deep interior but also shed light on the formation mechanism of Fe-N-C inclusions in lower mantle diamonds.

2. Materials and Methods

2.1. Sample Synthesis and Characterization

Two ϵ -type Fe carbonitrides were synthesized at high P - T conditions using a 2000-ton multi-anvil press at the University of Hawai'i at Mānoa. Starting materials were the mixtures of Fe_3N powder and synthetic Fe_3C . The Fe_3N powder was commercially obtained from Kojundo Chemical Lab. Co. Ltd. The Fe_3C sample was synthesized from a mixture of Fe powder (99.9+% purity, Aldrich Chemical Company) and graphite powder (99.9995% purity, Alfa Aesar Company) at an atomic ratio of Fe:C = 3:1 at 3 GPa and 1,300 K for 8 h using a MgO capsule and a graphite heater. The first ϵ -type Fe carbonitride sample was synthesized at 8 GPa and 1,500 K for 1.5 h using a MgO capsule and a 14/8 cell assembly (Liu et al., 2020). The synthesis of the second ϵ -type Fe carbonitride sample was carried out at 9 GPa and 1,400 K for 20 h using a MgO capsule and a 10/5 cell assembly (Leinenweber et al., 2012).

Back-scattered electron (BSE) images of individual samples were collected using the scanning electron microscope (SEM) on Cameca SX100 at the Robert B. Mitchell Electron Microbeam Laboratory (RM-EML), Department of Earth and Environmental Sciences, University of Michigan, Ann Arbor, and School of Earth and Space Sciences, Peking University. BSE images show that each synthetic sample consists of a homogeneous phase, and in addition to Fe carbonitride product, there is little graphite in the first sample (Figure S2).

Concentrations of Fe, N and C were determined by Cameca SX100 electron probe microanalysis (EPMA) at the RM-EML, using a procedure similar to that of von der Handt and Dalou (2016) and Dalou et al. (2017). The accelerating potential was 10 kV, the beam current was 200 nA and the beam spot was focused to 1 μm . Fe $\text{K}\alpha$ X-rays were measured using a large LiF diffracting crystal, using synthetic Fe_3C as a calibration standard; N $\text{K}\alpha$ X-rays were measured using a large PC0 pseudocrystal (W/Si multilayer, $2d \approx 4.5$ nm), using synthetic Si_3N_4 as a calibration standard; and C $\text{K}\alpha$ X-rays were measured using a PC2 diffracting crystal (Ni/C multilayer, $2d \approx 10$ nm), using synthetic Fe_3C as a calibration standard. Wavelength scans were performed around the Fe $\text{K}\alpha$, N $\text{K}\alpha$, and C $\text{K}\alpha$ peaks to accurately determine the off-peak spectrometer positions for measuring continuum, and for modeling the continuum curvature (von der Handt & Dalou, 2016). For N $\text{K}\alpha$ measurements, widely spaced off-peak positions were used when measuring the Si_3N_4 standard due to the broadness of the N $\text{K}\alpha$ peak from Si_3N_4 . Off-peak measurements were made significantly closer to the peak on Fe-N-C samples, in order to reduce the uncertainty of the interpolation and to avoid the interference of the nearby second Bragg order Fe $\text{L}\alpha$ and $\text{L}\beta$ lines with the off-peak measurements (Figure S3); these intensities of these lines are significantly reduced by the PC0 pseudocrystal, but they are not fully suppressed even when differential pulse-height analyzer mode is used. Continuum intensities at the on-peak positions were interpolated from off-peak continuum measurements using an exponential function for N $\text{K}\alpha$ and C $\text{K}\alpha$ and a linear function for Fe $\text{K}\alpha$ (von der Handt & Dalou, 2016). Counting times for all measured X-ray lines were 20 s on the peak and 10 s on each off-peak position. Samples were coated with ~ 15 nm of aluminum prior to analysis. In order to minimize the effects of differential coating thicknesses, calibration standards and Fe-N-C samples used in this study were coated at the same time. A liquid nitrogen cold finger was used to minimize carbon contamination of the sample surface during analysis, and a small time-dependent intensity correction was applied to N $\text{K}\alpha$ and C $\text{K}\alpha$ count rate data to account for changes in X-ray intensity due to degradation of the sample or conductive coating during analysis; no systematic changes in Fe $\text{K}\alpha$ count rates over the course of the analyses were observed. Concentrations were calculated from measured, continuum-corrected X-ray intensities using the PROZA matrix corrections and the FFAST mass absorption coefficients (von der Handt & Dalou, 2016). In addition, an interference correction was applied to the measured N $\text{K}\alpha$ intensities, to account for intensities contributed from the second Bragg order Fe $\text{L}\beta 3$ and $\text{L}\beta 4$ lines near the N $\text{K}\alpha$ peak (Figure S3); the magnitude of the correction was $< 5\%$. Suitable secondary standards containing Fe, N and C were not available to verify accuracy. In lieu of such materials, a synthetic, nominally nitrogen-free Fe-C sample was measured to verify that N concentrations were at or near zero. The N concentration measured in this material was 10 ± 250 $\mu\text{g/g}$. Also, any measurements with analytical totals of less than 98.5% or greater than 101.5% were excluded.

EPMA results show that the two samples are chemically homogeneous, with the average composition of the first sample as $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$, and the second sample as $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ (Table S1). The crystal structures of these two samples were determined by XRD at beamline 13-BMC, Advanced Photon Source (APS), Argonne

National Laboratory (ANL). The XRD measurements confirm that both the $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$ and $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ phases adopt the ϵ -type structure.

2.2. High P - T Synchrotron XRD Experiments

BX90-type DACs with diamond anvils of 250 μm (in run-1, 2 and 4) or 300 μm (in run-3) were used to generate high P in four experimental runs. 130~160 μm diameter holes were drilled in pre-indented 30~35 μm rhenium gaskets to serve as sample chambers. $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$, with a thickness of $\sim 15 \mu\text{m}$, was loaded into the sample chamber for run-1, with $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ comprising runs 2 and 3. A piece of Au foil placed near the sample was used to determine the internal P in all three of these runs (Fei et al., 2007). Neon gas was loaded as the P -transmitting medium (PTM) and ruby spheres were also loaded into the sample chamber to measure the P for the gas loading. In run-3, three Pt-10 wt% Rh (0.01") wires wound around a pyrophyllite ring base allowed us to heat the sample to a maximum T of 750 K, and two K-type thermocouples (Chromega-Alomega 0.005" and Chromega-Alomega 0.01") in contact with the "downstream" diamond were used to measure the T (Lai et al., 2020). The difference in measured temperatures between these two thermocouple junctions was smaller than 15 K. In run-4, $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ with a thickness of $\sim 10 \mu\text{m}$ was sandwiched between two KCl plates. In this arrangement, KCl acts as a PTM, a thermal insulator, and as a P indicator (Tateno et al., 2019).

Synchrotron XRD experiments of runs 1–3 were conducted at beamline 13-BMC, APS, ANL. The incident X-ray beam with a wavelength of 0.434 \AA was focused to an area approximately 15 μm in diameter measured at the full width at half maximum. Membrane P control system was used to increase P inside the DAC automatically. For the EHDAC experiment (run-3), XRD spectra were collected at four different temperatures (300 K, 450 K, 600 K and 750 K) at each given P . The LHDAC experiment (run-4) was performed at beamline 13-IDB, APS, ANL. The incident X-ray beam ($\lambda = 0.3344 \text{\AA}$) had a focal spot size of $3 \times 4 \mu\text{m}^2$. The sample was heated gradually from both sides at intervals of 100~200 K at a given P using a double-sided laser heating system with the flat-top heating spot size of $\sim 10 \mu\text{m}$ in diameter. A fresh spot of the sample was used for laser heating in each heating cycle. The T was determined by fitting the thermal radiation data using the Planck radiation function under the gray body approximation. The P at high T was determined from the volume of KCl using the thermal equation of state (EoS) (Tateno et al., 2019). The effective T of KCl was estimated according to Campbell et al. (2009) using the following approximation:

$$T_{\text{KCl}} = \frac{3 \times T_{\text{meas}} + 300}{4} \pm \frac{T_{\text{meas}} - 300}{2}$$

The powder XRD spectra were integrated and then processed using model-biased Le Bail fitting with GSAS + EXPGUI software. For the single-crystal XRD spectra, the d -spacings of the sample at various P - T conditions were extracted using the GSE_ADA software, and lattice parameters were refined by the least squares method. The P -volume (V) data were fitted using EoSFit7c software (Angel et al., 2014).

2.3. DFT-Based First-Principles Calculations

DFT-based first-principles calculations were performed using the "projected augmented wave (PAW) method" as implemented in Vienna *ab-initio* simulation package (Kresse & Joubert, 1999). The exchange correlation potential was treated by the generalized gradient approximation (GGA) in the Perdew-Burke-Ernzerhof (PBE) version (Perdew et al., 1996). We chose the kinetic energy cut-off as 1,000 eV in static simulations. The energy convergence criterion was 10^{-6} eV for electronic self-consistent calculations. The k -points grids were set as $7 \times 7 \times 7$, $6 \times 6 \times 8$ and $5 \times 5 \times 7$ in the Brillouin zone for the trigonal ϵ -type, orthorhombic Fe_3C -type and hexagonal Fe_7C_3 -type structures, respectively. A $1 \times 1 \times 7$ supercell was constructed to simulate ϵ -type Fe_7N_3 and $\text{Fe}_7(\text{N}_{5/6}\text{C}_{1/6})_3$ phases. And a $1 \times 1 \times 2$ supercell was for ϵ -type $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$ and h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ phases. The total energy difference was converged to 10^{-5} eV/formula unit (f.u.) with respect to the energy cut-off or k -points. The corresponding force difference was converged to 10^{-3} eV/ \AA (less than 0.1 GPa). The spin-polarization of Fe without spin-orbit coupling was considered in the simulations. The ferromagnetic (FM) or nonmagnetic (NM) states were calculated for selected candidates. For each candidate phase, the cell parameters, atomic coordinates, and sublattice magnetic moments were allowed




Figure 1. Phase diagram of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ at high P - T conditions. The ϵ -type, o -type and h -type represent the $P3_12$, Fe_3C -type ($Pnma$) and Fe_7C_3 -type ($P6_3mc$) phases, respectively. The black star represents the synthetic conditions of ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ (9 GPa and 1,400 K). The open circles represent the metastable ϵ -type phase at 27~40 GPa and 450~750 K. The open gray and red crosses represent the ϵ -type and h -type phases in the Fe-N binary system, respectively (Litasov et al., 2017; Minobe et al., 2015).

to relax at each given V . The calculated V -energy (E) data were fitted by the Birch-Murnaghan EoS to obtain the P -enthalpy (H) relation for each phase (Birch, 1947; Murnaghan, 1944):

$$E(V) = E_0 + \frac{9V_0K_0}{16} \left\{ \left[\left(\frac{V_0}{V} \right)^{\frac{2}{3}} - 1 \right]^3 K'_0 + \left[\left(\frac{V_0}{V} \right)^{\frac{2}{3}} - 1 \right]^2 \left[6 - 4 \left(\frac{V_0}{V} \right)^{\frac{2}{3}} \right] \right\}$$

where E_0 , V_0 , and K_0 are the energy, unit-cell volume and isothermal bulk modulus at zero P , respectively. K'_0 is the first P derivative of K_0 . The derived H of each phase was compared with all the others to ascertain which phase is the most energetically favored at a given P and 0 K.

3. Results

3.1. Stability and Phase Transitions of Iron Carbonitrides

Four runs of experiments were conducted to investigate the stability of Fe carbonitrides at high P - T conditions up to ~60 GPa and ~2000 K (Figure 1 and Table S2). No phase transition was observed at ambient T up to ~60 GPa in ϵ -type $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$ (run-1) or to ~50 GPa in ϵ -type

$\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ (run-2) (Figure S4). This indicates that the initial ϵ -type structure is stable over the studied P range at ambient T .

In run-3, ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ was observed to be stable to 42.0 GPa and 600 K (Figure 2b); at 45.5 GPa and 750 K, the diffraction spots belonging to the ϵ -type structure disappeared and a few new spots appeared, implying the occurrence of a phase transition (Figure 2c). This new phase is stable up to 55.0 GPa and 750 K (Figure 2d), the highest P - T conditions achieved in run-3. When this phase was decompressed to 25.1 GPa at 300 K, it transformed back into the initial ϵ -type phase (Figure 2f), demonstrating that the detected phase transformation was reversible. The observed new spots could be indexed by a hexagonal structure with lattice parameters $a = 6.584(1)$ Å, $c = 4.278(2)$ Å and $V = 160.62(9)$ Å³ at 44.1 GPa and 300 K (Table S3). These values are very similar to those of hexagonal Fe_7C_3 and Fe_7N_3 (space group: $P6_3mc$, denoted as h -type) at equivalent P (Chen et al., 2012; Minobe et al., 2015). Therefore, an h -type structure was selected to




Figure 2. Representative measured 2D XRD patterns of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ at high P - T conditions in run-3. The ϵ -type and h -type represent the $P3_12$ and Fe_7C_3 -type ($P6_3mc$) structures, respectively.




Figure 3. Representative measured XRD patterns of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ at high P - T conditions in run-4. Le Bail refinements (black solid curves) of observed XRD data (red dots) were carried out after background subtraction. The difference curves (gray continuous line) between observed and calculated spectra are shown. The stars represent Bragg peaks of KCl. The black, blue, and red ticks represent Bragg peaks of ϵ -type ($P3_12$), o -type (Fe_3C -type, $Pnma$), and h -type (Fe_7C_3 -type, $P6_3mc$) phases, respectively.

magnetic moments of Fe in Fe_3C collapse to zero above ~ 55 GPa, indicating a FM-NM transition of Fe_3C . This is consistent with previous X-ray emission spectroscopy (XES) results (Chen et al., 2018). By contrast, such transition is not observed in the N-rich o -type phases. For the h -type structure, Fe_7N_3 and Fe_7C_3 have distinct sub-lattice magnetic properties, though they adopt the same crystal structure and have comparable average magnetic moments (Figure S8d–S8e). Specifically, FeI has the largest magnetic moments in Fe_7N_3 , whereas FeII does in Fe_7C_3 . The average and sub-lattice magnetic moments of Fe decrease gradually with P for Fe_7N_3 and Fe_7C_3 , and no spin transition is predicted to occur in the calculated P range. It should be noted that there is a discontinuity in the evolution of magnetic moments of Fe in Fe_7C_3 at $40\sim 45$ GPa. This phenomenon has not been observed by previous experiments such as Mössbauer spectroscopy (MS) or XES (Chen et al., 2012, 2014). However, previous simulations have reported similar results (Litasov et al., 2015). The reason of the difference between experimental and theoretical results remains to be investigated.

The o -type Fe_3C phase appears to be the most stable over the P range of the calculations ($0\sim 65$ GPa) (Figure S9), in agreement with previous experimental results (Liu, Lin, et al., 2016). The difference in unit-cell volumes between experimental and calculated results for pure Fe_3C is less than 2%. The ϵ -type Fe_3N is predicted to undergo phase transitions to the o -type phase at 38 GPa and 0 K, then to an assemblage of h -type Fe_7N_3 and Fe at 55 GPa and 0 K (Figure 4a). We only calculated the ϵ -type and h -type phases in a Fe_7N_3 stoichiometry, since simulations of o -type Fe_7N_3 were unfortunately beyond our computational capability. The ϵ -to- h transition of Fe_7N_3 is predicted to occur at ~ 57 GPa (Figure 4b). We further considered the P -induced phase transition in the Fe-N-C ternary system with a fixed composition of $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$. At 0 K, the ϵ -type $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$ transforms into the o -type phase at 26 GPa, and further into an assemblage of h -type

solve the integrated 1-D XRD pattern, and the refinement results suggest that the new high- P phase can indeed be assigned to the h -type structure (Figure S5).

In run-4, ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ was compressed to ~ 27 GPa at 300 K and then laser-heated, and we observed the Bragg peak intensities of the ϵ -type phase gradually decreased whereas a few new peaks emerged (Figure 3b). The new phase can be assigned to a Fe_3C -type structure (space group: $Pnma$, denoted as o -type). The refined lattice parameters of the quenched o -type phase were determined to be $a = 4.892(2)$ Å, $b = 6.525(2)$ Å, $c = 4.366(1)$ Å and $V = 139.38(4)$ Å³ at 28 GPa and 300 K (Figure S6b), values that are slightly higher than those of pure Fe_3C at the similar P (Prescher et al., 2012). The XRD pattern after quenching was similar to that during heating, and no Bragg peaks of the ϵ -type structure were observed (Figure S7). When laser-annealed at ~ 40 GPa, the o -type and h -type phases coexisted, and the h -type phase was dominant under these conditions (Figure 3c and Figure S6c). After being laser-annealed at higher P , ~ 60 GPa, the initial ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ transformed directly into the h -type phase without undergoing an intermediate o -type phase (Figure 3d and Figure S6d).

DFT-based first-principles calculations were performed to investigate the phase transitions that were observed in run-3 and run-4 (Table S4). We first looked into the magnetic properties of the ϵ -type, o -type and h -type structures for the Fe-N, Fe-C and Fe-N-C systems. For the ϵ -type structure, the magnetic moments of Fe are slightly affected by the substitution of C for N, whereas they are anti-correlated with the Fe/(N+C) ratio (Figure S8a), in agreement with previous calculations concerning the Fe-N system (Popov et al., 2015). The magnetic moments of Fe of all calculated ϵ -type phases decrease smoothly with P , indicating there occurs no spin transition up to 50 GPa. For the o -type structure, Fe_3N , Fe_3C and $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$ have similar average magnetic moments, and the substitution of C for N tends to slightly increase the difference between the magnetic moments of FeI and FeII (Figure S8b–S8c). In particular, the




Figure 4. The calculated pressure-enthalpy relations of (a) Fe_3N , (b) Fe_7N_3 and (c) $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$ with different structures. The ε -type, o -type and h -type represent the $P3_12$, Fe_3C -type ($Pnma$) and Fe_7C_3 -type ($P6_3mc$) structures, respectively.

and $K_0' = 4$ (fixed). For ε -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$, the values are $V_0 = 85.00(1) \text{ \AA}^3$, $K_0 = 177(1) \text{ GPa}$ and $K_0' = 4$ (fixed) (Table S7). $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ has a similar compressibility to pure Fe nitride and is less compressible than $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$ (Figure 5b and Table S7) (Adler & Williams, 2005; Litasov et al., 2014, 2017, 2017; Lv et al., 2020; Yin et al., 2014).

The relative compression of crystal axes and the c/a ratio of the ε -type Fe carbonitrides at room T are shown in Figures 5c and 5d. $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$ is nearly isotropic in the axial direction and its c/a ratio is almost constant up to at least 30 GPa. The compressibility along the a axis of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ is comparable to that along the c axis below 20 GPa, but becomes higher than the c axis above 20 GPa. This effect is also manifested in a change in the c/a ratio. The c/a ratio of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ is systematically smaller than that of $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$. Theoretical calculations show that the incorporation of N or C has a negligible effect on the c axis but increases the a axis (Figure S11a). And the slope of the c/a ratio versus P of $\text{Fe}_7(\text{N,C})_3$ is larger than that of $\text{Fe}_3(\text{N,C})$ (Figure S12a). Recent neutron diffraction experiments have found the magnetic moments

$\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ and Fe at 47 GPa (Figure 4c). The calculated lattice parameters of o -type phases are as follows: $a = 4.729 \text{ \AA}$, $b = 6.715 \text{ \AA}$, $c = 4.323 \text{ \AA}$ and $V = 137.3 \text{ \AA}^3$ for Fe_3N at 29 GPa, and $a = 4.760 \text{ \AA}$, $b = 6.677 \text{ \AA}$, $c = 4.322 \text{ \AA}$ and $V = 137.4 \text{ \AA}^3$ for $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$ at 28 GPa, respectively. The calculated unit-cell V of o -type Fe_3N is 1.8%~2.0% larger than that of isostructural Fe_3C (Figure S10a), whereas the unit-cell V of o -type $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$ lies in between those of Fe_3C and Fe_3N . These results imply that the substitution of N for C can enlarge the unit-cell V of o -type Fe_3C . Furthermore, this substitution tends to reduce the a axis, increase the b axis and slightly affect the c axis (Figure S11b). It will correspondingly reduce the a/c ratio and increase the b/c ratio (Figure S12b). The unit-cell V of the o -type phase detected at 28 GPa and 300 K is ~1.4% larger than that of pure Fe_3C as measured by single-crystal XRD experiments (Figure S10a) (Prescher et al., 2012). The a/c ratio of the o -type phase in our experiments deviates from those of pure Fe_3C . Therefore, it is reasonable to propose that the o -type phase detected in run-4 is an N-enriched phase.

3.2. Thermoelastic Properties of Iron Carbonitrides

The lattice parameters of the two ε -type samples in run-1 and run-2 were determined only to a P up to ~33 GPa: Above this P , many of the Debye-Scherrer rings or spots associated with the Fe carbonitrides overlap with those associated with Re, the PTM, and Au (Table S5 and S6). The unit-cell volumes of the ε -type phases decrease monotonically with P , and no discontinuities in their P - V curves are observed (Figure 5a). The room- T P - V data were fitted to the third-order Birch-Murnaghan EoS (Birch, 1947; Murnaghan, 1944):

$$P(V) = \frac{3}{2}K_0 \left[\left(\frac{V_0}{V} \right)^{\frac{7}{3}} - \left(\frac{V_0}{V} \right)^{\frac{5}{3}} \right] \times \left\{ 1 + \frac{3}{4}(K_0' - 4) \left[\left(\frac{V_0}{V} \right)^{\frac{2}{3}} - 1 \right] \right\}$$

The normalized stress (F_E) versus Eulerian strain (f_E) plot suggests that it is reasonable to fit the P - V data using one single equation of state over their respective P range (Figure S13). In addition, the slope of the f_E - F_E curve for each ε -type sample is close to zero. The corresponding K_0' derived from the f_E - F_E relation is 3.94 ± 0.25 for $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$ and 4.15 ± 0.12 for $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$. These results indicate that it is reasonable to fix K_0' as 4, and the V compressibility of ε -type Fe carbonitrides could be adequately described by the second-order Birch-Murnaghan EoS. The fitted parameters yield, for ε -type $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$, $V_0 = 81.11(7) \text{ \AA}^3$, $K_0 = 133(2) \text{ GPa}$,




Figure 5. Evolution of (a) unit-cell V , (b) normalized V , (c) normalized axial length and (d) c/a ratio of ϵ -type $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$ and $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ as a function of P at room T . The black and red solid curves are calculated using the Birch-Murnaghan equation of state parameters of ϵ -type $\text{Fe}_4(\text{N}_{0.6}\text{C}_{0.4})$ and $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$, respectively. The red dashed line indicates the abnormal change in the relative axial compression and c/a ratio of ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$. The uncertainties are within the symbols. Previous experimental data of ϵ -type Fe nitrides are plotted for comparison (Adler & Williams, 2005; Litasov et al., 2014, 2017, 2017; Yin et al., 2014).

of Fe oriented perpendicular to the c axis of the ϵ -type structure (Lei et al., 2018). The addition of more N or C into the ϵ -type structure enlarges the a axis and reduces the interactions of magnetic moments between Fe atoms, which results in a reduction of magnetic moments (Figure S8). This will cause the a axis to become more compressible. The change of the c/a ratio of ϵ -type $\text{Fe}_7(\text{N},\text{C})_3$ is not observed in the present simulation. This change cannot result from the spin transition of Fe based on our calculations.

It might be related to a change in the magnetic ordering of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$. However, since our first-principles calculations are performed at 0 K, the paramagnetic state cannot be simulated. Further MS experiments could provide direct evidence on the evolution of magnetic ordering of ϵ -type Fe carbonitride samples upon compression. Note that even if there is an anomaly in the relative compressibility of the axes, it exerts a negligible effect on the compressive properties of unit-cell V of ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ (Figure S13).

The thermal EoS of our sample was derived from its room- T EoS and P - V data obtained at 450 K, 600, and 750 K (Figure 6). Assuming that the T dependence of isothermal bulk modulus at high temperature $\partial K/\partial T$ and the first P derivative of isothermal bulk modulus K_{T0}' are constant over the investigated P - T range, K_{T0} and K_{T0}' can be expressed as following:

$$K_{T0} = K_0 + \partial K / \partial T \times (T - 300)$$

$$K_{T0}' = K_0'$$




Figure 6. The P - V - T data of ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ fitted by the high- T Birch-Murnaghan equation of state. The solid and dashed curves are calculated using the Birch-Murnaghan equation of state parameters of ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$. The P and V uncertainties are within the symbols.




Figure 7. The P - V (a) and P - V - T (b) data of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$. The solid curves are calculated using the Birch-Murnaghan equation of state parameters of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$. The error bars represent P uncertainties in run-4. The P and V uncertainties in run-3 are within the symbols. Previous experimental data of h -type Fe_7C_3 and Fe_7N_3 are plotted for comparison (Chen et al., 2012; Liu, Li, & Ikuta, 2016; Minobe et al., 2015; Nakajima et al., 2011).

The T dependence of V at ambient P , V_{T0} , can be expressed as a function of thermal expansion coefficient α_T :

$$V_{T0} = V_0 \exp\left(\int_{300}^T \alpha_T dT\right)$$

and due to limited V data at simultaneous high P - T conditions, the thermal expansion coefficient α_T is assumed to be constant by the approximation that $\alpha_T = \alpha_0$ (Berman, 1988). The fitted thermoelastic parameters for ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ are consequently $\partial K/\partial T = -0.02(1)$ GPa/K and $\alpha_0 = 3.3(8) \times 10^{-5} \text{ K}^{-1}$ (Table S7).

The refined lattice parameters and unit-cell volumes of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ at various P - T conditions are listed in Table S8. The unit-cell volumes of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ obtained in run-4 are generally consistent with the results of run-3 (Figure 7a). However, because of the relatively large uncertainty in determining the P in run-4 using KCl, the room- T EoS of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ is calculated only using the P - V data during compression in run-3. The fitted parameters for h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ are $V_0 = 182.4(7) \text{ \AA}^3$, $K_0 = 268(9)$ GPa and $K_0' = 4$ (fixed). The compressibility of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ is generally comparable to that of the isostructural endmembers Fe_7N_3 and Fe_7C_3 (Figure 7a and Table S9) (Chen et al., 2012; Kusakabe et al., 2019; Liu, Li, & Ikuta, 2016; Minobe et al., 2015; Nakajima et al., 2011). The lattice parameters of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ decrease smoothly with increasing P (Figures S11c and S14). The a/c ratio of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ increases slightly with P as compared with Fe_7C_3 , implying a weak anisotropy in the axial compressibility (Figure S12c). Although there are some differences between experimental and theoretical data in terms of the absolute values, the calculated results generally follow the trend of the experimental ones. First-principles simulations have shown that N-rich $\text{Fe}_7(\text{N,C})_3$ has distinct sub-lattice magnetic properties from Fe_7C_3 . The Fe-Fe distance in the ab plane is shorter than that along the c axis in the h -type structure.

FeII has the largest magnetic moments in Fe_7C_3 but it is the smallest in Fe_7N_3 . Therefore, there exists stronger magnetic and electronic interactions between Fe atoms in the ab plane in Fe_7C_3 in comparison with Fe_7N_3 . This contributes to different axial compression behaviors of h -type Fe_7C_3 and N-rich $\text{Fe}_7(\text{N,C})_3$. We also calculated the thermal EoS of h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ with the following fitted results: $\partial K/\partial T = -0.046$ (34) GPa/K and $\alpha_0 = 3.2(1.5) \times 10^{-5} \text{ K}^{-1}$ (Figure 7b).

4. Discussion

Previous experiments have reported that ϵ -type Fe_7N_3 transforms directly into the h -type structure above 40 GPa at high T , and the o -type phase has not been observed between 20 and 40 GPa (Minobe et al., 2015). Our static calculations have shown that o -type Fe_3N becomes energetically favorable in comparison with ϵ -type Fe_3N above 38 GPa. However, the ϵ -to- o transition is only evaluated in the Fe_3X stoichiometry due to our limited computational capability. The o -type Fe_3C is found to have a wide solid solution range depending on the synthetic conditions. The o -type Fe_3C with C-deficiency up to 2.6 at% ($\text{Fe}_3\text{C}_{0.87}$) is synthesized at Fe-saturated conditions, and that containing 28 at% C ($\text{Fe}_3\text{C}_{1.17}$) is detected at C-saturated conditions (Walker et al., 2013, 2015; Zhu, Li, Walker, et al., 2019). Adding much more C to stoichiometric Fe_3C tends to destabilize the o -type phase and finally leads to forming h -type Fe_7C_3 . If this can be applied in the Fe-N system, the present calculations may overestimate the stability of the o -type Fe nitride. The incorporation of C in the Fe-N system can lower the two transition pressures and slightly expand the stability field of the o -type phase, which may facilitate the observation of this phase in Fe carbonitrides. However, given the structural characteristics of the o -type phase, the ϵ -to- o transformation of $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ will be accompanied by a

partial dissociation, causing its composition to approach the Fe_3X stoichiometry. Recent studies have found that deviation from the stoichiometric composition of Fe_3C in either C-deficiency or C-excess direction reduces the unit-cell V (Walker et al., 2013, 2015; Zhu, Li, Walker, et al., 2019). This finding indicates that the o -type phase observed in the present study is a N-enriched non-stoichiometric solid solution with the chemical formula of $\text{Fe}_3(\text{N,C})_{1+x}$ ($x < 0.28$). In addition, there is no evidence of back-transformation to the ε -type structure from the o -type phase after quenching at 27 GPa. Both experimental and theoretical results demonstrated that the ε -to- o transition introduces a considerable V reduction (Figure S10a). The o -type structure should be a high- P phase of the ε -type structure instead of a high- T one. The P of ~ 27 GPa should be the upper limit of the ε -to- o transition boundary, and ε -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ is metastable in the P of 27–40 GPa and in the T of 450–750 K (Figure 1).

The h -type phase is experimentally detected above ~ 40 GPa for either Fe nitride or Fe carbonitride, implying that the incorporation of C in the Fe-N system affects the stability of the h -type phase slightly. In the Fe-C system, Fe_3C melts incongruently to form Fe_7C_3 plus liquid above 10 GPa (Fei & Brosh, 2014). However, Fe_3C is stable over a broad P - T field in the solid state, and decomposes into Fe_7C_3 plus Fe above 145 GPa prior to melting (Liu, Lin, et al., 2016). Subsequent experimental studies suggest that Fe_3C and Fe coexist at subsolidus conditions to at least 203 GPa (Mashino et al., 2019). Although the exact stability field of Fe_3C at multi-megabar pressures remains controversial, previous results support the conclusion that Fe_3C cannot decompose into Fe_7C_3 plus Fe below the solidus at pressures below one megabar, a conclusion also supported by first-principles calculations (Mookherjee et al., 2011). Therefore, the incorporation of N in the Fe-C system can stabilize the h -type phase at high P - T conditions. It is expected that C-rich $\text{Fe}_3(\text{C,N})$ is able to dissociate into $\text{Fe}_7(\text{C,N})_3$ plus Fe below the solidus at pressures much lower than that for pure Fe_3C .


Three kinds of N-enriched solid solutions, that is, ε -type, o -type and h -type phases, have been experimentally observed. The V changes caused by the substitution of C for N are small, generally less than 2% in these solid solutions (Figure 7a and Figure S10a), indicating that the molar volumes of N and C in these structures are very similar. Sokol et al. (2017) found that the solubility of N in o -type Fe_3C is limited to 0.5 wt% at 7.8 GPa, and that the incorporation of 0.5 wt% N leads to a $\sim 10\%$ V expansion. This V change is inconsistent with the present calculations. One possible reason might be that o -type $\text{Fe}_3(\text{C,N})_{1+x}$ is unstable on the C-rich side at ambient conditions, and the unit-cell V expands drastically during P quenching. More studies are required to reconcile the discrepancy between experimental and theoretical results. Nevertheless, a large V expansion may be responsible for impeding N solubility in o -type Fe_3C (Sokol et al., 2017). These results may further imply that Fe_3N and Fe_3C cannot form a complete solid solution in the ε -type or o -type phase at low P , since they have distinct crystal structures (Figure S1). The N-enriched ε -type $\text{Fe}_3(\text{N,C})_{1+x}$ transforms into the o -type phase at 26–30 GPa, suggesting a possible complete solid solution at 25–40 GPa across the o -type Fe_3C - Fe_3N join. Similarly, h -type Fe_7C_3 and Fe_7N_3 are likely to form a complete solid solution in the stability field of the h -type phase (i.e., >40 GPa), as observed in diamond inclusions from the lower mantle as well as in our experiments (Kaminsky & Wirth, 2017).

At room T , no structural transition occurs in Fe nitrides or carbonitrides (including cubic γ' - Fe_4N , orthorhombic ζ - Fe_2N and ε -type $\text{Fe}_3(\text{N,C})_x$) at pressures up to at least ~ 70 GPa (Adler & Williams, 2005; Lv et al., 2020; Zhuang et al., 2021). By contrast, previous and present theoretical calculations show that these compounds become unstable at pressures much lower than 70 GPa at 0 K (Niewa, Rau, Wosylus, Meier, Wessel, et al., 2009; Schwarz et al., 2009). Indeed, at high temperatures, these compounds transform into high- P polymorphs at significantly lower pressures. For instance, γ' - Fe_4N and ζ - Fe_2N transform into ε -type Fe_4N and Fe_2N at ~ 10 GPa at high temperatures, respectively (Guo et al., 2013; Schwarz et al., 2009). The ε -type Fe nitrides undergo a reversible structural transition to the h -type phase above ~ 40 GPa when laser-annealed (Minobe et al., 2015). The discrepancies between theoretical prediction and experimental observations suggest a kinetic barrier in the structural transitions for Fe nitrides and carbonitrides. This hinders the transformation to high- P phases, and consequently renders the low- P phases metastable to much higher pressures. High T considerably contributes to the rearrangement of atoms to form high- P polymorphs for Fe nitrides and carbonitrides. Based upon our experimental results, the heating T of 750 K is sufficient to overcome the kinetic barrier of the ε -to- h transition for $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$. In the meanwhile, the kinetic barrier of the ε -to- o transition is still unclear. So far, we can only obtain that the kinetic barrier of this transition cannot be overcome by heating to 750 K but can be overcome by heating to $\sim 1,200$ K.

The ϵ -to- h structural transition observed in run-3 introduces a $\sim 4\%$ V collapse in $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ at ~ 40 GPa (Figure S10b), which is close to the value ($\sim 6\%$) for pure Fe_7N_3 (Minobe et al., 2015). The V change for Fe_3N or $\text{Fe}_3(\text{N}_{0.75}\text{C}_{0.25})$ is theoretically determined to be $\sim 6\%$ across the ϵ -to- o structural transition (Figure S10a). The ϵ -type structure is derived from a distorted hexagonal close-packed (*hcp*) structure of Fe. N (or C) atoms occupy the octahedral sites in an ordered or disordered way with many unoccupied vacancies (Niewa, Rau, Wosylus, Meier, Hanfland, et al., 2009). In o -type and h -type structures, each N (or C) atom is coordinated to six Fe atoms, forming a ditrigonal prism (Figure S1). The difference in the arrangement of atoms is responsible for a considerable V reduction through the ϵ -to- o or ϵ -to- h structural transition. The experimentally determined K_0 of ϵ -type Fe nitrides and carbonitrides varies from ~ 130 to ~ 180 GPa (Table S7) (Adler & Williams, 2005; Litasov et al., 2014, 2017; Lv et al., 2020; Yin et al., 2014). Our experimental and theoretical results suggest that the substitution of C for N has only a slight effect on the compressibility of the ϵ -type phase (Figure 5 and Table S4). In contrast, K_0 of the ϵ -type phase strongly depends on the total concentrations of N and C. With more N and C in the ϵ -type phase, fewer unoccupied octahedral sites will be present. The NFe_6 (or CFe_6) octahedron is less compressible in comparison to the octahedral vacancy. Therefore, K_0 of the ϵ -type phase is negatively correlated to the ratio of $\text{Fe}/(\text{N}+\text{C})$. In terms of the h -type phase, if K_0' is fixed to 3.2 as reported by Chen et al. (2012), the corresponding K_0 are 306 (9) GPa, 307 and 316 GPa for $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$, Fe_7C_3 and Fe_7N_3 , respectively (Table S9) (Chen et al., 2012; Kusakabe et al., 2019). With a fixed $\text{Fe}/(\text{N}+\text{C})$ ratio of ~ 2.33 , the K_0 of the h -type phase is nearly independent of the N/C ratio. The thermoelastic parameters of ϵ -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ obtained in the present study (see Table S7) are similar to those of ϵ -type $\text{Fe}_3\text{N}_{0.8}$ and Fe_7N_3 (Litasov et al., 2014, 2017). Moreover, both h -type $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ and Fe_7C_3 have comparable thermoelastic properties (Lai et al., 2018). To summarize, we suggest that for the Fe-N-C system, the stability and phase transitions of Fe carbonitride at high P - T conditions are mainly controlled by the N/C ratio, with the $\text{Fe}/(\text{N}+\text{C})$ ratio significantly affecting its isothermal compressibility, whereas the compositional effect plays a negligible role in influencing its thermoelastic parameters (i.e., $\partial K/\partial T$ and α_T).

5. Implications

A recent study has estimated that more than 80% of N in the slab does not return to the surface in the cold slab geotherm (Busigny et al., 2019). Even in the warm slab, about half of N in the slab can be transported to the deep Earth. Potassium silicates, such as cymrite, wadeite and hollandite, are major carriers transporting N in the lithosphere to the lower upper mantle and transition zone via subduction (Sokol et al., 2020; Watenphul et al., 2009). Stishovite, as one of major phases in subducted slabs, is shown to be capable of incorporating a few hundreds of ppm N at 28 GPa and 1,700–2,000 K, indicating that a large amount of N could have been continuously transported into the lower mantle to at least ~ 800 km through subduction (Fukuyama et al., 2020). Recent petrologic observations and mineral physics experiments suggest that native Fe and Fe-enriched alloys may exist not only at the core-mantle boundary (CMB), but also in the bulk deep mantle (Armstrong et al., 2019; Frost et al., 2004; Smith et al., 2016). The Fe-enriched domains in the deep mantle may be alloyed with N throughout geological times, provided that N is continuously supplied by the slabs. The interactions between subducted slabs and Fe-enriched domains can lead to the formation of Fe-N or Fe-N-C compounds during the slab-mantle interaction (Figure 8). The structures of N-bearing Fe-enriched phases depend on the formation depth and N/C ratios. In general, ϵ -type and o -type phases are dominant above $\sim 1,000$ km, and they will both transform into the h -type phase below $\sim 1,000$ km. Nitrogen is likely to be residing in the deep mantle in the form of Fe nitrides and carbonitrides with diverse polymorphs and compositions. This may keep N hidden from observations at the surface and partially solve the “missing nitrogen” problem. In addition, the Fe-enriched phase can partially or fully melt with the presence of sulfur (S) or nickel (Ni) at the level of several weight percent (Gilfoy & Li, 2020). The solubility of N in the Fe-enriched melt remains nearly unaffected in the metallic melt containing up to ~ 17 wt% S (Grewal, Dasgupta, Holmes, et al., 2019). Therefore, the Fe-enriched melt can still efficiently extract N from the slabs even when other volatiles are present. Furthermore, there is a large difference in the N bonding between metal alloys (ϵ -type, o -type and h -type phases) and subducted slabs. The extraction of N from the slabs to the Fe-enriched domains in the bulk mantle is anticipated to be accompanied by considerable N-isotopic fractionations, which can be verified by future studies.



Drawing not to scale

Figure 8. Schematic model for possible N hosts in the deep mantle. The N stored in the mantle can be either from the residue of the primordial mantle or from the injection of N via subducted slabs. Nitrogen can be stored in major silicates of the normal mantle. Below 250 km, where the mantle is saturated with metallic Fe, ϵ -type and o -type Fe nitrides and carbonitrides become important hosts for N. The h -type Fe nitrides and carbonitrides are energetically favorable in comparison to ϵ -type and o -type counterparts below 1,000 km, and they should be the most significant metallic host for N down to at least 1,500 km.

Superdeep diamonds carry unique information about the mineralogy and geochemistry of the inaccessible deep Earth (Kaminsky, 2012). Most superdeep diamonds are typically N-free or only contain N concentrations at the level of several ppm (Smith et al., 2016). However, recent studies have detected diverse Fe nitrides, carbonitrides, nitrocarbides and carbides as inclusions in lower-mantle diamonds (Kaminsky & Wirth, 2017). The compositions of Fe-N-C inclusions in superdeep diamonds are complex, with the Fe/(N+C) ratio ranging from 1.67 to 3.83 and the N/(N+C) ratio ranging from 0.2 to 0.8. Of particular interest is the fact that Fe_7C_3 and ϵ -type $Fe_9(N_{0.8}C_{0.2})_4$ coexist as inclusions in a lower-mantle diamond (Kaminsky & Wirth, 2017). Based on the compositional and structural analysis of two inclusions and the phase relation of the Fe-C system at high pressures, Kaminsky and Wirth (2017) suggested that the observed Fe alloys probably originated from the CMB after migrating from the Earth's liquid outer core. Although Fe and Fe_7C_3 become eutectic at very high pressures, Fe_7C_3 can be formed by the incongruent melting of Fe_3C above ~ 10 GPa (Fei & Brosh, 2014; Liu, Lin, et al., 2016). In addition, Fe_7C_3 can occur as an intermediate by-product of the reaction between metallic Fe and subducted carbonates (Zhu, Li, Liu, et al., 2019). This assemblage likely represents reduced domains in the lower mantle, which can be locally preserved throughout the mantle and contribute to the primordial redox heterogeneity of the mantle. However, the occurrence of this assemblage as inclusions may not necessarily indicate a CMB origin (Zedgenizov & Litasov, 2017). Another possibility is that this assemblage is formed through a two-stage crystallization process involving a Fe-N-C melt in the so-called metallic pockets in the deep mantle (Smith et al., 2016). Fe_7C_3 has the highest melting temperature among Fe carbides and nitrides, and it will crystallize first from the melt (Kusakabe et al., 2019; Liu, Lin, et al., 2016). However, the TEM image showing Fe_7C_3 transects $Fe_9(N_{0.8}C_{0.2})_4$ indicates that $Fe_9(N_{0.8}C_{0.2})_4$ is formed no later than Fe_7C_3 . In addition, this model cannot explain why Fe_7C_3 coexisting with N-rich $Fe_9(N_{0.8}C_{0.2})_4$ is totally N-free, unless N only partitions into metallic melt when in equilibrium with Fe_7C_3 . This explanation is contradicted by the observation of a $Fe_7(C_{0.73}N_{0.27})_3$ inclusion in a diamond from the lower mantle (Kaminsky & Wirth, 2017).

Based on our results, we propose that the origin of this assemblage is an h -type N-enriched $Fe_7(N,C)_3$ precursor phase. When h -type $Fe_7(N,C)_3$ is carried into shallow regions, it will transform into the low- P ϵ -type phase as observed in the present study. The incorporation of C in the ϵ -type phase has an upper limit that is controlled by P and T (Sokol et al., 2017). This phase transformation will be accompanied by the exsolution

of Fe_7C_3 , which can be described as h -type $\text{Fe}_7(\text{N}_{1-m}\text{C}_m)_3 \rightarrow \varepsilon$ -type $\text{Fe}_7(\text{N}_{1-n}\text{C}_n)_3 + \text{Fe}_7\text{C}_3$ ($m > n$); this possibility is supported by the fact that Fe_7C_3 and ε -type $\text{Fe}_9(\text{N}_{0.8}\text{C}_{0.2})_4$ have similar $\text{Fe}/(\text{C}+\text{N})$ ratios (Kaminsky & Wirth, 2017). The N-enriched $\text{Fe}_7(\text{N},\text{C})_3$ precursor can either be the residue of the primordial mantle or be formed by the interaction between subducted slabs and Fe-enriched domains in the lower mantle. The isotopic characteristics of inclusions in superdeep diamonds can in principle place additional constraints on the origin of these light elements (Dalou et al., 2019). On the other hand, the o -type Fe carbonitride or nitrocarbide has not been found in superdeep diamonds yet. The o -type phase observed in the present study can be T -quenched, but it remains unclear whether or not it is quenchable to ambient P . Further investigations are required to constrain the stability field of the o -type phase as a function of its N/C ratios. In addition to silicates and oxides, the structural and compositional features of Fe-N-C inclusions as a function of P , T and even redox conditions can also shed light on the depth of formation of superdeep diamonds and geodynamic processes in the lower mantle.

Recent studies have proposed that the Earth's inner core can consist predominantly of h -type Fe_7C_3 or Fe_7N_3 because their densities can match the density of the inner core (Chen et al., 2012; Kusakabe et al., 2019). The h -type $\text{Fe}_7(\text{C},\text{N})_3$ is also suggested to be a candidate constituent of the inner core under the assumption that its two endmembers could form a continuous solid solution at high P - T conditions (Kusakabe et al., 2019; Minobe et al., 2015). Our study provides the first experimental confirmation of the existence of an h -type Fe_7C_3 - Fe_7N_3 solid solution above 40 GPa. We also find that the substitution of C for N slightly affects the compressibility and thermoelastic properties of Fe-N-C compounds with a fixed $\text{Fe}/(\text{N}+\text{C})$ ratio. It is expected that the density of an intermediate h -type $\text{Fe}_7(\text{C},\text{N})_3$ phase, such as $\text{Fe}_7(\text{N}_{0.75}\text{C}_{0.25})_3$ in the present study, will be very close to that of its two endmembers when extrapolated to much higher P - T conditions. On the other hand, a recent theoretical study has predicted a new monoclinic high- P phase for Fe_7N_3 and Fe_7C_3 above ~ 250 GPa (Sagatov et al., 2019). Subsequent simulations suggested that Fe_7C_3 might decompose into the mixture of Fe_2C and Fe_3C at conditions of the Earth's inner core (Sagatov et al., 2020). Whether these results could be applied in the Fe-N-C ternary system is still under debate. More experimental and theoretical studies are required to determine the phase stability, density and physical properties of h -type $\text{Fe}_7(\text{C},\text{N})_3$ solid solutions at simultaneous high P - T conditions relevant to the Earth's core, which can offer more clues to decipher the Earth's core compositions and the speciation of N in the Earth's core.

Acknowledgments

The authors thank Konstantin Litasov and an anonymous reviewer for their helpful comments and suggestions, which improved the manuscript. The authors acknowledge the support from the U.S.A. National Science Foundation (NSF) grants (EAR-1555388 and EAR-1829273) to B. Chen, National Natural Science Foundation of China (NSFC) grants (41827802) to X. Wu, NSF-EAR-1763189 to J. Li, NSFC-42072047 to S. Qin, and the financial support from Graduate School of Peking University to S. Huang. The authors thank Jingui Xu for his help in the EHDAC experiment. This research performed at GeoSoilEnviroCARS (Sector 13), Advanced Photon Source (APS), Argonne National Laboratory (ANL). GeoSoilEnviroCARS is supported by the National Science Foundation-Earth Sciences (EAR-1634415) and Department of Energy-GeoSciences (DE-FG02-94ER14466). The use of the COMPRES-GSECARS gas loading system was supported by COMPRES under NSF Cooperative Agreement EAR-1606856 and by GSECARS through NSF grant EAR-1634415 and DOE grant DE-FG02-94ER14466. This research used resources of the APS, a U.S. Department of Energy (DOE) Office of Science User Facility operated for the DOE Office of Science by ANL under Contract No. DE-AC02-06CH11357. The use of the COMPRES Cell Assembly Project was supported by COMPRES under USF Cooperative Agreement EAR-1661511. The development of EHDAC was supported by Externally heated Diamond Anvil Cell Experimentation (EH-DANCE) project to B. Chen under Education Outreach and Infrastructure Development (EOID) program from COMPRES under NSF Cooperative Agreement EAR-1606856. The authors thank the Supercomputing Laboratory of IGGCAS (Institute of Geology and Geophysics, Chinese Academy of Sciences) for the computational resources and support.

Data Availability Statement

All the data necessary to produce the results are available on Zenodo (<http://doi.org/10.5281/zenodo.4556877>).

References

- Adler, J. F., & Williams, Q. (2005). A high-pressure X-ray diffraction study of iron nitrides: Implications for Earth's core. *Journal of Geophysical Research*, 110, B01203. <https://doi.org/10.1029/2004JB003103>
- Angel, R. J., Alvaro, M., & Gonzalez-Platas, J. (2014). EoSFit7c and a Fortran module (library) for equation of state calculations. *Zeitschrift für Kristallographie*, 229(5), 405–419. <https://doi.org/10.1515/zkri-2013-1711>
- Armstrong, K., Frost, D. J., McCammon, C. A., Rubie, D. C., & Ballaran, T. B. (2019). Deep magma ocean formation set the oxidation state of Earth's mantle. *Science*, 365(6456), 903–906. <https://doi.org/10.1126/science.aax8376>
- Bergin, E. A., Blake, G. A., Ciesla, F., Hirschmann, M. M., & Li, J. (2015). Tracing the ingredients for a habitable earth from interstellar space through planet formation. *Proceedings of the National Academy of Sciences*, 112(29), 8965–8970. <https://doi.org/10.1073/pnas.1500954112>
- Berman, R. G. (1988). Internally-consistent thermodynamic data for minerals in the system Na_2O - K_2O - CaO - MgO - FeO - Fe_2O_3 - Al_2O_3 - SiO_2 - TiO_2 - H_2O - CO_2 . *Journal of Petrology*, 29(2), 445–522. <https://doi.org/10.1093/ptrology/29.2.445>
- Birch, F. (1947). Finite elastic strain of cubic crystals. *Physical Review*, 71(11), 809–824. <https://doi.org/10.1103/PhysRev.71.809>
- Busigny, V., Cartigny, P., Laverne, C., Teagle, D., Bonifacie, M., & Agrinier, P. (2019). A re-assessment of the nitrogen geochemical behavior in upper oceanic crust from Hole 504B: Implications for subduction budget in Central America. *Earth and Planetary Science Letters*, 525, 115735. <https://doi.org/10.1016/j.epsl.2019.115735>
- Campbell, A. J., Danielson, L., Righter, K., Seagle, C. T., Wang, Y., & Prakapenka, V. B. (2009). High pressure effects on the iron-iron oxide and nickel-nickel oxide oxygen fugacity buffers. *Earth and Planetary Science Letters*, 286, 556–564. <https://doi.org/10.1016/j.epsl.2009.07.022>
- Chen, B., Gao, L., Lavina, B., Dera, P., Alp, E. E., Zhao, J., & Li, J. (2012). Magneto-elastic coupling in compressed Fe_7C_3 supports carbon in Earth's inner core. *Geophysical Research Letters*, 39(18), L18301. <https://doi.org/10.1029/2012GL052875>
- Chen, B., Lai, X., Li, J., Liu, J., Zhao, J., Bi, W., et al. (2018). Experimental constrains on the sound velocities of cementite Fe_3C to core pressures. *Earth and Planetary Science Letters*, 494, 164–171. <https://doi.org/10.1016/j.epsl.2018.05.002>

- Chen, B., Li, Z., Zhang, D., Liu, J., Hu, M. Y., Zhao, J., et al. (2014). Hidden carbon in Earth's inner core revealed by shear softening in dense Fe₇C₃. *Proceedings of the National Academy of Sciences*, 111(50), 17755–17758. <https://doi.org/10.1073/pnas.1411154111>
- Dalou, C., Füre, E., Deligny, C., Piani, L., Caumon, M. C., Laumonier, M., et al. (2019). Redox control on nitrogen isotope fractionation during planetary core formation. *Proceedings of the National Academy of Sciences*, 116(29), 14485–14494. <https://doi.org/10.1073/pnas.1820719116>
- Dalou, C., Hirschmann, M. M., Handt, von der, A., Mosenfelder, J., & Armstrong, L. S. (2017). Nitrogen and carbon fractionation during core-mantle differentiation at shallow depth. *Earth and Planetary Science Letters*, 458, 141–151. <https://doi.org/10.1016/j.epsl.2016.10.026>
- Fei, Y., & Brosh, E. (2014). Experimental study and thermodynamic calculations of phase relations in the Fe-C system at high pressure. *Earth and Planetary Science Letters*, 408, 155–162. <https://doi.org/10.1016/j.epsl.2014.09.044>
- Fei, Y., Ricolleau, A., Frank, M., Mibe, K., Shen, G., & Prakapenka, V. (2007). Toward an internally consistent pressure scale. *Proceedings of the National Academy of Sciences*, 104(22), 9182–9186. <https://doi.org/10.1073/pnas.0609013104>
- Frost, D. J., Liebske, C., Langenhorst, F., McCammon, C. A., Trønnes, R. G., & Rubie, D. C. (2004). Experimental evidence for the existence of iron-rich metal in the Earth's lower mantle. *Nature*, 428(6981), 409–412. <https://doi.org/10.1038/nature02413>
- Fukuyama, K., Kagi, H., Inoue, T., Kakizawa, S., Shinmei, T., Hishita, S., et al. (2020). High nitrogen solubility in stishovite (SiO₂) under lower mantle conditions. *Scientific Reports*, 10, 10897. <https://doi.org/10.1038/s41598-020-67621-2>
- Gilfoy, F., & Li, J. (2020). Thermal state and solidification regime of the martian core: Insights from the melting behavior of FeNi-S at 20 GPa. *Earth and Planetary Science Letters*, 541, 116285. <https://doi.org/10.1016/j.epsl.2020.116285>
- Grewal, D. S., Dasgupta, R., Holmes, A. K., Costin, G., Li, Y., & Tsuno, K. (2019). The fate of nitrogen during core-mantle separation on Earth. *Geochimica et Cosmochimica Acta*, 251, 87–115. <https://doi.org/10.1016/j.gca.2019.02.009>
- Grewal, D. S., Dasgupta, R., Sun, C., Tsuno, K., & Costin, G. (2019). Delivery of carbon, nitrogen, and sulfur to the silicate Earth by a giant impact. *Science Advances*, 5(1), eaau3669. <https://doi.org/10.1126/sciadv.aau3669>
- Guo, K., Rau, D., Appen, von, J., Prots, Y., Schnelle, W., Dronskowski, R., et al. (2013). High pressure high-temperature behavior and magnetic properties of Fe₄N: Experiment and theory. *High Pressure Research*, 33(3), 684–696. <https://doi.org/10.1080/08957959.2013.809715>
- Johnson, B., & Goldblatt, C. (2015). The nitrogen budget of Earth. *Earth-Science Reviews*, 148, 150–173. <https://doi.org/10.1016/j.earscirev.2015.05.006>
- Kaminsky, F. (2012). Mineralogy of the lower mantle: A review of 'super-deep' mineral inclusions in diamond. *Earth-Science Reviews*, 110, 127–147. <https://doi.org/10.1016/j.earscirev.2011.10.005>
- Kaminsky, F., & Wirth, R. (2017). Nitrides and carbonitrides from the lowermost mantle and their importance in the search for Earth's "lost" nitrogen. *American Mineralogist*, 102(8), 1667–1676. <https://doi.org/10.2138/am-2017-6101>
- Kresse, G., & Joubert, D. (1999). From ultrasoft pseudopotentials to the projector augmented-wave method. *Physical Review B*, 59(3), 1758–1775. <https://doi.org/10.1103/PhysRevB.59.1758>
- Kusakabe, M., Hirose, K., Sinmyo, R., Kuwayama, Y., Ohishi, Y., & Helffrich, G. (2019). Melting curve and equation of state of β-Fe₇N₃: Nitrogen in the core? *Journal of Geophysical Research: Solid Earth*, 124(4), 3448–3457. <https://doi.org/10.1029/2018JB015823>
- Lai, X., Zhu, F., Liu, J., Zhang, D., Hu, Y., Finkelstein, G. J., et al. (2018). The high-pressure anisotropic thermoelastic properties of a potential inner core carbon-bearing phase, Fe₇C₃, by single-crystal X-ray diffraction. *American Mineralogist*, 103(10), 1568–1574. <https://doi.org/10.2138/am-2018-6527>
- Lai, X., Zhu, F., Zhang, J. S., Zhang, D., Tkachev, S., Prakapenka, V. B., & Chen, B. (2020). An externally-heated diamond anvil cell for synthesis and single-crystal elasticity determination of ice-VII at high pressure-temperature conditions. *Journal of Visualized Experiments*, 160, e61389. <https://doi.org/10.3791/61389>
- Lei, L., Zhang, L., Gao, S., Hu, Q., Fang, L., Chen, X., et al. (2018). Neutron diffraction study of the structural and magnetic properties of ε-Fe₃N_{1.098} and ε-Fe_{2.322}Co_{0.678}N_{0.888}. *Journal of Alloys and Compounds*, 752, 99–105. <https://doi.org/10.1016/j.jallcom.2018.04.143>
- Leinenweber, K., Tyburczy, J. A., Sharp, T., Soignard, E., Diedrich, T., Petuskey, W. B., et al. (2012). Cell assemblies for reproducible multi-anvil experiments (the COMPRES assemblies). *American Mineralogist*, 97, 353–368. <https://doi.org/10.2138/am.2012.3844>
- Litasov, K. D., Popov, Z. I., Gavryushkin, P. N., Ovchinnikov, S. G., & Fedorov, A. S. (2015). First-principles calculations of the equations of state and relative stability of iron carbides at the Earth's core pressures. *Russian Geology and Geophysics*, 56(1–2), 164–171. <https://doi.org/10.1016/j.rgg.2015.01.010>
- Litasov, K. D., Shatskiy, A., Ponomarev, D. S., & Gavryushkin, P. N. (2017). Equations of state of iron nitrides ε-Fe₃N_x and γ-Fe₄N_y to 30 GPa and 1200 K and implication for nitrogen in the Earth's core. *Journal of Geophysical Research: Solid Earth*, 122(5), 3574–3584. <https://doi.org/10.1002/2017JB014059>
- Litasov, K. D., Shatskiy, A. F., & Ohtani, E. (2016). Interaction of Fe and Fe₃C with hydrogen and nitrogen at 6–20 GPa: A study by in situ X-ray diffraction. *Geochemistry International*, 54(10), 914–921. <https://doi.org/10.1134/S0016702916100074>
- Litasov, K. D., Shatskiy, A. F., Ovchinnikov, S. G., Popov, Z. I., Ponomarev, D. S., & Ohtani, E. (2014). Phase transformations of iron nitrides Fe₃N-Fe₄N studied by in situ X-ray diffractions. *JETP Letters*, 98(12), 805–808. <https://doi.org/10.1134/S0021364013250140>
- Liu, J., Li, J., & Ikuta, D. (2016). Elastic softening in Fe₇C₃ with implications for Earth's deep carbon reservoirs. *Journal of Geophysical Research: Solid Earth*, 121(3), 1514–1524. <https://doi.org/10.1002/2015JB012701>
- Liu, J., Lin, J. F., Prakapenka, V. B., Prescher, C., & Yoshino, T. (2016). Phase relations of Fe₃C and Fe₇C₃ up to 185 GPa and 5200 K: Implication for the stability of iron carbide in the Earth's core. *Geophysical Research Letters*, 43(24), 12415–12422. <https://doi.org/10.1002/2016GL071353>
- Liu, Y., Li, H., Lai, X., Zhu, F., Rapp, R. P., & Chen, B. (2020). Casting octahedra for reproducible multi-anvil experiments by 3D-printed molds. *Minerals*, 10, 4. <https://doi.org/10.3390/min10010004>
- Lv, M., Liu, J., Zhu, F., Li, J., Zhang, D., Xiao, Y., & Dorfman, S. M. (2020). Spin transitions and compressibility of ε-Fe₇N₃ and γ-Fe₄N: Implications for iron alloys in terrestrial planet cores. *Journal of Geophysical Research: Solid Earth*, 124, e2020JB020660. <https://doi.org/10.1029/2020JB020660>
- Marty, B. (2012). The origins and concentrations of water, carbon, nitrogen and noble gases on Earth. *Earth and Planetary Science Letters*, 313, 56–66. <https://doi.org/10.1016/j.epsl.2011.10.040>
- Mashino, I., Miozzi, F., Hirose, K., Morard, G., & Sinmyo, R. (2019). Melting experiments on the Fe-C binary system up to 255 GPa: Constraints on the carbon content in the Earth's core. *Earth and Planetary Science Letters*, 515, 135–144. <https://doi.org/10.1016/j.epsl.2019.03.020>
- Mikhail, S., & Sverjensky, D. A. (2014). Nitrogen speciation in upper mantle fluids and the origin of Earth's nitrogen-rich atmosphere. *Nature Geoscience*, 7(11), 816–819. <https://doi.org/10.1038/ngeo2271>

- Minohe, S., Nakajima, Y., Hirose, K., & Ohishi, Y. (2015). Stability and compressibility of a new iron-nitride β -Fe₇N₃ to core pressures. *Geophysical Research Letters*, 42(13), 5206–5211. <https://doi.org/10.1002/2015GL064496>
- Mookherjee, M., Nakajima, Y., Steinle-Neumann, G., Glazyrin, K., Wu, X., Dubrovinsky, L., et al. (2011). High-pressure behavior of iron carbide (Fe₇C₃) at inner core conditions. *Journal of Geophysical Research*, 116(B4), B04201. <https://doi.org/10.1029/2010JB007819>
- Murnaghan, F. D. (1944). The compressibility of media under extreme pressures. *Proceedings of the National Academy of Sciences*, 30(9), 244–247. <https://doi.org/10.1073/pnas.30.9.244>
- Nakajima, Y., Takahashi, E., Sata, N., Nishihara, Y., Hirose, K., Funakoshi, K. I., & Ohishi, Y. (2011). Thermoelastic property and high-pressure stability of Fe₇C₃: Implication for iron-carbide in the Earth's core. *American Mineralogist*, 96(7), 1158–1165. <https://doi.org/10.2138/am.2011.3703>
- Niewa, R., Rau, D., Wosylus, A., Meier, K., Hanfland, M., Wessel, M., et al. (2009). High-pressure, high-temperature single-crystal growth, ab initio electronic structure calculations, and equation of state of ϵ -Fe₃N_{1+x}. *Chemistry of Materials*, 21(2), 392–398. <https://doi.org/10.1021/cm802721k>
- Niewa, R., Rau, D., Wosylus, A., Meier, K., Wessel, M., Hanfland, M., et al. (2009). High-pressure high-temperature phase transition of γ '-Fe₄N. *Journal of Alloys and Compounds*, 480(1), 76–80. <https://doi.org/10.1016/j.jallcom.2008.09.178>
- Perdew, J. P., Burke, K., & Ernzerhof, M. (1996). Generalized gradient approximation made simple. *Physical Review Letters*, 77(18), 3865–3868. <https://doi.org/10.1103/PhysRevLett.77.3865>
- Popov, Z. I., Litasov, K. D., Gavryushkin, P. N., Ovchinnikov, S., & Fedorov, A. S. (2015). Theoretical study of γ '-Fe₂N and ϵ -Fe_xN iron nitrides at pressures up to 500 GPa. *JETP Letters*, 101(6), 371–375. <https://doi.org/10.1134/S0021364015060090>
- Prescher, C., Dubrovinsky, L., McCammon, C., Glazyrin, K., Nakajima, Y., Kantor, A., et al. (2012). Structurally hidden magnetic transitions in Fe₃C at high pressures. *Physical Review B*, 85(14), 140402. <https://doi.org/10.1103/PhysRevB.85.140402>
- Roskosz, M., Bouhifd, M. A., Jephcoat, A. P., Marty, B., & Mysen, B. O. (2013). Nitrogen solubility in molten metal and silicate at high pressure and temperature. *Geochimica et Cosmochimica Acta*, 121, 15–28. <https://doi.org/10.1016/j.gca.2013.07.007>
- Sagatov, N., Gavryushkin, P. N., Inerbaev, T. M., & Litasov, K. D. (2019). New high-pressure phases of Fe₇N₃ and Fe₇C₃ stable at Earth's core conditions: Evidences for carbon-nitrogen isomorphism in Fe-compounds. *The Royal Society of Chemistry Advances*, 9(7), 3577–3581. <https://doi.org/10.1039/C8RA09942A>
- Sagatov, N. E., Gavryushkin, P. N., Medrish, I. V., Inerbaev, T. M., & Litasov, K. D. (2020). Phase relations of iron carbides Fe₂C, Fe₃C, and Fe₇C₃ at the Earth's core pressures and temperatures. *Russian Geology and Geophysics*, 61(12), 1345–1353. <https://doi.org/10.15372/RGG2019146>
- Schwarz, U., Wosylus, A., Wessel, M., Dronskowski, R., Hanfland, M., Rau, D., & Niewa, R. (2009). High-pressure-high-temperature behavior of ζ -Fe₂N and phase transition to ϵ -Fe₃N_{1.5}. *European Journal of Inorganic Chemistry*, 2009(12), 1634–1639. <https://doi.org/10.1002/ejic.200801222>
- Smith, E. M., Shirey, S. B., Nestola, F., Bullock, E. S., Wang, J., Richardson, S. H., & Wang, W. (2016). Large gem diamonds from metallic liquid in Earth's deep mantle. *Science*, 354(6318), 1403–1405. <https://doi.org/10.1126/science.aal1303>
- Sokol, A. G., Kruk, A. N., Seryotkin, Y. V., Korablin, A. A., & Palyanov, Y. N. (2017). Phase relations in the Fe-Fe₃C-Fe₃N system at 7.8 GPa and 1350°C: Implications for carbon and nitrogen hosts in Fe⁰-saturated upper mantle. *Physics of the Earth and Planetary Interiors*, 265, 43–53. <https://doi.org/10.1016/j.pepi.2017.02.007>
- Sokol, A. G., Kupriyanov, I. N., Seryotkin, Y. V., Sokol, E. V., Kruk, A. N., Tomilenko, A. A., et al. (2020). Cymrite as mineral clathrate: An overlooked redox insensitive transporter of nitrogen in the mantle. *Gondwana Research*, 79, 70–86. <https://doi.org/10.1016/j.gr.2019.08.013>
- Tateno, S., Komabayashi, T., Hirose, K., Hirao, N., & Ohishi, Y. (2019). Static compression of B2 KCl to 230 GPa and its PVT equation of state. *American Mineralogist*, 104(5), 718–723. <https://doi.org/10.2138/am-2019-6779>
- von der Handt, A., & Dalou, C. (2016). Quantitative EPMA of nitrogen in silicate glasses. *Microscopy and Microanalysis*, 22(S3), 1810–1811. <https://doi.org/10.1017/S1431927616009892>
- Walker, D., Dasgupta, R., Li, J., & Buono, A. (2013). Nonstoichiometry and growth of some Fe carbides. *Contributions to Mineralogy and Petrology*, 166(3), 935–957. <https://doi.org/10.1007/s00410-013-0900-7>
- Walker, D., Li, J., Kalkan, B., & Clark, S. M. (2015). Thermal, compositional, and compressional demagnetization of cementite. *American Mineralogist*, 100(11–12), 2610–2624. <https://doi.org/10.2138/am-2015-5306>
- Watenphul, A., Wunder, B., & Heinrich, W. (2009). High-pressure ammonium-bearing silicates: Implications for nitrogen and hydrogen storage in the Earth's mantle. *American Mineralogist*, 94(2–3), 283–292. <https://doi.org/10.2138/am.2009.2995>
- Wriedt, H., Gokcen, N., & Nafziger, R. (1987). The Fe-N (iron-nitrogen) system. *Bulletin of Alloy Phase Diagrams*, 8(4), 355–377. <https://doi.org/10.1007/bf02869273>
- Yin, W., Lei, L., Jiang, X., Liu, P., Liu, F., Li, Y., et al. (2014). High pressure synthesis and properties studies on spherical bulk ϵ -Fe₃N. *High Pressure Research*, 34(3), 317–326. <https://doi.org/10.1080/08957959.2014.944910>
- Yoshioka, T., Wiedenbeck, M., Shcheka, S., & Keppler, H. (2018). Nitrogen solubility in the deep mantle and the origin of Earth's primordial nitrogen budget. *Earth and Planetary Science Letters*, 488, 134–143. <https://doi.org/10.1016/j.epsl.2018.02.021>
- Zedgenizov, D. A., & Litasov, K. D. (2017). Looking for “missing” nitrogen in the deep Earth. *American Mineralogist*, 102(9), 1769–1770. <https://doi.org/10.2138/am-2017-6218>
- Zhu, F., Li, J., Liu, J., Lai, X., Chen, B., & Meng, Y. (2019). Kinetic control on the depth distribution of superdeep diamonds. *Geophysical Research Letters*, 46(4), 1984–1992. <https://doi.org/10.1029/2018GL080740>
- Zhu, F., Li, J., Walker, D., Liu, J., Lai, X., & Zhang, D. (2019). Origin and consequences of non-stoichiometry in iron carbide Fe₇C₃. *American Mineralogist*, 104(3), 325–332. <https://doi.org/10.2138/am-2019-6672>
- Zhuang, Y., Su, X., Salke, N. P., Cui, Z., Hu, Q., Zhang, D., & Liu, J. (2021). The effect of nitrogen on the compressibility and conductivity of iron at high pressure. *Geoscience Frontiers*, 12(2), 983–989. <https://doi.org/10.1016/j.gsf.2020.04.012>