

ARTICLE

Parenting and toddler self-regulation in low-income families: What does sleep have to do with it?

Megan M. Julian^{1,2} | Christy Y. Y. Leung^{2,3} | Katherine L. Rosenblum^{1,2} |

Monique K. LeBourgeois⁴ | Julie C. Lumeng^{2,5,6} | Niko Kaciroti^{2,7} | Alison L. Miller^{2,8}

¹Department of Psychiatry, Medical School, University of Michigan, Ann Arbor, Michigan

²Center for Human Growth and Development, University of Michigan, Ann Arbor, Michigan

³Department of Surgery, Division of Otolaryngology, University of Chicago Medicine, Chicago, Illinois

⁴Department of Integrative Physiology, University of Colorado Boulder, Boulder, Colorado

⁵Department of Pediatrics and Communicable Diseases, Medical School, University of Michigan, Ann Arbor, Michigan

⁶Department of Nutritional Sciences, School of Public Health, University of Michigan, Ann Arbor, Michigan

⁷Department of Biostatistics, School of Public Health, University of Michigan, Ann Arbor, Michigan

⁸Department of Health Behavior and Health Education, School of Public Health, University of Michigan, Ann Arbor, Michigan

Correspondence

Megan M. Julian, Center for Human Growth and Development, 300 N. Ingalls Street, 10th Floor, University of Michigan, Ann Arbor, MI 48109.

Email: mmjulian@med.umich.edu

Funding information

National Institute of Child Health and Human Development Numbers: T32 HD 079350 and R01 HD 069179 National Institute of Mental Health Number: R21 MH110765

ABSTRACT

Toddlerhood is a sensitive period in the development of self-regulation, a set of adaptive skills that are fundamental to mental health and partly shaped by parenting. Healthy sleep is known to be critical for self-regulation; yet, the degree to which child sleep alters interactive child–parent processes remains understudied. This study examines associations between observed parenting and toddler self-regulation, with toddler sleep as a moderator of this association. Toddlers in low-income families ($N = 171$) and their mothers were videotaped during free play and a self-regulation challenge task; videos were coded for mothers' behavior and affect (free play) and toddlers' self-regulation (challenge task). Mothers reported their child's nighttime sleep duration via questionnaire. Results revealed significant Sleep \times Maternal Negative Affect and Sleep \times Maternal Negative Control interactions. Children who did not experience negative parenting had good self-regulation regardless of their nighttime sleep duration. For children who did experience negative parenting, self-regulation was intact among those who obtained more nighttime sleep, but significantly poorer among children who were getting less nighttime sleep. Thus, among children who were reported to obtain less nighttime sleep, there were more robust associations between negative parenting and poorer self-regulation than among toddlers who were reported to obtain more sleep.

KEYWORDS

low-income families, parenting, self-regulation, sleep duration, toddler

RESUMEN

Los primeros años de la niñez son un período sensible en el desarrollo de la auto-regulación, un grupo de habilidades adaptables que son fundamentales para la salud mental y a las que en parte les da forma la crianza. Es sabido que el dormir bien es esencial para la auto-regulación y, aun así, el nivel al que el sueño del niño altera los procesos interactivos entre progenitor

y niño permanece poco estudiado. Este estudio examina las asociaciones entre la crianza observada y la auto-regulación del niño pequeño, tomando como moderador de tal asociación el proceso de dormir del niño pequeño. Se grabó en video a niños pequeños de familias de bajos ingresos ($N=171$) y sus madres durante una sesión de juego libre y una tarea de auto-regulación que suponía un reto; los videos fueron codificados en cuanto al comportamiento y afecto de las madres (juego libre) y la auto-regulación de los niños pequeños (tarea que suponía reto). Las madres reportaron acerca del sueño nocturno de sus niños por medio de un cuestionario. Los resultados revelaron interacciones significativas en cuanto al dormir y el negativo afecto materno, así como el dormir y el negativo control materno. Los niños que no experimentaron una crianza negativa tenían una buena auto-regulación independientemente de la duración de su sueño nocturno. En el caso de los niños que experimentaron una crianza negativa, la auto-regulación quedó intacta en aquellos que lograban más tiempo nocturno de dormir, pero fue significativamente más pobre en los niños que tenían menos tiempo de sueño nocturno. Por tanto, en el caso de los niños indicados en el reporte con menos tiempo de dormir nocturno, se dieron asociaciones más robustas entre la crianza negativa y una más pobre auto-regulación que entre los niños pequeños indicados en el reporte con más tiempo de dormir.

PALABRAS CLAVES

niño pequeño, auto-regulación, duración del sueño, crianza, familias de bajos recursos

RÉSUMÉ

La petite enfance est une période sensible dans le développement de l'auto-régulation, un ensemble de compétences qui sont fondamentales pour la santé mentale et en partie formées par le parentage. L'on sait qu'un sommeil sain est critique pour l'auto-régulation et pourtant la mesure dans laquelle le sommeil de l'enfant altère les processus interactifs enfant-parent demeure peu étudiée. Cette étude examine les liens entre le parentage observé et l'auto-régulation du petit enfant, le sommeil de l'enfant ayant un effet modérateur dans ce lien. Des jeunes enfants de familles issues de milieux défavorisés ($N=171$) et leurs mères ont été filmés durant un jeu libre et un exercice de défi d'auto-régulation. Les vidéos ont été codées pour le comportement des mères et l'affect (jeu libre) et l'auto-régulation des jeunes enfants (exercice de défi). Les mères ont fait état de la durée de sommeil nocturne de leur enfant au moyen d'un questionnaire. Les résultats ont révélé que : sommeil significatif \times l'affect négatif maternel et le sommeil \times négatif maternel contrôle les interactions. Les enfants qui n'avaient pas fait l'expérience d'un parentage négatif avaient une bonne auto-régulation quelle qu'ait été la durée du sommeil nocturne. Pour les enfants ayant fait l'expérience d'un parentage négatif, l'auto-régulation était intacte chez ceux ayant plus dormi, mais bien moindre chez les enfants qui avaient moins dormi. Donc, chez les enfants ayant moins de sommeil nocturne les liens bien plus robustes ont été découverts entre le parentage négatif et une moindre auto-régulation que chez les petits enfants dormant plus durant la nuit.

MOTS CLÉS

jeune enfant, auto-régulation, durée de sommeil, parentage, familles issues de milieux défavorisés

ZUSAMMENFASSUNG

Das Kleinkindalter ist ein sensibler Zeitraum für die Entwicklung der Selbstregulation – einer Reihe von Anpassungsfähigkeiten, die für die psychische Gesundheit grundlegend sind und teilweise durch Erziehung geprägt werden. Gesunder Schlaf ist bekanntlich entscheidend für die Selbstregulation, aber das Ausmaß, in dem der Kinderschlaf interaktive Prozesse zwischen Kind und Eltern verändert, ist bisher nur unzureichend erforscht worden. Diese Studie untersucht Zusammenhänge zwischen beobachtetem Erziehungsverhalten und der Selbstregulation von Kleinkindern, wobei der Schlaf der Kleinkinder als Moderator dieser Assoziation fungiert. Kleinkinder aus einkommensschwachen Familien ($N=171$) und ihre Mütter

wurden während des freien Spiels und einer herausfordernden Aufgabe zur Selbstregulation gefilmt; die Videos wurden für das Verhalten und die Affekte der Mütter (freies Spiel) und die Selbstregulation der Kleinkinder (herausfordernde Aufgabe) kodiert. Die Mütter berichteten per Fragebogen über die nächtliche Schlafdauer ihres Kindes. Die Ergebnisse zeigten signifikante Interaktionen für Schlaf und mütterlichen negativen Affekt sowie für Schlaf und mütterliche negative Kontrollinteraktionen. Kinder, die keine negative Erziehung erlebten, hatten eine gute Selbstregulation, unabhängig von ihrer nächtlichen Schlafdauer. Bei Kindern, die eine negative Erziehung erfuhren, war die Selbstregulation bei denen, die mehr Nachtschlaf erhielten, intakt und bei Kindern, die weniger Nachtschlaf erhielten, jedoch deutlich schlechter. So gab es bei Kindern, von denen berichtet wurde, dass sie weniger Nachtschlaf erhielten, robustere Assoziationen zwischen negativer Erziehung und schlechterer Selbstregulation als bei Kleinkindern, von denen berichtet wurde, dass sie mehr Schlaf erhielten.

STICHWÖRTER

Kleinkind, Selbstregulation, Schlafdauer, Erziehung, einkommensschwache Familien

抄録

幼児期は、自己調整力、つまりメンタルヘルスの基礎であり、ある程度までは子育てによって形成される、一連の適応スキルの発達が影響を受けやすい時期である。健康的な睡眠は自己調整力には不可欠のものとして知られているが、子どもの睡眠が子どもと親の相互作用の過程をどの程度まで改めるかについては、いまなお研究課題のままである。本研究は、観察によって得られた子育てと幼児の自己調整力の関連性について幼児の睡眠を仲介として検討することである。低所得家庭 (N=171) で生活している幼児と母親が自由遊びと自己調整のチャレンジタスクに取り組む間中ビデオ録画した。ビデオデータは母親の行動と感情(自由遊び)と幼児の自己調整力(チャレンジタスク)としてコード化された。子どもの夜間の睡眠時間は母親からの質問紙を通して報告された。その結果、睡眠と母親の否定的感情の間、そして睡眠と母親の否定的コントロールの間には著しい相互関連性が認められた。否定的育児を経験していない子どもは、夜間の睡眠時間に関わらず、よい自己調整力を持っていた。否定的育児を経験した子どもでは、自己調整力はより長い夜間睡眠をとっている子どもにおいては保たれていたが、より短い睡眠時間しかとっていない子どもにおいては著しく低かった。このようにより短い睡眠時間しかとっていないと報告された子どもにおいては、より長い睡眠をとっている幼児より、否定的育児とより低い自己調整力の間により確かな関連性が示された。

キーワード

幼児, 自己調整, 睡眠時間, 子育て, 低収入家庭

摘要

幼兒期是自我調節發展的一個敏感時期, 這是一套適應性技能, 是心理健康的基礎, 部分由養育方式塑造。眾所周知, 健康睡眠對於自我調節至關重要, 然而, 兒童睡眠如何改變兒童 - 父母互動仍未得到充分研究。本研究探討觀察到的養育方式與幼兒自我調節的關聯, 及幼兒睡眠作為這種關聯的調節變數。低收入家庭的幼兒 (N = 171) 和母親在自由遊戲和自我調節挑戰任務中被錄像; 視頻被編碼為母親的行為和情感 (自由遊戲) 和幼兒的自我調節 (挑戰任務)。母親通過問卷報告孩子的夜間睡眠時間。結果顯示顯著的睡眠x母體負面情感和睡眠 x 母體負面控制相互作用。沒有經歷負面養育的孩子, 無論夜間睡眠時間長短, 都有良好的自我調節能力。對於那些經歷過負面養育的孩子, 在夜間睡眠較多的人中, 自我調節是完整的, 但在夜間睡眠較少的孩子中, 自我調節顯著較差。因此, 在夜間睡眠較少的兒童中, 負面育兒和較差的自我調節的關聯性強於較多睡眠的幼兒。

關鍵詞

幼兒, 自我調節, 睡眠時間, 養育, 低收入家庭

ملخص

الطفولة هي فترة حساسة في تطوير التنظيم الذاتي ، والذي يمثل مجموعة من المهارات التكيفية التي هي أساسية للصحة النفسية وتتشكل جزئياً عن طريق الأبوة والأمومة. ومن المعروف ان النوم الصحي أمر بالغ الأهمية للتنظيم الذاتي ، ومع ذلك ، فإن الدرجة التي يغير بها نوم الطفل في العمليات التفاعلية التي يقوم بها الطفل مع الوالدين لا تزال غير خاضعة للدراسة الكافية. تتناول هذه الدراسة العلاقات بين الرعاية الوالدية الملحوظة والتنظيم الذاتي للطفل الصغير ، حيث نوم الطفل يمثل المتغير الوسيط في هذه العلاقة. اشترك في الدراسة مجموعة من الأطفال الصغار في الأسر ذات الدخل المنخفض (العدد = 171) وأمهاتهم وتم تصويرهم بالفيديو اثناء اللعب الحر مع تكليفهم بمهمة تحدي التنظيم الذاتي ؛ تم ترميز تسجيلات الفيديو لسلوك الأمهات وعاطفتهم في (اللعب الحر) والتنظيم الذاتي للأطفال الصغار في (مهمة التحدي). وأبلغت الأمهات عن مدة النوم الليلي لأطفالهن عن طريق الاستبيان. أظهرت النتائج تفاعلات ذات دلالة إحصائية بين النوم والعاطفة السلبية عند الأمهات وبين النوم والسيطرة السلبية للأمهات . الأطفال الذين لا يعانون من الأبوة والأمومة السلبية كان لديهم قدرات جيدة على التنظيم الذاتي بغض النظر عن مدة النوم ليلاً. بالنسبة للأطفال الذين يعانون من الأبوة والأمومة السلبية ، كان التنظيم الذاتي سليماً بين أولئك الذين حصلوا على المزيد من النوم ليلاً ، ولكن أضعف بكثير بين الأطفال الذين كانوا يحصلون على أقل النوم ليلاً. وبالتالي ، فإنهم من بين الأطفال الذين ابلغ عن حصولهم على قسط أقل من النوم الليلي ، كانت هناك رابطات أقوى بين الرعاية الوالدية السلبية والتنظيم الذاتي الأقل منها بين الصغار الذين أفيد بأنهم يحصلون على المزيد من النوم.

الكلمات الرئيسية

طفل رضيع: التنظيم الذاتي ؛ مدة النوم؛ الرعاية الوالدية والأسر ذات الدخل المنخفض

1 | INTRODUCTION

Self-regulation refers to the ability to regulate one's own emotions, responses, and behaviors when coping with internal and environmental stimuli and suppressing a dominant response to engage in goal-directed behaviors (reviewed in Bridgett, Burt, Edwards, & Deater-Deckard, 2015). Effective self-regulation in early childhood develops in the context of the parent-child relationship (Bernier, Carlson, & Whipple, 2010) and is fundamental for early childhood mental health (reviewed in Masten & Coatsworth, 1998). As well, such self-regulation capacities are concurrently and longitudinally linked to numerous positive child outcomes, including social competence (reviewed in Blair & Raver, 2015), school readiness (reviewed in Blair & Raver, 2015; Eisenberg, Valiente, & Eggum, 2010), and positive adjustment (Blair & Diamond, 2008). Importantly, the ability to self-regulate is associated with social competence in preschoolers in low-income families (Lengua et al., 2015; Mendez, Fantuzzo, & Cicchetti, 2002) and early school achievement (Schmitt, McClelland, Tominey, & Acock, 2015). Children in low-income families are at risk for poor outcomes in these areas as compared to their more affluent peers, and one of the hypothesized pathways is through self-regulation (Evans & Kim, 2013; Raver et al., 2011). Therefore, fostering the development of self-regulatory skills early in childhood may be particularly important for children living in poverty (Buckner, Mezzacappa, & Beardslee, 2009). It is widely known that parenting shapes young children's development of self-regulation (reviewed in Bridgett et al., 2015), but moderators of the influence of parenting on self-regulation also may be important. Consistent with the differential susceptibility model, a wide body of work has suggested that numerous factors—

including a child's temperament or biology—can alter the way that the environment (i.e., parenting) affects children's developmental outcomes (Ellis, Boyce, Belsky, Bakermans-Kranenburg, & van IJzendoorn, 2011). Sleep, a foundational component of early development that is critical to infant mental health, has been hypothesized to moderate associations between relational processes and child outcomes. The current study examines the association between parenting behaviors and toddler self-regulation skills, and considers toddler nighttime sleep duration as a moderator of this association.

Toddlerhood (~one to three years of age) is a sensitive period in the development of self-regulation, particularly regarding how parenting may influence these adaptive skills (reviewed in Calkins & Bell, 1999). During the second year of life, children's self-regulation skills emerge rapidly, along with increasing autonomy (reviewed in Kopp, 1989) and increased social perspective-taking capacities (Vaish, Carpenter, & Tomasello, 2009). Caregivers play a central role in supporting children's regulation efforts early on, and as children grow older, they gradually become more able to independently self-regulate (Calkins & Hill, 2007). Individual differences in self-regulation during this period are associated with the quality of parenting (Brophy-Herb, Stansbury, Bocknek, & Horodyski, 2012). Of importance to the current study are data showing that young children from low-income families are at increased risk for difficulties with self-regulation due to the socioeconomic stressors that their caregivers face (reviewed in Evans & Kim, 2013) and that their self-regulation developmental trajectories show high variability (Brophy-Herb et al., 2012; Raikes, Robinson, Bradley, Raikes, & Ayoub, 2007). Identifying factors that account for such interindividual differences in low-income families has important implications for understanding how

parenting shapes children's self-regulatory abilities and for tailoring interventions to promote self-regulation as a key component of school readiness.

1.1 | Parenting and development of self-regulation

Children's social interactions in the first 2 years of life predominantly occur in the context of their primary caregivers, and such experiences shape their self-regulation development (reviewed in Kopp, 1989, and Zeman, Cassano, Perry-Parrish, & Stegall, 2006). Parents who interact with their children with affection, positive emotions, and enjoyment/pleasure create an emotionally responsive and supportive socialization context (Eisenberg, Sadovsky, & Spinrad, 2005; Hastings et al., 2008; Valiente et al., 2006), which is likely to foster adaptive self regulation and executive function in their children (reviewed in Bernier, Carlson, & Whipple, 2010).

Moreover, through reading their children's cues, anticipating transitions, redirecting attention, and/or responding to their children's needs in a timely manner, caregivers help their children effectively cope with negative arousal under stressful conditions. Children learn how to practice these skills in the context of the caregiving relationship. Over time, such coregulation experiences help children develop self-directed strategies to regulate their own emotions and behaviors when facing challenges (Brophy-Herb et al., 2012). Thus, sensitive caregiving during the earliest years facilitates young children's development and internalization of adaptive individual self-regulation skills to cope with stress. Indeed, prior research has indicated that sensitive, responsive parenting is associated with toddlers' concurrent self-regulation skills (Calkins & Johnson, 1998; reviewed in Kopp, 1989).

Some of the earlier emerging self-regulation skills observed in toddlerhood include the ability to inhibit a behavior and the ability to divert attention away from a desired object (Eisenberg, Smith, Sandovsky, & Spinrad, 2004). Among preschool-aged boys from low-income families, children whose mothers provided more positive control (i.e., positive involvement, guidance, encouragement of child compliance accompanied by positive affect and enjoyment) during dyadic interactions were more likely to engage in attention shifting away from the source of frustration under challenging conditions (Gilliom, Shaw, Beck, Schonberg, & Lukon, 2002). In contrast, maternal preemptive interference, an intrusive parenting behavior that precluded children's independence or exploration, was associated with toddlers' increased distress in response to frustrating tasks (Calkins & Johnson, 1998). Empirical studies also have demonstrated a longitudinal association between earlier warm and sensitive parenting and later toddler effortful control and self-regulation (Eiden, Edwards, & Leonard, 2007; Kochanska, Murray, & Harlan, 2000; Taylor, Eisenberg, Spinrad, &

Widaman, 2013). However, these effects appear to be bidirectional; recent studies have found that toddlers' executive function skill predicts maternal intrusiveness and responsiveness later on (Eisenberg, Taylor, Widaman, & Spinrad, 2015; Merz, Landry, Montroy, & Williams, 2017).

The association between parenting and the development of self-regulation in early childhood is thus well-established (reviewed in Bernier, Carlson, & Whipple, 2010; Karreman, van Tuijl, van Aken, & Deković, 2006). Children who are more highly susceptible to self-regulation difficulties (e.g., difficult temperament) also appear to be more susceptible to the effects of parenting, with effects lasting at least into middle childhood (Pluess & Belsky, 2010). Differential susceptibility to parenting based on infant temperament has been demonstrated both in typically developing samples (Kim & Kochanska, 2012) and samples of children at higher risk (e.g., NICU graduates; Poehlmann et al., 2011). Genetic risk factors likely play an important role. For example, for children at higher risk based on genotype, a secure attachment relationship in toddlerhood appeared to function as a protective factor against poor regulatory capacity at preschool age (Kochanska, Philibert, & Barry, 2009).

Child factors are increasingly recognized as factors that can alter the way parenting relates to child outcomes (Ellis et al., 2011). Regarding executive function, a construct related to self-regulation, several studies have found that child factors such as ethnicity (Rhoades, Greenberg, Lanza, & Blair, 2011), gender (Clark et al., 2013), and prenatal cigarette exposure (Mezzacappa, Buckner, & Earls, 2011) moderate the association between parenting and executive function (reviewed in Fay-Stammach, Hawes, & Meredith, 2014). These factors, however, are fixed, and not susceptible to change with later intervention. Thus, modifiable child factors such as sleep have begun to receive more attention as potential moderators of the association between parenting and child self-regulation.

1.2 | Sleep and self-regulation

Although sleep is biologically regulated, it also is influenced by the environmental context in which children develop (reviewed in Jenni & LeBourgeois, 2006, and Sadeh, Tikotzky, & Scher, 2010), and is a modifiable health risk behavior (Mindell et al., 2011; reviewed in Mindell & Owens, 2015). Thus, sleep is a child-based factor that may increase children's susceptibility to the effects of parenting, and it also is subject to change through interventions. Sleep is hypothesized to contribute to the development of neurocognitive and executive functioning skills that are foundational for effective self-regulation (Touchette, Mongrain, Petit, Tremblay, & Montplaisir, 2008; reviewed in Turnbull, Reid, & Morton, 2013). Sleep loss is associated with poorer self-regulation and cognitive processing among school-aged children (Gruber, Cassoff, Frenette, Wiebe, & Carrier, 2012;

Molfese et al., 2013), and data from experimental work have shown similar effects on emotion processing in relatively small samples of toddler-aged children (Berger, Miller, Seifer, Cares, & LeBourgeois, 2012; Miller, Seifer, Crossin, & LeBourgeois, 2015). Self-regulation is often considered foundational to early childhood mental health (reviewed in Masten & Coatsworth, 1998), and disturbed sleep is common in children who have psychiatric disorders (reviewed in Gregory & Sadeh, 2016); some research findings have suggested that sleep problems and/or sleep loss in childhood predict the later onset of mood and attentional disorders (reviewed in Gregory & Sadeh, 2016). Although some studies have shown that childhood sleep problems predict later psychiatric problems, but not the reverse (e.g., Johnson, Chilcoat, & Breslau, 2000), a recent systematic review has suggested that the relationship is likely bidirectional (Alvaro, Roberts, & Harris, 2013). In adults, insufficient sleep is recognized as central to psychopathology and linked to atypical processing of emotions (reviewed in Walker & Harvey, 2010) as well as poor self-regulation more generally (reviewed in Hagger, 2010; Mauss, Troy, & LeBourgeois, 2013), though associations between sleep and emotions are complex and likely to be bidirectional (Kahn, Sheppes, & Sadeh, 2013).

Early childhood is characterized by marked changes in sleep patterns and a high prevalence of sleep problems. Sleep becomes more consolidated over this developmental period, such that children spend less time sleeping during the day and more time sleeping at night (Acebo et al., 2005; Iglowstein, Jenni, Molinari, & Largo, 2003). Likewise, behavioral sleep problems are common among young children (reviewed in Honaker & Meltzer, 2016), and approximately 30% of toddlers and preschoolers are reportedly getting too little sleep (National Sleep Foundation, 2004). Sleep difficulties in 2- to 5-year-old children are associated with a multitude of difficulties, including risk for anxiety, depression, hyperactivity, and impulsivity concurrently (Bates, Viken, Alexander, Beyers, & Stockton, 2002; Goodlin-Jones, Tang, Liu, & Anders, 2009; Lavigne et al., 1999; Reid, Hong, & Wade, 2009) and 1 year later (Jansen et al., 2011). Young children who do not get enough sleep also struggle to attain age-typical self-regulation, putting them at risk for later emotional and behavioral problems (Troxel, Trentacosta, Forbes, & Campbell, 2013). In fact, infants and toddlers with later bedtimes and less total sleep time tend to have more internalizing problems than do those with earlier bedtimes and more sleep (Mindell, Leichman, DuMond, & Sadeh, 2017). Therefore, toddlerhood is an important age at which to study the interplay of the sleep and self-regulatory systems. Although the empirical evidence supporting sleep as central to self-regulation during the toddler and preschool years is growing (Berger et al., 2012; Bernier, Carlson, Bordeleau, & Carrier, 2010; Miller et al., 2015; Schumacher et al., 2017), few if any studies have focused on both sleep and

self-regulation in children from low-income families at these developmental periods, despite their documented risk for poor functioning in both areas (El-Sheikh et al., 2013; Evans & Kim, 2013; Singh & Kenney, 2013).

Beyond its direct associations with children's functioning, sleep also has recently been posited to affect how children are differentially susceptible to environmental influences. For instance, among infants, greater positive associations are observed between maternal sensitivity and attachment security in children who exhibit more consolidated sleep (i.e., greater proportion of night to day sleep) than in those with poor nighttime sleep consolidation (Bernier, Bélanger, Tarabulsy, Simard, & Carrier, 2014). Similarly, associations between maternal sensitivity and later behavioral outcomes among infants are stronger in those who obtain more nighttime sleep than in those who sleep for shorter durations at night (Bordeleau, Bernier, & Carrier, 2012). Prior work also has shown that response inhibition is related to adaptive self-regulation strategy use in preschool-aged children, but this relationship disappeared when child sleep was restricted by about three hours (Schumacher et al., 2017). Poor integration of cognitive and emotional processes in this manner may place children at risk for future psychopathology (reviewed in Blair & Dennis, 2010), and children from low-income families who are not getting adequate sleep may be particularly susceptible to later problems (El-Sheikh, Kelly, Buckhalt, & Hinnant, 2010). Thus, considering sleep as a moderator of the association between parenting and self-regulation in early development may provide key insights into how to promote positive developmental outcomes for children growing up in high-risk contexts such as poverty.

1.3 | Current Study

The toddler years are characterized by rapid development in both self-regulation and sleep. Findings from an established literature have shown that parenting is central to the development of young children's self-regulation skills. Yet, whether the association between parenting and self-regulation differs as a function of sleep in young children remains unknown. The current study addresses this knowledge gap by utilizing observational data from a self-regulation challenge task to examine the association between parenting and toddler self-regulation, and considers whether the association differs among toddlers exhibiting varying nighttime sleep durations. Further, this study is focused on children from low-income families, who are at relatively high risk for both self-regulation and sleep difficulties. As suggested by prior work (Chiang et al., 2016; Schumacher et al., 2017; Tu, Erath, & El-Sheikh, 2015) which is informed by the differential susceptibility model (Ellis et al., 2011), we hypothesize that toddler sleep will moderate the association between parenting and toddler self-regulation such that toddlers who obtain less

nighttime sleep and are exposed to negative parenting will have poorer self-regulation skills than will those who obtain more sleep. We also examined effects of positive parenting and demographic covariates in an exploratory manner.

2 | METHOD

2.1 | Participants

Participants were toddlers (51.8% male, 46.8% non-Hispanic White; for participant characteristics, see Table 1) and their mothers who were enrolled in a longitudinal study of child self-regulation and eating behavior between 2010 and 2014 (Miller, Rosenblum, Retzliff, & Lumeng, 2016). Families were recruited from Women, Infants and Children (WIC) programs, Early Head Start programs, and other community agencies serving low-income families in south-central Michigan. Most ($N = 186$) dyads entered the study when the child was age 21 months; 58 entered the study when the child was age 27 months. For the current study, data from the child's first point of contact with the study (either 21 or 27 months of age) were included. Families were universally low-income at enrollment (defined as a member of the family being eligible for Medicaid, WIC, food stamps, or Head Start).

Children were included if they were born at 36 weeks of gestation or more without significant perinatal or neonatal complications and not large or small for gestational age at birth; child had no history of food allergies, serious medical problems, or significant developmental delays; mother

and child were English-speaking; the biological mother was the child's legal guardian; and the mother was at least 18 years old and had less than a 4-year college degree. Participants in this analysis were required to have complete data for parent-reported toddler sleep and observed parenting and toddler self-regulation ($N = 171$; 120 families with 21-month data, 51 families with 27-month data), and those with complete versus incomplete data did not differ regarding child sex, race/ethnicity, maternal age, or maternal education; however, participants with complete and incomplete data differed respectively on mother marital status (43.7% married vs. 23.7% married, respectively); toddler age ($M = 22.9$ months vs. $M = 21.5$), and income ($M = \$25,313.79$ vs. $M = \$18,464.29$).

Sample characteristics are shown in Tables 1 and 2. Toddlers' sex was evenly distributed, and about half the sample were identified by mothers as non-Hispanic White. Children's average parent-reported weekday bedtime was 20:50 (8:50 p.m.), and their average weekday wake time was 8:06 a.m., resulting in an average of 11 hr 16 min, $SD = 69$ min, range = 7–14 hr. Total parent reported toddler nighttime sleep duration ranged from 7 to 14 hr. Nearly all children (97.7%) took regular naps, with an average napping duration of 1 hr 51 min ($SD = 43$ min) per day. Fifty-six percent of mothers in this sample were unmarried, and 62.6% had at least a high-school diploma or a GED. The average income to needs ratio of this sample was at the poverty line ($M = 0.99$), and the mean of the midpoint of the income range was \$25,313.79 ($SD = \$15,440$).

2.2 | Procedure

This study was approved by the University of Michigan Institutional Review Board, and written informed consent was obtained from all mothers. Visits to assess mother-child interactions and child self-regulation took place on the same day in the family's home. This visit began with mother-child free play, and the child then completed a series of standardized challenge tasks with a trained examiner. All tasks were videotaped for later observational coding. Data for the current study were derived from the Free Play and No-Touch Cookie tasks (Gilliom et al., 2002).

2.2.1 | Free-play task

For the free play, the mother was told "You and your child can take a few minutes to get settled. I'll put the toys out and you can go ahead and make yourself comfortable and spend time together as you normally would." Standard age-appropriate free-play toys (e.g., blocks, wooden puzzle, vehicle, and manipulative toy) were provided, and the mother and child were videotaped playing alone for 2 min (The examiner joined for the final 3 min.) Only the 2-min mother-child-alone free play was coded.

TABLE 1 Characteristics of the sample ($N = 171$)

	<i>M (SD) or n (%)</i>
Child	
Sex	
Male	88 (51.5%)
Female	83 (48.5%)
Age (months)	22.94 (2.76)
Race/ethnicity	
Non-Hispanic White	80 (46.8%)
Hispanic or not White	91 (53.2%)
Maternal	
Age (years)	27.11 (5.25)
Family structure	
Unmarried mother	85 (56.3%)
Married mother	66 (43.7%)
Education	
≤High-school diploma/GED	64 (37.4%)
>High school	107 (62.6%)
Income-to-needs ratio (midpoint)	0.99 (0.59)

TABLE 2 Descriptive statistics and correlations of child sleep duration, observed child self-regulation, and observed maternal affect and behavior ($N = 171$)

	1	2	3	4	5	<i>M (SD), Min/Max or n (% above Mdn)</i>
1 Mother-reported child weekday nighttime sleep (hr)						11.3 (1.1), 7.0–14.0
2 Child self-regulation ^a	.108					0.69 (0.31), 0–1
3 Maternal Positive Affect	.114	–.017				91 (53.2%)
4 Maternal Negative Affect	–.006	–.074	.007			11 (6.4%)
5 Maternal Negative Control	.008	–.021	.128 [†]	.150*		49 (28.7%)
6 Maternal Sensitivity & Guidance	.168*	.144 [†]	.184*	–.027	–.111	102 (59.6%)

Note. Maternal affect and behavior variables are dichotomous; *above* (1) vs. *below* (0) *Mdn*; for Negative Affect and Negative Control, this corresponds to *presence* (1) vs. *absence* (0) of the affect or behavior.

^aproportion of time; higher score = better self-regulation.

[†] $p < .10$. * $p < .05$.

2.2.2 | Standardized challenge task

The No-Touch Cookie task (Gilliom et al., 2002) is designed to assess a child's ability to wait and self-regulate in a tempting situation. The examiner gave the mother a cookie (after confirming that the child liked that type of cookie) in a clear plastic bag and instructed the mother to keep it in view, but out of reach of the child while she completed some questionnaires (2 min).

2.3 | Measures

2.3.1 | Observational coding of affect and behavior

Maternal affect and behavior were coded from video during the Free-Play and No-Touch Cookie tasks based on prior work (Booth, Rose-Krasnor, McKinnon, & Rubin, 1994). Teams of independent coders (i.e., separate coding teams for parent and child variables) were trained to achieve a reliability standard of Cohens' $\kappa > .70$, and ongoing reliability was evaluated on a set of 20% of observations for each coding scheme to protect against coder drift. Disagreements were resolved by consensus as needed. All affect and behavior were coded in 10-s intervals for the duration of each task, and variables were created to represent mean maternal affect and behavior, and proportion of time children engaged in each self-regulation strategy.

2.3.2 | Predictor: Maternal affect and behavior during free play

Maternal affect and behavior toward the child was coded in 10-s intervals during the Free-Play task using the Maternal Warmth and Control Rating Scale (Booth et al., 1994). Maternal affect and behavior were observed across five domains: *Positive Affect* (e.g., warm, pleasant, and/or joy; coded as 0 = none, 1 = moderate positive expression, 2 = outright affection), *Negative Affect* (e.g., sad, anxious, and/or embar-

rassed; 0 = none, 1 = moderate negative expression, 2 = outright negative expression), *Negative Control* (e.g., intrusive, ill-timed behaviors; 0 = none, 1 = moderate negative control, 2 = outright negative control), *Sensitivity & Guidance* (e.g., supportive, well-timed behavior; –1 = miss or inappropriate response, 0 = none, 1 = minimal, 2 = extended), and *Hostile Affect* (e.g., anger, irritability). Videos were coded by six trained coders, and average interrater reliability for maternal affect and behavior codes ranged from $\kappa = .73$ to .94. Hostile Affect was not included in analyses because it was very rarely observed (five cases total) in this sample. Because of low variability, maternal affect and behavior variables were dichotomized at the median. For some variables (Negative Affect, Negative Control), this meant it was categorized into absent (0) versus present ($>.01$) whereas for variables that were observed with more frequency, the true median (Positive Affect, *Mdn* = 0.30; Sensitivity & Guidance, *Mdn* = 0.57) was used.

2.3.3 | Predictor: Child weekday nighttime sleep duration

Mothers reported on their child's "usual bedtime on weeknights" and "usual wake time on weekday mornings." From these times, average nighttime sleep duration per weekday was calculated and reported in hours. Weekday sleep was examined in lieu of weekend or whole-week averages to obtain a more accurate estimate of a child's daily sleep.

2.3.4 | Covariates: Socioeconomic status, demographic characteristics, and home environment

Mothers reported on their income and family size (used to calculate income-to-needs ratio), race/ethnicity (Non-Hispanic White vs. Hispanic or not White), education (high-school diploma/GED or less vs. more than high school), marital status (married vs. unmarried), age, and their child's gender,

age, and race/ethnicity. Mothers also completed the Confusion, Hubbub, and Order Scale (CHAOS), which is a validated and reliable 15-item questionnaire measure designed to assess the level of confusion and disorganization in the child's home environment ($\alpha = .81$ in our sample; Matheny, Wachs, Ludwig, & Phillips, 1995).

2.3.5 | Outcomes: Child self-regulation

In the No-Touch Cookie task, child self-regulation in the presence of the mother was observed. The presence (1) or absence (0) of several different self-regulation behaviors (e.g., *active self-distraction*, *passive waiting*, *social bids/information gathering*, *physical comfort seeking*, and *focus on the delay object*) during 10-s intervals of the No-Touch Cookie task was coded based on prior work (Gilliom et al., 2002). Videos were coded by three trained coders, and interrater reliability for self-regulation behavior codes ranged from $\kappa = .83$ to $.99$. Each variable is reported as the proportion of 10-s intervals during which the child engaged in a given self-regulation behavior (i.e., range = 0–1). Several of these variables (passive waiting, social bids/information gathering, physical comfort seeking) occurred with relatively low frequency in this data set (i.e., 57–81% of participants had no instances of the behaviors), and thus were not included in analyses. The self-regulation behaviors addressed in this article were focus on delay object (e.g., looking at, talking about, or reaching for the cookie, or trying to end the delay), and active self-distraction (e.g., purposeful behavior that directs attention away from the cookie). These variables showed strong negative intercorrelations, $r = -.93$, $p < .01$; thus, we combined them into one composite variable. This composite variable was calculated by averaging the proportion scores for active self-distraction and focus on the delay object (reversed). Higher scores represent more effective disengagement from the desired object, which is a key self-regulation goal during toddlerhood.

2.4 | Analysis plan

Analyses were conducted using SPSS Version 24 (IBM Corp., Armonk, NY). Bivariate correlations examined the association between toddlers' nighttime sleep duration, mothers' observed affect and behavior, and toddlers' observed self-regulation. Pearson correlations were used for correlations between continuous variables (child sleep duration, child self-regulation), point-biserial correlations were used for correlations between continuous and dichotomous variables (maternal affect and behavior), and ϕ coefficients were used for correlations between dichotomous variables.

A series of regression analyses was conducted to build a more comprehensive later model to estimate the effects of parenting, child sleep duration, and demographic and home environment factors on child self-regulation. First, demographic

and home environment variables were investigated to determine which covariates would be included in the model, then parenting variables, child sleep duration, and their interactions were included in the model to test whether parenting variables and their interactions with sleep duration are related to the outcome. On the basis of these results, a comprehensive regression model was built that included demographic covariates, parenting variables, and Parenting \times Sleep interactions.

Because of negative skewness in the outcome variable, the child self-regulation variable was natural log-transformed $[\ln(2-y)]^1$ for use in the regression analyses to improve normality; as a result of this transformation, lower values represent better child self-regulation. Each potential covariate (income-to-needs ratio, maternal marital status, maternal education, maternal race/ethnicity, child sex, child age, child race/ethnicity, CHAOS score) was entered into a regression model predicting child self-regulation. Any covariates that reached at least a marginal level of significance, $p < .10$, were included in the next step of the analyses.

Next, regression analyses were used to examine how child sleep duration and observed parenting together predicted observed child self-regulation. Analyses were run with each parenting variable (dichotomously coded, as described earlier) and child nighttime sleep duration predicting child self-regulation, controlling for covariates that were determined by the previous step. For instance, one regression model predicted child self-regulation with child sleep duration, maternal positive affect, and the Sleep Duration \times Maternal Positive Affect interaction, controlling for covariates. Interaction effects investigated whether the effect of parenting on child self-regulation was different depending on the child's duration of nighttime sleep.

To account for multiple aspects of parenting in one model, a more complex final model was constructed by adding to the model any main effects that had been marginal or significant in the basic models as well as the main effects and interactions for any interactions that had been marginal or significant in the basic models. Analyses were then repeated with 24-hr toddler sleep.

3 | RESULTS

3.1 | Correlations

Parent-reported child nighttime sleep duration was positively associated with observed maternal Sensitivity & Guidance, but was not correlated with any other maternal behaviors or child self-regulation (Table 2). Observed child self-regulation showed a marginal positive association with observed maternal Sensitivity & Guidance. Among the observed parenting variables, maternal Sensitivity & Guidance was positively

associated with maternal Positive Affect. Maternal Negative Control was positively associated with maternal Negative Affect, and marginally positively correlated with maternal Positive Affect.

3.2 | Regression analyses

When child self-regulation was regressed on each potential covariate in separate analyses, the association was nonsignificant for income-to-needs ratio, maternal marital status, maternal race/ethnicity, child sex, child age, and CHAOS score. However, maternal education, $\beta = -.14$, $p = .07$, and child race/ethnicity, $\beta = .13$, $p = .09$, were both marginally associated with child self-regulation. Thus, both maternal education and child race/ethnicity were included in the next step of the analyses.

When child self-regulation was regressed separately on each parenting behavior, with maternal education and child race/ethnicity as covariates, there was a marginal Child Sleep \times Maternal Negative Affect interaction, $\beta = -.15$, $p = .05$, a significant Child Sleep \times Maternal Negative Control interaction, $\beta = -.28$, $p < .01$, and a marginal main effect of maternal Sensitivity & Guidance, $\beta = -.13$, $p = .09$. Thus, the final model included maternal education, child race/ethnicity, child nighttime sleep duration, maternal Negative Affect, Negative Control, and Sensitivity & Guidance, and Child Sleep \times Negative Affect and Child Sleep \times Negative Control interactions. This overall model was significant, $R^2 = .13$, $F(8, 170) = 3.015$, $p < .01$. There was a significant effect of child race/ethnicity on child self-regulation, $\beta = .18$, $p = .02$, with non-Hispanic White toddlers demonstrating better ability to disengage from a desired object ($M = 0.73$) than did Hispanic or not White toddlers ($M = 0.62$). Maternal education was not significantly associated with observed child self-regulation in the final model. The main effect of child sleep duration on self-regulation was nonsignificant, $\beta = .12$, $p = .20$, suggesting that in the reference group (i.e., when Negative Affect and Negative Control are both 0), child sleep duration is not associated with child self-regulation. Main effects for parenting also were nonsignificant, but both Sleep Duration \times Parenting interactions attained significance (Table 3). When children had less nighttime sleep, the presence of maternal Negative Affect, $\beta = -.16$, $p = .04$, and Negative Control, $\beta = -.28$, $p < .01$, were each associated with lower ability of children to disengage from a desired object relative to when parents showed no Negative Affect or Negative Control (Figure 1). As illustrated in Figure 1, the effect of parenting on child self-regulation depends on child sleep duration. Both maternal Negative Affect and Negative Control are associated with poorer child self-regulation only under the conditions of low child sleep duration.

We also considered 24-hr sleep (nighttime and daytime) as a predictor to account for napping, as most children still sleep

TABLE 3 Regression analyses: Observed parenting and child sleep duration as predictors of observed child self-regulation ($N = 171$)

Model	Child self-regulation ^a		
	R^2	F-value	β t-value
	.13	3.02**	
Maternal education			-.09 -1.19
Child race/ethnicity			.18 2.29*
Child weekday nighttime sleep (hr)			.12 1.28
<i>M</i> Maternal Negative Affect			.06 0.77
<i>M</i> Maternal Negative Control			.03 0.44
<i>M</i> Maternal Sensitivity & Guidance			-.11 -1.40
Child Hours of Sleep \times <i>M</i> Maternal Negative Affect			-.16 -2.12*
Child Hours of Sleep \times <i>M</i> Maternal Negative Control			-.28 -2.93**

^aChild self-regulation outcome is log-transformed [$\ln(2-y)$]; β s being negative for positive associations and positive for negative associations. *M* = mean.

* $p < .05$. ** $p < .01$.

during the day at this age (Iglowstein et al., 2003). Because 8 participants were missing data on napping, multiple imputation was used to estimate these values (Note, however, that no results changed when these cases were removed from analyses in lieu of multiple imputation.) When total 24-hr sleep was utilized (vs. only nighttime sleep), the covariates (maternal education and child race/ethnicity), Negative Control, Sensitivity & Guidance, and the Negative Control \times Sleep interaction were marginal or significant in the basic models, and thus were included in the final model. The overall model was significant, $R^2 = .11$, $F(7, 170) = 2.89$, $p < .01$, and there was again a main effect of child race/ethnicity with non-Hispanic White children having higher observed self-regulation than did Hispanic or not White children, $\beta = .19$, $p = .01$. The main effect of 24-hr sleep was nonsignificant, $\beta = .17$, $p = .28$, but there was a significant Sleep \times Negative Control interaction, $\beta = -.28$, $p = .01$; similar to results with parent-reported weeknight sleep, in the context of maternal Negative Control, less parent-reported sleep was associated with relatively lower ability to disengage from a desired object. There also was a marginal main effect of Sensitivity & Guidance, $\beta = -.14$, $p = .07$, with higher maternal Sensitivity & Guidance associated with greater ability to disengage from a desired object.

4 | DISCUSSION

In this study of toddlers and their mothers from low-income families, we investigated whether child sleep contributed to differential effects of parenting on child self-regulation. We found that toddlers' sleep duration and parenting—specifically negative parenting (e.g., maternal Negative Affect, Negative Control)—interact to predict toddlers' ability




FIGURE 1 Association between maternal affect and behavior and observed child self-regulation in the context of varying child weeknight sleep duration. *Note.* This graph was generated from a regression model examining the effects of maternal Negative Affect and Negative Control, child sleep duration, and their interactions on child self-regulation, controlling for maternal education, child race/ethnicity, and maternal Sensitivity & Guidance (see Table 3). In the Negative Affect panel, the mean values were entered for maternal education, child race/ethnicity, maternal Sensitivity & Guidance, and maternal Negative Control; in the Negative Control panel, mean values were entered for maternal education, child race/ethnicity, maternal Sensitivity & Guidance, and maternal Negative Affect. The data points depict the predicted child self-regulation value when a given parenting behavior (Negative Affect, Negative Control) was *present* (1) or *absent* (0), and child sleep duration was low (-1 SD), at the mean, or high ($+1$ SD). The Negative Affect \times Child Sleep Duration interaction and Negative Control \times Child Sleep Duration interactions were both significant, reflecting significant differences in the slopes of the regression lines between the reference category and both Negative Affect and Negative Control. Both Negative Affect and Negative Control are associated with poorer child self-regulation only under the conditions of low child sleep duration

to disengage from a desired object. That is, negative parenting was associated only with lower self-regulation in the context of shorter child sleep. However, when accounting for other parenting factors, positive parenting (e.g., maternal positive affect, sensitivity and guidance) was not directly associated with child self-regulation nor did it interact with child sleep to predict child self-regulation. Our results also suggest that

demographic characteristics need to be considered. We found that Hispanic or non-White toddlers were less able to disengage from a desired object than were non-Hispanic White toddlers. Mean differences in self-regulation among racial and ethnic groups are not typically found in studies of preschoolers when controlling for income (reviewed in Li-Grining, 2012), and an earlier study of 1½-, 3½-, and 6-year-old boys using the same self-regulation coding scheme found no differences in self-regulation between African American and White children (Gilliom et al., 2002). Similarly, when income-to-needs ratio was included in the final regression model in the current study, the effect of child race/ethnicity was reduced to non-significant. Thus, it is possible that these apparent differences in self-regulation in racial and ethnic groups may be better accounted for by socioeconomic status.

This study adds to the literature in several ways. Findings provide important descriptive information regarding associations between parenting, self-regulation, and parent-reported nighttime child sleep in an understudied population of children. As well, results suggest that child sleep, a modifiable health risk behavior (reviewed in Mindell, Kuhn, Lewin, Meltzer, & Sadeh, 2006), may alter how parenting can shape child self-regulation during toddlerhood, a sensitive period that is characterized by rapid changes in both sleep and self-regulation. Thus, child sleep appears to be one factor that contributes to children's differential susceptibility to parenting, and bolstering sleep during the toddler years may be critical. Understanding and identifying ways to enhance positive developmental outcomes for children in low-income families is important, as this population tends to experience disproportionate difficulties across multiple areas of functioning, including both sleep (El-Sheikh, Kelly et al., 2010) and self-regulation (Raver, Blair, & Willoughby, 2013). Results are discussed regarding parenting and self-regulation and the role of healthy sleep in early childhood, and provide suggestions for future research that may help to unpack the mechanisms of association.

Sensitive and responsive caregiving is widely known to promote young children's development of self-regulation skills (Calkins & Johnson, 1998). Consistent with prior research, the current study detected a marginal positive association between maternal sensitivity and guidance and child self-regulation in this sample of low-income families. However, also consistent with extant work (Karreman et al., 2006), the effect was small and was no longer significant when negative parenting was included in the model. Parenting is a multidimensional construct, and previous findings have suggested that negative and positive aspects of parenting are associated differentially with different child self-regulation outcomes during early childhood (Karreman et al., 2006). Although negative parenting may be more strongly associated with poor self-regulation concurrently, it is important to consider how both positive

and negative parenting may shape not only early capacities but also outcomes over the course of development. Recent work has suggested, for example, that positive parenting during toddlerhood may be important for children's mental health and adaptive outcomes in middle childhood (reviewed in Gardner & Shaw, 2009; Kochanska, Boldt, Kim, Yoon, & Philibert, 2015) and even adulthood (Raby, Roisman, Fraley, & Simpson, 2015), and that positive parenting may buffer children at increased familial (Raby et al., 2015) or genetic risk (Kochanska et al., 2015). Longitudinal studies examining such associations, particularly with children growing up in low-income families who experience high levels of risk (Evans & English, 2002), are critical for understanding how the role of both positive and negative parenting during early development may shape long-term outcomes for this population.

Overall, it may be that the potential effect of either positive or negative parenting on children's development is strongest in the context of other risk factors (Kochanska et al., 2015; Poehlmann et al., 2011; Raby et al., 2015). In line with this idea, the current study found that parenting—in this case, negative parenting—was associated with poorer child self-regulation only among children who reportedly obtained less nighttime sleep. Thus, children who suffer from shorter nighttime sleep appear to be disproportionately more susceptible to the effects of negative parenting. Despite recently published guidelines for sleep across childhood (American Academy of Pediatrics, 2016; Paruthi et al., 2016), the scientific, mechanistic, and developmental understanding of what constitutes adequate sleep for young children is still debated (Lewin, Wolfson, Bixler, & Carskadon, 2016) and a question that requires more population-based and well-controlled experimental studies of links between sleep and developmental outcomes. In sum, our results suggest that at least in this low-income population, the co-occurrence of shorter parent-reported child sleep duration and negative parenting were associated with poorer child self-regulatory skills, as evidenced by their reduced ability to disengage from a desired object.

Sleep is increasingly regarded as fundamental to the development of neurocognitive and executive function skills that underlie self-regulation capacity (reviewed in Turnbull et al., 2013). Insufficient sleep also has been associated with poor child behavioral and academic outcomes (Cremone et al., 2018), and this is a likely pathway through which the association may become established. Self-regulation is concurrently and longitudinally related to numerous important child outcomes including mental health (reviewed in Masten & Coatsworth, 1998), positive adjustment (Blair & Diamond, 2008; Lengua, 2002), social competence (Diener & Kim, 2004; Spinrad et al., 2006), and school readiness (Eisenberg et al., 2010). Our results build upon this body of work by suggesting that shorter parent-reported child sleep duration

could shape how parenting relates to self-regulation during toddlerhood. When children are underslept, they may be more vulnerable to the effects of negative parenting, potentially setting in motion a developmental cascade with long-term consequences. It is also possible, however, that negative parenting could contribute to toddlers' poor sleep—the cross-sectional nature of the current report does not allow us to distinguish the nature of the association, which could be bidirectional. Children experiencing insufficient sleep are likely to have a more difficult time regulating their emotions and behavior, which can prove challenging for parents who also may be experiencing concurrent sleep loss due to family stress (Lange, Dáu, Goldblum, Alfano, & Smith, 2017) and their child's poor sleep health (Moore & Mindell, 2013). In this dynamic context, caregivers may respond with more negative parenting, resulting in parent–child dyads becoming entrenched in patterns of negative affect and behavior that impede the parent–child relationship from optimally supporting children's development. In this study, we did not find an association between toddlers' nighttime sleep duration and their negative affect during the self-regulation challenge task, $r = -.09$, $p = .24$, but it remains possible that children obtaining insufficient sleep have more difficulty with emotion regulation more broadly, contributing to negative cycles of parent–child interaction.

Finally, given that sleep is a modifiable health risk behavior that relates to self-regulation, interventions to improve sleep are likely to have high impact on young children's functioning across a broad range of domains. In fact, several sleep intervention trials have been conducted with infant and young child populations, with positive effects on child sleep as well as child and maternal mental health (reviewed in Moore & Mindell, 2013). Several other recent studies have similarly identified child sleep as a protective factor in early childhood development. For example, nighttime sleep enhances the relation between maternal sensitivity and positive development in infants (Bernier et al., 2014; Bordeleau et al., 2012). In addition, when children are exposed to risk factors such as parental psychological control, higher sleep efficiency is protective against child anxiety symptoms (El-Sheikh, Hinnant, Kelly, & Erath, 2010). It is possible that improved sleep might facilitate children's ability to benefit from self-regulation prevention and intervention programs; this possibility will need to be investigated in future work. Collectively, our findings and those of others suggest that considering child sleep as a potential moderator of other contextual effects on multidimensional child outcomes is an important research direction.

4.1 | Strengths, limitations, and future directions

A major strength of this study is its use of observational methods to assess both child self-regulation and parent behaviors

in a naturalistic context (i.e., family homes) as measured by engagement in tasks that are common in their everyday life (i.e., free play, waiting for a desired food item). Nonetheless, several limitations should be noted. First, child sleep was assessed through parent report, which is an estimate of time in bed (bedtime to wake time) and can overestimate sleep duration (Kushnir & Sadeh, 2013), and does not take into account variability in bedtime and wake time over multiple days. Future work using objective sleep assessment (e.g., actigraphy) that provides increased reliability via continuous measurement of sleep parameters in the natural environment is needed to address this limitation. Second, mothers reported on only one dimension of sleep health—sleep duration—and not other aspects of sleep such as timing, quality, fragmentation, or sleep-related parenting practices. We did inquire about napping in this study, but as our assessments were not obtained through sleep diaries or actigraphy, we were unable to capture the day-to-day variability in nap timing and duration that is common in toddlers. However, our results using parent-reported nighttime sleep and 24-hr sleep (nighttime + nap) duration estimates were similar. Future studies using more time-sensitive measures are needed to tease apart the question of daytime versus nighttime child sleep duration as a moderator of parent–child interactions. Third, the cross-sectional nature of this study means that causality cannot be inferred, and our findings are likely bidirectional. As shown in previous studies, insufficient sleep in young children is associated with not only sleep disruption in parents but also poor parental mood and parent–child relationships, bonding, and attachment (reviewed in Moore & Mindell, 2013). Thus, it is conceivable that negative parenting was partly evoked by underslept toddlers who had difficulty regulating themselves. Last, this study included all low-income families, which is a benefit in terms of better understanding this population that is at higher risk for difficulties in multiple domains; however, socioeconomic status did not prove to be a significant predictor in our model, and we were not able to compare our sample to a higher income sample. Future work with more diverse samples could articulate the potential role of socioeconomic status in shaping these processes.

4.2 | Implications

In sum, this study identified toddler sleep duration as a modifiable protective factor that relates to early self-regulation skills. In this sample, young children showed poor self-regulation in the context of negative parenting only when they attained less sleep. Thus, our data suggest that interventions to promote longer sleep duration for young children are indicated. Further research to understand the mechanistic associations among child sleep, parenting, and self-regulation will enhance development of strategies for optimal sleep health in young children. Encouraging longer opportunities for sleep, espe-

cially in low-income, higher risk populations, may enhance children's ability to thrive in the context of other stressors.

ACKNOWLEDGMENTS

This research was supported by Grant T32 HD 079350 from the Eunice Kennedy Shriver National Institute of Child Health and Human Development (NICHD) awarded to J. Lumeng, Grant R01 HD 069179 from the NICHD awarded to A. Miller and J. Lumeng, and Grant R21 MH110765 from the National Institute of Mental Health (NIMH) to M. LeBourgeois. The content of this article is solely the responsibility of the authors and does not necessarily represent the official views of the NICHD or the NIMH. We thank the families for their participation in our research and to our research team at the University of Michigan for their assistance with data collection and coding.

ENDNOTE

¹ Note that this transformation resulted in β s being negative for positive associations and positive for negative associations.

REFERENCES

- Acebo, C., Sadeh, A., Seifer, R., Tzischinsky, O., Hafer, A., & Carskadon, M. A. (2005). Sleep/wake patterns derived from activity monitoring and maternal report for healthy 1- to 5-year-old children. *Sleep, 28*(12), 1568–77.
- Alvaro, P. K., Roberts, R. M., & Harris, J. K. (2013). A systematic review assessing bidirectionality between sleep disturbances, anxiety, and depression. *Sleep, 36*(7), 1059–1068. <https://doi.org/10.5665/sleep.2810>
- American Academy of Pediatrics. (2016). American Academy of Pediatrics supports childhood sleep guidelines. Retrieved from <https://www.aap.org/en-us/about-the-aap/aap-press-room/pages/American-Academy-of-Pediatrics-Supports-Childhood-Sleep-Guidelines.aspx>
- Bates, J. E., Viken, R. J., Alexander, D. B., Beyers, J., & Stockton, L. (2002). Sleep and adjustment in preschool children: Sleep diary reports by mothers relate to behavior reports by teachers. *Child Development, 73*(1), 62–74.
- Berger, R. H., Miller, A. L., Seifer, R., Cares, S. R., & LeBourgeois, M. K. (2012). Acute sleep restriction effects on emotion responses in 30- to 36-month-old children. *Journal of Sleep Research, 21*(3), 235–246. <https://doi.org/10.1111/j.1365-2869.2011.00962.x>
- Bernier, A., Bélanger, M. È., Tarabulsky, G. M., Simard, V., & Carrier, J. (2014). My mother is sensitive, but I am too tired to know: Infant sleep as a moderator of prospective relations between maternal sensitivity and infant outcomes. *Infant Behavior & Development, 37*(4), 682–694. <https://doi.org/10.1016/j.infbeh.2014.08.011>
- Bernier, A., Carlson, S. M., Bordeleau, S., & Carrier, J. (2010). Relations between physiological and cognitive regulatory systems: Infant sleep regulation and subsequent executive functioning. *Child Development, 81*(6), 1739–1752.
- Bernier, A., Carlson, S. M., & Whipple, N. (2010). From external regulation to self-regulation: Early parenting precursors of young

- children's executive functioning. *Child Development*, 81(1), 326–339. <https://doi.org/10.1111/j.1467-8624.2009.01397.x>
- Blair, C., & Dennis, T. (2010). An optimal balance: The integration of emotion and cognition in context. In S. D. Calkins & M. A. Bell (Eds.), *Child development at the intersection of emotion and cognition* (pp. 17–35). Washington, DC: American Psychological Association. <https://doi.org/10.1037/12059-002>
- Blair, C., & Diamond, A. (2008). Biological processes in prevention and intervention: The promotion of self-regulation as a means of preventing school failure. *Development and Psychopathology*, 20(3), 899–911. <https://doi.org/10.1017/S0954579408000436>
- Blair, C., & Raver, C. C. (2015). School readiness and self-regulation: A developmental psychobiological approach. *Annual Review of Psychology*, 66(1), 711–731. <https://doi.org/10.1146/annurev-psych-010814-015221>
- Booth, C. L., Rose-Krasnor, L., McKinnon, J.-A., & Rubin, K. H. (1994). Predicting social adjustment in middle childhood: The role of preschool attachment security and maternal style. *Social Development*, 3(3), 189–204. <https://doi.org/10.1111/j.1467-9507.1994.tb00040.x>
- Bordeleau, S., Bernier, A., & Carrier, J. (2012). Maternal sensitivity and children's behavior problems: Examining the moderating role of infant sleep duration. *Journal of Clinical Child & Adolescent Psychology*, 41(4), 471–481. <https://doi.org/10.1080/15374416.2012.686101>
- Bridgett, D. J., Burt, N. M., Edwards, E. S., & Deater-Deckard, K. (2015). Intergenerational transmission of self-regulation: A multidisciplinary review and integrative conceptual framework. *Psychological Bulletin*, 141(3), 602–654. <https://doi.org/10.1037/a0038662>
- Brophy-Herb, H. E., Stansbury, K., Bocknek, E., & Horodyski, M. A. (2012). Modeling maternal emotion-related socialization behaviors in a low-income sample: Relations with toddlers' self-regulation. *Early Childhood Research Quarterly*, 27(3), 352–364. <https://doi.org/10.1016/j.ecresq.2011.11.005>
- Buckner, J. C., Mezzacappa, E., & Beardslee, W. R. (2009). Self-regulation and its relations to adaptive functioning in low income youths. *American Journal of Orthopsychiatry*, 79(1), 19–30. <https://doi.org/10.1037/a0014796>
- Calkins, S. D., & Bell, K. L. (1999). Developmental transitions as windows to parental socialization of emotion. *Psychological Inquiry*, 10(4), 368–372.
- Calkins, S. D., & Hill, A. (2007). Caregiver influences on emerging emotion regulation. In J. J. Gross (Ed.), *Handbook of Emotion Regulation* (pp. 229–248). New York: The Guilford Press.
- Calkins, S. D., & Johnson, M. C. (1998). Toddler regulation of distress to frustrating events: Temperamental and maternal correlates. *Infant Behavior & Development*, 21(3), 379–395. [https://doi.org/10.1016/S0163-6383\(98\)90015-7](https://doi.org/10.1016/S0163-6383(98)90015-7)
- Chiang, J. J., Tsai, K. M., Park, H., Bower, J. E., Almeida, D. M., Dahl, R. E., ... Fuligni, A. J. (2016). Daily family stress and HPA axis functioning during adolescence: The moderating role of sleep. *Psychoneuroendocrinology*, 71, 43–53. <https://doi.org/10.1016/j.psyneuen.2016.05.009>
- Clark, C. A. C., Sheffield, T. D., Chevalier, N., Nelson, J. M., Wiebe, S. A., & Espy, K. A. (2013). Charting early trajectories of executive control with the shape school. *Developmental Psychology*, 49(8), 1481–1493. <https://doi.org/10.1037/a0030578>
- Cremone, A., de Jong, D. M., Kurdziel, L. B. F., Desrochers, P., Sayer, A., LeBourgeois, M. K., ... McDermott, J. M. (2018). Sleep tight, act right: Negative affect, sleep and behavior problems during early childhood. *Child Development*, 89(2), e42–e59. <https://doi.org/10.1111/cdev.12717>
- Diener, M. L., & Kim, D.-Y. (2004). Maternal and child predictors of preschool children's social competence. *Journal of Applied Developmental Psychology*, 25, 3–24. <https://doi.org/10.1016/j.appdev.2003.11.006>
- Eiden, R. D., Edwards, E. P., & Leonard, K. E. (2007). A conceptual model for the development of externalizing behavior problems among kindergarten children of alcoholic families: Role of parenting and children's self-regulation. *Developmental Psychology*, 43(5), 1187–1201. <https://doi.org/10.1037/0012-1649.43.5.1187>
- Eisenberg, N., Sadovsky, A., & Spinrad, T. L. (2005). Associations of emotion-related regulation with language skills, emotion knowledge, and academic outcomes. *New Directions for Child and Adolescent Development*, 2005(109), 109–118. <https://doi.org/10.1002/cd.143>
- Eisenberg, N., Smith, C. L., Sandovsky, A., & Spinrad, T. L. (2004). Effortful Control. In R. F. Baumeister & K. D. Vohs (Eds.), *Handbook of self-regulation: Research, theory and applications* (pp. 259–282). New York, NY: The Guilford Press.
- Eisenberg, N., Taylor, Z. E., Widaman, K. F., & Spinrad, T. L. (2015). Externalizing symptoms, effortful control, and intrusive parenting: A test of bidirectional longitudinal relations during early childhood. *Development and Psychopathology*, 27(4, Pt. 1), 953–968. <https://doi.org/10.1017/S0954579415000620>
- Eisenberg, N., Valiente, C., & Eggum, N. D. (2010). Self-regulation and school readiness. *Early Education & Development*, 21(5), 681–698. <https://doi.org/10.1080/10409289.2010.497451>
- Ellis, B. J., Boyce, W. T., Belsky, J., Bakermans-Kranenburg, M. J., & van IJzendoorn, M. H. (2011). Differential susceptibility to the environment: An evolutionary–neurodevelopmental theory. *Development and Psychopathology*, 23, 7–28. <https://doi.org/10.1017/S0954579410000611>
- El-Sheikh, M., Bagley, E. J., Keiley, M., Elmore-Staton, L., Chen, E., & Buckhalt, J. A. (2013). Economic adversity and children's sleep problems: Multiple indicators and moderation of effects. *Health Psychology*, 32(8), 849–859. <https://doi.org/10.1037/a0030413>
- El-Sheikh, M., Hinnant, J. B., Kelly, R. J., & Erath, S. (2010). Maternal psychological control and child internalizing symptoms: Vulnerability and protective factors across bioregulatory and ecological domains. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 51(2), 188–198. <https://doi.org/10.1111/j.1469-7610.2009.02140.x>
- El-Sheikh, M., Kelly, R. J., Buckhalt, J. A., & Hinnant, J. B. (2010). Children's sleep and adjustment over time: The role of socioeconomic context. *Child Development*, 81(3), 870–883. <https://doi.org/10.1111/j.1467-8624.2010.01439.x>
- Evans, G. W., & English, K. (2002). The environment of poverty: Multiple stressor exposure, psychophysiological stress, and socioemotional adjustment. *Child Development*, 73(4), 1238–1248. <https://doi.org/10.1111/1467-8624.00469>
- Evans, G. W., & Kim, P. (2013). Childhood poverty, chronic stress, self-regulation, and coping. *Child Development Perspectives*, 7(1), 43–48. <https://doi.org/10.1111/cdep.12013>
- Fay-Stammach, T., Hawes, D. J., & Meredith, P. (2014). Parenting influences on executive function in early childhood: A review. *Child Development Perspectives*, 8(4), 258–264. <https://doi.org/10.1111/cdep.12095>

- Gardner, F., & Shaw, D. S. (2009). Behavioral problems of infancy and preschool children (0-5). *Rutter's child and adolescent psychiatry* (5th ed., pp. 882–893). <https://doi.org/10.1002/9781444300895.ch53>
- Gilliom, M., Shaw, D. S., Beck, J. E., Schonberg, M. A., & Lukon, J. L. (2002). Anger regulation in disadvantaged preschool boys: Strategies, antecedents, and the development of self-control. *Developmental Psychology, 38*(2), 222–235. <https://doi.org/10.1037/0012-1649.38.2.222>
- Goodlin-Jones, B., Tang, K., Liu, J., & Anders, T. F. (2009). Sleep problems, sleepiness and daytime behavior in preschool-age children. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 50*(12), 1532–1540. <https://doi.org/10.1111/j.1469-7610.2009.02110.x>
- Gregory, A. M., & Sadeh, A. (2016). Annual research review: Sleep problems in childhood psychiatric disorders—A review of the latest science. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 57*(3), 296–317. <https://doi.org/10.1111/jcpp.12469>
- Gruber, R., Cassoff, J., Frenette, S., Wiebe, S., & Carrier, J. (2012). Impact of sleep extension and restriction on children's emotional lability and impulsivity. *Pediatrics, 130*(5), 1155–1161. <https://doi.org/10.1542/peds.2012-0564>
- Hagger, M. S. (2010). Sleep, self-regulation, self-control and health. *Stress and Health, 26*(3), 181–185. <https://doi.org/10.1002/smi.1345>
- Hastings, P. D., Sullivan, C., McShane, K. E., Coplan, R. J., Uten-dale, W. T., & Vyncke, J. D. (2008). Parental socialization, vagal regulation, and preschoolers' anxious difficulties: Direct mothers and moderated fathers. *Child Development, 79*(1), 45–64. <https://doi.org/10.1111/j.1467-8624.2007.01110.x>
- Honaker, S. M., & Meltzer, L. J. (2016). Sleep in pediatric primary care: A review of the literature. *Sleep Medicine Reviews, 25*, 31–39. <https://doi.org/10.1016/j.smrv.2015.01.004>
- Iglowstein, I., Jenni, O. G., Molinari, L., & Largo, R. H. (2003). Sleep duration from infancy to adolescence: Reference values and generational trends. *Pediatrics, 111*(2), 695–725. <https://doi.org/10.1542/peds.111.2.302>
- Jansen, P. W., Saridjan, N. S., Hofman, A., Jaddoe, V. W. V., Verhulst, F. C., & Tiemeier, H. (2011). Does disturbed sleeping precede symptoms of anxiety or depression in toddlers? The Generation R study. *Psychosomatic Medicine, 73*(3), 242–249. <https://doi.org/10.1097/PSY.0b013e31820a4abb>
- Jenni, O. G., & LeBourgeois, M. K. (2006). Understanding sleep–wake behavior and sleep disorders in children: The value of a model. *Current Opinion in Psychiatry, 19*(3), 282–287. <https://doi.org/10.1097/01.yco.0000218599.32969.03>
- Johnson, E. O., Chilcoat, H. D., & Breslau, N. (2000). Trouble sleeping and anxiety/depression in childhood. *Psychiatry Research, 94*(2), 93–102. [https://doi.org/10.1016/S0165-1781\(00\)00145-1](https://doi.org/10.1016/S0165-1781(00)00145-1)
- Kahn, M., Sheppes, G., & Sadeh, A. (2013). Sleep and emotions: Bidirectional links and underlying mechanisms. *International Journal of Psychophysiology, 89*(2), 218–228. <https://doi.org/10.1016/j.ijpsycho.2013.05.010>
- Karremans, A., van Tuijl, C., van Aken, M. A. G., & Deković, M. (2006). Parenting and self-regulation in preschoolers: A meta-analysis. *Infant and Child Development, 15*(6), 561–579. <https://doi.org/10.1002/icd.478>
- Kim, S., & Kochanska, G. (2012). Child temperament moderates effects of parent–child mutuality on self-regulation: A relationship-based path for emotionally negative infants. *Child Development, 83*(4), 1275–1289. <https://doi.org/10.1111/j.1467-8624.2012.01778.x>
- Kochanska, G., Boldt, L. J., Kim, S., Yoon, J. E., & Philibert, R. A. (2015). Developmental interplay between children's biobehavioral risk and the parenting environment from toddler to early school age: Prediction of socialization outcomes in preadolescence. *Development and Psychopathology, 27*(03), 775–790. <https://doi.org/10.1017/S0954579414000777>
- Kochanska, G., Murray, K. T., & Harlan, E. T. (2000). Effortful control in early childhood: Continuity and change, antecedents, and implications for social development. *Developmental Psychology, 36*(2), 220–232. <https://doi.org/10.1037/0012-1649.36.2.220>
- Kochanska, G., Philibert, R. A., & Barry, R. A. (2009). Interplay of genes and early mother–child relationship in the development of self-regulation from toddler to preschool age. *Journal of Child Psychology and Psychiatry and Allied Disciplines, 50*(11), 1331–1338. <https://doi.org/10.1111/j.1469-7610.2008.02050.x>
- Kopp, C. B. (1989). Regulation of distress and negative emotions: A developmental view. *Developmental Psychology, 25*(3), 343–354. <https://doi.org/10.1037/0012-1649.25.3.343>
- Kushnir, J., & Sadeh, A. (2013). Correspondence between reported and actigraphic sleep measures in preschool children: The role of a clinical context. *Journal of Clinical Sleep Medicine, 9*(11), 1147–1151. <https://doi.org/10.5664/jcsm.3154>
- Lange, B. C. L., Dáu, A. L. B. T., Goldblum, J., Alfano, J., & Smith, M. V. (2017). A mixed methods investigation of the experience of poverty among a population of low-income parenting women. *Community Mental Health Journal, 53*(7), 832–841. <https://doi.org/10.1007/s10597-017-0093-z>
- Lavigne, J. V., Arend, R., Rosenbaum, D., Smith, A., Weissbluth, M., Binns, H. J., & Christoffel, K. K. (1999). Sleep and behavior problems among preschoolers. *Journal of Developmental and Behavioral Pediatrics, 20*(3), 164–169.
- Lengua, L. J. (2002). The contribution of emotionality and self-regulation to the understanding of children's response to multiple risk. *Child Development, 73*(1), 144–161. <https://doi.org/10.1111/1467-8624.00397>
- Lengua, L. J., Moran, L., Zalewski, M., Ruberry, E., Kiff, C., & Thompson, S. (2015). Relations of growth in effortful control to family income, cumulative risk, and adjustment in preschool-age children. *Journal of Abnormal Child Psychology, 43*(4), 705–720. <https://doi.org/10.1007/s10802-014-9941-2>
- Lewin, D. S., Wolfson, A. R., Bixler, E. O., & Carskadon, M. A. (2016). Duration isn't everything. Healthy sleep in children and teens: Duration, individual need and timing. *Journal of Clinical Sleep Medicine, 12*(11), 1439–1441. <https://doi.org/10.5664/jcsm.6260>
- Li-Grining, C. P. (2012). The role of cultural factors in the development of Latino preschoolers' self-regulation. *Child Development Perspectives, 6*(3), 210–217. <https://doi.org/10.1111/j.1750-8606.2012.00255.x>
- Masten, A. S., & Coatsworth, J. D. (1998). The development of competence in favorable and unfavorable environments. *American Psychologist, 53*(2), 205–220. <https://doi.org/10.1037/0003-066X.53.2.205>
- Matheny, A. P., Wachs, T. D., Ludwig, J. L., & Phillips, K. (1995). Bringing order out of chaos: Psychometric characteristics of the confusion, hubbub, and order scale. *Journal of Applied Developmental Psychology, 16*(3), 429–444. [https://doi.org/10.1016/0193-3973\(95\)90028-4](https://doi.org/10.1016/0193-3973(95)90028-4)
- Mauss, I. B., Troy, A. S., & LeBourgeois, M. K. (2013). Poorer sleep quality is associated with lower emotion-regulation ability

- in a laboratory paradigm. *Cognition & Emotion*, 27(3), 567–576. <https://doi.org/10.1080/02699931.2012.727783>
- Mendez, J. L., Fantuzzo, J., & Cicchetti, D. (2002). Profiles of social competence among low-income African American preschool children. *Child Development*, 73(4), 1085–1100. <https://doi.org/10.1111/1467-8624.00459>
- Merz, E. C., Landry, S. H., Montroy, J. J., & Williams, J. M. (2017). Bidirectional associations between parental responsiveness and executive function during early childhood. *Social Development*, 26(3), 591–609. <https://doi.org/10.1111/sode.12204>
- Mezzacappa, E., Buckner, J. C., & Earls, F. (2011). Prenatal cigarette exposure and infant learning stimulation as predictors of cognitive control in childhood. *Developmental Science*, 14(4), 881–891. <https://doi.org/10.1111/j.1467-7687.2011.01038.x>
- Miller, A. L., Rosenblum, K. L., Retzliff, L. B., & Lumeng, J. C. (2016). Observed self-regulation is associated with weight in low-income toddlers. *Appetite*, 105, 705–712. <https://doi.org/10.1016/j.appet.2016.07.007>
- Miller, A. L., Seifer, R., Crossin, R., & LeBourgeois, M. K. (2015). Toddler's self-regulation strategies in a challenge context are nap-dependent. *Journal of Sleep Research*, 24(3), 279–287. <https://doi.org/10.1111/jsr.12260>
- Mindell, J. A., Du Mond, C. E., Sadeh, A., Telofski, L. S., Kulkarni, N., & Gunn, E. (2011). Efficacy of an internet-based intervention for infant and toddler sleep disturbances. *Sleep*, 34(4), 451–458B. <https://doi.org/10.1093/sleep/34.4.451>
- Mindell, J. A., Kuhn, B. R., Lewin, D. S., Meltzer, L. J., & Sadeh, A. (2006). Behavioral treatment of bedtime problems and night wakings in infants and young children. *Sleep*, 29(10), 1263–1276. <https://doi.org/10.1093/sleep/29.10.1263>
- Mindell, J. A., Leichman, E. S., DuMond, C., & Sadeh, A. (2017). Sleep and social-emotional development in infants and toddlers. *Journal of Clinical Child & Adolescent Psychology*, 46(2), 236–246. <https://doi.org/10.1080/15374416.2016.1188701>
- Mindell, J. A., & Owens, J. A. (2015). *A clinical guide to pediatric sleep: Diagnosis and management of sleep problems* (2nd ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Molfese, D. L., Ivanenko, A., Key, A. F., Roman, A., Molfese, V. J., O'Brien, L. M., ... Hudac, C. M. (2013). A one-hour sleep restriction impacts brain processing in young children across tasks: Evidence from event-related potentials. *Developmental Neuropsychology*, 38(5), 317–336. <https://doi.org/10.1080/87565641.2013.799169>
- Moore, M., & Mindell, J. A. (2013). The impact of behavioral interventions for sleep problems on secondary outcomes in young children and their families. In A. Wolfson & H. Montgomery-Downs (Eds.), *The Oxford handbook of infant, child, and adolescent sleep and behavior* (pp. 547–558). New York: Oxford University Press. <https://doi.org/10.1093/oxfordhb/9780199873630.013.0040>
- National Sleep Foundation. (2004). Children and sleep. Retrieved from <https://sleepfoundation.org/sleep-polls-data/sleep-in-america-poll/2004-children-and-sleep>
- Paruthi, S., Brooks, L. J., D'Ambrosio, C., Hall, W. A., Kotagal, S., Lloyd, R. M., ... Wise, M. S. (2016). Consensus statement of the American Academy of Sleep Medicine on the recommended amount of sleep for healthy children: Methodology and discussion. *Journal of Clinical Sleep Medicine*, 12(11), 1549–1561. <https://doi.org/10.5664/jcsm.6288>
- Pluess, M., & Belsky, J. (2010). Differential susceptibility to parenting and quality child care. *Developmental Psychology*, 46(2), 379–390. <https://doi.org/10.1037/a0015203>
- Poehlmann, J., Schwichtenberg, A. J. M., Schlafer, R. J., Hahn, E., Bianchi, J.-P., & Warner, R. (2011). Emerging self-regulation in toddlers born preterm or low birth weight: Differential susceptibility to parenting? *Development and Psychopathology*, 23(01), 177–193. <https://doi.org/10.1017/S0954579410000726>
- Raby, K. L., Roisman, G. I., Fraley, R. C., & Simpson, J. A. (2015). The enduring predictive significance of early maternal sensitivity: Social and academic competence through age 32 years. *Child Development*, 86(3), 695–708. <https://doi.org/10.1111/cdev.12325>
- Raikes, H. A., Robinson, J. L., Bradley, R. H., Raikes, H. H., & Ayoub, C. C. (2007). Developmental trends in self-regulation among low-income toddlers. *Social Development*, 16(1), 128–149. <https://doi.org/10.1111/j.1467-9507.2007.00375.x>
- Raver, C. C., Blair, C., & Willoughby, M. (2013). Poverty as a predictor of 4-year-olds' executive function: New perspectives on models of differential susceptibility. *Developmental Psychology*, 49(2), 292–304. <https://doi.org/10.1037/a0028343>
- Raver, C. C., Jones, S. M., Li-Grining, C., Zhai, F., Bub, K., & Pressler, E. (2011). CSRP's impact on low income preschoolers' preacademic skills: Self-regulation as a mediating mechanism. *Child Development*, 82(1), 362–378. <https://doi.org/10.1111/j.1467-8624.2010.01561.x.CSRP>
- Reid, G. J., Hong, R. Y., & Wade, T. J. (2009). The relation between common sleep problems and emotional and behavioral problems among 2- and 3-year-olds in the context of known risk factors for psychopathology: Sleep in toddlers. *Journal of Sleep Research*, 18(1), 49–59. <https://doi.org/10.1111/j.1365-2869.2008.00692.x>
- Rhoades, B. L., Greenberg, M. T., Lanza, S. T., & Blair, C. (2011). Demographic and familial predictors of early executive function development: Contribution of a person-centered perspective. *Journal of Experimental Child Psychology*, 108(3), 638–662. <https://doi.org/10.1016/j.jecp.2010.08.004>
- Sadeh, A., Tikotzky, L., & Scher, A. (2010). Parenting and infant sleep. *Sleep Medicine Reviews*, 14(2), 89–96. <https://doi.org/10.1016/j.smrv.2009.05.003>
- Schmitt, S. A., McClelland, M. M., Tominey, S. L., & Acock, A. C. (2015). Strengthening school readiness for Head Start children: Evaluation of a self-regulation intervention. *Early Childhood Research Quarterly*, 30(Pt. A), 20–31. <https://doi.org/10.1016/j.ecresq.2014.08.001>
- Schumacher, A. M., Miller, A. L., Watamura, S. E., Kurth, S., Lassonde, J. M., & LeBourgeois, M. K. (2017). Sleep moderates the association between response inhibition and self-regulation in early childhood. *Journal of Clinical Child & Adolescent Psychology*, 46(2), 222–235. <https://doi.org/10.1080/15374416.2016.1204921>
- Singh, G. K., & Kenney, M. K. (2013). Rising prevalence and neighborhood, social, and behavioral determinants of sleep problems in US children and adolescents, 2003–2012. *Sleep Disorders*, 2013, 1–15. <https://doi.org/10.1155/2013/394320>
- Spinrad, T. L., Eisenberg, N., Cumberland, A. J., Fabes, R. A., Valiente, C., Shepard, S. A., ... Guthrie, I. K. (2006). Relation of emotion-related regulation to children's social competence: A longitudinal study. *Emotion*, 6(3), 498–510. <https://doi.org/10.1037/1528-3542.6.3.498>
- Taylor, Z. E., Eisenberg, N., Spinrad, T. L., & Widaman, K. F. (2013). Longitudinal relations of intrusive parenting and effortful control

- to ego-resiliency during early childhood. *Child Development*, 84(4), 1145–1151. <https://doi.org/10.1111/cdev.12054>
- Touchette, E., Mongrain, V., Petit, D., Tremblay, R. E., & Montplaisir, J. Y. (2008). Development of sleep-wake schedules during childhood and relationship with sleep duration. *Archives of Pediatrics and Adolescent Medicine*, 162(4), 343–349. <https://doi.org/10.1001/archpedi.162.4.343>
- Troxel, W. M., Trentacosta, C. J., Forbes, E. E., & Campbell, S. B. (2013). Negative emotionality moderates associations among attachment, toddler sleep, and later problem behaviors. *Journal of Family Psychology*, 27(1), 127–136. <https://doi.org/10.1037/a0031149>
- Tu, K. M., Erath, S. A., & El-Sheikh, M. (2015). Peer victimization and adolescent adjustment: The moderating role of sleep. *Journal of Abnormal Child Psychology*, 43(8), 1447–1457. <https://doi.org/10.1007/s10802-015-0035-6>
- Turnbull, K., Reid, G. J., & Morton, J. B. (2013). Behavioral sleep problems and their potential impact on developing executive function in children. *Sleep*, 36(7), 1077–1084. <https://doi.org/10.5665/sleep.2814>
- Vaish, A., Carpenter, M., & Tomasello, M. (2009). Sympathy through affective perspective taking and its relation to prosocial behavior in toddlers. *Developmental Psychology*, 45(2), 534–543. <https://doi.org/10.1037/a0014322>
- Valiente, C., Eisenberg, N., Spinrad, T. L., Reiser, M., Cumberland, A., Losoya, S. H., & Liew, J. (2006). Relations among mothers' expressivity, children's effortful control, and their problem behaviors: A four-year longitudinal study. *Emotion*, 6(3), 459–472. <https://doi.org/10.1037/1528-3542.6.3.459>
- Walker, M. P., & Harvey, A. G. (2010). Obligate symbiosis: Sleep and affect. *Sleep Medicine Reviews*, 14(4), 215–217. <https://doi.org/10.1016/j.smrv.2010.02.003>
- Zeman, J., Cassano, M., Perry-Parrish, C., & Stegall, S. (2006). Emotion regulation in children and adolescents. *Developmental and Behavioral Pediatrics*, 27(2), 155–168.

How to cite this article: Julian MM, Leung CYY, Rosenblum KL, et al. Parenting and toddler self-regulation in low-income families: What does sleep have to do with it? *Infant Ment Health J.* 2019;40:479–495. <https://doi.org/10.1002/imhj.21783>