

Guest Editorial: Clarifications on the use of the new

classification of Periodontitis

Mariano Sanz*, Panos N. Papapanou†, Maurizio S. Tonetti‡§, Henry Greenwell|| and Ken Kornman¶

*ETEP Research Group, Faculty of Dentistry, Complutense University of Madrid, Spain.

†Division of Periodontics, Section of Oral, Diagnostic and Rehabilitation Sciences, College of Dental Sciences, Columbia

University, New York, USA

‡European Research Group on Periodontology, Genova, Italy

§Division of Periodontology and Implant Dentistry, Faculty of Dentistry, The University of Hong Kong, Hong Kong, SAR

China

|| Graduate Periodontics, School of Dentistry, University of Louisville, Louisville, USA

¶Department of Periodontics and Oral Medicine, University of Michigan School of Dentistry, Ann Arbor, USA

Correspondence: Professor Mariano Sanz

ETEP Research Group – Faculty of Odontology

Complutense University of Madrid

Plaza Ramon y Cajal s/n – 28040 Madrid – Spain

Email: marsan@ucm.es

Source of funding: There was no funding related to this editorial

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as [doi: 10.1002/jper.10548](#).

This article is protected by copyright. All rights reserved.

Conflict of interest: Authors report no conflict of interest related to this manuscript.

Key Words:

Periodontitis, Classification, Stage, Grade, Extent, Tooth loss

Abstract

This editorial provides clarifications on the application of the Stage and Grade classification of periodontitis. In particular it describes: i) how to apply the extent criterion to the defined Stage of the disease; and ii) how to calculate tooth loss due to periodontitis in Stage III and IV cases presenting with evidently hopeless (irrational to treat) teeth with a clinical definition of such teeth.

Editorial

One component of the new periodontitis classification¹ has raised some questions relative to the specific criteria for “extent” in the Staging process. The question is whether extent should describe those teeth that harbor the most severe sites that define the patient’s stage or those teeth with any degree of attachment loss.

We support the criteria defined in the consensus publication (Papapanou, Sanz et al. 2018²), where it is stated that the extent should be described after the determination of the staging (“For each stage, describe extent as localized (<30% of teeth involved), generalized, or molar/incisor pattern.”). Following these criteria, ‘extent’ refers to the stage that captures the overall severity and complexity of the case. Therefore, assessment of extent after the stage has been determined describes the percentage of teeth at the stage-defining severity level and conveys meaningful information to the clinician, as it depicts the % of teeth that are severely affected and may likely require treatment of higher complexity.

Another matter of concern is whether to consider as lost teeth due to periodontitis, those existing teeth with an evident hopeless prognosis. We support the inclusion of evidently hopeless teeth when calculating the number of teeth lost due to periodontitis for distinguishing between Stages III and IV Periodontitis. It is, however, important to define appropriately what is a hopeless tooth (also termed irrational to treat). Evident hopeless teeth are those in which the attachment loss approximates the apex of the root circumferentially, in combination with a high degree of tooth hypermobility (degree III).

References

1. Tonetti MS, Greenwell H, Kornman KS. Staging and grading of periodontitis: Framework and proposal of a new classification and case definition. 2018 *J Periodontol*. 89 Suppl 1, S159-S172.
2. Papapanou PN, Sanz M, Buduneli N, Dietrich T, Feres M, Fine DH, Flemmig TF, Garcia R, Giannobile WV, Graziani F, Greenwell H, Herrera D, Kao RT, Kebschull M, Kinane DF, Kirkwood KL, Kocher T, Kornman KS, Kumar PS, Loos BG, Machtei E, Meng H, Mombelli A, Needleman I, Offenbacher S, Seymour GJ, Teles R, Tonetti MS. Periodontitis: Consensus report of workgroup 2 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. 2018 *J Periodontol*. 89 Suppl 1: S173-S182