

**Received Date:**

**Revised Date:**

**Accepted Date:**

**Article Type: Data Papers**

**WASPnest: a worldwide assessment of social Polistine nesting behavior**

Sara E. Miller<sup>1</sup>, Sarah E. Bluher<sup>1</sup>, Emily Bell<sup>2</sup>, Alessandro Cini<sup>3</sup>, Rafael Carvalho da Silva<sup>4</sup>, André Rodrigues de Souza<sup>4</sup>, Kristine M. Gandia<sup>5</sup>, Jennifer Jandt<sup>6</sup>, Kevin Loope<sup>7</sup>, Amanda Prato<sup>4</sup>, Jonathan N. Pruitt<sup>8</sup>, David Rankin<sup>7</sup>, Erin Rankin<sup>7</sup>, Robin J. Southon<sup>9</sup>, Floria M. K. Uy<sup>5</sup>, Susan Weiner<sup>10</sup>, Colin M. Wright<sup>11</sup>, Holly Downing<sup>12</sup>, Raghavendra Gadagkar<sup>13</sup>, M. Cristina Lorenzi<sup>14,15</sup>, Lidiya Rusina<sup>16</sup>, Seirian Sumner<sup>3</sup>, Elizabeth A. Tibbetts<sup>17</sup>, Amy Toth<sup>18</sup>, Michael J. Sheehan<sup>1,19</sup>

<sup>1</sup>Department of Neurobiology and Behavior, Cornell University, Ithaca, NY, USA

<sup>2</sup>School of Biological Sciences, University of Bristol, Bristol, UK

<sup>3</sup>Centre for Biodiversity and Environmental Research, Department of Genetics, Evolution and Environment, University College London, London, UK

<sup>4</sup>Departamento de Biologia, Faculdade de Filosofia Ciências e Letras de Ribeirão Preto, Universidade de São Paulo, São Paulo, Brazil

<sup>5</sup>Department of Biology, University of Miami, Coral Gables, FL, USA

<sup>6</sup>Department of Zoology, University of Otago, Dunedin, New Zealand

<sup>7</sup>Department of Entomology, University of California, Riverside, CA, USA

<sup>8</sup>Department of Psychology, Neuroscience and Behaviour, McMaster University, Hamilton, ON, Canada

<sup>9</sup>School of Biological Sciences, University of Bristol, Bristol, UK

<sup>10</sup>Department of Biology, Roosevelt University, Chicago, IL, USA

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as [doi: 10.1002/ecy.2448](https://doi.org/10.1002/ecy.2448)

This article is protected by copyright. All rights reserved

<sup>11</sup>Department of Ecology, Evolution, and Marine Biology, University of California, Santa Barbara, CA, USA

<sup>12</sup>Black Hills State University, Spearfish, SD, USA

<sup>13</sup>Centre for Ecological Sciences, Indian Institute of Science, Bangalore, India

<sup>14</sup>Laboratoire d'Ethologie Expérimentale et Comparée, Université Paris 13, Villetaneuse, France

<sup>15</sup>Department Life Science and Systems Biology, University of Turin, Torino, Italy

<sup>16</sup>Kherson State University, Kherson, Ukraine

<sup>17</sup>Department of Ecology and Evolutionary Biology, University of Michigan, Ann Arbor, MI, USA

<sup>18</sup>Department of Ecology, Evolution, and Organismal Biology, Iowa State University, Ames, IA, USA

## **Abstract.**

Cooperative breeding decreases the direct reproductive output of subordinate individuals, but cooperation can be evolutionarily favored when there are challenges or constraints to breeding independently. Environmental factors, including temperature, precipitation, latitude, high seasonality and environmental harshness have been hypothesized to correlate with the presence of cooperative breeding. However, to test the relationship between cooperation and ecological constraints requires comparative data on the frequency and variation of cooperative breeding across differing environments, ideally replicated across multiple species. Paper wasps are primitively social species, forming colonies composed of reproductively active dominants and foraging subordinates. Adult female wasps, referred to as foundresses, initiate new colonies. Nests can be formed by a single solitary foundress (non-cooperative) or by multiple foundress associations (cooperative). Cooperative behavior varies within and among species, making paper wasps species well suited to disentangling ecological correlates of variation in cooperative behavior. This dataset reports the frequency and extent of cooperative nest founding for 87 paper wasp species. Data was assembled from more than 170 published sources, previously unpublished field observations, and photographs contributed by citizen scientists to online natural history repositories. The dataset includes 25,872 nest

observations and reports the cooperative behavioral decisions for 45,297 foundresses. Species names were updated to reflect modern taxonomic revisions. The type of substrate on which the nest was built is also included, when available. A smaller population-level version of this dataset found that the presence or absence of cooperative nesting in paper wasps was correlated with temperature stability and environmental harshness, but these variables did not predict the extent of cooperation within species. This expanded dataset contains details about individual nests and further increases the power to address the relationship between the environment and the presence and extent of cooperative breeding. Beyond the ecological drivers of cooperation, these high-resolution data will be useful for future studies examining the evolutionary consequences of variation in social behavior. This dataset may be used for research or educational purposes provided that this data paper is cited.

*Key words: Belonogaster, cooperation, eusociality, foundress; Mischocyttarus; Parapolybia, Polistes; paper wasp; Ropalidia; social insects.*

The complete data set is available as Supporting Information at: [*to be completed at proof stage*]. In addition, data are available in GitHub:  
<https://doi.org/10.5281/zenodo.1236498>

Corresponding Editor: William K. Michener.

Manuscript received 9 February 2018; revised 24 April 2018; accepted 26 April 2018; final version received 8 July 2018.

<sup>19</sup>E-mail: [msheehan@cornell.edu](mailto:msheehan@cornell.edu)