

Title: Implementation of a Microsurgical Breast Reconstruction Program in Mexico

Authors: Johnatan Figueroa-Padilla MD¹, Enrique Soto-Perez-de-Celis MD MSc^{1, 2}, Alejandro Maciel-Miranda MD¹, Daniela Vargas-Salas MD¹, Eric Santamaria MD¹, Nereida Esparza-Arias MD¹, Luz M Gutiérrez-Zacarías MD¹, Paula Cabrera-Galeana MD¹, Enrique Bargalló-Rocha MD¹.

Affiliations:

1. Post-Mastectomy Program. Department of Breast Tumors. Instituto Nacional de Cancerología, Mexico City, Mexico.
2. Department of Geriatrics. Instituto Nacional de Ciencias Medicas y Nutrición Salvador Zubiran, Mexico City, Mexico.

Funding: Supported by a P017 Reproductive Health and Gender Equality in Health Grant from the Mexican Federal Government

Corresponding author: Enrique Bargalló-Rocha. Head, Department of Breast Tumors. Instituto Nacional de Cancerología, Avenida San Fernando 22, Belisario Domínguez Secc 16, 14080, Tlalpan, Mexico City, Mexico. ebargallo@yahoo.com

Running title: Breast Microsurgery in Mexico

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as doi: [10.1002/micr.30383](https://doi.org/10.1002/micr.30383)

Breast cancer is the most common malignancy in Latin America and in Mexico,^{1,2} and providing multidisciplinary care for patients with breast cancer represents a major challenge for healthcare systems throughout the region.^{1,2} Since 2007, the Mexican government, through the *Seguro Popular* insurance system, has provided coverage for breast cancer treatment.¹⁻³ Unfortunately, *Seguro Popular* doesn't cover other interventions, such as reconstructive surgery.^{2,3} The National Cancer Institute of Mexico (INCan) provides care under *Seguro Popular* coverage, and although breast reconstruction was available, its cost had to be covered out-of-pocket until 2012, when a federal government grant helped establish the "*Post-Mastectomy Program*" (PMP), aimed at providing free reconstruction.⁴ Here, we describe the implementation of a breast reconstructive microsurgery program at INCan, with the intent of fostering the development of similar programs in other low-and-middle-income countries (LMIC).

Before PMP, most patients were treated with tissue expanders and implants, while others received reconstruction using myocutaneous flaps, with approximately 40 reconstructions performed yearly. With the establishment of PMP, we have progressively built the capacity to perform microsurgical reconstruction with deep inferior epigastric perforator flaps (DIEP) in addition to implant-based reconstruction. Objectives of the microsurgical reconstruction program are summarized in Figure 1.

All newly diagnosed patients with breast cancer, as well as those with non-malignant diseases who are candidates for reconstruction, are discussed by a multidisciplinary team including plastic surgeons. Patients desiring reconstruction are evaluated by anesthesiologists and undergo an abdominal tomography to visualize the deep inferior epigastric artery. DIEP flap candidates are evaluated by a plastic surgeon who explains the procedure and its complications, including planned number of inpatient days, length, expected cosmetic results, postoperative care, and potential need for further interventions. Patients complete the Spanish version of the BREAST-Q™ (Memorial Sloan-Kettering Cancer Center and The University of British Columbia©) quality of life questionnaire. Microsurgical procedures are performed by a plastic surgeon with microsurgery training and a microsurgery fellow using a Carl Zeiss Pentero® microscope. Data on ischemia time, time for surgical anastomosis, and vessel anatomy is recorded for each procedure.

In 2012, only six microsurgical reconstructions were performed at INCa. From 01/2013 to 12/2017, 161 microsurgical reconstructions have been performed, going from 23 in 2013 to 34 in 2017. In 160 cases DIEP flaps were performed, while in one case another technique was utilized (gluteal artery perforator flap). Patient and surgical characteristics are outlined in Table 1.

Capacity-building is fundamental to our program. Twenty-three surgeons from Spanish-speaking nations have been trained in reconstructive breast microsurgery (Figure 2): ten from Mexico; five from Colombia; five from Argentina; and three from Spain. Two fellows from countries outside the Ibero-American region (USA and Italy) have also been trained.

In 2019, the first Central American fellow (Costa Rica) will complete training. Additionally, we offer a two-week course targeted towards plastic surgeons wanting to obtain or enhance their microsurgical skills.

In Latin America, most patients with breast cancer present with advanced disease, and up to 80% of women are treated with mastectomy.^{1,5} This means that most breast cancer survivors in the region are candidates for reconstruction, which unfortunately is not covered by most healthcare systems. Although in settings with basic resources, surgical care should focus on providing curative-intent surgery, upper-middle income countries should strive to provide breast reconstruction in order to improve quality of care.⁶

Little is known about the status of both breast reconstruction and microsurgery in Latin America. A survey conducted among plastic surgeons in Argentina showed that most respondents performed less than 25 breast reconstructions per year, of which 80% were implant-based.⁷ Another study from Brazil reported that only 3161 of the 10831 women undergoing mastectomy in 2014 received reconstruction, despite the availability of coverage within the public healthcare system.⁸

As part of our future plans, we intend to influence policy makers into including reconstructive surgery into the care of patients with breast cancer in *Seguro Popular*, to analyze the complication rates and outcomes of patients living in resource-limited settings after reconstruction, and to test the cost-effectiveness of our microsurgical program compared with implant-based reconstructions. Additionally, we are building a network of

former fellows as a starting point for future collaborations to study microsurgical breast reconstruction in LMIC.

Our experience implementing a microsurgical breast reconstruction program at a public cancer center in a LMIC showcases a self-sustainable, publicly-funded multidisciplinary project, and we believe it can serve as a blueprint for other institutions. Programs like ours, in which physicians from LMIC learn from each other, are fundamental for global surgery.

References

1. Chávarri-Guerra Y, Villarreal-Garza C, Liedke PE, Knaul F, Mohar A, Finkelstein DM, Goss PE. Breast cancer in Mexico: a growing challenge to health and the health system. *Lancet Oncol* 2012;13(8):e335-343.
2. Reynoso-Noveron N, Villarreal-Garza C, Soto-Perez-de-Celis E, Arce-Salinas C, Matus-Santos J, Ramirez-Ugalde MT, Alvarado-Miranda A, Cabrera-Galeana P, Meneses-García A, Lara-Medina F, Bargallo-Rocha E, Mohar A. Clinical and Epidemiological Profile of Breast Cancer in Mexico: Results of the Seguro Popular. *J Global Oncol* 2016.
3. Consejo de Salubridad General: Identificación de Tratamientos y Medicamentos Asociados a Gastos Catastróficos. PROTOCOLO TÉCNICO. Enfermedad CIE.10: C50 Tumor maligno de la mama. Mexico, 2011.
4. Cuenta De La Hacienda Pública Federal De 2013 Análisis Del Ejercicio Del Presupuesto De Egresos Instituto Nacional De Cancerología.

http://www.apartados.hacienda.gob.mx/contabilidad/documentos/informe_cuenta/2013/doc/t7/NBV/NBV.02.02.07.vd.pdf. Accessed 10/02/2018.

5. Di Sibio A, Abriata G, Forman D, Sierra MS. Female breast cancer in Central and South America. *Cancer Epidemiol* 2016;44 Suppl 1:S110-S120.
6. Anderson BO, Yip CH, Smith RA, Shyyan R, Sener SF, Eniu A, Carlson RW, Azavedo E, Harford J. Guideline implementation for breast healthcare in low-income and middle-income countries: overview of the Breast Health Global Initiative Global Summit 2007. *Cancer* 2008;113(8 Suppl):2221-2243.
7. Mayer HF, de Belaustegui EA, Loustau HD. Current status and trends of breast reconstruction in Argentina. *J Plast Reconstr Aesthet Surg* 2018;71(4):607-609.
8. Freitas-Júnior R, Gagliato DM, Moura Filho JWC, Gouveia PA, Rahal RMS, Paulinelli RR, Oliveira LFP, Freitas PF, Martins E, Urban C, Lucena CM. Trends in breast cancer surgery at Brazil's public health system. *J Surg Oncol* 2017;115(5):544-549.

Figure Captions

Figure 1. Objectives of the Microsurgical Breast Reconstruction Program at INCa

Figure 2. Geographical origin of Microsurgical Fellows trained at INCa across Ibero-American Countries.

