

Abstract

Childhood obesity is of great importance given a third of children in the U.S. are overweight or obese. Previous research has examined neighborhood economic context in relation to children's obesity and obesity-rated behaviors. However, different definitions and measures of neighborhood context make it difficult to compare findings and make definitive conclusions. This review is to synthesize studies assessing the associations between neighborhood economic context and children's obesity or obesity-related behaviors. The review included 39 studies investigating the relationship between residential neighborhood economic context and children's obesity, dietary habits, or physical activity after controlling for family-level economic status. Studies reported mixed results in the relationship between neighborhood economic indicators and child obesity outcomes. Of reviewed studies, 60% showed an inverse association between higher neighborhood economic status and obesity, and 33% and 14% showed positive associations between higher neighborhood economic status and healthy dietary habits or physical activity. Several studies suggested gender, age, race/ethnicity, individual-level economic status, rurality, and social connectedness as moderators in the neighborhood-obesity association. Findings suggest, in order to move toward causal inferences and inform interventions, future research should examine neighborhood impacts longitudinally and test theory-driven mediators and moderators to clarify the mechanisms by which neighborhoods influence child obesity.

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as doi: [10.1111/obr.12792](https://doi.org/10.1111/obr.12792)

INTRODUCTION

Child obesity is a serious public health concern in the United States. Child obesity increases risk of developing adverse health conditions, such as heart disease, high blood pressure, diabetes, cardiovascular complications, and some cancers (1-6). For example, type 2 diabetes mellitus is now increasingly identified among children with obesity although it was once classified as an adult-onset disease (7). Child obesity also negatively affects psychological development such as self-concept and self-esteem, and later high-risk behaviors such as smoking and alcohol use (8-10).

One sixth of U.S. children aged 2-19 are considered obese (11), more than double the situation three decades ago (12). Child obesity-related behaviors, such as unhealthy dietary habits and insufficient physical activity, are also highly prevalent. About one in seven children consume the recommended amount of fruits, vegetables, or both (13); only four of every ten U.S. children aged 6-11 engage in the age-specific recommended levels of physical activity (14). Moreover, socioeconomic disparities in child obesity and obesity-related behaviors have recently increased (15). While obesity rates among high socioeconomic status children have begun to plateau in recent years, the rates among low-socioeconomic status children have continued to increase (15). A similar pattern was found in the prevalence of obesity-related behaviors (15). Overall, children presented healthier behaviors—consuming fewer calories and more physical activity—than they did before, but low socioeconomic status children showed a smaller improvement than their high-socioeconomic status counterpart.

Prior review studies have examined individual- and family-level factors related to child obesity and obesity-related behaviors (16, 17)– for example, genetic or biological factors, race/ethnicity, family socioeconomic status, and family stressors (18-23). Despite the importance of individual- and family-level factors in determining child obesity, widening socioeconomic inequalities in child obesity and obesity-related behaviors imply a role for structural determinants. Extensive literature has investigated the role of neighborhood economic context in child obesity and obesity-related behaviors (24-26). For example, researchers have examined neighborhood poverty rates, household median income, and unemployment rates as determinants of child obesity and obesity-related behaviors (27-29).

Understanding how neighborhood economic context affects individual child obesity is important for planning and implementing effective policy initiatives to reduce child obesity disparities. However, there are theoretical and empirical inconsistencies in how neighborhood economic context influences individual child obesity. For example, the neighborhood institutional resource models posit that a high level of neighborhood affluence prevents child obesity through accessibility to health-promoting services and facilities within the neighborhoods (30). Conversely, according to the relative deprivation model, poor children in affluent neighborhoods may feel deprived and become psychologically distressed when comparing themselves to affluent peers in the neighborhood, leading to higher risks of child obesity (30-32). Furthermore, the use of different definitions and measures of neighborhood context by prior empirical studies made it difficult to compare findings and draw definitive conclusions.

Given the theoretical and empirical inconsistencies in examining the relationship between neighborhood economic context in child obesity/obesity-related behaviors, a systematic literature review is needed for clarification. However, only one literature review has examined the effect of neighborhood economic context on children's obesity (discussed below). To fill the research gap, the present study reviews the empirical literature on the role of neighborhood economic context in child obesity and obesity-related behaviors (dietary habits and physical activity, in particular) and suggests directions for future research.

Previous Reviews

In recent years, a growing body of systematic review literature has documented the association between neighborhood economic characteristics and child health. Shrewsbury and Wardle (16) conducted a systematic review of the association between individual/neighborhood socioeconomic status (SES) and adiposity in children based on 45 studies. Seven of the studies used neighborhood-level SES indicators in analyses. Four of these studies showed an inverse association between neighborhood SES and adiposity, and three studies showed no significant association. However, this review did not describe how neighborhood SES was measured, what conceptual mechanisms were used to explain the role of neighborhood SES, nor did it examine the role of potential mediators in the relationship between neighborhood SES and adiposity in the literature. Van Der Horst and colleagues (17) reviewed 58 studies on multi-level factors in child dietary habits. Only one of the reviewed studies included was related to neighborhood economic

context, which reported a negative association between neighborhood economic disadvantage and healthy dietary habits.

Sellström and Bremberg (33) reviewed multilevel studies on neighborhood context and birth weight, mental health, and injuries from 1990 to 2003 and found that neighborhood SES had small to moderate effects on these health outcomes. However, the authors did not review studies on children's dietary habits, physical activity, and obesity. Similarly, Leventhal and Brooks-Gunn (26) comprehensively reviewed literature about neighborhood impacts on child well-being; however, the study did not include children's dietary habits, physical activity, or obesity. There does not appear to be a review of studies on the role of neighborhood economic context in child obesity and obesity-related behaviors.

The Present Study

The study reported here provides a systematic review of quantitative research examining the association between neighborhood context and obesity, dietary habits, or physical activity among children. The study addressed the following questions: (1) What characteristics of neighborhood economic context have been studied? (2) What mechanisms have been used to explain the role of neighborhood economic context on child obesity, dietary habits, or physical activity? (3) What research methods were used? (4) Which measures of neighborhood economic context are consistently associated with child obesity, dietary habits, or physical activity? and (5) which moderating or mediating factors are consistently associated with the association between neighborhood economic context and child obesity, dietary habits, or physical activity?

METHODS

A systematic review methodology was used to comprehensively identify and synthesize research by using pre-determined, specific inclusion criteria and comprehensive and explicit search strategy (34-36).

Inclusion Criteria

Quantitative published studies in English and unpublished studies found in dissertations and research reports that met search criteria were reviewed. The review was limited to studies whose samples were children aged 3 to 17 years. In addition, each article or report had to meet the following criteria: (1) primarily investigated the effect of residential neighborhood economic context on child obesity, dietary habits, or physical activity; (2) included more than ten neighborhoods; (3) controlled for family-level economic status; and (4) focused on a developed country. Cross-sectional as well as longitudinal studies were included.

Search Strategy

Several search strategies were used to create an initial pool of study candidates. First, searches in the following electronic databases were conducted: PubMed, PsycINFO, ERIC, Academic Search Complete, and Dissertations and Theses Global. Studies in these five electronic databases were searched using the terms: (neighbor OR ecological OR geographic) AND (economic OR poverty OR affluence OR inequality OR Townsend OR income OR disadvantaged OR deprivation OR employment OR built environment OR supermarket OR grocery OR street OR park OR distance OR density) AND (child OR kid OR adolescent OR

youth OR student) AND (nutrition OR diet OR food OR vegetable OR fruit OR physical activity OR exercise OR sedentary OR obesity OR fat OR BMI OR adiposity) for the period up to and including January 8, 2018. The first reviewer reviewed the title of the candidate studies (first step) and excluded 1,213 that clearly did not meet one or more of the selection criteria. Then, two reviewers independently reviewed abstract (second step) and full-text (third step) of the remaining studies. Cohen's kappa for inter-reviewer agreement was 58%. When there were questions about a particular study, the reviewers discussed the eligibility of the study until consensus was reached. If the first and second reviewers were able to resolve their different opinions, a third reviewer was consulted. Two studies were brought to a third reviewer, and we included the two articles based on further examination of the articles in relationship to our selection criteria. In cases where it could not be determined from the title or abstract whether or not the article met all inclusion criteria, the study was set aside for further review.

Next, the reference lists of the remaining studies were reviewed to find studies that might not have been identified previously. Additionally, the corresponding author of all studies eligible for inclusion in the review and other authors known to work in the field were contacted to get unidentified research. Of the studies reviewed, 39 met the inclusion criteria specified for the systematic review (see Figure 1).

Quality Assessment

Independent reviewers assessed the studies on quality indicators adapted from the Newcastle-Ottawa Scale (NOS) (37) that have been recommended in systematic reviews. The

NOS was designed to evaluate repetitiveness of sampling procedure, response rate, validity of measurement methods, control of important confounders, and validity of statistical analysis.

Cohen's kappa for inter-reviewer agreement was 0.85 (95% CI=0.79 to 0.91), and any disagreement was resolved through discussion.

Data Extraction

Data extracted from each study were recorded in a Microsoft Word file. The first coder coded all 39 studies, and the second and third coders independently coded half of the studies. Disagreements were resolved through discussion. Cohen's kappa for inter-reviewer agreement was 0.87 (95% CI=0.85 to 0.90).

Variables of dietary habits were categorized into healthy dietary habits and unhealthy dietary habits. Physical activity variables were categorized into physical activity, physical inactivity, sedentary behaviors, and active commuting to school. Neighborhood economic context was categorized using nine constructs: (1) poverty (e.g., the proportion of persons in the neighborhood living below the federal poverty threshold); (2) affluence (e.g., the proportion of persons in the neighborhood living above specified income); (3) general income level (e.g., median family income); (4) home ownership; (5) unemployment rate; (6) high-status occupation rate; (7) income inequality (e.g., GINI index); (8) composite indicator of disadvantaged neighborhoods; and (9) composite indicator of advantaged neighborhoods.

RESULTS

Identified Studies

As shown in Table 1, all studies were published after 1 January 2005. Twenty-nine studies of the studies were conducted in the United States. Sample sizes ranged from 215 to 20,745 children, and two thirds of the studies (27 studies) examined 1,000 or more children. Quality of study assessment indicated overall satisfactory study quality in ensuring enough sample size (n=33, 85%), controlling for important individual-level confounders (n=39, 100%), and clearly describing statistical testing and its results (n=38, 97%). The most consistent sources of potential bias included self-reported or parental reported outcome measures (n=20, 51%) and no description of the response rate in the data (n=20, 51%). Overall, all studies demonstrated satisfactory quality based on the Newcastle-Ottawa Scale.

Conceptual frameworks

There was little use of theory to inform the mechanisms by which neighborhood economic context influences child obesity and health behaviors, although a few studies (38, 39) mentioned a guiding theory or model informing neighborhood as a key determinant for individual health. Instead, in most studies, authors briefly mentioned, primarily based on prior literature, how or why variables might be associated with outcomes of interest. Several studies presented potential mediators, moderators, or both in the relationship between neighborhood economic context and child obesity and/or obesity-related behaviors. For example, built environments were described to moderate or mediate the association between neighborhood economic context and child obesity and/or obesity-related behaviors (40, 41). Economically disadvantaged neighborhoods had fewer healthy food and physical activity resources (e.g., large

grocery stores, recreational facilities, and bike lanes), hazardous conditions (e.g., vacant housing, litter on roads), or unhealthy food resources (e.g., fast food restaurants, convenience stores), which may increase risks of being obese or having unhealthy behaviors. For potential mediators, social environments such as social ties or cohesion and positive health norms were reported (41, 42). One study (42) illustrated that affluent residents might sustain neighborhood social organizations (e.g., voluntary organizations) that promote social ties and positive health norms.

Several moderators were also conceptually described including age, gender, race/ethnicity, and individual economic status (38, 41, 43-48). For example, one study (43) described that females tend to engage in sedentary behavior as a coping strategy for the stress associated with living in a disadvantaged neighborhood, which may imply stronger neighborhood impacts for females than males. Other studies also argued that neighborhood effects are more influential on females than males (45, 47). While some studies illustrated that neighborhood economic context may be more pronounced for minorities than Whites (48, 49), Bell-Ellison (44) argued that a racial or ethnic minority group is less likely to be affected by neighborhood poverty than Whites. Two studies (38, 50) explained neighborhood economic context as a moderator in the relationship between built environments or rurality and child health.

Conceptualization of Neighborhoods

Of the 39 studies, 16 (41%) measured neighborhood economic context based on census tracts (40-45, 48, 49, 51-58). A census unit aggregation implies a homogenous geographic area with visible boundaries and residents of similar sociodemographic characteristics. Thirteen

studies were based on other census subdivisions or administrative entities such as block group, block, ZIP code, dissemination area, or statistical area (38, 39, 46, 47, 50, 59-66). The remaining ten studies used buffers based on the surroundings of a place of residence or school (27, 28, 67-74).

Research Methods

Of the types of study designs, 32 (82%) of the studies were cross-sectional, and 7 (18%) were longitudinal (see Table 1). Regarding level of analysis, half (19 studies) used multilevel analysis, and the other half (19 studies) used non-multilevel analysis. One study (68) used multilevel analysis to predict factors for boys' physical activity and used non-multilevel analysis to predict factors for girls' physical activity and active transport because of insignificant between-neighborhood variation for girls' physical activity and active transport.

Studies included family economic status in a multivariate model to examine neighborhood impacts on child obesity or obesity-related behaviors, theoretically "independent" of family economic status. Twelve studies controlled for family income only, several economic factors (10 studies), family wealth only (6 studies), health insurance status only (3 studies), parental employment status only (2 studies), free/reduced school lunch only (3 studies), and public assistance receipt only (1 study). In the remaining two studies, the sample was limited to children from low income families so family economic status was not controlled (41, 69).

Neighborhood Economic Context and Obesity

Table 2 summarized results from the 20 studies that examined the association between neighborhoods economic context and child BMI, obesity, and/or overweight. Most studies have measured obesity based on body mass index, but one used skinfold thickness (27) and another used percentage of body fat via X-ray (70). Child BMI, obesity, and/or overweight were assessed directly by a trained person or an equipment (measuring device) in fourteen studies (27, 42, 43, 48, 51, 52, 54, 58, 59, 63, 65, 67, 69, 70) and by self- or parent-reported in other studies (28, 44, 49, 61, 64, 66).

Among the 20 studies, 13 studies showed significant findings (28, 43, 44, 48, 49, 51, 54, 58, 59, 61, 64, 66, 69). Specifically, among the six studies using neighborhood poverty, two studies showed a significantly positive relationship with child overweight/obesity (51, 58), and one study showed an inverse relationship with child obesity (69). Contrary to the two studies finding a positive relationship, the study that showed an inverse relationship focused on children in low-income families (69). Among the seven studies focusing on median income level, three studies showed a significant inverse association between median income level and child BMI/overweight/obesity (54, 61, 64). Neighborhood unemployment level was related to higher risks of child obesity in two studies (28, 49), and home ownership was also related to lower risks of child overweight/obesity in one study (54). Of the eight studies that used composite variables, five showed that children in economically advantaged neighborhoods had lower likelihood of BMI/overweight/obesity (43, 44, 48, 59, 66), and three showed no significant association (42, 52, 67).

Neighborhood Economic Context and Dietary Habits

Table 3 shows findings of the six studies that examined the association between neighborhood economic context and child dietary habits. Studies have measured healthy eating habits (four studies), and/or total energy intake (one study). Child dietary habits were self- or parent-reported in all studies.

Of the six studies examining neighborhood economic context, two showed a significant association. Carroll-Scott and colleagues (42) reported that a neighborhood affluence index (based on the proportions of residents with a college education, high income, and executive or professional jobs, with higher scores indicating more advantage) was positively associated with healthier eating habits among children living within those neighborhoods. Levin (50) found that children living in disadvantaged neighborhoods (based on 37 indicators across seven domains including income, and employment [75]), displayed less healthy eating habits compared with children living in less disadvantaged neighborhoods. As an exception, contrary to the hypothesis, the disadvantaged neighborhood index was positively associated with regular breakfast consumption. This finding might be due to breakfast clubs (supervised provision of food to some or all pupils before the beginning of the school day, whether provided free or at a charge [76]) in Scotland. A third of primary schools and half of secondary schools provided “breakfast clubs” for pupils in Scotland (50). In the other four studies, neighborhood economic context was not significantly associated with child dietary habits.

Neighborhood Economic Context and Physical Activity

Tables 4 presents the findings of fourteen studies examining the association between neighborhood economic context and physical activity (eleven studies), physical inactivity (two studies), sedentary behaviors (two studies), and/or active transport (two studies). Trained staff or objective equipment directly measured the outcome variables in six studies.

Of the eleven studies that examined the association between neighborhood economic context and physical activity, only two showed a significant association between these variables. Specifically, as levels of neighborhood deprivation increased, children exhibited a lower level of physical activity (47). By contrast, another study showed a negative association between median income and walking during leisure time among Belgian adolescents (38). On the other hand, Voorhees and colleagues (67) examined the relationship between neighborhood economic context and physical activity type/locations. Results showed that girls in advantaged neighborhoods were more likely to engage in physical activity at school or at a community facility (vs. at home or in their neighborhood) and in organized activity (transportation-based/work-based physical activity) than girls in disadvantaged neighborhoods. Two studies focused on the relationship between neighborhood economic context and physical inactivity, but neither reported a significant association. Two studies examined the association between neighborhood economic context and sedentary behaviors, and Carroll-Scott et al. (42) found that neighborhood affluence was inversely associated with sedentary behaviors. For active commuting, two studies tested its relation to median income level and showed no significant association with active commuting from or to schools.

Mediators and Moderators

Table 5 presents moderators tested in the 22 studies that examined the relationship between neighborhood economic context and child obesity or obesity-related behaviors. The table also includes variables used to stratify the sample population to explore potential moderators. Twenty-two studies tested age, gender, race/ethnicity, grade, family economic status, residential relocation, rurality, walkability, school socioeconomic status, school connectedness, or weather as a potential moderator.

In terms of age, three studies examined its moderating role in the relationship between neighborhood economic context and child obesity or physical activity. Two out of three studies showed a stronger association between neighborhood economic context and outcomes for older children. For example, one study showed that neighborhood deprivation was more strongly associated with obesity for adolescents than for young school-aged children (43).

Gender was the most studied moderator. Nine studies investigated the moderating effect of gender on the relationship between neighborhood economic context and child obesity, unhealthy diets, or physical activity. Four out of five studies examining the association between neighborhood economic context and obesity consistently showed a significant interaction role with gender. Three studies showed that neighborhood economic context is more strongly associated with obesity in girls than boys (43, 51, 60). For example, one study examined the longitudinal effect of neighborhood risk factors on becoming obese separately for boys and girls and showed a significant association only for girls (60). On the other hand, Lovasi and

colleagues (69) found a significant relationship between neighborhood poverty rate and obesity only among male preschoolers, not among female preschoolers.

In the case of physical activity, two out of six studies investigating the potential moderating effect of gender on the association between neighborhood economic context and child physical activity showed an interaction role with gender. For example, using a composite measure of economic deprivation, Pabayo and colleagues (47) found that average minutes of weekday physical activity was lower among boys living in highly economically deprived areas than boys living in economically advantaged areas, whereas average minutes of weekday physical activity was higher among girls living highly economically deprived areas than girls living in economically advantaged areas.

Four studies investigated the potential moderating effect of race/ethnicity in the neighborhood-child health association. Two out of four studies found race/ethnicity differences in such association. One study (48) showed higher risks of obesity for non-Hispanic black children and Mexican American children in less deprived neighborhoods compared with non-Hispanic white children in the same type of group. Alvarado (49) examined the association between the proportion of unemployed residents and obesity separately for Black and Latino children and found a significant positive association only among Latino children.

In terms of family economic status, Rossen (48) investigated the moderating role of family-level poverty in the relationship between neighborhood deprivation and obesity and found a positive association between neighborhood deprivation and obesity among non-poor children,

and an insignificant association among poor children. Using a stratified sample by family poverty status, Kim and Cubbin (41) found that neighborhood poverty and income inequality were associated with physical activity among poor, but not non-poor, children.

Some studies investigated rurality, neighborhood walkability, school connectedness, or school-level economic status. Rurality was a significant moderator in the relationship between neighborhood economic context and healthy eating behaviors in one study (50). Specifically, children living in the most economically deprived and remote rural neighborhoods consumed less fruits than those living in urban neighborhoods of equivalent deprivation (50). Among children living in affluent neighborhoods, children in remote rural neighborhoods consumed more fruits than their urban counterparts (50). In the case of neighborhood walkability, two studies found that walkability was positively associated with physical activity among children living in neighborhoods with low median household income, but not among those in neighborhoods with high median household income (38, 46). School socioeconomic status, measured by school-level parent education level, parental occupation, and percentage of students not eligible for free lunch, was not a significant moderator in the relationship between neighborhood economic context (neighborhood deprivation and affluence) and child obesity (44). On the other hand, school connectedness was a significant moderator in another study (i.e., school connectedness was more strongly associated with lower BMI for children in highly affluent neighborhoods than in lower affluent neighborhoods) (52).

Two studies (41, 62) investigated whether healthy and unhealthy food environments (e.g., the number of grocery stores, the number of fast-food restaurants), physical activity environments (e.g., distance to the closest park, the number of recreation centers, street connectivity) mediate the associations between neighborhood economic context and child obesity, fruit and vegetable intake, or physical activity and found no evidence for it.

Collectively, studies are relatively scarce, and findings are inconsistent across several moderators/mediators; however, a few studies suggested that gender, age, race/ethnicity, individual-level economic status, rurality, and social connectedness may moderate the relationship between neighborhood economic context and child obesity and/or BMI.

DISCUSSION

This is, to our knowledge, the first systematic review to examine moderators and mediators as well as the association between neighborhood economic context and child obesity and obesity-related behaviors. This study included a wide range of neighborhood economic factors as correlates of child obesity and/or obesity-related behaviors, and five databases were searched along with an extensive search of cited references. This review showed the consistently significant association between neighborhood economic context and child obesity/BMI, but inconclusive results on the associations between neighborhood economic context and child diets and physical activity. This review describes several limitations of past studies and suggests future research directions toward better understanding of the effect of neighborhood economic context on child obesity and obesity-related behaviors, as follows.

The literature reviewed in this study lacks theories explaining the mechanisms by which neighborhoods influence child outcomes. Most of the studies used general reasoning based on prior literature to explain the mechanisms by which neighborhoods influence child outcomes. Studies suggested several potential mediators— such as built and social environments; however, only two studies conducted a mediation test (41, 62).

There are several methodological limitations in the past studies. First, half of the studies relied on self- or parent-reported measures of child obesity, dietary habits, and/or physical activity which can suffer from social desirability or recall bias (77-79). Using objectively measured dietary habits, physical activity, and weight would improve the quality of studies and perhaps reduce inconsistent results in prior studies. Second, for neighborhood economic context, studies usually used neighborhood poverty, median income, or an index of neighborhood indicators including several aspects of economic characteristics. While more comprehensive, using an index precludes interpretation of how particular economic factors affect health (80). Furthermore, neighborhood economic factors were measured using only a point-in-time measure, which may result in lumping together neighborhoods that have experienced different conditions over time (81). In addition, indicators representing the distribution of economic resources (i.e., relative economic context), such as income inequality, have been little examined. Future research should justify a particular economic measure for avoiding claims to have measured economic context overall (80), consider neighborhood economic history for capturing diverse neighborhood heterogeneous health environments (81), and investigate a variety of economic

factors. Finally, most studies used cross-sectional data so that they could not verify the direction of causality in their findings. More longitudinal investigations of neighborhood economic context on child obesity and obesity-related behaviors are warranted.

Moderators and mediators are less examined, and findings about their associations with child health behaviors were inconsistent. For example, while some showed that boys were more impacted by neighborhood economic context (69), others showed that girls were more impacted (43, 51, 60). Given that a few studies showed potential moderating effects (50, 51), further studies should aim to clarify the role (i.e., direction) of these moderators in the association between neighborhood economic context and child obesity and obesity-related behaviors beyond significance. Built environments are also worthy of exploration as a moderator or a mediator. Only two studies investigated built environments as a mediator (41, 62), although they are often mentioned in the conceptual frameworks of studies reviewed. In general, further replication studies are needed to investigate factors mediating or moderating the relationship between neighborhood economic context and child outcomes.

The role of family-level socioeconomic status in child outcomes also needs to be explored. This review considered family-level socioeconomic status as a confounder of neighborhood effect; however, family-level socioeconomic status may be simultaneously mediating and confounding neighborhood effects (82, 83). This is because family-level socioeconomic status is partly determined by neighborhood characteristics early in life and thus can be a mediator. Under this circumstance, including family-level socioeconomic status as a

confounder will underestimate the neighborhood health effect (82, 83). Analyzing neighborhood effects with multiple repeated measures could clarify the time-dependent confounding and mediating effects of family-level socioeconomic status on child outcomes.

There are several limitations in this review. This review was limited to neighborhood economic context. To further understanding of neighborhood impacts on child obesity, other aspects of neighborhood contexts such as built and social environments, racial/ethnic composition, and educational level should be explored. Qualitative studies should also be reviewed to better understand the results of this review. Finally, a meta-analysis was not conducted for several reasons (84-86): (1) the studies included in this review measured neighborhood economic status in different ways—such as poverty rates, unemployment rates, median household income, and a composite index of affluence across a variety of domains including income, housing values, education, and racial/ethnic characteristics; (2) the studies conceptualized neighborhoods at different area levels—such as buffers, census tracts, census block, and census block groups; and (3) the studies adjusted for different confounding variables and did not report a correlation coefficient between neighborhood economic context and an outcome measure.

Despite the limitations, this review systematically identified, organized, and summarized past empirical studies in the neighborhood-child obesity field. The review indicates that neighborhood economic context may affect child obesity and obesity-related behaviors. The next steps for neighborhood-child health research will be to improve research designs, measures, and

analytic models, and replicate current findings. One way to improve studies is to longitudinally examine neighborhood histories and its mediators or moderators in an analytic model, in alignment with their conceptual frameworks. It may provide stronger evidence for developing policies aiming to strengthen neighborhoods and also child health.

References

1. Dietz WH. Childhood weight affects adult morbidity and mortality. *J Nutr* 1998; **128**(2): 411S-414S.
2. Hooper L, Summerbell CD, Higgins JP *et al*. Dietary fat intake and prevention of cardiovascular disease: Systematic review. *BMJ* 2001; **322**(7289): 757-763.
3. Kraak VA, Liverman CT, Koplan JP (eds.) *Preventing childhood obesity: Health in the balance*. National Academies Press: Washington DC, 2005.
4. Murray CJ, Lopez AD. Global mortality, disability, and the contribution of risk factors: Global burden of disease study. *The Lancet* 1997; **349**(9063): 1436-1442.
5. Ogden CL, Carroll MD, Flegal KM. High body mass index for age among US children and adolescents, 2003-2006. *JAMA* 2008; **299**(20): 2401-2405.
6. U.S. Department of Health and Human Services. *Physical activity and health: A report of the Surgeon General*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion: Atlanta, 1996.
7. Ludwig DS, Ebbeling CB. Type 2 diabetes mellitus in children: Primary care and public health considerations. *JAMA* 2001; **286**(12): 1427-1430.
8. Davison KK, Birch LL. Weight status, parent reaction, and self-concept in five-year-old girls. *Pediatrics* 2001; **107**(1): 46-53.
9. Strauss RS. Childhood obesity and self-esteem. *Pediatrics* 2000; **105**(1): e15.

10. Wang F, Wild TC, Kipp W, Kuhle S, Veugelers PJ. The influence of childhood obesity on the development of self-esteem. *Health Reports* 2009; **20**(2): 21-27.
11. U.S. Centers for Disease Control and Prevention (2016). Reduce the proportion of children and adolescents aged 2 to 19 years who are considered obese [WWW document]. URL http://www.healthypeople.gov/node/4928/data_details
12. Ogden CL, Flegal KM, Carroll MD, Johnson CL. Prevalence and trends in overweight among US children and adolescents, 1999-2000. *JAMA* 2002; **288**(14): 1728-1732.
13. Dietary Guidelines Advisory Committee. *Scientific report of the 2015 dietary guidelines advisory committee: Advisory report to the Secretary of Health and Human Services and the Secretary of Agriculture*. United States Department of Agriculture and Department of Health and Human Services: Washington DC, 2015.
14. Troiano RP, Berrigan D, Dodd KW, Masse LC, Tilert T, McDowell M. Physical activity in the United States measured by accelerometer. *Med Sci Sports Exerc* 2008; **40**(1): 181-188.
15. Frederick CB, Snellman K, Putnam RD. Increasing socioeconomic disparities in adolescent obesity. *Proc Natl Acad Sci U S A* 2014; **111**(4): 1338-1342.
16. Shrewsbury V, Wardle J. Socioeconomic status and adiposity in childhood: A systematic review of cross-sectional studies 1990-2005. *Obesity* 2008; **16**(2): 275-284.
17. Van Der Horst K, Oenema A, Ferreira I *et al*. A systematic review of environmental correlates of obesity-related dietary behaviors in youth. *J Health Educ Res* 2007; **22**(2): 203-226.

18. Belcher BR, Berrigan D, Dodd KW, Emken BA, Chou CP, Spuijt-Metz D. Physical activity in US youth: Impact of race/ethnicity, age, gender, & weight status. *Med Sci Sports Exerc* 2010; **42**(12): 2211-2221.
19. Gustafson SL, Rhodes RE. Parental correlates of physical activity in children and early adolescents. *Sports Med* 2006; **36**(1): 79-97.
20. Long DN, McGuire S, Levine MA, Weinstein LS, Germain-Lee EL. Body mass index differences in pseudohypoparathyroidism type 1a versus pseudopseudohypoparathyroidism may implicate paternal imprinting of Gas in the development of human obesity. *J Clin Endocrinol Metab* 2007; **92**(3): 1073-1079.
21. Singh GK, Kogan MD, Van Dyck, PC, Siahpush M. Racial/ethnic, socioeconomic, and behavioral determinants of childhood and adolescent obesity in the United States: Analyzing independent and joint associations. *Ann Epidemiol* 2008; **18**(9): 682-695.
22. Papoutsis GS, Drichoutis AC, Nayga RM. *The causes of childhood obesity: A survey. J Econ Surv* 2013; **27**(4): 743-767.
23. Whitaker RC, Orzol SM. Obesity among US urban preschool children: Relationships to race, ethnicity, and socioeconomic status. *Arch Pediatr Adolesc Med* 2006; **160**(6): 578-584.
24. Brooks-Gunn J, Duncan JG, Aber JL. *Neighborhood poverty, volume 1: Context and consequences for children*. Russell Sage Foundation: New York, 1997.
25. Brooks-Gunn J, Duncan GJ, Klebanov PK, Sealand N. Do neighborhoods influence child and adolescent development? *Am J Sociol* 1993; **99**(2): 353-395.

26. Leventhal T, Brooks-Gunn, J. The neighborhoods they live in: The effects of neighborhood residence on child and adolescent outcomes. *Psychol Bull* 2000; **126**(2): 309-337.
27. Lovasi GS, Jacobson JS, Quinn JW, Neckerman KM, Ashby-Thompson MN, Rundle A. Is the environment near home and school associated with physical activity and adiposity of urban preschool children? *J Urban Health* 2011; **88**(6): 1143-1157.
28. Janssen I, Boyce WF, Simpson K, Pickett W. Influence of individual-and area-level measures of socioeconomic status on obesity, unhealthy eating, and physical inactivity in Canadian adolescents. *Am J Clin Nutr* 2006; **83**(1): 139-145.
29. Van Hulst A, Barnett AT, Gauvin L *et al.* Associations between children's diets and features of their residential and school neighbourhood food environments. *Can J Public Health* 2012; **103**(3): S48-S54.
30. Jencks C, Mayer SE. The social consequences of growing up in a poor neighborhood. In: Lynn L, McGahey MGH (eds.) *Inner-city poverty in the United States*. National Academy Press: Washington DC, 1990, pp. 111-186.
31. Kawachi I, Kennedy BP. Socioeconomic determinants of health: Health and social cohesion: Why care about income inequality? *BMJ* 1997; **314**(7086): 1037.
32. Marmot M, Wilkinson RG. Psychosocial and material pathways in the relation between income and health: A response to Lynch *et al.* *BMJ* 2001; **322**(7296): 1233-1236.

33. Sellström E, Bremberg S. The significance of neighbourhood context to child and adolescent health and well-being: A systematic review of multilevel studies. *Scand J Public Health* 2006; **34**(5): 544-554.
34. Higgins JP, Green S. (eds.). *Cochrane handbook for systematic reviews of interventions* (Vol. 5). Wiley-Blackwell: Chichester, 2008.
35. Littell JH, Corcoran J, Pillai V. *Systematic reviews and meta-analysis*. Oxford University Press: New York, 2008.
36. Slavin RE. Best evidence synthesis: An intelligent alternative to meta-analysis. *J Clin Epidemiol* 1995; **48**(1): 9-18.
37. Wells GA, Shea B, O'Connell D, Peterson J, Welch V, Losos M, Tugwell P. *The Newcastle-Ottawa Scale (NOS) for assessing the quality of nonrandomised studies in meta-analyses*. Ottawa Health Research Institute: Ottawa, 2010.
38. De Meester F, Van Dyck D, De Bourdeaudhuij I, Deforche B, Sallis JF, Cardon G. Active living neighborhoods: Is neighborhood walkability a key element for Belgian adolescents? *BMC Public Health* 2012; **12**(1): 7.
39. Timperio A, Ball K, Salmon J *et al*. Personal, family, social, and environmental correlates of active commuting to school. *Am J Prev Med* 2006; **30**(1): 45-51.
40. Boone-Heinonen J, Guilkey DK, Evenson KR, Gordon-Larsen P. Residential self-selection bias in the estimation of built environment effects on physical activity between adolescence and young adulthood. *Int J Behav Nutr Phys Act* 2010; **7**(1): 70.

41. Kim Y, Cubbin C. The role of neighborhood economic context on physical activity among children: Evidence from the Geographic Research on Wellbeing (GROW) study. *Prev Med* 2017; **101**: 149-155.
42. Carroll-Scott A, Gilstad-Hayden K, Rosenthal L *et al.* Disentangling neighborhood contextual associations with child body mass index, diet, and physical activity: The role of built, socioeconomic, and social environments. *Soc Sci Med* 2013; **95**: 106-114.
43. Alvarado SE. Neighborhood disadvantage and obesity across childhood and adolescence: Evidence from the NLSY children and young adults cohort (1986–2010). *Soc Sci Res* 2016; **57**: 80-98.
44. Bell-Ellison BA. *Schools as moderators of neighborhood influences on adolescent academic achievement and risk of obesity: A cross-classified multilevel investigation*. University of South Florida: Florida, 2008.
45. Boone-Heinonen J, Gordon-Larsen P. Life stage and sex specificity in relationships between the built and socioeconomic environments and physical activity. *J Epidemiol Community Health* 2011; **65**(10): 847-852.
46. De Meester F, Van Dyck D, De Bourdeaudhuij I, Deforche B, Cardon G. Do psychosocial factors moderate the association between neighborhood walkability and adolescents' physical activity? *Soc Sci Res* 2013; **81**: 1-9.
47. Pabayo R, Belsky J, Gauvin L, Curtis S. Do area characteristics predict change in moderate-to-vigorous physical activity from ages 11 to 15 years? *Soc Sci Res* 2011; **72**(3): 430-438.

48. Rossen LM. Neighbourhood economic deprivation explains racial/ethnic disparities in overweight and obesity among children and adolescents in the USA. *J Epidemiol Community Health* 2014; **68**(2): 123-129.
49. Alvarado SE. *The effect of neighborhood context on obesity and educational achievement among youth*. University of Wisconsin–Madison: Wisconsin, 2011.
50. Levin KA. Urban–rural differences in adolescent eating behaviour: A multilevel cross-sectional study of 15-year-olds in Scotland. *Public Health Nutr* 2014; **17**(8): 1776-1785.
51. Kowaleski-Jones L, Wen M. Community and child energy balance: Differential associations between neighborhood environment and overweight risk by gender. *Int J Environ Health Res* 2013; **23**(5): 434-445.
52. Carroll-Scott A, Gilstad-Hayden K, Rosenthal L *et al*. Associations of neighborhood and school socioeconomic and social contexts with body mass index among urban preadolescent students. *Am J Public Health* 2015; **105**(12): 2496-2502.
53. Boone-Heinonen J, Evenson KR, Song Y, Gordon-Larsen P. Built and socioeconomic environments: patterning and associations with physical activity in US adolescents. *Int J Behav Nutr Phys Act* 2010; **7**(1): 45.
54. Grow HMG, Cook AJ, Arterburn DE, Saelens BE, Drewnowski A, Lozano P. Child obesity associated with social disadvantage of children’s neighborhoods. *Soc Sci Med* 2010; **71**(3): 584-591.

55. Kimbro RT, Brooks-Gunn J, McLanahan S. Young children in urban areas: Links among neighborhood characteristics, weight status, outdoor play, and television watching. *Soc Sci Med* 2011; **72**(5): 668-676.
56. Kowaleski-Jones L, Fan JX, Wen M, Hanson H. Neighborhood context and youth physical activity: Differential associations by gender and age. *Am J Health Promot* 2017; **31**(5): 426-434.
57. Leung CW, Gregorich SE, Laraia BA, Kushi LH, Yen IH. Measuring the neighborhood environment: associations with young girls' energy intake and expenditure in a cross-sectional study. *Int J Behav Nutr Phys Act* 2010; **7**(1): 1-10.
58. McTigue KM, Cohen ED, Moore CG *et al.* Urban neighborhood features and longitudinal weight development in girls. *Am J Prev Med* 2015; **49**(6): 902-911.
59. Hughey SM. *Exploring spatial patterning and the impact of obesogenic built environments for youth obesity*. University of South Carolina: South Carolina, 2017.
60. Lee H. *Race, ethnicity and the social context of disadvantage and its links to obesity and physical activity in adolescence and the transition to adulthood*. The University of North Carolina at Chapel Hill: North Carolina, 2009.
61. Nelson MC, Gordon-Larsen P, Song Y, Popkin BM. Built and social environments: Associations with adolescent overweight and activity. *Am J Prev Med* 2006; **31**(2): 109-117.

62. Frost SS. *Childhood obesity in context: Examining the role of ecological factors related to childhood obesity among West Virginia's youth*. West Virginia University: West Virginia, 2011.
63. Bell JF, Wilson JS, Liu GC. Neighborhood greenness and 2-year changes in body mass index of children and youth. *Am J Prev Med* 2008; **35**(6): 547–553.
64. Ohri-Vachaspati P, Lloyd K, DeLia D, Tulloch D, Yedidia MJ. A closer examination of the relationship between children's weight status and the food and physical activity environment. *Prev Med* 2013; **57**(3): 162-167.
65. Saelens BE, Sallis JF, Frank LD *et al*. Obesogenic neighborhood environments, child and parent obesity: The neighborhood Impact on Kids study. *Am J Prev Med* 2012; **42**(5): e57-e64.
66. Oliver LN, Hayes MV. Neighbourhood socio-economic status and the prevalence of overweight Canadian children and youth. *Can J Public Health* 2005; **96**(6): 415-420.
67. Voorhees CC, Catellier DJ, Ashwood JS *et al*. Neighborhood socioeconomic status and non school physical activity and body mass index in adolescent girls. *J Phys Act Health* 2009; **6**(6): 731-740.
68. Salomonsen-Sautel S. *A social ecological study examining individual, household, and neighborhood influences on children's physical activity and active commuting to/from school*. University of Colorado Denver: Colorado, 2011.

69. Lovasi GS, Schwartz-Soicher O, Quinn JW *et al.* Neighborhood safety and green space as predictors of obesity among preschool children from low-income families in New York City. *Prev Med* 2013; **57**(3): 189-193.
70. Yin Z, Moore JB, Johnson MH, Vernon MM, Grimstvedt M, Gutin B. Micro-and macro-level correlates of adiposity in children. *J Public Health Manag Pract* 2012; **18**(5): 445-452.
71. Gropp KM, Pickett W, Janssen I. Multi-level examination of correlates of active transportation to school among youth living within 1 mile of their school. *Int J Behav Nutr Phys Act* 2012; **9**(1): 1-14.
72. Laxer RE, Janssen I. The proportion of youths' physical inactivity attributable to neighbourhood built environment features. *Int J Health Geogr* 2013; **12**(1): 1-13.
73. Laxer RE, Janssen I. The proportion of excessive fast-food consumption attributable to the neighbourhood food environment among youth living within 1 km of their school. *Appl Physiol Nutr Metab* 2014; **39**(4): 480-486.
74. Mecredy G, Pickett W, Janssen I. Street connectivity is negatively associated with physical activity in Canadian youth. *Int J Environ Res Public Health* 2011; **8**(8): 3333-3350.
75. Scottish Executive. (2006). Scottish index of multiple deprivation 2006: General report. [WWW document]. URL <http://www.gov.scot/Publications/2006/10/13142739/0>
76. Scottish Government. (2010). A national statistics publication for Scotland: School meals in Scotland, 2010. [WWW document]. URL <http://www.scotland.gov.uk/Publications/2010/07/06095048/0>

77. Elgar FJ, Roberts C, Tudor-Smith C, Moore L. Validity of self-reported height and weight and predictors of bias in adolescents. *J Adolesc Health* 2005; **37**(5): 371-375.
78. Klesges LM, Baranowski T, Beech B *et al.* Social desirability bias in self-reported dietary, physical activity and weight concerns measures in 8-to 10-year-old African-American girls: Results from the Girls Health Enrichment Multisite Studies (GEMS). *Prev Med* 2004; **38**: S78-S87.
79. Weden MM, Brownell PB, Rendall MS, Lau C, Fernandes M, Nazarov Z. Parent-reported height and weight as sources of bias in survey estimates of childhood obesity. *Am J Epidemiol* 2013; **178**(3): 461-473.
80. Braveman PA, Cubbin C, Egerter S *et al.* Socioeconomic status in health research: One size does not fit all. *JAMA* 2005; **294**(22): 2879-2888.
81. Do DP. The dynamics of income and neighborhood context for population health: Do long-term measures of socioeconomic status explain more of the black/white health disparity than single-point-in-time measures? *Soc Sci Med* 2009; **68**(8): 1368-1375.
82. Diez Roux AV, Mair C. Neighborhoods and health. *Ann N Y Acad Sci* 2010; **1186**(1): 125-145.
83. Winkleby MA, Cubbin C. Influence of individual and neighbourhood socioeconomic status on mortality among black, Mexican-American, and white women and men in the United States. *J Epidemiol Community Health* 2003; **57**(6): 444-452.

84. Becker BJ, Wu MJ. The synthesis of regression slopes in meta-analysis. *Stat Sci* 2007; **22**(3): 414-429.
85. Peterson RA, Brown SP. On the use of beta coefficients in meta-analysis. *J Appl Psychol* 2005; **90**(1): 175-181.
86. Nieminen P, Lehtiniemi H, Vähäkangas K, Huusko A, Rautio A. Standardised regression coefficient as an effect size index in summarising findings in epidemiological studies. *Epidemiol Biostat Public Health* 2013; **10**(4): e8854-1.

Table 1. Description of included studies

Table 2. Findings on the association between neighborhood economic context and obesity

Author Manuscript

Table 3. Findings on the association between neighborhood economic context and dietary habits


Author Manuscript

Table 4. Findings on the association between neighborhood economic context and physical activity

Table 5. Findings on the role of moderators in the association between neighborhood economic context and obesity, dietary habits, or physical activity

Figure 1. Flow chart of the systematic literature search

Figure 1. Flow chart of the systematic literature search



obr_12792_figure.eps