

Deep-Learning-Assisted Stratification of Amyloid Beta Mutants Using Drying Droplet Patterns

Azam Jeihanipour and Jörg Lahann*

The development of simple and accurate methods to predict mutations in proteins remains an unsolved challenge in modern biochemistry. It is discovered that critical information about primary and secondary peptide structures can be inferred from the stains left behind by their drying droplets. To analyze the complex stain patterns, deep-learning neuronal networks are challenged with polarized light microscopy images derived from the drying droplet deposits of a range of amyloid beta (1–42) (A β_{42}) peptides. These peptides differ in a single amino acid residue and represent hereditary mutants of Alzheimer's disease. Stain patterns are not only reproducible but also result in comprehensive stratification of eight amyloid beta (A β) variants with predictive accuracies above 99%. Similarly, peptide stains of a range of distinct A β_{42} peptide conformations are identified with accuracies above 99%. The results suggest that a method as simple as drying a droplet of a peptide solution onto a solid surface may serve as an indicator of minute, yet structurally meaningful differences in peptides' primary and secondary structures. Scalable and accurate detection schemes for stratification of conformational and structural protein alterations are critically needed to unravel pathological signatures in many human diseases such as Alzheimer's and Parkinson's disease.

A. Jeihanipour, J. Lahann Institute of Functional Interfaces (IFG) Karlsruhe Institute of Technology (KIT) Hermann-von-Helmholtz-Platz 1 76344 Eggenstein-Leopoldshafen, Germany E-mail: lahann@umich.edu J. Lahann Biointerfaces Institute Department of Chemical Engineering Department of Materials Science and Engineering and Department of Biomedical Engineering and the Macromolecular Science and Engineering Program University of Michigan Ann Arbor, MI 48109, USA

The ORCID identification number(s) for the author(s) of this article can be found under https://doi.org/10.1002/adma.202110404.

© 2022 The Authors. Advanced Materials published by Wiley-VCH GmbH. This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

DOI: 10.1002/adma.202110404

1. Introduction

Proteins draw biological functions from their hierarchical biochemical structure: abundant evidence exists that even minute structural or conformational alterations can promote pathogenesis.^[1] For example, numerous neurodegenerative diseases have been traced to misfolding of peptides and proteins.^[2] Among the best studied examples is the 42-residue amyloid beta $(A\beta_{42})$ peptide, which is implicated with Alzheimer's disease (AD) and hereditary cerebral hemorrhage with amyloidosis (HCHWA).^[2,3] In the case of hereditary AD, single amino acid mutations in the amyloid beta $(A\beta)$ peptide sequence, such as A21G (Flemish),^[4] E22K (Italian),^[5] E22G (Arctic),^[6] and E22Q (Dutch),^[7] result in the formation of aggregation-prone and pathogenic variants.^[8] Peptide aggregation is a precursor for the growth of insoluble fibrils and plaques that can cause synapse failure and memory weakening.^[9] The

stratification of minute alterations in a peptide's structure, such as single amino acid substitutions or more transient conformational changes, remains an active area of scientific research.^[10] Amyloid beta misfolding has been studied by Raman spectroscopy,^[11] fluorescence-based assays,^[12,13] electron microscopy (EM),^[14,15] nuclear magnetic resonance (NMR),^[16] and circular dichroism (CD) spectroscopy.^[17,18] However, these methods require multimodal analytics (e.g., NMR),^[19] the use of complex amplification schemes (e.g., fluorescence assays),^[20,21] or are predicated on the late-stage formation of fibrils (e.g., cryo-EM),^[15,22] an event that is typically associated with later stages of disease progression^[23] (see Table S1, Supporting Information).

Due to their experimental simplicity, studies into staining patterns of drying droplets have been pursued in various fields, such as material science,^[24] food technology,^[25] bio-science,^[26] and medical diagnostics.^[27] Numerous investigations focusing on the physicochemical dynamics in droplet wetting and evaporation exist and underscore the importance of solute factors,^[28] atmospheric conditions,^[28a,29] and the substrate.^[28b,30] Even the most elementary case, the deposition patterns of simple aqueous droplets on a material's surface, the so-called "coffee-ring" stains, are governed by a range of physical processes including fluid convection,





surface forces at both liquid–air and liquid–solid interfaces, pinning of contact lines,^[31] and Marangoni flows.^[32] Additional solute components, such as the presence of a peptide or protein, characteristically alter the stains due to the multifaceted interplay between transport and dewetting effects and nucleation and growth processes.^[28d,33] Published stain patterns range from uniform films^[34] to dendritic and soccerball patterns,^[33] as well as more complex arrangements.^[28d,35] In this paper, we leverage the power of pretrained deeplearning (DL) algorithms to dissect structural features of pathogenic A β peptides based on stains left behind by their respective drying droplets.

2. Results

To investigate the nature of the stains formed during the drying of peptide-containing droplets, we analyzed their deposition patterns using polymerized light microscopy (PLM). **Figure 1**A shows a PLM image of a characteristic drying pattern of the $A\beta_{42}$ peptide. To prepare homogenous, hydrophobic substrates, a prerequisite for regular droplet deposition over large areas, chemical vapor deposition (CVD) polymerization^[36] was used to obtain poly(*p*-xylylene)-coated glass surfaces with an average water contact angle of 80 ± 1°. After 2 µL circular droplets were deposited and allowed to dry under



Figure 1. Deposition stains of peptide-containing droplets are reproducible and reveal complex information about a peptide's structure. A) Peptide stains are obtained by depositing 2 μ L droplets of an aqueous carbonate buffer solution onto hydrophobic poly(*para-xy*lylene) (PPX) coated glass wafers. Drying of the droplets is performed under controlled humidity and temperature conditions. A representative polarized light microscopy (PLM) image of the dried stain obtained from A β_{42} reveals complex deposition patterns. B) Microscopic analysis based on time-of-flight secondary-ion mass spectrometry (ToF-SIMS) and scanning electron microscopy (SEM) identifies three distinct regions of interested marked by blue (center), red and white (a transition region), and green (rim). C) Chemical analysis of a dried A β_{42} peptide stain using ToF-SIMS imaging: salt crystals, marked in green, are identified by CHO₂⁻ and CO₃⁻ fragment ions and the A β_{42} peptide, marked in red, is identified by CN⁻ and CNO⁻ fragments. D) Analysis of microscopic features using SEM supports the presence of three regions as proposed in (B). Scale bars are 1, 2, and 5 μ m.

humidity- and temperature-controlled conditions for 40 min, consistent and reproducible droplets stains with an average diameter of 2.0 ± 0.1 mm were observed. Throughout this study, we used a solution of 0.1 mg mL⁻¹ peptide in an aqueous bicarbonate buffer (100 × 10⁻³ м). Bicarbonate buffer was selected because it is a kosmotropic salt according to the Hofmeister series^[37] and promotes salting out effects that generally favor protein-protein interactions.^[38]

ADVANCED SCIENCE NEWS _____ www.advancedsciencenews.com

Consequently, drying droplet stains, such as the one shown in Figure 1A, constitute compositionally simple, yet structurally rich and complex supramolecular systems, governed by locally and temporally coupled multiscale processes.^[32c] The drying patterns are the result of a complex interplay between several physicochemical factors, such as interfacial properties, heat and mass transfer effects, fluid instabilities, and heterogenous nucleation.^[32] Therefore, controlling parameters, such as the substrate upon which the droplet is deposited or the atmosphere surrounding the droplet, directly influences the nature of deposited stain patterns. During the drying of the peptide solution, the salt can reach its saturation limit, and promotes peptide association. Once the peptide reaches saturation, it precipitates in a process that appears to occur concomitantly with the crystallization of the bicarbonate salt (Video S1, Supporting Information). These observations suggest that deposition patterns, obtained under controlled conditions, are not only complex and characteristic, but also highly reproducible.

To further elucidate chemical differences within the drying patterns, we employed time-of-flight secondary-ion mass spectrometry (ToF-SIMS) (Figure 1C). We attributed the sum of CHO₂⁻ and CO₃⁻ ions to bicarbonate crystals, whereas the sum of CN⁻ and CNO⁻ ions were used to identify the presence of peptide. The ToF-SIMS analysis of the top 5 nm of the deposited droplets revealed three characteristic regions: The core region was predominantly composed of salt, the rim region that coincided with the contact line of the original droplet and displayed convoluted signals of both, salt and peptide, and a transition region characterized by alternating areas of salt and peptide. The existence of the three zones was further confirmed by scanning electron microscopy (SEM) (Figure 1B,D). The center is mainly characterized by crystalline structures corroborating the dominance of salt, the rim region has a film-like morphology, whereas the transition region is characterized by dendritic growth structures indicating the coexistence of separate salt and peptide domains. Consequently, the deposition patterns may thus be best characterized as heterogenous codeposits of a biological component (A β_{42} peptide) and salt (NaHCO₃), where the protein appeared to template the salt. Under defined experimental conditions, the deposition patterns were highly conserved and reproducible (Figure S2, Supporting Information). These complex stain patterns displayed a high level of information content as indicated by an average Shannon's entropy^[39] of 5.14 \pm 0.13, which approaches the range of 5.55–7.17 obtained as the average Shannon's entropy of the most famous paintings of mankind^[40] (Table S4, Supporting Information). However, discerning systematic differences between PLM images with the naked eye has been very challenging due to their similar appearance (Figure 2A). We thus hypothesized that the stain patterns could be exploited for categorizing structural elements of peptides (Figure 2B). To test this hypothesis, we deposited a

library of drying droplet stains derived from eight structurally similar variants of the A β_{42} peptide and recorded approximately 400 PLM images per peptide. For pattern analysis, we selected a DL approach that builds upon previous machine-learning studies,^[25b,41] but minimizes extensive image processing and cumbersome feature extraction.

Transfer-learning approaches using commercially available DL neural networks^[42,43] can reduce the burden of creating overly large training data sets and should thus be well-suited for the analysis of the stain images obtained in this study.^[44] To identify a manageable DL network that offered high accuracy combined with a sufficiently small network size (Figure 2C), we compared 16 different algorithms,^[42e,45] some of which had been previously used in medical image analysis^[42a,46] and biological research.^[47] As shown in Figure 2B, NasNet-Large, a medium-to-small sized DL network has the highest accuracy and was thus used in all subsequent experiments.

In Figure 3, the NasNet-Large was employed for stratifying eight A β_{42} peptides that differed by a single amino acid residue. It is well known that subtle changes in the primary structure of a peptide can affect a peptide's secondary structure and alter its physical properties.^[8a,48] The positions in which the amino acid residues were exchanged were thus distributed throughout the primary peptide structure with one being a part of the disordered N-terminal region (Ala²), two in the central region (Ala²¹) and Glu²²) that has been critically implicated with self-aggregation and neuropathogenesis of $A\beta_{42}$ peptides,^[49] and one in the β -sheet region closer to the C-terminus (Gly³⁷, Figure 3A). Four of the eight peptides were mutants of Ala²¹ or Glu²² because they are located in a critical transition region between a β -sheet (Gln¹⁵-Ala²¹) and a short turn (Glu²²-Asp²³) that continues into a second β -sheet.^[48] Specifically, the Ala²¹ residue was replaced with a glycine residue (A21G), while the Glu²² residue of the E22K, E22Q, and E22G peptide was replaced with amino acid residues characterized by a higher (Lys²²), identical (Gln²²), and lower (Gly²²) hydropathy index.^[50] In addition, the Ala² residue was exchanged with either the more hydrophilic tyrosine (hydropathy index: -3.5, A2T), or the more hydrophobic valine residue (hydropathy index: 4.2, A2V), and the Gly³⁷ residue was exchanged with asparagine (Asp³⁷, G37D). Except for Val², the exchanged amino acid residues had a higher tendency to be buried inside of the peptide core compared to the wild-type peptide. Accordingly, the A2V variant was characterized by a lower number of buried side chains, whereas the buried side chains increased in the A2T variant. In the case of E22K, this effect is further magnified by Lys's ability to engage in intramolecular hydrogen bonding. Steric effects can also impact the physical properties of the peptides.^[51] While the molar volumes of the exchanged amino acid residues were generally increased relative to the wild-type peptide, the Ala²¹ and Glu²² residues had significantly larger molar volumes. In general, the hydropathy indices of the exchanged amino acid residues were comparable. An exception was the exchange of Glu²² with Gly²², which lowered the overall hydropathy of the E22G variant relative to the wild-type peptide. Several of these peptide structures corresponded to familial mutations of the A β_{42} peptide including the Flemish (A21G),^[4] Arctic (E22G),^[6] Dutch (E22Q),^[7] and Italian (E22K)^[5] variants. In addition, an A β_{42} peptide structure was included where the Gly37 residue was replaced with







Figure 2. Stratification of amyloid beta mutants based on image analysis of their deposition stains using a deep-learning (DL) approach. A) Examples of ten representative PLM images of peptide stains from three different peptides that were deposited onto a CVD-coated glass wafer to demonstrate the pattern variability within (six stains in the center: A21G) and between groups of peptide mutants (outside left: E22Q; outside right: wild-type $A\beta_{42}$ (wtA β_{42}). B) Using an established transfer learning approach, a pretrained deep convolutional neuron networks (CNN) is first trained with a medium sized number of PLM images of peptide stains with distinct primary and secondary structures. Because of the simplicity of the deposition process, about 200 images can be obtained within 60 min. In the second step, the CNN is challenged with never-seen images to assess its ability to categorize amyloid beta variants with single protein mutations and conformational misfolds. C) Performance of various deep-learning networks with respect to network accuracy, speed, and size, when trained and challenged with PLM images of eight different $A\beta_{42}$ with different mutations. Networks included in this study are: (1) NASNet-Large, (2) DenseNet-201, (3) Inception-ResNet-V2, (4) ResNet-101, (5) ResNet-18, (6) DarkNet-53, (7) GoogleNet, (8) ResNet-50, (9) MobileNet-v2, (10) Xception, (11) Inception-v3, (12) Vgg-19, (13) NASNet-Mobile, (14) ShuffleNet, (15) VGG-16, and (16) AlexNet. The NasNet-Large, a medium-to-small sized DL network had the highest accuracy and is hence used in this study.

asparagine (G37D). In Figure 3A, characteristic PLM images of deposition patterns obtained for the eight peptide variants are

presented. Initial attempts to categorize the PLM images by the naked eye resulted in low accuracies, which can be attributed to

www.advancedsciencenews.com





Figure 3. Peptide stains accurately predict single amino acid mismatches in the $A\beta_{42}$ structure. A) Characteristic PLM images of deposition patterns of wild-type $A\beta_{42}$ peptide and seven distinct variants with chemical structures that varied by a single point mutation. B) Peptide stains were analyzed using NasNet-Large, which uses the ImageNet^[55] data set (1.28 million images over 1000 generic object classes) for pretraining. The training data set contained 3200 PLM images derived from the eight peptides shown in (A). The test data set contained 720 never-seen images. The trained NasNet-large network classified all peptides according to the multiclass confusion matrix with a total top-1 accuracy above 99%. C) The t-SNE plot of the "depth concatenation" layer of the trained CNN indicates excellent clustering of all peptides in spite of the fact that their structures varied only by a single amino acid mutation.

similar physicochemical properties of the A β variants including molecular weight, isoelectric point, and average hydrophilicity (Table S2, Supporting Information). In contrast, the DL network NasNet-Large was able to stratify the PLM images with an accuracy of 99% across the eight A β variants as summarized in the confusion matrix shown in Figure 3B. This analysis was based on a training set of about 3200 images (i.e., about 400 images per peptide variant) and a test set of 720 randomized images of the eight different peptides; all images were new to the DL network, i.e., not included in the original training cohort.

To identify features of discriminatory regions of the PLM images, we used gradient-weighted class activation mapping (Grad-CAM)^[52] to generate activation maps of the final convolutional layer of the DL network.^[52,53] Heat map layers of the

PLM images are presented in Figure S3 (Supporting Information) and highlight a particular focus of the DL network on both, the center and the transition regions within the stain patterns (Figure 1B–D). Further insights about the clustering of the peptide stains can be derived by applying a t-distributed stochastic neighbor embedding (t-SNE)^[54] algorithm. After nonlinear dimensionality reduction of NasNet-Large's "depth concatenation" layer, pronounced clustering of the test set of PLM images corresponding to eight different amyloid-beta variants was observed providing further support that the stain patterns are highly reproducible and characteristic of the various amyloid-beta peptides.

In addition to single amino acid mutations, conformational alterations are known to play a critical role in A β aggregation and subsequent fibril formation, but are particularly difficult to predict.^[18] In its native form, the A β_{42} peptide is comprised of two helical regions encompassing residues 8-25 and 28-38 that are connected by a regular type I beta-turn.^[56] However, misfolded A β peptide typically has a cross- β structure in which the individual β -strands are oriented perpendicular to the fibril axis. To model controlled alterations in the secondary structure of A β peptides,^[3a,57] A β_{42} peptide was incubated with different concentrations of an aqueous hexafluoroisopropanol (HFIP) solution (Figure 4). The resulting conformational alterations were quantitatively assessed by (CD) spectroscopy (Figure 4A,B). These data confirmed predictive changes in the ratio of alpha-helix and beta-sheet content with increasing HFIP concentration (Figure 4A) that were sufficiently longlasting to be preserved even after removal of the HFIP and transfer into the bicarbonate buffer prior to CD analysis and droplet deposition. As shown in Figure 4B, exposure of the A β_{42} peptide to 0.1% v/v HFIP lowered the helix content by 2%. Further increase of the HFIP concentration corresponded to a continuous reduction in helical content until a plateau of about 3% in helix content was reached at HFIP concentrations above 40% v/v. Figure 4C compares the PLM images of the droplet stains from eight A β_{42} peptide conformations sampling the conformational range defined in Figure 4B. Conformations with similar secondary structures, such as Hc6, Hc3a, and Hc3b, gave raise to stain patterns that appeared undistinguishable to the human eye. In contrast, Hc9, a conformer with 9% helical content, gave rise to a stain pattern that was very distinct from that of Hc6, which had a 3% lower helical content. Using the NasNet-Large neural network with a training set of about 400 images per class, conformational alterations relative to the native $A\beta$ conformer were stratified with a 99% accuracy (Figure 4D). Within a test cohort of 720 randomized PLM images that had never been presented to the DL network before, NasNet-Large reported six misclassifications. It is helpful to understand these misclassifications in further details: Four misclassifications came from the alpha helix content below 3%, i.e., Hc6, Hc3a, and Hc3b. The remaining two misclassifications were Hc27 and Hc10, both misclassified as Hc7. For samples with more significant differences in their alpha helix content, stratification of peptide conformers was 100% accurate. This is further underscored by the t-SNE plot shown in Figure 4E that unambiguously confirms the utility of drying droplet stains for stratification of even minute alterations in peptides' secondary structures. While the data associated with the different peptide

conformations generally clustered tightly together, different degrees of spreading was observed for the different peptides, potentially indicating different levels of polymorphism.

3. Conclusions

Simple protein stains deposited on a material's surface can be complex, characteristic, and reproducible. In this paper, we demonstrate that stain patterns of amyloid beta peptides serve as accurate fingerprints revealing a peptide's structural and conformational identity. In our hands, well-established, offthe-shelf DL neuronal networks trained on a limited number of stain images stratified structural mutations within $A\beta_{42}$ variants with exceptional accuracies (>99%) within minutes. Due to their unprecedented simplicity, deposition patterns hold ample potential as indicators of minute differences in primary and secondary proteins structures, and will likely be broadly applicable to questions of protein aggregation and interactions, far beyond amyloid beta peptides. Our findings thus establish a major scientific advance with respect to both, fundamental research into the role of protein misfolding as well as the quest for simpler and potentially earlier diagnostic tools for neurodegenerative diseases.

4. Experimental Section

Amyloid Beta Peptide Solutions: Wild-type $A\beta_{42}$ peptide and all peptide variants were purchased from Bachem (Bubendorf, Switzerland, Table S1, Supporting Information). To prepare the A β peptide solutions, the lyophilized peptide was dissolved in 100 \times 10⁻³ M carbonate buffer to a concentration of 0.1 mg mL⁻¹. The buffer had a pH of 9.2 and was prepared using ultrapure water from a Milli-O Plus system (Millipore, Schwalbach, Germany) and contained 91×10^{-3} ${\rm M}$ NaHCO_3 (Merck Chemicals GmbH) and 9×10^{-3} M Na₂CO₃ (Merck Chemicals GmbH). The peptide solution was mixed using an SB3 tube rotator (Stuart, Stone, UK) at 40 rpm for 15 min at room temperature, and then stored in aliquots at -20 °C. The A β_{42} peptide stock solution (Bachem, Bubendorf, Switzerland) was prepared by dissolving 2 mg mL $^{-1}$ lyophilized peptide in 100 \times 10 $^{-3}$ m carbonate buffer. After mixing for 15 min at 40 rpm at room temperature, the peptide solution was diluted with hexafluoroisopropanol (HFIP) (Sigma Aldrich) and MQ water to the desired HFIP concentrations with a final carbonate buffer concentration of 20×10^{-3} M and peptide concentration of 0.2 mg mL⁻¹. The selected concentrations of HFIP were 0, 0.1, 1, 2, 10, 20, 40, and 80% (v/v).

Surface Preparation via Chemical Vapor Deposition Polymerization: Glass wafers with the specification of extra white float, clear, and uncoated were custom made with a dimension of 120 mm × 80 mm and thickness of 1.0 \pm 0.05 mm (Optrovision, München, Germany). Before the coating process, the glass wafers were washed first with Piranha solution (4 min floating in Piranha bath) and then several times with extra MQ water until a pH of 6.0 was reached. The clean glass plates were coated with poly(*p*-xylylene) (PPX) via CVD polymerization following a previously reported procedure.^[36] The starting material [2.2] paracyclophane (Curtiss-Wright Surface Technologies (Galway, Ireland)) was sublimed under vacuum and converted by pyrolysis into the quinomethane, which spontaneously polymerized upon condensation to the glass surface. A constant argon flow of 20 sccm was used as the carrier gas. The sublimation temperature was 100–110 °C followed by pyrolysis at 650 °C. The coating pressure was 0.5 mbar.

Droplet Deposition: All peptide solutions had a peptide concentration of 0.1 mg mL⁻¹ in 100×10^{-3} M carbonate buffer. An automated 96-well microplate pipetting system (epMotion 5070, Eppendorf AG, Hamburg,







Figure 4. Peptide stains can accurately predict $A\beta_{42}$ peptide misfolding. A) Far-UV CD spectra reveal reproduceable conformational changes of the $A\beta_{42}$ peptide. All circular dichroism (CD) measurement were conducted in a carbonate buffer under identical conditions used for the droplet deposition. To induce conformational changes in the $A\beta_{42}$ peptide, the peptide solutions were exposed to 0–80 vol% hexafluoroisopropanol (HFIP).^[57] After 15 min, the conformational variants were lyophilized to remove the HFIP and reconstituted in a carbonate buffer. B) Analysis of the content of helix, β -strand (including parallel and antiparallel), turn, and irregular (other) structures for all conformational variants of the $A\beta_{42}$ peptide based on their respective CD spectra that were analyzed using the BeStSel algorithm.^[58] C) PLM images of the corresponding peptide stains labeled based on the degree of their helical content. For example, the structure of Hc27 has a helicity of 27%. D) Confusion matrix of the test set of 8 different secondary structures of $A\beta_{42}$ obtained from 720 PLM images as classified by the trained NasNet-Large (2880 training images). The total accuracy is above 99%. E) t-SNE graph of one of the last hidden layers of NasNet-Large, namely, "depth concatenation layer," when classifying the PLM images test sets (720 images) of eight different $A\beta_{42}$ conformation indicating accurate clustering of all misfolded peptide variants.

Germany), equipped with a 1-channel-dispenser (TS10, Eppendorf AG, Hamburg, Germany) was used for controlled deposition of defined arrays of droplets onto the glass slide. To control the environmental conditions, the pipetting system was placed inside a climate chamber (ICH 750, Memmert GmbH + Co. KG, Schwabach, Germany) and the environmental conditions were controlled at a temperature of 23 °C \pm 0.5 °C and humidity of 40% \pm 3%. Each droplet was deposited with a dispensing speed of 3 mm s⁻¹ and had a volume of 2 μ L. The pipetting system was programmed to dispense 96 droplets per glass plate, in the form of 12 columns by 8 rows. In each experiment,

eight different solutions were dispensed in random arrangement, where 16 droplets of each solution were placed on the same slide (Figure S1, Supporting Information). After the droplets were allowed to dry for 40 min \pm 5 min, images of the deposition patterns were captured using a polarized light microscope (Olympus polarizing optical microscope BX-53F, Tokyo, Japan) equipped with an automated stage. PLM images were selected over light microscopy images, because the machine-learning algorithms categorized them with higher accuracy. All the images were acquired at a consistent light intensity, using a 10× objective and stitched together using the multi image alignment (MIA)



algorithm included in CellSens software (Olympus, Tokyo, Japan), with a 15% overlap. The acquired image of each dried droplet had a size of 2344 \times 1878 pixels in the format of JPG.

Training and Testing of the CNN: All raw images acquired from polarized light microscopy were imported into the MATLAB (Release 2020a, Math Works Inc.) for further processing and training the CNN. The images were first cropped to a size of 1878×1878 pixels by cutting 233 pixels from the left and 233 pixels from the right side of the image and then resized to the proper size compatible with the input layer of the CNN. For deep learning, several pretrained CNN networks were used for training and testing purposes to evaluate the performance of different CNNs and selecting the most accurate one for our purpose in this paper. The one selected for further examination was NasNet-Large developed by google.^[59] The NasNet-Large network structure contains two main modules, i.e., normal cells and reduction cells, in total 1244 layers, being part of automated machine learning. The NasNet-Large was pretrained to 96.2% top-5 accuracy on the 1000 object classes (1.28 million images) of the ImageNet.^[55,59] Therefore, it has learned rich feature representations for a wide range of images. The network has an image input size of 331×331 pixels.

Following a transfer-learning approach,^[44] a network that was pre-trained with a large set of image features, was fine-tuned with a relative small set of new images. During transfer learning, the final classification layer was removed from the network and retrained with the data set. Fine-tuning of the parameters occurred across all layers using the same global learning rate of 0.001, a minimum batch size of 32 images, and maximum epochs of 20. To prevent the network from overfitting and memorizing the exact details of the training set, the images were augmented using a random reflection function, in which each image is reflected horizontally and vertically with a 50% probability. About 360 images per class were used for training, about 40 images per class for validation during training, and 90 images per class for testing the network after the training. There was no overlap between training, validation, and test sets.

The t-distributed stochastic neighbor embedding (t-SNE) algorithm,^[54] a method for visualizing high-dimensional data, was applied to one of the last hidden layers of the trained CNN, namely, the "depth concatenation layer," to show how well the network clusters the peptides. A MATLAB machine-learning package was used to perform the t-SNE with the perplexity of 30 and the learning rate of 500.^[54]

The visualization algorithm gradient-weighted class activation mapping (Grad-CAM)^{[52]} was used to understand which regions of the image have the maximum influence on the classification decisions of the DL network.

Mass Spectrometry: Time-of-flight secondary-ion mass spectrometry (ToF-SIMS) was performed using a ToF-SIMS instrument (ION-TOF GmbH, Münster, Germany) equipped with a Bi cluster liquid metal primary-ion source and a non-linear time-of-flight analyzer. For spectrometry, short primary-ion pulses (<1 ns) of the Bi source was operated in the "bunched" mode providing Bi1+ or Bi3+ ion pulses at 25 keV energy and a lateral resolution of ${\approx}4~\mu m.$ As the droplets were larger than the maximum deflection range of the primary-ion gun of 500 \times 500 μ m², the images were obtained using the manipulator stage scan mode. Negative polarity spectra were calibrated on the C⁻, CH⁻, and CH²⁻ peaks. Spectrometry was performed in static SIMS mode by limiting the primary-ion dose to <10¹¹ ions cm⁻². Highlateral-resolution images were acquired in a primary-ion source mode providing a lateral resolution of about 200 nm with nominal mass resolution in "burst alignment" mode. Charge compensation was necessary because of the glass substrate so that an electron flood gun providing electrons of 21 eV was applied and the secondary-ion reflectron tuned accordingly.

Scanning Electron Microscopy: The morphology of the deposited peptide and salt in dried droplets were analyzed using SEM (LEO 1530 Gemini, Zeiss, Germany). A thin layer of gold was sputtered onto the samples prior to SEM imaging to minimize surface charging. All SEM images were measured at an electron accelerating voltage of 10 kV and a working distance of 2.4 mm.

CD Spectroscopy: The far-UV CD spectra of the peptide solutions were recorded using a J-810 spectropolarimeter (JASCO, Gro β -Umstadt, Germany) at 20 °C, in quartz glass cuvettes of 500 μ m optical path length (Suprasil, Hellma Optik GmbH, Jena, Germany) between 260 and 180 nm, at 0.5 nm intervals. Three repeat scans at a scan rate of 10 nm min⁻¹, 8 s response time, and 1 nm bandwidth were averaged for each sample and its respective baseline of the protein-free sample. The peptide concentration was 0.15 mg mL⁻¹ in 20 × 10⁻³ M carbonate buffer (pH 9.2). To predict the content of secondary structures of the peptides and calculate the percentage of each specific conformation, the CD spectra were analyzed using the BeStSel webserver.^[58]

Supporting Information

Supporting Information is available from the Wiley Online Library or from the author.

Acknowledgements

This research was supported by Virtual Materials Design (VirtMat) funding at Karlsruhe Institute of Technology. The authors thank Dr. Alexander Welle (Institute of Functional Interfaces (IFG), Karlsruhe Institute of Technology (KIT)) for assistance with TOF-SIMS analyses, Dr. Divya Varadharajan (Institute of Functional Interfaces (IFG), Karlsruhe Institute of Technology (KIT)) for assistance with SEM imaging, and Dr. Joachim Bürck (Chair of Biochemistry (IOC) and Department of Molecular Biophysics (IBG-2), Karlsruhe Institute of Technology (KIT)) for assistance with CD analyses. The authors thank Alexander Bruckmann, Gilberth Andrés González Castellón, and Daniel Barón for assistance with data acquisition. Prof. Ronald Larson, University of Michigan, and Prof. Matthias Franzreb, Karlsruhe Institute of Technology, have had valuable input in form of scientific discussions and feedback throughout the studies.

Conflict of Interest

The authors declare no conflict of interest.

Data Availability Statement

The data that support the findings of this study are available from the corresponding author upon reasonable request.

Keywords

amyloid beta, coffee ring, deep learning, protein misfolding, self-assembly

Received: December 21, 2021 Revised: March 24, 2022 Published online: May 4, 2022

[2] F. Chiti, C. M. Dobson, Annu. Rev. Biochem. 2017, 86, 27.

^[1] J. H. C. Smetana, G. Misra, in *Introduction to Biomolecular Structure and Biophysics: Basics of Biophysics* (Ed: G. Misra), Springer, Singapore **2017**.

 ^[3] a) M. Ahmed, J. Davis, D. Aucoin, T. Sato, S. Ahuja, S. Aimoto, J. I. Elliott, W. E. Van Nostrand, S. O. Smith, *Nat. Struct. Mol. Biol.* 2010, *17*, 561; b) R. Riek, D. S. Eisenberg, *Nature* 2016, *539*, 227.

ADVANCED SCIENCE NEWS

www.advancedsciencenews.com

- [4] L. Hendriks, C. M. van Duijn, P. Cras, M. Cruts, W. Van Hul, F. van Harskamp, A. Warren, M. G. McInnis, S. E. Antonarakis, J.-J. Martin, A. Hofman, C. Van Broeckhoven, *Nat. Genet.* **1992**, *1*, 218.
- [5] G. Rossi, G. Macchi, M. Porro, G. Giaccone, M. Bugiani, E. Scarpini, G. Scarlato, G. E. Molini, F. Sasanelli, O. Bugiani, F. Tagliavini, *Neurology* **1998**, *50*, 688.
- [6] C. Nilsberth, A. Westlind-Danielsson, C. B. Eckman, M. M. Condron, K. Axelman, C. Forsell, C. Stenh, J. Luthman, D. B. Teplow, S. G. Younkin, J. Näslund, L. Lannfelt, *Nat. Neurosci.* 2001, *4*, 887.
- [7] C. Van Broeckhoven, J. Haan, E. Bakker, J. Hardy, W. Van Hul, A. Wehnert, M. Vegter-Van der Vlis, R. Roos, *Science* **1990**, *248*, 1120.
- [8] a) L. Xu, S. S. Shan, X. C. Wang, *J. Phys. Chem. B* 2013, *117*, 6206;
 b) M. G. Krone, A. Baumketner, S. L. Bernstein, T. Wyttenbach, N. D. Lazo, D. B. Teplow, M. T. Bowers, J.-E. Shea, *J. Mol. Biol.* 2008, *381*, 221.
- [9] a) D. M. Walsh, I. Klyubin, J. V. Fadeeva, W. K. Cullen, R. Anwyl, M. S. Wolfe, M. J. Rowan, D. J. Selkoe, *Nature* 2002, *416*, 535;
 b) I. Benilova, E. Karran, B. De Strooper, *Nat. Neurosci.* 2012, *15*, 349.
- [10] F. A. Aprile, P. Sormanni, M. Podpolny, S. Chhangur, L.-M. Needham, F. S. Ruggeri, M. Perni, R. Limbocker, G. T. Heller, T. Sneideris, T. Scheidt, B. Mannini, J. Habchi, S. F. Lee, P. C. Salinas, T. P. J. Knowles, C. M. Dobson, M. Vendruscolo, *Proc. Natl. Acad. Sci. USA* **2020**, *117*, 13509.
- [11] P. Hoang, N. M. Khashab, Small Methods 2019, 3, 1900611.
- [12] L. Chen, F. Rashid, A. Shah, H. M. Awan, M. Wu, A. Liu, J. Wang, T. Zhu, Z. Luo, G. Shan, Proc. Natl. Acad. Sci. USA 2015, 112, 10002.
- [13] X. Fang, A. Sen, M. Vicens, W. Tan, ChemBioChem 2003, 4, 829.
- [14] H. K. Narang, J. Neuropathol. Exp. Neurol. 1980, 39, 621.
- [15] L. Gremer, D. Schölzel, C. Schenk, E. Reinartz, J. Labahn, R. B. G. Ravelli, M. Tusche, C. Lopez-Iglesias, W. Hoyer, H. Heise, D. Willbold, G. F. Schröder, *Science* **2017**, *358*, 116.
- [16] L. Hou, H. Shao, Y. Zhang, H. Li, N. K. Menon, E. B. Neuhaus, J. M. Brewer, I.-J. L. Byeon, D. G. Ray, M. P. Vitek, T. Iwashita, R. A. Makula, A. B. Przybyla, M. G. Zagorski, *J. Am. Chem. Soc.* 2004, *126*, 1992.
- [17] J. C. Stroud, C. Liu, P. K. Teng, D. Eisenberg, Proc. Natl. Acad. Sci. USA 2012, 109, 7717.
- [18] G.-F. Chen, T.-H. Xu, Y. Yan, Y.-R. Zhou, Y. Jiang, K. Melcher, H. E. Xu, Acta Pharmacol. Sin. 2017, 38, 1205.
- [19] K. H. Lim, H. H. Collver, Y. T. H. Le, P. Nagchowdhuri, J. M. Kenney, Biochem. Biophys. Res. Commun. 2007, 353, 443.
- [20] G. P. Saborio, B. Permanne, C. Soto, Nature 2001, 411, 810.
- [21] R. Atarashi, K. Satoh, K. Sano, T. Fuse, N. Yamaguchi, D. Ishibashi, T. Matsubara, T. Nakagaki, H. Yamanaka, S. Shirabe, M. Yamada, H. Mizusawa, T. Kitamoto, G. Klug, A. McGlade, S. J. Collins, N. Nishida, *Nat. Med.* **2011**, *17*, 175.
- [22] M. Kollmer, W. Close, L. Funk, J. Rasmussen, A. Bsoul, A. Schierhorn, M. Schmidt, C. J. Sigurdson, M. Jucker, M. Fändrich, *Nat. Commun.* 2019, 10, 4760.
- [23] B. Olsson, R. Lautner, U. Andreasson, A. Öhrfelt, E. Portelius, M. Bjerke, M. Hölttä, C. Rosén, C. Olsson, G. Strobel, E. Wu, K. Dakin, M. Petzold, K. Blennow, H. Zetterberg, *Lancet Neurol.* 2016, 15, 673.
- [24] a) M. Layani, M. Gruchko, O. Milo, I. Balberg, D. Azulay,
 S. Magdassi, ACS Nano 2009, 3, 3537; b) A. Shimoni, S. Azoubel,
 S. Magdassi, Nanoscale 2014, 6, 11084; c) T.-S. Wong, T.-H. Chen,
 X. Shen, C.-M. Ho, Anal. Chem. 2011, 83, 1871.
- [25] a) J. González-Gutiérrez, R. Pérez-Isidoro, J. C. Ruiz-Suárez, *Rev. Sci. Instrum.* 2017, *88*, 074101; b) N. Kim, Z. Li, C. Hurth, F. Zenhausern, S.-F. Chang, D. Attinger, *Anal. Methods* 2012, *4*, 50; c) J. O. Andersen, C. B. Henriksen, J. Laursen, A. A. Nielsen,

ADVANCED MATERIALS

www.advmat.de

Comput. Electron. Agric. 1999, 22, 51; d) T. Yakhno, A. Pakhomov, A. Sanin, V. Kazakov, R. Ginoian, V. Yakhno, arXiv:2006.15565, 2020.

- [26] E. Alberts, C. Warner, E. Barnes, K. Pilkiewicz, E. Perkins, A. Poda, Colloids Surf., B 2018, 161, 210.
- [27] a) K. Sefiane, Adv. Colloid Interface Sci. 2014, 206, 372; b) R. Chen, L. Zhang, D. Zang, W. Shen, Adv. Colloid Interface Sci. 2016, 231, 1; c) J. M. Cameron, H. J. Butler, D. S. Palmer, M. J. Baker, J. Biophotonics 2018, 11, e201700299; d) C. Hurth, T. Contente-Cuomo, M. Murtaza, F. Zenhausern, J. Nanomed. 2018, 2, 1010; e) T. A. Yakhno, A. A. Sanin, R. G. Ilyazov, G. V. Vildanova, R. A. Khamzin, N. P. Astascheva, M. G. Markovsky, V. D. Bashirov, V. G. Yakhno, J. Biomed. Sci. Eng. 2015, 8, 1.
- [28] a) D. Brutin, Colloids Surf., A 2013, 429, 112; b) H. H. Lee, S. C. Fu, C. Y. Tso, C. Y. H. Chao, Int. J. Heat Mass Transfer 2017, 105, 230; c) X. Zhong, H. Xie, F. Duan, Appl. Therm. Eng. 2017, 111, 1565; d) B. Pathak, J. Christy, K. Sefiane, D. Gozuacik, Langmuir 2020, 36, 9728; e) I. I. Smalyukh, O. V. Zribi, J. C. Butler, O. D. Lavrentovich, G. C. L. Wong, Phys. Rev. Lett. 2006, 96, 177801.
- [29] a) V. H. Chhasatia, A. S. Joshi, Y. Sun, *Appl. Phys. Lett.* **2010**, *97*, 231909; b) A. Askounis, K. Sefiane, V. Koutsos, M. E. R. Shanahan, *Colloids Surf.*, A **2014**, *441*, 855.
- [30] a) Y.-F. Li, Y.-J. Sheng, H.-K. Tsao, *Langmuir* 2013, *29*, 7802; b) D. Orejon, K. Sefiane, M. E. R. Shanahan, *Langmuir* 2011, *27*, 12834.
- [31] R. D. Deegan, O. Bakajin, T. F. Dupont, G. Huber, S. R. Nagel, T. A. Witten, *Nature* **1997**, *389*, 827.
- [32] a) H. Hu, R. G. Larson, J. Phys. Chem. B 2006, 110, 7090;
 b) R. G. Larson, Angew. Chem., Int. Ed. 2012, 51, 2546;
 c) R. G. Larson, AIChE J. 2014, 60, 1538, d) D. Bruitin, V. Starov, Chem. Soc. Rev. 2018, 47, 558.
- [33] R. G. G. Larson, M. A. López, D. W. Lim, J. Lahann, MRS Proc. 2010, 1273, 1273-mm03-01.
- [34] R. Bhardwaj, X. Fang, P. Somasundaran, D. Attinger, Langmuir 2010, 26, 7833.
- [35] G. Chen, G. J. Mohamed, Eur. Phys. J. E 2010, 33, 19.
- [36] a) X. Deng, C. Friedmann, J. Lahann, Angew. Chem., Int. Ed. 2011, 50, 6522; b) H.-Y. Chen, Y. Elkasabi, J. Lahann, J. Am. Chem. Soc. 2006, 128, 374.
- [37] Y. Zhang, P. S. Cremer, Curr. Opin. Chem. Biol. 2006, 10, 658.
- [38] J. Zhang, in Protein-Protein Interactions: Computational and Experimental Tools (Eds: W. Cai, H. Hong), InTechOpen, London, UK 2012, pp. 359-376.
- [39] a) J. C. Mello Román, J. L. Vázquez Noguera, H. Legal-Ayala, D. P. Pinto-Roa, S. Gomez-Guerrero, M. García Torres, *Entropy* 2019, 21, 244; b) C. E. Shannon, *Bell Syst. Tech. J.* 1948, 27, 379.
- [40] S. Saxena, 2020 50 Most Famous Paintings of All Time in the Art History (Ranked), https://bookmypainting.com/blog/famous-paintings/ (accessed: April 2021).
- [41] L. Hamadeh, S. Imran, M. Bencsik, G. R. Sharpe, M. A. Johnson, D. J. Fairhurst, Sci. Rep. 2020, 10, 3313.
- [42] a) D. Zhou, F. Tian, X. Tian, L. Sun, X. Huang, F. Zhao, N. Zhou, Z. Chen, Q. Zhang, M. Yang, Y. Yang, X. Guo, Z. Li, J. Liu, J. Wang, J. Wang, B. Wang, G. Zhang, B. Sun, W. Zhang, D. Kong, K. Chen, X. Li, *Nat. Commun.* 2020, *11*, 2961; b) E. J. Topol, *Nature* 2019, *572*, 36; c) E. Moen, D. Bannon, T. Kudo, W. Graf, M. Covert, D. Van Valen, *Nat. Methods* 2019, *16*, 1233; d) S. Webb, *Nature* 2018, *554*, 555; e) Y. LeCun, Y. Bengio, G. Hinton, *Nature* 2015, *521*, 436.
- [43] a) H. C. Shin, H. R. Roth, M. C. Gao, L. Lu, Z. Y. Xu, I. Nogues, J. H. Yao, D. Mollura, R. M. Summers, *IEEE Trans. Med. Imaging* 2016, 35, 1285; b) N. Tajbakhsh, J. Y. Shin, S. R. Gurudu, R. T. Hurst, C. B. Kendall, M. B. Gotway, J. M. Liang, *IEEE Trans. Med. Imaging* 2016, 35, 1299.
- [44] S. J. Pan, Q. Yang, IEEE Trans. Knowl. Data Eng. 2010, 22, 1345.
- [45] A. Krizhevsky, I. Sutskever, G. E. Hinton, in NIPS'12: Proc. 25th Int. Conf. on Neural Information Processing Systems, Vol. 1, ACM, New York, 2012, pp. 1097–1105.

ADVANCED SCIENCE NEWS



www.advancedsciencenews.com

- [46] a) A. Esteva, B. Kuprel, R. A. Novoa, J. Ko, S. M. Swetter, H. M. Blau, S. Thrun, *Nature* 2017, 542, 115; b) N. Tomašev, X. Glorot, J. W. Rae, M. Zielinski, H. Askham, A. Saraiva, A. Mottram, C. Meyer, S. Ravuri, I. Protsyuk, A. Connell, C. O. Hughes, A. Karthikesalingam, J. Cornebise, H. Montgomery, G. Rees, C. Laing, C. R. Baker, K. Peterson, R. Reeves, D. Hassabis, D. King, M. Suleyman, T. Back, C. Nielson, J. R. Ledsam, S. Mohamed, *Nature* 2019, 572, 116; c) P. Wang, X. Xiao, J. R. Glissen Brown, T. M. Berzin, M. Tu, F. Xiong, X. Hu, P. Liu, Y. Song, D. Zhang, X. Yang, L. Li, J. He, X. Yi, J. Liu, X. Liu, *Nat. Biomed. Eng.* 2018, 2, 741.
- [47] a) T. Falk, D. Mai, R. Bensch, Ö. Çiçek, A. Abdulkadir, Y. Marrakchi, A. Böhm, J. Deubner, Z. Jäckel, K. Seiwald, *Nat. Methods* **2019**, *16*, 67; b) C. Angermueller, T. Pärnamaa, L. Parts, O. Stegle, *Mol. Syst. Biol.* **2016**, *12*, 878.
- [48] A. Morimoto, K. Irie, K. Murakami, Y. Masuda, H. Ohigashi, M. Nagao, H. Fukuda, T. Shimizu, T. Shirasawa, J. Biol. Chem. 2004, 279, 52781.
- [49] C. Nilsberth, A. Westlind-Danielsson, C. B. Eckman, M. M. Condron, K. Axelman, C. Forsell, C. Stenh, J. Luthman, D. B. Teplow, S. G. Younkin, *Nat. Neurosci.* 2001, *4*, 887.
- [50] J. Kyte, R. F. Doolittle, J. Mol. Biol. 1982, 157, 105.

- [51] G. Fischer, Chem. Soc. Rev. 2000, 29, 119.
- [52] R. R. Selvaraju, M. Cogswell, A. Das, R. Vedantam, D. Parikh, D. Batra, in 2017 IEEE Int. Conf. on Computer Vision (ICCV), IEEE, Piscataway, NJ, USA 2017, pp. 618–626.
- [53] R. R. Selvaraju, A. Das, R. Vedantam, M. Cogswell, D. Parikh, D. Batra, arXiv:1611.07450, 2016.
- [54] L. v. d. Maaten, G. Hinton, J. Mach. Learn. Res. 2008, 9, 2579.
- [55] J. Deng, W. Dong, R. Socher, L.-J. Li, K. Li, L. Fei-Fei, in 2009 IEEE Conf. on Computer Vision and Pattern Recognition, IEEE, Piscataway, NJ, USA 2009, pp. 248–255.
- [56] O. Crescenzi, S. Tomaselli, R. Guerrini, S. Salvadori, A. M. D'Ursi, P. A. Temussi, D. Picone, *Eur. J. Biochem.* **2002**, *269*, 5642.
- [57] Y. Lin, B. R. Sahoo, D. Ozawa, M. Kinoshita, J. Kang, M. H. Lim, M. Okumura, Y. H. Huh, E. Moon, J. H. Jang, H.-J. Lee, K.-Y. Ryu, S. Ham, H.-S. Won, K.-S. Ryu, T. Sugiki, J. K. Bang, H.-S. Hoe, T. Fujiwara, A. Ramamoorthy, Y.-H. Lee, ACS Nano 2019, 13, 8766.
- [58] A. Micsonai, F. Wien, É. Bulyáki, J. Kun, É. Moussong, Y.-H. Lee, Y. Goto, M. Réfrégiers, J. Kardos, *Nucleic Acids Res.* 2018, 46, W315.
- [59] B. Zoph, V. Vasudevan, J. Shlens, Q. V. Le, in 2018 IEEE/CVF Conf. on Computer Vision and Pattern Recognition, IEEE, Piscataway, NJ, USA 2018, pp. 8697–8710.