

# **BUSES INVOLVED IN FATAL ACCIDENTS CODEBOOK 2008**

---

**LINDA JAROSI  
DANIEL HERSHBERGER  
JOHN WOODROOFFE**

**CENTER FOR NATIONAL TRUCK AND BUS STATISTICS**





**BUSES INVOLVED IN FATAL ACCIDENTS CODEBOOK 2008  
(Version February 1, 2011)**

**Linda Jarossi**

**Daniel Hershberger**

**John Woodrooffe**

**Center for National Truck and Bus Statistics**

**University of Michigan Transportation Research Institute**

**March 2011**

The research reported herein was conducted under general research funds provided by the Federal Motor Carrier Safety Administration. The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the U.S. Department of Transportation or the Federal Motor Carrier Safety Administration.

Technical Report Documentation Page

1. Report No. UMTRI-2011-11		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle BUSES INVOLVED IN FATAL ACCIDENTS CODEBOOK 2008 (Version February 1, 2011)				5. Report Date March 2011	
				6. Performing Organization Code	
7. Authors Linda Jarossi, Daniel Hershberger, and John Woodrooffe				8. Performing Organization Report No. UMTRI-2011-11	
9. Performing Organization Name and Address University of Michigan Transportation Research Institute 2901 Baxter Road, Ann Arbor, Michigan 48109-2150				10. Work Unit No. 065819	
				11. Contract or Grant No. DTMC75-08-H-00005	
12. Sponsoring Agency Name and Address U.S. Department of Transportation Federal Motor Carrier Safety Administration 400 Seventh Street, S.W. Washington, D.C. 20590				13. Type of Report and Period Covered Special Report Task A	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract  This report provides documentation for UMTRI's file of Buses Involved in Fatal Accidents (BIFA), 2008, including distributions of the code values for each variable in the file. The 2008 BIFA file is a census of all buses involved in a fatal accident in the United States. The BIFA database provides coverage of buses recorded in the Fatality Analysis Reporting System (FARS) file. BIFA combines vehicle, accident, and occupant records from FARS with information about the physical configuration and operating authority of the bus from the BIFA survey.					
17. Key Words buses, fatal accident data			18. Distribution Statement Unlimited		
19. Security Classification (of this report) Unclassified		20. Security Classification (of this page) Unclassified		21. No. of Pages 137	22. Price



### Acknowledgments

The data documented in this report are the product of the dedicated efforts of many people. The project originated under the direction of Ken Campbell, with Daniel Blower directing the current project. Daniel Hershberger managed the survey and edited the cases. Robert Allen, Ray Grabel, Robert Korniski, and Robert Pichler served as interviewers. Their conscientious dedication to accuracy and completeness is greatly appreciated. The project would not have been possible without the willing cooperation of hundreds of bus owners, operators, and police officers across the country.

The BIFA survey is conducted by the Center for National Truck and Bus Statistics at the University of Michigan Transportation Research Institute with support from the Federal Motor Carrier Safety Administration. The National Highway Traffic Safety Administration's National Center for Statistics and Analysis and FARS analysts in the states provided assistance in acquiring police reports from the respective states. We are sincerely grateful for their efforts.





## INTRODUCTION

### Overview

This report documents the December 3, 2010 version of the Buses Involved in Fatal Accidents, 2008, dataset. The report summarizes all the information in the computerized data file. That file contains records for all the buses that were involved in a fatal accident in the United States during calendar year 2008. A bus is defined as a vehicle designed to carry at least nine people, including the driver, that is not used for personal transportation. All the vehicles included in the BIFA file are from Version 13Sept10, of the Fatality Analysis Reporting System (FARS) file for 2008 accidents, developed by the National Highway Traffic Safety Administration (NHTSA).

The 2008 BIFA database combines CNTBS survey data with FARS variables to provide complete national coverage and an enhanced description of all buses involved in fatal traffic accidents in the United States (293 cases in 2008). The purpose of the BIFA file is to provide accurate and complete information on the fatal accident experience of buses nationwide to support the evaluation of bus traffic safety issues.

While the FARS file includes much information on the accident environment and events, the information on the vehicles involved, particularly buses, is limited. The BIFA survey supplements the FARS file with a detailed description of each bus and its operator. The BIFA survey collects information about the physical configuration of the bus, the type of organization operating the bus, and the type of application the bus was used for. In addition, the BIFA survey determines the seating capacity of the bus; information regarding the driver; and several other details of the operations of the bus. (The BIFA survey instrument may be found in the appendix of this codebook.) The combination of the FARS accident-level variables with the physical description of the bus from the BIFA survey provides the most detailed account of buses involved in fatal accidents available.

The 2008 BIFA file is a census file, including every bus identifiable in the FARS file. This codebook presents the code levels and frequency distributions for each variable in the BIFA file.

The dataset includes virtually all the variables from the public version of the FARS file: the accident variables, the vehicle variables (for the bus), and the occupant variables (for the driver of the bus). All records in the BIFA file are at the vehicle level; that is, there is one record for each bus involved.

In addition to the variables from FARS (variables 1 through 363), there is a set of variables (numbers 1110 through 1865) that contains the information collected by the BIFA survey. This information is produced from telephone interviews with the owner, driver, or some other involved party. In cases where the information could not be obtained from a respondent, it may be transcribed from police reports collected from the states.

In a typical year, a small number of police reports involving fatal bus crashes are not available. For all of these cases, an attempt is made to match the FARS case to the Motor Carrier Management Information System (MCMIS) case using date, time, and vehicle information. The MCMIS file usually contains contact information for both owner and investigating officer. These data are used to obtain information when possible. Only those cases where the match is certain are pursued.

Missing data rates for BIFA survey variables vary. The range of missing data values is illustrated by the following examples. Bus type (variable 1180) was determined for all but six of the 293 cases. Trip type (variable 1380) is unknown for 17 (5.8%) cases. Hours driving (variable 1510) could not be determined with certainty for 58 (19.8%) cases.

### Sources of Information

The first step in the acquisition of the data to supplement FARS is to obtain, from the states, copies of the police reports on all fatal accidents involving at least one bus. While the formats of these reports vary considerably from state to state, they all identify the owner and the driver of the vehicles involved (though some states remove this information) and a description, sometimes very brief, of what occurred. These police reports are used to identify the appropriate respondent to contact and to check responses for accuracy. Police reports were available for all but twelve 2008 cases.

Information is collected primarily by telephone interviews. The person or company contacted is, when possible, the owner of the vehicle as listed in the police report. If no contact can be made with the owner, an attempt is made to reach the driver. If neither the owner nor the driver can be reached, as much information as possible is collected from other parties, such as the police officer who investigated the accident or the tow truck operator if the vehicle was towed from the scene. Finally, if no knowledgeable respondent can be found, as much information as possible is coded from the police report. For these cases, variable 1830, which documents whether an interview was conducted, is coded "no," variable 1840, police report, is coded "yes," and variable 1850, fax/mail, is coded "no."

CNTBS survey staff are specially trained to collect the BIFA data. The training includes information on the types and uses of different buses, methods for locating knowledgeable respondents, and the different terms used in different industry segments and areas. Unlike many phone surveys in which questions are read from a script, the BIFA interview depends in large part on the knowledge of the CNTBS researchers. The extensive training about buses enables them to probe intelligently and effectively for the required information.

An experienced editor reviews each BIFA case. The editor decodes the VINs and reviews the bus description obtained in the interview for consistency and accuracy. The editor compares the description of each bus obtained by the survey with manufacturers' specifications and other materials. These materials include chassis and body specifications for many bus makes and models, as well as typical passenger seating configurations for different bus types and applications.

All modifications to survey responses are indicated in variables 1861 through 1865. Imputations made by the editor to fill in missing data elements are also indicated there. The numbers coded in these variables are the question numbers on the interview form. For example, a "13" in variable 1862 indicates that the second item corrected or derived for that particular case was the response to question 13 on the interview form. There is no particular pattern to the order in which such modifications are indicated. Derivations were made when the editor was able to deduce a piece of information to fill in something missing on the interview form. For example, the type of operating authority was sometimes deduced from the name of the vehicle's owner and their business type.

### Number of Cases

There are 293 vehicles that are identified as a bus in one or more variables in the 2008 FARS file (version 13Sept10). Eight of these vehicles were subsequently found to be non-passenger carrying vehicles, thus something other than a bus. These included motor home conversions, cargo-carrying vehicles, and small mini vans.

In addition, eight cases, originally thought to be trucks in the FARS file, were found to be buses. These cases were not identified as buses in any FARS variable, but were only discovered because the CNTBS also surveys trucks involved in fatal accidents.

Adding the eight vehicles originally thought to be trucks to the 293 bus cases identified in FARS yields 301 vehicles. Subtracting the eight vehicles incorrectly identified in FARS as buses results in 293 vehicles, which is the number of buses involved in fatal traffic accidents in 2008.

### Format of Codebook

The main body of the codebook provides frequency distributions of all variables and code levels in the BIFA 2008 data file (Motor Vehicles In-Transport). The VNIT section of the codebook documents the additional set of survey variables collected for Motor Vehicles Not In-Transport (six cases). For each variable, the codebook provides information about the variable, name, format, and type. "Variable" (such as V19) is the name of the variable in the SAS data file. "Name" (e.g. Route Signing) is the descriptive title corresponding to the FARS or BIFA variable. "Format" refers to the name of the SAS format that provides labels for specific code levels of the variable. "Type" describes the storage type of the variable. Data are stored either as Numeric or Char (character) data. "Length" is the SAS storage length in bytes for the variable.

### Obtaining Information from the Dataset

This report provides counts and distributions of the code values for each variable in the BIFA file. These tabulations are useful for understanding the variables available in the file, the completeness of the data, and the number of cases with any specific code value.

Many research questions require more detailed cross-classification of the data. The staff of the Center for National Truck and Bus Statistics at UMTRI is pleased to make appropriate runs for outside users. Requests for consultation on and analysis of the data are welcome and may be addressed to Daniel Blower at (734) 764-0248. Finally, while every effort has been made to check the accuracy of the data, the file may contain errors not yet detected.



BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>Variable Number</u>	<u>Variable Name</u>	<u>Page Number</u>
v1	CASE STATE .....	1
v2	CASE NUMBER .....	2
v7	CITY .....	2
v8	COUNTY .....	3
v9	ACCIDENT DATE - MONTH .....	3
v10	ACCIDENT DATE - DAY .....	4
v11	ACCIDENT DATE - YEAR .....	4
v12	ACCIDENT TIME - HOUR .....	4
v13	ACCIDENT TIME - MINUTE .....	5
v14	NUMBER OF VEHICLE FORMS .....	5
v14B	ALL VEHICLE FORMS SUBMITTED .....	5
v15	NUMBER OF PERSON FORMS .....	6
v16	LAND USE .....	7
v17	NATIONAL HIGHWAY SYSTEM .....	7
v18	ROADWAY FUNCTION CLASS .....	7
v19	ROUTE SIGNING .....	8
v20	TRAFFICWAY IDENTIFIER #1 .....	8
v20_2	TRAFFICWAY IDENTIFIER #2 .....	9
v21	MILEPOINT .....	9
v22	SPECIAL JURISDICTION .....	9
v23	FIRST HARMFUL EVENT .....	9
v24	MANNER OF COLLISION .....	13
v25	RELATION TO JUNCTION .....	13
v26	RELATION TO ROADWAY .....	14
v27	TRAFFICWAY FLOW .....	14
v28	NUMBER OF TRAVEL LANES .....	15
v29	SPEED LIMIT .....	15
v30	ROADWAY ALIGNMENT .....	16
v31	ROADWAY PROFILE .....	16
v32	ROADWAY SURFACE TYPE .....	16
v33	ROADWAY SURFACE CONDITION .....	17
v34	TRAFFIC CONTROL DEVICE .....	17
v35	TRAFFIC CONT FUNCTIONING .....	19
v36	HIT AND RUN .....	19
v37	LIGHT CONDITION .....	19
v38	ATMOSPHERIC CONDITIONS .....	20
v39	CONSTRUCTION/MAINT ZONE .....	20
v40	EMS NOTIFIED - HOUR .....	21
v41	EMS NOTIFIED - MINUTE .....	21
v42	EMS ARRIVAL - HOUR .....	21
v43	EMS ARRIVAL - MINUTE .....	21
v46	SCHOOL BUS RELATED .....	22
v48	RAIL GRADE CROSSING ID .....	22
v49	NUMBER FATALITIES IN ACC .....	22
v50	DAY OF WEEK .....	23
v51	NUMBER DRINKING DRIVERS .....	23
v52	ACCIDENT DATE - JULIAN .....	23
v53	NUMBER UNINJURED IN ACC .....	23
v54	NUMBER C-INJURED IN ACC .....	24
v55	NUMBER B-INJURED IN ACC .....	24
v56	NUMBER A-INJURED IN ACC .....	25
v57	NUMBER K-INJURED IN ACC .....	26

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>Variable Number</u>	<u>Variable Name</u>	<u>Page Number</u>
v58	NUM UNK INJURED IN ACC .....	26
v59	ACC RELATED FACTORS #1 .....	26
v60	ACC RELATED FACTORS #2 .....	27
v61	ACC RELATED FACTORS #3 .....	27
v62	ATMOSPHERIC CONDITIONS #1 .....	28
v63	ATMOSPHERIC CONDITIONS #2 .....	28
v71	LATITUDE .....	28
v72	LONGITUDE .....	29

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>Variable Number</u>	<u>Variable Name</u>	<u>Page Number</u>
v104	VEHICLE NUMBER .....	31
v105	UNIT TYPE .....	31
v107	NUMBER OF OCCUPANTS .....	31
v108	VEHICLE MAKE .....	32
v109	VEHICLE MAKE-MODEL .....	33
v110	BODY TYPE .....	34
v111	MODEL YEAR .....	34
v112	VIN .....	35
v123	REGISTRATION STATE .....	35
v124	REGISTERED VEHICLE OWNER .....	37
v125	ROLLOVER .....	38
v126	JACKKNIFE .....	38
v127	TRAVEL SPEED .....	38
v129	VEHICLE TRAILERING .....	38
v130	VEHICLE CONFIGURATION .....	39
v132	CARGO BODY TYPE .....	39
v133	SPECIAL USE .....	40
v134	EMERGENCY USE .....	40
v135	IMPACT POINT - INITIAL .....	40
v136	IMPACT POINT - PRINCIPAL .....	41
v137	EXTENT OF DEFORMATION .....	42
v138	VEHICLE ROLE .....	42
v139	MANNER OF LEAVING SCENE .....	42
v140	FIRE OCCURRENCE .....	42
v142	VEHICLE MANEUVER .....	43
v143	CRASH AVOIDANCE MANUEVER .....	43
v144	MOST HARMFUL EVENT .....	44
v145	NUMBER OF DEATHS IN VEH .....	47
v151	VIN TRUCK FUEL CODE .....	47
v152	VIN TRUCK WEIGHT CODE .....	48
v153	VIN TRUCK SERIES .....	48
v155	LENGTH OF VIN .....	48
v156	NUMBER UNINJURED IN VEH .....	48
v157	NUMBER C-INJURED IN VEH .....	49
v158	NUMBER B-INJURED IN VEH .....	49
v159	NUMBER A-INJURED IN VEH .....	50
v160	NUMBER K-INJURED IN VEH .....	50
v161	NUM UNK INJURED IN VEH .....	51
v162	VEH RELATED FACTORS #1 .....	51
v163	VEH RELATED FACTORS #2 .....	52
v164	UNDERRIDE/OVERRIDE .....	52
v170	MOTOR CARRIER ID .....	53
v171	BUS USE .....	53
v172	GROSS WEIGHT RATING-GVWR .....	54
v173	EVENT #1 .....	54
v174	EVENT #2 .....	56
v175	EVENT #3 .....	57
v176	EVENT #4 .....	57
v177	EVENT #5 .....	58
v178	EVENT #6 .....	58
v179	HAZARDOUS MATERIAL CLASS NUMBER .....	58
v180	HAZARDOUS MATERIAL ID NUMBER .....	59

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>Variable Number</u>	<u>Variable Name</u>	<u>Page Number</u>
v181	HAZARDOUS MATERIAL INVOLVEMENT.....	59
v182	HAZARDOUS MATERIAL PLACARD .....	59
v183	HAZARDOUS MATERIAL RELEASED .....	59
v184	MCID ISSUING AUTHORITY .....	59
v185	MCID IDENTIFICATION NUMBER.....	60



BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>Variable</u> <u>Number</u>	<u>Variable</u> <u>Name</u>	<u>Page</u> <u>Number</u>
v207	DRIVER PRESENCE.....	61
v208	DRIVER DRINKING.....	61
v209	LICENSE STATE.....	61
v210A	NON-CDL LICENSE TYPE.....	63
v210B	NON-CDL LICENSE STATUS.....	63
v211	LICENSE CLASS COMPLIANCE.....	63
v212	CDL LICENSE STATUS.....	64
v213	LICENSE ENDORSEMENTS.....	64
v214	LICENSE RESTRICTIONS MET.....	65
v216	NUMBER OF PREV ACCIDENTS.....	65
v217	NUMBER PREV SUSPENSIONS.....	65
v218	NUMBER OF PREV DWI CONV.....	66
v219	NUM PREV SPEEDING CONV.....	66
v220	NUM PREV OTHER MV CONV.....	66
v221	LAST ACCIDENT - MONTH.....	66
v222	LAST ACCIDENT - YEAR.....	67
v223	FIRST ACCIDENT - MONTH.....	67
v224	FIRST ACCIDENT - YEAR.....	68
v227	DRIVER RELATED FACTORS #1.....	68
v228	DRIVER RELATED FACTORS #2.....	71
v229	DRIVER RELATED FACTORS #3.....	72
v230	DRIVER RELATED FACTORS #4.....	73
v231	VIOLATIONS CHARGED #1.....	73
v232	VIOLATIONS CHARGED #2.....	76
v233	VIOLATIONS CHARGED #3.....	76
v235	DRIVER HEIGHT (INCHES).....	76
v236	DRIVER WEIGHT.....	77

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

<u>Variable</u> <u>Number</u>	<u>Variable</u> <u>Name</u>	<u>Page</u> <u>Number</u>
v306	OCCUPANT NUMBER .....	79
v308	OCCUPANT AGE .....	79
v309	OCCUPANT SEX .....	80
v310	OCCUPANT TYPE .....	81
v311	OCC SEATING POSITION .....	81
v312	RESTRAINT SYSTEM USE .....	81
v313	AIR BAG AVAIL/FUNCTION .....	81
v314	OCCUPANT EJECTION .....	82
v315	EJECTION PATH .....	82
v316	OCCUPANT EXTRICATION .....	83
v321	DRUG INVOLVEMENT .....	83
v322	DRUG DETERMINATION .....	83
v323	DRUG TEST TYPE #1 .....	83
v324	DRUG TEST RESULTS #1 .....	84
v325	DRUG TEST TYPE #2 .....	85
v326	DRUG TEST RESULTS #2 .....	85
v327	DRUG TEST TYPE #3 .....	86
v328	DRUG TEST RESULTS #3 .....	86
v329	OCCUPANT INJURY SEVERITY .....	86
v330	OCC TAKEN TO HOSPITAL .....	87
v331	OCC DEATH DATE - MONTH .....	87
v332	OCC DEATH DATE - DAY .....	87
v333	OCC DEATH DATE - YEAR .....	88
v334	OCC DEATH TIME - HOURS .....	88
v335	OCC DEATH TIME - MINUTES .....	88
v336	LAG TIME ACC/DEATH - HRS .....	89
v342	OCC FATAL INJURY AT WORK .....	89
v345	OCC ALCOHOL INVOLVEMENT .....	89
v346	OCC METH ALC DETERMINAT .....	89
v347	ALCOHOL TEST TYPE .....	90
v348	OCC ALCOHOL TEST RESULT .....	90
v361	RACE .....	91
v362	HISPANIC ORIGIN .....	91
v363	OCC DEAD ON ARRIVAL .....	92

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>Variable Number</u>	<u>Variable Name</u>	<u>Page Number</u>
v1110	BUS MAKE .....	93
v1130	MODEL YEAR .....	93
v1140	FRONT OF BUS .....	94
v1170	BUS MODEL.....	94
v1180	BUS TYPE .....	95
v1190	DESCRIPTION OF BUS.....	95
v1200	NUMBER OF AXLES.....	96
v1220	PASSENGER SEATING CAPACITY .....	96
v1310	DESCRIPTION OF OPERATING AUTHORITY .....	98
v1350	BUS OPERATOR TYPE.....	99
v1360	AREA OF OPERATION.....	100
v1370	OPERATING AUTHORITY.....	100
v1380	TRIP TYPE .....	100
v1510	HOURS OF DRIVING.....	101
v1520	COMPENSATION-HOURLY .....	101
v1530	COMPENSATION-MILEAGE .....	101
v1540	COMPENSATION-TIPS .....	102
v1550	COMPENSATION-PERCENT REVENUE.....	102
v1560	COMPENSATION-SALARY .....	102
v1570	COMPENSATION-DRIVER OWNER.....	102
v1580	COMPENSATION-DRIVER VOLUNTEER.....	103
v1590	COMPENSATION-DRIVER PRIMARY EMP NOT BUS DRIVER.....	103
v1600	COMPENSATION-OTHER.....	103
v1610	DESCRIPTION OF COMPENSATION .....	103
v1710	ACCIDENT TYPE .....	104
v1720	PEDESTRIAN FATALITY .....	104
v1830	INTERVIEW CONDUCTED.....	105
v1840	POLICE REPORT.....	105
v1850	FAX/MAIL.....	105
v1861	1ST QUESTION DERIVED .....	105
v1862	2ND QUESTION DERIVED.....	106
v1863	3RD QUESTION DERIVED.....	106
v1864	4TH QUESTION DERIVED .....	106
v1865	5TH QUESTION DERIVED .....	106

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES – VEHICLES NOT IN-TRANSPORT

<u>Variable Number</u>	<u>Variable Name</u>	<u>Page Number</u>
v1140	FRONT OF BUS .....	107
v1180	BUS TYPE .....	107

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES – VEHICLES NOT IN-TRANSPORT



### The ACCIDENT Variables

Variables 1 through 72 are the FARS variables that describe the accident.

Variable v1	Name CASE STATE	Format FSTATES	Type Numeric	Length 3
<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>	
5	1.7	1	Alabama	
0	0.0	2	Alaska	
11	3.8	4	Arizona	
2	0.7	5	Arkansas	
33	11.3	6	California	
2	0.7	8	Colorado	
3	1.0	9	Connecticut	
2	0.7	10	Delaware	
2	0.7	11	District of Columbia	
32	10.9	12	Florida	
12	4.1	13	Georgia	
0	0.0	15	Hawaii	
0	0.0	16	Idaho	
12	4.1	17	Illinois	
4	1.4	18	Indiana	
3	1.0	19	Iowa	
2	0.7	20	Kansas	
6	2.0	21	Kentucky	
4	1.4	22	Louisiana	
0	0.0	23	Maine	
5	1.7	24	Maryland	
3	1.0	25	Massachusetts	
12	4.1	26	Michigan	
3	1.0	27	Minnesota	
4	1.4	28	Mississippi	
4	1.4	29	Missouri	
1	0.3	30	Montana	
0	0.0	31	Nebraska	
2	0.7	32	Nevada	
1	0.3	33	New Hampshire	
7	2.4	34	New Jersey	
1	0.3	35	New Mexico	

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
17	5.8	36	New York
12	4.1	37	North Carolina
0	0.0	38	North Dakota
12	4.1	39	Ohio
4	1.4	40	Oklahoma
3	1.0	41	Oregon
13	4.4	42	Pennsylvania
0	0.0	44	Rhode Island
4	1.4	45	South Carolina
2	0.7	46	South Dakota
5	1.7	47	Tennessee
23	7.8	48	Texas
2	0.7	49	Utah
0	0.0	50	Vermont
7	2.4	51	Virginia
7	2.4	53	Washington
2	0.7	54	West Virginia
1	0.3	55	Wisconsin
1	0.3	56	Wyoming

Variable	Name	Format	Type	Length
v2	CASE NUMBER	4	Numeric	8

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	5	
		-	Case number
1	0.3	3162	

Variable	Name	Format	Type	Length
v7	CITY		Numeric	4

---

CITY – GSA GEOGRAPHIC LOCATION CODE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
135	46.1	0	Not applicable

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
 FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	10	
		-	GSA code
1	0.3	7660	
2	0.7	9997	Other

Variable	Name	Format	Type	Length
v8	COUNTY		Numeric	3

---

COUNTY – GSA GEOGRAPHIC LOCATION CODE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
5	1.7	1	
		-	GSA code
1	0.3	710	

Variable	Name	Format	Type	Length
v9	ACCIDENT DATE - MONTH	FACMONTH	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
34	11.6	1	January
25	8.5	2	February
27	9.2	3	March
28	9.6	4	April
30	10.2	5	May
12	4.1	6	June
16	5.5	7	July
23	7.8	8	August
28	9.6	9	September
27	9.2	10	October
18	6.1	11	November
25	8.5	12	December

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

Variable	Name	Format	Type	Length
v10	ACCIDENT DATE - DAY		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
10	3.4	1	
		-	Day of month
2	0.7	31	

Variable	Name	Format	Type	Length
v11	ACCIDENT DATE - YEAR		Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	2008	2008

Variable	Name	Format	Type	Length
v12	ACCIDENT TIME - HOUR	FACHOUR	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
3	1.0	0	12:01 am - 12:59 am
6	2.0	1	1:00 am - 1:59 am
1	0.3	2	2:00 am - 2:59 am
2	0.7	3	3:00 am - 3:59 am
3	1.0	4	4:00 am - 4:59 am
7	2.4	5	5:00 am - 5:59 am
11	3.8	6	6:00 am - 6:59 am
24	8.2	7	7:00 am - 7:59 am
30	10.2	8	8:00 am - 8:59 am
10	3.4	9	9:00 am - 9:59 am
11	3.8	10	10:00 am - 10:59 am
5	1.7	11	11:00 am - 11:59 am
17	5.8	12	12:00 pm - 12:59 pm
14	4.8	13	1:00 pm - 1:59 pm
21	7.2	14	2:00 pm - 2:59 pm
36	12.3	15	3:00 pm - 3:59 pm
24	8.2	16	4:00 pm - 4:59 pm
10	3.4	17	5:00 pm - 5:59 pm
13	4.4	18	6:00 pm - 6:59 pm
13	4.4	19	7:00 pm - 7:59 pm

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
16	5.5	20	8:00 pm - 8:59 pm
3	1.0	21	9:00 pm - 9:59 pm
6	2.0	22	10:00 pm - 10:59 pm
6	2.0	23	11:00 pm - 11:59 pm
0	0.0	24	12:00 midnight
1	0.3	99	Unknown

Variable	Name	Format	Type	Length
v13	ACCIDENT TIME - MINUTE		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
18	6.1	0	
		-	Minute
4	1.4	59	
3	1.0	99	Unknown

Variable	Name	Format	Type	Length
v14	NUMBER OF VEHICLE FORMS	FVEHFORM	Numeric	8

NUMBER OF MOTOR VEHICLES IN-TRANSPORT INVOLVED IN THE ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
109	37.2	1	1 vehicle
140	47.8	2	2 vehicles
31	10.6	3	3 vehicles
10	3.4	4	4 vehicles
1	0.3	5	5 vehicles
1	0.3	7	7 vehicles
1	0.3	8	8 vehicles

Variable	Name	Format	Type	Length
v14B	ALL VEHICLE FORMS SUBMITTED	FVEHFORM	Numeric	3

NUMBER OF MOTOR VEHICLES INVOLVED IN ACCIDENT INCLUDING NOT IN-TRANSPORT VEHICLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
108	36.9	1	1 vehicle

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
139	47.4	2	2 vehicles
31	10.6	3	3 vehicles
12	4.1	4	4 vehicles
1	0.3	5	5 vehicles
1	0.3	7	7 vehicles
1	0.3	8	8 vehicles

Variable	Name	Format	Type	Length
v15	NUMBER OF PERSON FORMS	FNUMPERS	Numeric	3

---

NUMBER OF PERSONS INVOLVED IN THE ACCIDENT

Does not include uninjured bus or railway train occupants.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
3	1.0	1	1 person
128	43.7	2	2 persons
37	12.6	3	3 persons
34	11.6	4	4 persons
22	7.5	5	5 persons
11	3.8	6	6 persons
7	2.4	7	7 persons
9	3.1	8	8 persons
5	1.7	9	9 persons
2	0.7	10	10 persons
6	2.0	11	11 persons
6	2.0	12	12 persons
1	0.3	13	13 persons
5	1.7	14	14 persons
4	1.4	15	15 persons
2	0.7	16	16 persons
1	0.3	17	17 persons
2	0.7	22	22 persons
1	0.3	24	24 persons
1	0.3	26	26 persons
1	0.3	32	32 persons
1	0.3	41	41 persons
1	0.3	49	49 persons
1	0.3	52	52 persons

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	53	53 persons
1	0.3	56	56 persons

Variable	Name	Format	Type	Length
v16	LAND USE	V16_F	Numeric	3

LAND USE – FHWA CLASSIFICATION

Recode of Roadway Function Class (v18).

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
163	55.6	1	Urban area
128	43.7	2	Rural area
2	0.7	9	Unknown

Variable	Name	Format	Type	Length
v17	NATIONAL HIGHWAY SYSTEM	FNHS94F	Numeric	3

National Highway System (NHS) includes the entire Interstate System, and consists of principal arterial system routes and some Strategic Highway Network connectors functionally classified below principal arterial.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
212	72.4	0	This section is not on the National Highway System
80	27.3	1	This section is on the National Highway System
1	0.3	9	Unknown if this section is on the National Highway System

Variable	Name	Format	Type	Length
v18	ROADWAY FUNCTION CLASS	FRFC87F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
Rural			
11	3.8	1	Principal arterial - interstate
35	11.9	2	Principal arterial - other
30	10.2	3	Minor arterial
25	8.5	4	Major collector
2	0.7	5	Minor collector
24	8.2	6	Local road or street

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	9	Unknown rural
Urban			
14	4.8	11	Principal arterial - interstate
9	3.1	12	Principal arterial - other freeways or expressways
62	21.2	13	Other principal arterial
33	11.3	14	Minor arterial
14	4.8	15	Collector
31	10.6	16	Local road or street
0	0.0	19	Unknown urban
2	0.7	99	Unknown

Variable	Name	Format	Type	Length
v19	ROUTE SIGNING	FRTSIGN	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
24	8.2	1	Interstate
52	17.7	2	U.S. highway
78	26.6	3	State highway
37	12.6	4	County road
Local Street			
10	3.4	5	Township
83	28.3	6	Municipality
2	0.7	7	Frontage road
7	2.4	8	Other

Variable	Name	Format	Type	Length
v20	TRAFFICWAY IDENTIFIER #1		Char	20

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	10	
		-	Roadway identifier
1	0.3	US-90	



BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
 FARS ACCIDENT VARIABLES

Variable	Name	Format	Type	Length
v20_2	TRAFFICWAY IDENTIFIER #2		Char	20

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	0	
		-	Roadway identifier
1	0.3	SR-80E	

Variable	Name	Format	Type	Length
v21	MILEPOINT		Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
98	33.4	0	None
2	0.7	1	
		-	Actual to nearest .1 mile
1	0.3	17505	
49	16.7	99999	Unknown

Variable	Name	Format	Type	Length
v22	SPECIAL JURISDICTION	FSPECJUR	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
288	98.3	0	No special jurisdiction
1	0.3	1	National Park Service
2	0.7	2	Military
1	0.3	3	Indian reservation
0	0.0	4	College/university campus
0	0.0	5	Other federal properties
0	0.0	8	Other
1	0.3	9	Unknown

Variable	Name	Format	Type	Length
v23	FIRST HARMFUL EVENT	FFHE82F	Numeric	3

FIRST EVENT CAUSING INJURY/PROPERTY DAMAGE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
11	3.8	1	Overturn/rollover

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	2	Fire/explosion
0	0.0	3	Immersion
0	0.0	4	Gas inhalation
4	1.4	5	Fell/jumped from vehicle
2	0.7	6	Injured in vehicle (other than cargo/equipment loss/shift)
2	0.7	7	Other non-collision
75	25.6	8	Pedestrian
15	5.1	9	Pedal cycle
0	0.0	10	Railway train
0	0.0	11	Live animal
166	56.7	12	Motor vehicle in-transport on same roadway
2	0.7	13	Motor vehicle in-transport on different roadway
0	0.0	14	Parked motor vehicle or motor vehicle stopped off roadway
1	0.3	15	Non-motorist on personal conveyance
0	0.0	16	Thrown or falling object
0	0.0	17	Boulder
0	0.0	18	Other object (not fixed)
0	0.0	19	Building
2	0.7	20	Impact attenuator/crash cushion
0	0.0	21	Bridge pier or abutment
0	0.0	22	Bridge parapet end
1	0.3	23	Bridge rail
2	0.7	24	Guardrail face
0	0.0	25	Concrete traffic barrier
0	0.0	26	Other traffic barrier
2	0.7	27	Highway/traffic sign post/sign
0	0.0	28	Overhead sign support/sign
0	0.0	29	Luminaire/light support
0	0.0	30	Utility pole
0	0.0	31	Other post, other pole or other supports
0	0.0	32	Culvert
3	1.0	33	Curb
0	0.0	34	Ditch
0	0.0	35	Embankment - earth
0	0.0	36	Embankment - rock, stone or concrete
1	0.3	37	Embankment - material type unknown
0	0.0	38	Fence
0	0.0	39	Wall
0	0.0	40	Fire hydrant

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	41	Shrubbery
1	0.3	42	Tree (standing tree only)
1	0.3	43	Other fixed object
0	0.0	44	Pavement surface irregularity (pothole, grooved, grates)
1	0.3	45	Working motor vehicle (construction, maintenance or utility vehicle only)
0	0.0	46	Traffic signal support/signal
0	0.0	47	Vehicle occupant struck or run over by own vehicle
0	0.0	48	Snow bank
0	0.0	49	Ridden animal or animal-drawn conveyance
0	0.0	50	Bridge overhead structure
1	0.3	51	Jackknife (causing injury or damage)
0	0.0	52	Guardrail end
0	0.0	53	Mail box
0	0.0	54	Motor vehicle in-transport strikes or is struck by cargo, persons or objects set-in-motion from/by another motor vehicle in-transport
0	0.0	55	Motor vehicle in motion outside the trafficway
0	0.0	57	Cable barrier
0	0.0	60	Cargo/equipment loss or shift (causing injury or damage)
0	0.0	99	Unknown

The following list shows the code values given above grouped by collision type.

**Noncollision Event**

- 01 = Overturn/rollover
- 02 = Fire/explosion
- 03 = Immersion
- 04 = Gas inhalation
- 05 = Fell/jumped from vehicle
- 06 = Injured in vehicle (other than cargo/equipment loss or shift)
- 07 = Other non-collision
- 16 = Thrown or falling object
- 44 = Pavement surface irregularity (pothole, grooved, grates)
- 47 = Vehicle occupant struck or run over by own vehicle
- 51 = Jackknife (causing injury or damage)
- 60 = Cargo/equipment loss or shift (causing injury or damage)

**Collision with Motor Vehicle**

*Collision Involving Motor Vehicles In-Transport*

- 12 = Motor vehicle in-transport on same roadway

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

- 13 = Motor vehicle in-transport on different roadway
- 54 = Motor vehicle in-transport strikes or is struck by cargo, persons, or objects set-in-motion from/by another motor vehicle in-transport

*Collision Involving Motor Vehicles Not In-Transport*

- 14 = Parked motor vehicle or motor vehicle stopped off roadway
- 45 = Working motor vehicle (construction, maintenance or utility vehicle only)
- 55 = Motor vehicle in motion outside the trafficway

## Collision with Object Not Fixed

- 08 = Pedestrian
- 09 = Pedalcycle
- 10 = Railway train
- 11 = Live animal
- 15 = Nonmotorist on personal conveyance
- 18 = Other object (not fixed)
- 49 = Ridden animal or animal-drawn conveyance

## Collision with Fixed Object

- 17 = Boulder
- 19 = Building
- 20 = Impact attenuator/crash cushion
- 21 = Bridge pier or abutment
- 22 = Bridge parapet end
- 23 = Bridge rail
- 24 = Guardrail face
- 25 = Concrete traffic barrier
- 26 = Other traffic barrier
- 27 = Highway/traffic sign post/sign
- 28 = Overhead sign support/sign
- 29 = Luminaire/light support
- 30 = Utility pole
- 31 = Other post, other pole or other supports
- 32 = Culvert
- 33 = Curb
- 34 = Ditch
- 35 = Embankment – earth
- 36 = Embankment – rock, stone or concrete
- 37 = Embankment – material type unknown
- 38 = Fence
- 39 = Wall
- 40 = Fire hydrant
- 41 = Shrubbery
- 42 = Tree (standing tree only)

- 43 = Other fixed object
- 46 = Traffic signal support/signal
- 48 = Snow bank
- 50 = Bridge overhead structure
- 52 = Guardrail end
- 53 = Mail box
- 57 = Cable barrier

Variable	Name	Format	Type	Length
v24	MANNER OF COLLISION	FCOLL02F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
124	42.3	0	Not a collision with a motor vehicle
28	9.6	1	Front-to-rear (includes rear-end)
40	13.7	2	Front-to-front (includes head-on)
3	1.0	3	Angle - front-to-side, same direction
18	6.1	4	Angle - front-to-side, opposite direction
62	21.2	5	Angle - front-to-side, right angle (including broadside)
2	0.7	6	Angle - front-to-side/angle - direction not specified
4	1.4	7	Sideswipe - same direction
10	3.4	8	Sideswipe - opposite direction
0	0.0	9	Rear-to-side
0	0.0	10	Rear-to-rear
2	0.7	11	Other (end-swipes and others)

Variable	Name	Format	Type	Length
v25	RELATION TO JUNCTION	FJUNCT	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
Noninterchange			
150	51.2	1	Non-junction
104	35.5	2	Intersection
21	7.2	3	Intersection related
3	1.0	4	Driveway, alley access, etc.
2	0.7	5	Entrance/exit ramp related
0	0.0	6	Rail grade crossing
0	0.0	7	Crossover-related
5	1.7	8	Driveway access related

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	9	Unknown
Interchange area			
1	0.3	10	Intersection
2	0.7	11	Intersection related
0	0.0	12	Driveway access
2	0.7	13	Entrance/exit ramp related
0	0.0	14	Crossover-related
2	0.7	15	Other location in interchange
0	0.0	19	Unknown interchange area
1	0.3	99	Unknown

Variable	Name	Format	Type	Length
v26	RELATION TO ROADWAY	FRDWY98F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
271	92.5	1	On roadway
5	1.7	2	Shoulder
4	1.4	3	Median
6	2.0	4	Roadside
3	1.0	5	Outside trafficway/outside right-of-way
2	0.7	6	Off roadway - location unknown
0	0.0	7	In parking lane/zone
1	0.3	8	Gore
1	0.3	10	Separator
0	0.0	11	Two-way continuous left-turn lane

Variable	Name	Format	Type	Length
v27	TRAFFICWAY FLOW	FFLOW03F	Numeric	3

A trafficway may include several roadways if it is a physically divided highway. Trafficways are not physically divided unless the divider is a median, barrier or other constructed device. Pavement markings do not qualify.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
174	59.4	1	Not physically divided (two-way trafficway)
67	22.9	2	Divided highway, median strip (without traffic barrier)
23	7.8	3	Divided highway, median strip (with traffic barrier)

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
11	3.8	4	One-way trafficway
13	4.4	5	Not physically divided (with two-way continuous left-turn lane)
3	1.0	6	Entrance/exit ramp
2	0.7	9	Unknown

Variable	Name	Format	Type	Length
v28	NUMBER OF TRAVEL LANES	FLANES	Numeric	3

---

A roadway is one part of a divided trafficway or, if undivided, the same as the trafficway. It refers to the roadway on which the vehicle precipitating the accident was traveling. Only lanes open for travel are counted. Turn lanes are therefore excluded.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
4	1.4	1	1 lane
193	65.9	2	2 lanes
27	9.2	3	3 lanes
44	15.0	4	4 lanes
9	3.1	5	5 lanes
7	2.4	6	6 lanes
9	3.1	9	Unknown

Variable	Name	Format	Type	Length
v29	SPEED LIMIT	FSPLMT	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	0	No statutory limit
0	0.0	5	5 mph
0	0.0	10	10 mph
1	0.3	15	15 mph
3	1.0	20	20 mph
28	9.6	25	25 mph
31	10.6	30	30 mph
42	14.3	35	35 mph
15	5.1	40	40 mph
43	14.7	45	45 mph
13	4.4	50	50 mph
50	17.1	55	55 mph
11	3.8	60	60 mph
30	10.2	65	65 mph

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
12	4.1	70	70 mph
2	0.7	75	75 mph
11	3.8	99	Unknown

Variable	Name	Format	Type	Length
v30	ROADWAY ALIGNMENT	FALIG	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
250	85.3	1	Straight
43	14.7	2	Curve

Variable	Name	Format	Type	Length
v31	ROADWAY PROFILE	FGRAD82F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
223	76.1	1	Level
54	18.4	2	Grade
5	1.7	3	Hillcrest
1	0.3	4	Sag
10	3.4	9	Unknown

Variable	Name	Format	Type	Length
v32	ROADWAY SURFACE TYPE	FPAVE	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
29	9.9	1	Concrete
254	86.7	2	Blacktop, bituminous, or asphalt
1	0.3	3	Brick or block
0	0.0	4	Slag, gravel or stone
0	0.0	5	Dirt
0	0.0	8	Other
9	3.1	9	Unknown



Variable	Name	Format	Type	Length
v33	ROADWAY SURFACE CONDITION	FSURF07F	Numeric	3

ROADWAY SURFACE CONDITION

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
250	85.3	1	Dry
32	10.9	2	Wet
4	1.4	3	Snow or slush
7	2.4	4	Ice/frost
0	0.0	5	Sand, dirt, mud, gravel
0	0.0	6	Water (standing or moving)
0	0.0	7	Oil
0	0.0	8	Other
0	0.0	9	Unknown

Variable	Name	Format	Type	Length
v34	TRAFFIC CONTROL DEVICE	FTRCN82F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
184	62.8	0	No controls

\*\*\* Not at Railroad Grade Crossing \*\*\*

Highway traffic signals

3	1.0	1	Traffic control signal (on colors) without pedestrian signal
14	4.8	2	Traffic control signal (on colors) with pedestrian signal
38	13.0	3	Traffic control signal (on colors) not known whether or not pedestrian signal
0	0.0	4	Flashing traffic control signal
0	0.0	5	Flashing beacon
0	0.0	6	Flashing highway traffic signal, type unknown or other than traffic control or beacon
0	0.0	7	Lane use control signal
2	0.7	8	Other highway traffic signal
1	0.3	9	Unknown highway traffic signal

Regulatory signs

37	12.6	20	Stop sign
2	0.7	21	Yield sign

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
7	2.4	28	Other regulatory sign
0	0.0	29	Unknown type regulatory sign
School zone signs			
0	0.0	30	School speed limit sign
0	0.0	31	School advance or crossing sign
0	0.0	38	Other school related sign
1	0.3	39	Unknown type school zone sign
Warning signs			
1	0.3	40	Warning sign
0	0.0	41	Electronic warning sign
Miscellaneous not at railroad crossing			
0	0.0	50	Officer, crossing guard, flagman, etc.
*** At Railroad Grade Crossing ***			
Active devices			
0	0.0	60	Gates
0	0.0	61	Flashing lights
0	0.0	62	Traffic control signal
0	0.0	63	Wigwags
0	0.0	64	Bells
0	0.0	68	Other train activated device
0	0.0	69	Active device, type unknown
Passive devices			
0	0.0	70	Cross bucks
0	0.0	72	Other railroad crossing sign
0	0.0	73	Special warning device – watchman, flagged by crew
0	0.0	78	Other passive device
0	0.0	79	Passive device, type unknown
Miscellaneous devices at railroad crossing			
0	0.0	80	Grade crossing controlled, type unknown

N Prcnt Code Label

\*\*\* Whether or Not at Railroad Grade Crossing \*\*\*

0	0.0	98	Other
3	1.0	99	Unknown

Variable	Name	Format	Type	Length
v35	TRAFFIC CONT FUNCTIONING	FTCFUNC	Numeric	3

TRAFFIC CONTROL FUNCTIONING

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
184	62.8	0	No controls
0	0.0	1	Device not functioning
0	0.0	2	Device functioning improperly
104	35.5	3	Device functioning properly
5	1.7	9	Unknown

Variable	Name	Format	Type	Length
v36	HIT AND RUN	FHIT05F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	No hit-and-run
2	0.7	1	Driver left scene after collision with vehicle in-transport
4	1.4	2	Driver left scene after collision with person not in a motor vehicle
0	0.0	3	Driver left scene after collision with parked/stopped off roadway/working motor vehicle or object
0	0.0	4	Driver left scene after non-collision accident
0	0.0	5	Hit-and-run - other involved person left scene

Variable	Name	Format	Type	Length
v37	LIGHT CONDITION	FLIGHT	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
207	70.6	1	Daylight
33	11.3	2	Dark
38	13.0	3	Dark but lighted

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
11	3.8	4	Dawn
4	1.4	5	Dusk

Variable	Name	Format	Type	Length
v38	ATMOSPHERIC CONDITIONS	FATM07F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	No additional atmospheric conditions
265	90.4	1	Clear/cloudy (no adverse conditions)
17	5.8	2	Rain
1	0.3	3	Sleet (hail)
5	1.7	4	Snow or blowing snow
5	1.7	5	Fog, smog, smoke
0	0.0	6	Severe crosswinds
0	0.0	7	Blowing sand, soil, dirt
0	0.0	8	Other
0	0.0	9	Unknown

Variable	Name	Format	Type	Length
v39	CONSTRUCTION/MAINT ZONE	FCMZ82F	Numeric	3

---

CONSTRUCTION OR MAINTENANCE ZONE

Identifies accidents that occurred in a construction or maintenance zone. Use of this code does not imply that the accident was caused by the construction/maintenance activity or zone.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	None
5	1.7	1	Construction
0	0.0	2	Maintenance
0	0.0	3	Utility
1	0.3	4	Work zone, type unknown
0	0.0	9	Unknown

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

Variable	Name	Format	Type	Length
v40	EMS NOTIFIED - HOUR		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
11	3.8	0	Not notified or 12:01 – 12:59 am
5	1.7	1	
		-	Hour
2	0.7	23	
115	39.2	99	Unknown EMS notification time

Variable	Name	Format	Type	Length
v41	EMS NOTIFIED - MINUTE		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
15	5.1	0	Not notified or on the hour
5	1.7	1	
		-	Minute
2	0.7	59	
116	39.6	99	Unknown EMS notification time

Variable	Name	Format	Type	Length
v42	EMS ARRIVAL - HOUR		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
12	4.1	0	Not notified or 12:01 – 12:59 am
5	1.7	1	
		-	Hour
2	0.7	23	
113	38.6	99	Unknown EMS scene arrival time

Variable	Name	Format	Type	Length
v43	EMS ARRIVAL - MINUTE		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
13	4.4	0	Not notified or on the hour

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	1	
		-	Minute
3	1.0	58	
125	42.7	99	Unknown EMS scene arrival time

Variable	Name	Format	Type	Length
v46	SCHOOL BUS RELATED	FYESNO	Numeric	3

Identifies accidents in which a school bus was directly or indirectly involved, such as an accident involving children alighting from a school bus. The school bus does not have to be a traffic unit in the accident.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
165	56.3	0	No
128	43.7	1	Yes

Variable	Name	Format	Type	Length
v48	RAIL GRADE CROSSING ID		Char	7

RAIL GRADE CROSSING ID – FRA CODE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
292	99.7	0000000	Not applicable
1	0.3	9999999	Unknown

Variable	Name	Format	Type	Length
v49	NUMBER FATALITIES IN ACC	FFATALS	Numeric	3

NUMBER OF FATALITIES IN ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	0 killed
262	89.4	1	1 killed
19	6.5	2	2 killed
6	2.0	3	3 killed
2	0.7	4	4 killed
1	0.3	7	7 killed
2	0.7	9	9 killed
1	0.3	17	17 killed

Variable	Name	Format	Type	Length
v50	DAY OF WEEK	F DAYS	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
19	6.5	1	Sunday
40	13.7	2	Monday
59	20.1	3	Tuesday
47	16.0	4	Wednesday
39	13.3	5	Thursday
70	23.9	6	Friday
19	6.5	7	Saturday

Variable	Name	Format	Type	Length
v51	NUMBER DRINKING DRIVERS	FDRUNKDR	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
260	88.7	0	0 drivers
32	10.9	1	1 driver
1	0.3	2	2 drivers

Variable	Name	Format	Type	Length
v52	ACCIDENT DATE - JULIAN		Numeric	8

The Julian date from March 1, 1990.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	39389	January 2, 2008
		-	
1	0.3	39753	December 31, 2008

Variable	Name	Format	Type	Length
v53	NUMBER UNINJURED IN ACC	FUNINJ	Numeric	8

NUMBER OF UNINJURED IN ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
94	32.1	0	0 uninjured
165	56.3	1	1 uninjured

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
16	5.5	2	2 uninjured
9	3.1	3	3 uninjured
3	1.0	4	4 uninjured
2	0.7	5	5 uninjured
1	0.3	6	6 uninjured
2	0.7	7	7 uninjured
1	0.3	11	11 uninjured

Variable	Name	Format	Type	Length
v54	NUMBER C-INJURED IN ACC	FCINJ	Numeric	8

---

NUMBER OF C-INJURED IN ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
202	68.9	0	0 C-injured
30	10.2	1	1 C-injured
16	5.5	2	2 C-injured
14	4.8	3	3 C-injured
9	3.1	4	4 C-injured
3	1.0	5	5 C-injured
5	1.7	6	6 C-injured
2	0.7	7	7 C-injured
1	0.3	8	8 C-injured
2	0.7	9	9 C-injured
5	1.7	10	10 C-injured
1	0.3	12	12 C-injured
1	0.3	15	15 C-injured
1	0.3	17	17 C-injured
1	0.3	39	39 C-injured

Variable	Name	Format	Type	Length
v55	NUMBER B-INJURED IN ACC	FBINJ	Numeric	8

---

NUMBER OF B-INJURED IN ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
202	68.9	0	0 B-injured
43	14.7	1	1 B-injured
17	5.8	2	2 B-injured



<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
7	2.4	3	3 B-injured
7	2.4	4	4 B-injured
4	1.4	5	5 B-injured
2	0.7	6	6 B-injured
1	0.3	8	8 B-injured
3	1.0	10	10 B-injured
2	0.7	11	11 B-injured
1	0.3	14	14 B-injured
1	0.3	17	17 B-injured
1	0.3	19	19 B-injured
1	0.3	20	20 B-injured
1	0.3	31	31 B-injured

Variable	Name	Format	Type	Length
v56	NUMBER A-INJURED IN ACC	FAINJ	Numeric	8

---

NUMBER OF A-INJURED IN ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
238	81.2	0	0 A-injured
30	10.2	1	1 A-injured
8	2.7	2	2 A-injured
4	1.4	3	3 A-injured
2	0.7	5	5 A-injured
1	0.3	6	6 A-injured
1	0.3	7	7 A-injured
2	0.7	8	8 A-injured
1	0.3	10	10 A-injured
1	0.3	14	14 A-injured
1	0.3	15	15 A-injured
1	0.3	21	21 A-injured
1	0.3	22	22 A-injured
1	0.3	23	23 A-injured
1	0.3	28	28 A-injured

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

Variable	Name	Format	Type	Length
v57	NUMBER K-INJURED IN ACC	FKINJ	Numeric	8

NUMBER OF K-INJURED IN ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
262	89.4	1	1 killed
19	6.5	2	2 killed
6	2.0	3	3 killed
2	0.7	4	4 killed
1	0.3	7	7 killed
2	0.7	9	9 killed
1	0.3	17	17 killed

Variable	Name	Format	Type	Length
v58	NUM UNK INJURED IN ACC	FUNKINJ	Numeric	8

NUMBER OF UNKNOWN INJURED IN ACCIDENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
288	98.3	0	0 unknown injured
1	0.3	1	1 unknown injured
2	0.7	2	2 unknown injured
1	0.3	5	5 unknown injured
1	0.3	9	9 unknown injured

Variable	Name	Format	Type	Length
v59	ACC RELATED FACTORS #1	FARF82F	Numeric	3

FACTORS AT ACCIDENT LEVEL – RESPONSE #1

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
277	94.5	0	None
0	0.0	1	Inadequate warning of exits, lanes narrowing, etc.
0	0.0	2	Shoulder design or condition
0	0.0	3	Other construction-created condition
0	0.0	4	No (or obscured) pavement marking
0	0.0	5	Surface under water
0	0.0	6	Inadequate construction or poor design of roadway, etc.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	7	Surface washed out (caved in, road slippage)
Special circumstances			
0	0.0	13	Aggressive driving/road rage by non-contact vehicle driver
3	1.0	14	Motor vehicle struck by falling cargo, or something that came loose from, or something that was set-in-motion by a vehicle
1	0.3	15	Nonoccupant struck by falling cargo or something that came loose from, or something that was set-in-motion by a vehicle
3	1.0	16	Nonoccupant struck vehicle
0	0.0	17	Vehicle set-in-motion by nondriver
0	0.0	18	Date of accident and date of emergency medical services notification not same day
2	0.7	19	Recent previous accident scene nearby
1	0.3	20	Police pursuit involved
2	0.7	21	Within designated school zone
3	1.0	22	Speed limit is a statutory limit - state's "basic rule"
1	0.3	23	Indication of a stalled/disabled vehicle

Variable	Name	Format	Type	Length
v60	ACC RELATED FACTORS #2	FARF82F	Numeric	3

FACTORS AT ACCIDENT LEVEL – RESPONSE #2

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
292	99.7	0	None
Special circumstances			
1	0.3	20	Police pursuit involved

Variable	Name	Format	Type	Length
v61	ACC RELATED FACTORS #3	FARF82F	Numeric	3

FACTORS AT ACCIDENT LEVEL – RESPONSE #3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	None

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

Variable	Name	Format	Type	Length
v62	ATMOSPHERIC CONDITIONS #1	FATM07F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	No additional atmospheric conditions
265	90.4	1	Clear/cloudy (no adverse conditions)
17	5.8	2	Rain
1	0.3	3	Sleet (hail)
5	1.7	4	Snow or blowing snow
5	1.7	5	Fog, smog, smoke
0	0.0	6	Severe crosswinds
0	0.0	7	Blowing sand, soil, dirt
0	0.0	8	Other
0	0.0	9	Unknown

Variable	Name	Format	Type	Length
v63	ATMOSPHERIC CONDITIONS #2	FATM07F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
292	99.7	0	No additional atmospheric conditions
1	0.3	1	Clear/cloudy (no adverse conditions)

Variable	Name	Format	Type	Length
v71	LATITUDE		Numeric	8

LATITUDE IN DECIMAL DEGREE FORMAT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	25.648106	
		-	Latitude
1	0.3	47.864314	

Variable	Name	Format	Type	Length
v72	LONGITUDE		Numeric	8

---

LONGITUDE IN DECIMAL DEGREE FORMAT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	-122.8825	
		-	Longitude
1	0.3	-70.82499	

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS ACCIDENT VARIABLES

### The VEHICLE Variables

Variables 104 through 185 are the FARS variables that describe the vehicle involved in the accident (i.e., the bus).

Variable	Name	Format	Type	Length
v104	VEHICLE NUMBER	FVEHNUM	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
153	52.2	1	Vehicle #1
113	38.6	2	Vehicle #2
23	7.8	3	Vehicle #3
4	1.4	4	Vehicle #4

Variable	Name	Format	Type	Length
v105	UNIT TYPE	FUNIT	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	1	Motor vehicle in-transport (inside or outside the trafficway)
0	0.0	2	Motor vehicle not in-transport within the trafficway
0	0.0	3	Motor vehicle not in-transport outside the trafficway
0	0.0	4	Working motor vehicle (highway construction, maintenance, utility only)

Variable	Name	Format	Type	Length
v107	NUMBER OF OCCUPANTS	FNUMOCC	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
178	60.8	1	1 occupant
25	8.5	2	2 occupants
17	5.8	3	3 occupants
11	3.8	4	4 occupants
15	5.1	5	5 occupants
6	2.0	6	6 occupants
3	1.0	7	7 occupants
3	1.0	8	8 occupants
4	1.4	9	9 occupants
6	2.0	10	10 occupants
3	1.0	11	11 occupants

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	12	12 occupants
3	1.0	13	13 occupants
1	0.3	14	14 occupants
1	0.3	15	15 occupants
3	1.0	16	16 occupants
1	0.3	19	19 occupants
1	0.3	22	22 occupants
2	0.7	24	24 occupants
1	0.3	31	31 occupants
1	0.3	37	37 occupants
1	0.3	41	41 occupants
1	0.3	49	49 occupants
2	0.7	52	52 occupants
1	0.3	56	56 occupants
1	0.3	99	Unknown

Variable	Name	Format	Type	Length
v108	VEHICLE MAKE	FMAKE91F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	7	Dodge
34	11.6	12	Ford
2	0.7	19	Cadillac
7	2.4	20	Chevrolet
11	3.8	23	GMC
2	0.7	51	Volvo
7	2.4	82	Freightliner
69	23.5	84	International Harvester or Navistar
22	7.5	90	Bluebird
27	9.2	92	Gillig
16	5.5	93	MCI
19	6.5	94	Thomas Built
73	24.9	98	Other make
2	0.7	99	Unknown



Variable	Name	Format	Type	Length
v109	VEHICLE MAKE-MODEL	FMKMD91F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	7461	B-series van/Ram van/Ram wagon
28	9.6	12461	Ford E-series van/Econoline
1	0.3	12481	Ford F-series pickup
5	1.7	12981	Ford conventional bus (engine out front)
2	0.7	19004	Cadillac limousine
3	1.0	20461	Chevrolet G-series van
1	0.3	20881	Chevrolet medium/heavy -- cab behind engine
2	0.7	20981	Chevrolet conventional bus -- engine out front
1	0.3	20988	Chevrolet other bus
5	1.7	23461	GMC G-series van/Savana
1	0.3	23499	GMC unknown (light truck)
1	0.3	23881	GMC medium/heavy -- cab behind engine
3	1.0	23981	GMC conventional bus (engine out front)
1	0.3	23988	GMC other (bus)
2	0.7	51981	Volvo bus: conventional (engine out front)
6	2.0	82981	Freightliner bus: conventional (engine out front)
1	0.3	82988	Freightliner other (bus)
66	22.5	84981	International Harvester/Navistar bus: conventional (engine out front)
1	0.3	84982	International Harvester/Navistar bus: front engine, flat front
2	0.7	84983	International Harvester/Navistar bus: rear engine, flat front
18	6.1	90981	Bluebird bus: conventional (engine out front)
3	1.0	90982	Bluebird bus: front engine, flat front
1	0.3	90988	Bluebird other (bus)
25	8.5	92981	Gillig bus: conventional (engine out front)
1	0.3	92982	Gillig bus: front engine, flat front
1	0.3	92988	Gillig other (bus)
11	3.8	93981	MCI bus: conventional (engine out front)
2	0.7	93982	MCI bus: front engine, flat front
1	0.3	93983	MCI bus: rear engine, flat front
2	0.7	93988	MCI other (bus)
16	5.5	94981	Thomas Built bus: conventional (engine out front)
1	0.3	94982	Thomas Built bus: front engine, flat front
2	0.7	94983	Thomas Built bus: rear engine, flat front
2	0.7	98902	Other make Neoplan
8	2.7	98907	Other make Orion

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
7	2.4	98908	Other make Van Hool
45	15.4	98981	Other make bus: conventional (engine out front)
1	0.3	98982	Other make bus: front engine, flat front
10	3.4	98988	Other make other (bus)
2	0.7	99989	Unknown make unknown (bus)

Variable	Name	Format	Type	Length
v110	BODY TYPE	FBODY03F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
			Automotive derivatives
2	0.7	12	Large limousine – more than four side doors or stretch chassis
			Van-based light trucks (GVWR <= 10,000 lbs)
38	13.0	21	Large van – includes van-based buses
1	0.3	29	Unknown van type
			Light conventional truck (pickup-style cab, GVWR <= 10,000 lbs)
1	0.3	31	Standard pickup (gross vehicle weight rating 4,500 to 10,000 lbs.)
			Buses (excludes van-based)
115	39.2	50	School bus
20	6.8	51	Cross country/intercity bus (i.e., Greyhound)
92	31.4	52	Transit bus (city bus)
11	3.8	58	Other bus type
11	3.8	59	Unknown bus type
			Heavy/medium truck, gross vehicle weight rating > 10,000 lbs
2	0.7	61	Single-unit straight truck (10,000 lbs < gross vehicle weight rating <= 19,500 lbs)

Variable	Name	Format	Type	Length
v111	MODEL YEAR	FMODYR	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	1982	1982

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	1985	1985
1	0.3	1986	1986
1	0.3	1987	1987
1	0.3	1988	1988
2	0.7	1989	1989
4	1.4	1990	1990
3	1.0	1991	1991
1	0.3	1992	1992
5	1.7	1993	1993
7	2.4	1994	1994
15	5.1	1995	1995
10	3.4	1996	1996
17	5.8	1997	1997
20	6.8	1998	1998
19	6.5	1999	1999
24	8.2	2000	2000
27	9.2	2001	2001
21	7.2	2002	2002
13	4.4	2003	2003
20	6.8	2004	2004
13	4.4	2005	2005
25	8.5	2006	2006
25	8.5	2007	2007
10	3.4	2008	2008
3	1.0	2009	2009
3	1.0	9999	Unknown

Variable	Name	Format	Type	Length
v112	VIN	\$12	Char	12

---

VEHICLE IDENTIFICATION NUMBER – FIRST 12 POSITIONS

Variable	Name	Format	Type	Length
v123	REGISTRATION STATE	FREG08ST	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
23	7.8	0	Not applicable
4	1.4	1	Alabama

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	2	Alaska
9	3.1	4	Arizona
1	0.3	5	Arkansas
9	3.1	6	California
1	0.3	8	Colorado
3	1.0	9	Connecticut
2	0.7	10	Delaware
1	0.3	11	District of Columbia
32	10.9	12	Florida
8	2.7	13	Georgia
0	0.0	15	Hawaii
0	0.0	16	Idaho
11	3.8	17	Illinois
4	1.4	18	Indiana
3	1.0	19	Iowa
3	1.0	20	Kansas
8	2.7	21	Kentucky
4	1.4	22	Louisiana
0	0.0	23	Maine
6	2.0	24	Maryland
4	1.4	25	Massachusetts
12	4.1	26	Michigan
4	1.4	27	Minnesota
3	1.0	28	Mississippi
1	0.3	29	Missouri
1	0.3	30	Montana
1	0.3	31	Nebraska
2	0.7	32	Nevada
1	0.3	33	New Hampshire
7	2.4	34	New Jersey
2	0.7	35	New Mexico
16	5.5	36	New York
11	3.8	37	North Carolina
0	0.0	38	North Dakota
11	3.8	39	Ohio
2	0.7	40	Oklahoma
2	0.7	41	Oregon
13	4.4	42	Pennsylvania
0	0.0	44	Rhode Island

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
4	1.4	45	South Carolina
1	0.3	46	South Dakota
3	1.0	47	Tennessee
25	8.5	48	Texas
2	0.7	49	Utah
0	0.0	50	Vermont
7	2.4	51	Virginia
7	2.4	53	Washington
2	0.7	54	West Virginia
2	0.7	55	Wisconsin
1	0.3	56	Wyoming
4	1.4	92	No registration
3	1.0	93	Multiple state registration
5	1.7	94	U.S. government tags (includes military)
0	0.0	95	Canada
0	0.0	96	Mexico
0	0.0	97	Other foreign country
0	0.0	98	Other registration (includes Native American Indian Nations)
2	0.7	99	Unknown

Variable	Name	Format	Type	Length
v124	REGISTERED VEHICLE OWNER	FROWNER	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
27	9.2	0	Not applicable, vehicle not registered
7	2.4	1	Driver (in this crash) was registered owner
12	4.1	2	Driver (in this crash) not registered owner (other private owner listed)
244	83.3	3	Vehicle registered as business/company/government vehicle
1	0.3	4	Vehicle registered as rental vehicle
0	0.0	5	Vehicle was stolen (reported by police)
0	0.0	6	Driverless/motor vehicle parked/stopped off roadway/in motion outside trafficway
2	0.7	9	Unknown

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

Variable	Name	Format	Type	Length
v125	ROLLOVER	FROLL	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
267	91.1	0	No rollover
9	3.1	1	First event
17	5.8	2	Subsequent event

Variable	Name	Format	Type	Length
v126	JACKKNIFE	FJK82F	Numeric	3

Identifies the loss of control of a bus in motion where the trailing unit yaws more than 15 degrees from its normal straight line path behind the forward unit.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
291	99.3	0	Not an articulated vehicle
2	0.7	1	No
0	0.0	2	First event
0	0.0	3	Subsequent event

Variable	Name	Format	Type	Length
v127	TRAVEL SPEED	FTSPEED	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
23	7.8	0	Stopped motor vehicle in-transport
2	0.7	2	
		-	Actual miles per hour
1	0.3	80	
119	40.6	98	Not reported
45	15.4	99	Unknown

Variable	Name	Format	Type	Length
v129	VEHICLE TRAILERING	FVTOW87F	Numeric	3

Trailing unit applies to any device connected to a motor vehicle by a hitch, including tractor-trailer combinations, boat hitched onto a motor vehicle, etc. This does not include towed vehicles, such as a tow truck pulling a vehicle.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
291	99.3	0	No

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	1	Yes, one trailer
0	0.0	2	Yes, two trailers
0	0.0	3	Yes, three or more trailers
0	0.0	4	Yes, number of trailers unknown
0	0.0	5	Vehicle towing another motor vehicle
0	0.0	9	Unknown

Variable	Name	Format	Type	Length
v130	VEHICLE CONFIGURATION	FVCON01F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
13	4.4	0	Not applicable, not a medium/heavy truck, bus or vehicle displaying a hazardous material placard
1	0.3	1	Single-unit Truck (2 axles, 6 tires)
1	0.3	3	Single-unit truck (unknown number of axles, tires)
32	10.9	20	Bus (seats 9-15 people, including driver)
245	83.6	21	Bus (seats for 16 or more people, including driver)
1	0.3	99	Unknown if light or medium/heavy truck/bus

Variable	Name	Format	Type	Length
v132	CARGO BODY TYPE	FCBT01F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
13	4.4	0	Not applicable, not a medium/heavy truck or bus
1	0.3	1	Van/enclosed box
0	0.0	2	Cargo tank
0	0.0	3	Flatbed
0	0.0	4	Dump
0	0.0	5	Concrete mixer
0	0.0	6	Auto transporter
0	0.0	7	Garbage/refuse
0	0.0	8	Grain, chips, gravel
0	0.0	9	Pole
0	0.0	10	Log
0	0.0	11	Intermodal chassis
0	0.0	12	Vehicle towing another motor vehicle
32	10.9	20	Bus (seats 9-15 people, including driver)
245	83.6	21	Bus (seats for 16 or more people, including driver)

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	96	No cargo body type
0	0.0	97	Medium/heavy truck or bus, other cargo body type
0	0.0	98	Medium/heavy truck or bus, unknown cargo body type
1	0.3	99	Unknown if light or medium/heavy truck or bus

Variable	Name	Format	Type	Length
v133	SPECIAL USE	FSPECIAL	Numeric	3

Indicates that the vehicle was used for a function other than the primary function for which it was designed.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
252	86.0	0	No special use
0	0.0	1	Taxi
19	6.5	2	Vehicle used as school bus
20	6.8	3	Vehicle used as other bus
0	0.0	4	Military
0	0.0	5	Police
0	0.0	6	Ambulance
0	0.0	7	Fire truck
2	0.7	9	Unknown

Variable	Name	Format	Type	Length
v134	EMERGENCY USE	FYESNO	Numeric	3

Refers to a vehicle traveling with physical emergency signals in use, such as red light blinking, siren sounding, etc.

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	No
0	0.0	1	Yes

Variable	Name	Format	Type	Length
v135	IMPACT POINT - INITIAL	FIMPACTA	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
12	4.1	0	Noncollision
7	2.4	1	1 o'clock
1	0.3	2	2 o'clock



BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
15	5.1	3	3 o'clock
9	3.1	4	4 o'clock
7	2.4	5	5 o'clock
26	8.9	6	6 o'clock
6	2.0	7	7 o'clock
7	2.4	8	8 o'clock
17	5.8	9	9 o'clock
6	2.0	10	10 o'clock
15	5.1	11	11 o'clock
154	52.6	12	12 o'clock
1	0.3	13	Top
5	1.7	14	Undercarriage
0	0.0	18	Vehicle set something in motion causing injury or damage (not a clock point)
5	1.7	99	Unknown

Variable	Name	Format	Type	Length
v136	IMPACT POINT - PRINCIPAL	FIMPACTA	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
12	4.1	0	Noncollision
8	2.7	1	1 o'clock
0	0.0	2	2 o'clock
14	4.8	3	3 o'clock
8	2.7	4	4 o'clock
9	3.1	5	5 o'clock
22	7.5	6	6 o'clock
7	2.4	7	7 o'clock
7	2.4	8	8 o'clock
17	5.8	9	9 o'clock
6	2.0	10	10 o'clock
15	5.1	11	11 o'clock
150	51.2	12	12 o'clock
4	1.4	13	Top
8	2.7	14	Undercarriage
0	0.0	18	Vehicle set something in motion causing injury or damage (not a clock point)
6	2.0	99	Unknown

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

Variable	Name	Format	Type	Length
v137	EXTENT OF DEFORMATION	FEDEFORM	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
50	17.1	0	None
54	18.4	2	Other (minor)
66	22.5	4	Functional (moderate)
111	37.9	6	Disabling (severe)
12	4.1	9	Unknown

Variable	Name	Format	Type	Length
v138	VEHICLE ROLE	FIMPAC	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
12	4.1	0	Non-collision
152	51.9	1	Striking
122	41.6	2	Struck
7	2.4	3	Both

Variable	Name	Format	Type	Length
v139	MANNER OF LEAVING SCENE	FTOW82F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
102	34.8	1	Driven
182	62.1	2	Towed away
1	0.3	3	Abandoned/left at scene
8	2.7	9	Unknown

Variable	Name	Format	Type	Length
v140	FIRE OCCURRENCE	FFIRE	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
289	98.6	0	No fire
3	1.0	1	Fire occurred in this vehicle during accident
1	0.3	2	Fire occurred in this vehicle and initiated fire/explosion in another vehicle

Variable	Name	Format	Type	Length
v142	VEHICLE MANEUVER	FV_MAN	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
187	63.8	1	Going straight
5	1.7	2	Slowing or stopping in traffic lane
6	2.0	3	Starting in traffic lane
24	8.2	4	Stopped in traffic lane
2	0.7	5	Passing or overtaking another vehicle
2	0.7	6	Leaving a parked position
0	0.0	7	Parked
0	0.0	8	Entering a parked position
3	1.0	9	Controlled maneuver to avoid animal, pedestrian, object, another vehicle, etc.
0	0.0	10	Turning right: right turn on red permitted
0	0.0	11	Turning right: right turn on red not permitted
7	2.4	12	Turning right: right turn on red not known if permitted or right turn on red not applicable
39	13.3	13	Turning left
0	0.0	14	Making a U-turn
0	0.0	15	Backing up (other than for parking purposes)
0	0.0	16	Changing lanes or merging
16	5.5	17	Negotiating a curve
1	0.3	98	Other
1	0.3	99	Unknown

Variable	Name	Format	Type	Length
v143	CRASH AVOIDANCE MANUEVER	FCAVOID	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
140	47.8	0	No avoidance maneuver reported
7	2.4	1	Braking (skid marks evident)
5	1.7	2	Braking (no skid marks; driver stated)
0	0.0	3	Braking (other reported evidence)
21	7.2	4	Steering (evidence or stated)
26	8.9	5	Steering and braking (evidence or stated)
2	0.7	6	Other avoidance maneuver
92	31.4	8	Not reported/inconclusive (by police)

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

Variable	Name	Format	Type	Length
v144	MOST HARMFUL EVENT	FFHE82F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
19	6.5	1	Overturn/rollover
1	0.3	2	Fire/explosion
0	0.0	3	Immersion
0	0.0	4	Gas inhalation
4	1.4	5	Fell/jumped from vehicle
2	0.7	6	Injured in vehicle (other than cargo/equipment loss/shift)
1	0.3	7	Other non-collision
73	24.9	8	Pedestrian
15	5.1	9	Pedal cycle
0	0.0	10	Railway train
0	0.0	11	Live animal
170	58.0	12	Motor vehicle in-transport on same roadway
0	0.0	13	Motor vehicle in-transport on different roadway
0	0.0	14	Parked motor vehicle or motor vehicle stopped off roadway
1	0.3	15	Non-motorist on personal conveyance
0	0.0	16	Thrown or falling object
0	0.0	17	Boulder
0	0.0	18	Other object (not fixed)
0	0.0	19	Building
1	0.3	20	Impact attenuator/crash cushion
0	0.0	21	Bridge pier or abutment
0	0.0	22	Bridge parapet end
0	0.0	23	Bridge rail
0	0.0	24	Guardrail face
0	0.0	25	Concrete traffic barrier
0	0.0	26	Other traffic barrier
0	0.0	27	Highway/traffic sign post/sign
0	0.0	28	Overhead sign support/sign
0	0.0	29	Luminaire/light support
0	0.0	30	Utility pole
0	0.0	31	Other post, other pole or other supports
0	0.0	32	Culvert
0	0.0	33	Curb
0	0.0	34	Ditch
1	0.3	35	Embankment - earth
0	0.0	36	Embankment - rock, stone or concrete

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	37	Embankment - material type unknown
0	0.0	38	Fence
0	0.0	39	Wall
0	0.0	40	Fire hydrant
0	0.0	41	Shrubbery
3	1.0	42	Tree (standing tree only)
0	0.0	43	Other fixed object
0	0.0	44	Pavement surface irregularity (pothole, grooved, grates)
1	0.3	45	Working motor vehicle (construction, maintenance or utility vehicle only)
0	0.0	46	Traffic signal support/signal
0	0.0	47	Vehicle occupant struck or run over by own vehicle
0	0.0	48	Snow bank
0	0.0	49	Ridden animal or animal-drawn conveyance
0	0.0	50	Bridge overhead structure
0	0.0	51	Jackknife (causing injury or damage)
0	0.0	52	Guardrail end
0	0.0	53	Mail box
1	0.3	54	Motor vehicle in-transport strikes or is struck by cargo, persons or objects set-in-motion from/by another motor vehicle in-transport
0	0.0	55	Motor vehicle in motion outside the trafficway
0	0.0	57	Cable barrier
0	0.0	60	Cargo/equipment loss or shift (causing injury or damage)
0	0.0	99	Unknown

The following list shows the code values given above grouped by collision type.

Noncollision Event

- 01 = Overturn/rollover
- 02 = Fire/explosion
- 03 = Immersion
- 04 = Gas inhalation
- 05 = Fell/jumped from vehicle
- 06 = Injured in vehicle (other than cargo/equipment loss or shift)
- 07 = Other non-collision
- 16 = Thrown or falling object
- 44 = Pavement surface irregularity (pothole, grooved, grates)
- 47 = Vehicle occupant struck or run over by own vehicle
- 51 = Jackknife (causing injury or damage)
- 60 = Cargo/equipment loss or shift (causing injury or damage)

## Collision with Motor Vehicle

*Collision Involving Motor Vehicles In-Transport*

12 = Motor vehicle in-transport on same roadway

13 = Motor vehicle in-transport on different roadway

54 = Motor vehicle in-transport strikes or is struck by cargo, persons, or objects set-in-motion from/by another motor vehicle in-transport

*Collision Involving Motor Vehicles Not In-Transport*

14 = Parked motor vehicle or motor vehicle stopped off roadway

45 = Working motor vehicle (construction, maintenance or utility vehicle only)

55 = Other not in-transport motor vehicle

## Collision with Object Not Fixed

08 = Pedestrian

09 = Pedalcycle

10 = Railway train

11 = Live animal

15 = Nonmotorist on personal conveyance

18 = Other object (not fixed)

49 = Ridden animal or animal-drawn conveyance

## Collision with Fixed Object

17 = Boulder

19 = Building

20 = Impact attenuator/crash cushion

21 = Bridge pier or abutment

22 = Bridge parapet end

23 = Bridge rail

24 = Guardrail face

25 = Concrete traffic barrier

26 = Other traffic barrier

27 = Highway/traffic sign post/sign

28 = Overhead sign support/sign

29 = Luminaire/light support

30 = Utility pole

31 = Other post, other pole or other supports

32 = Culvert

33 = Curb

34 = Ditch

35 = Embankment – earth

36 = Embankment – rock, stone or concrete

37 = Embankment – material type unknown

- 38 = Fence
- 39 = Wall
- 40 = Fire hydrant
- 41 = Shrubbery
- 42 = Tree (standing tree only)
- 43 = Other fixed object
- 46 = Traffic signal support/signal
- 48 = Snow bank
- 50 = Bridge overhead structure
- 52 = Guardrail end
- 53 = Mail box
- 57 = Cable barrier

Variable	Name	Format	Type	Length
v145	NUMBER OF DEATHS IN VEH	FVDEATH	Numeric	3

NUMBER OF DEATHS IN VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
252	86.0	0	0 deaths
29	9.9	1	1 death
4	1.4	2	2 deaths
2	0.7	3	3 deaths
2	0.7	4	4 deaths
1	0.3	7	7 deaths
2	0.7	9	9 deaths
1	0.3	17	17 deaths

Variable	Name	Format	Type	Length
v151	VIN TRUCK FUEL CODE	V151_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	1	(E) Electric operated
20	6.8	2	(G) Gas
98	33.4	3	(D) Diesel
0	0.0	4	(P) Propane
3	1.0	7	(*) Not available from vehicle identification number
0	0.0	8	(b) Unknown
172	58.7	9	(9) No vehicle identification number information

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

Variable	Name	Format	Type	Length
v152	VIN TRUCK WEIGHT CODE		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
3	1.0	0	Value not returned
14	4.8	2	6,001 – 10,000 lbs
14	4.8	3	10,001 – 14,000 lbs
9	3.1	4	14,001 – 16,000 lbs
6	2.0	5	16,001 – 19,500 lbs
14	4.8	6	19,501 – 26,000 lbs
61	20.8	7	26,001 – 33,000 lbs
2	0.7	8	33,001 lbs or more
170	58.0	9	Value not coded

Variable	Name	Format	Type	Length
v153	VIN TRUCK SERIES		Char	3

Variable	Name	Format	Type	Length
v155	LENGTH OF VIN		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	17	17 characters

Variables 156 through 161 are added by UMTRI to indicate the number of persons in the vehicle with injury severity of level zero through five, respectively, for occupant variable v329 (INJURY SEVERITY).

Variable	Name	Format	Type	Length
v156	NUMBER UNINJURED IN VEH	FVUNINJ	Numeric	8

NUMBER OF UNINJURED IN VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
110	37.5	0	0 uninjured
172	58.7	1	1 uninjured
5	1.7	3	3 uninjured
1	0.3	4	4 uninjured
3	1.0	5	5 uninjured



<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	7	7 uninjured
1	0.3	10	10 uninjured

Variable	Name	Format	Type	Length
v157	NUMBER C-INJURED IN VEH	FVCINJ	Numeric	8

NUMBER OF C-INJURED IN VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
212	72.4	0	0 C-injured
29	9.9	1	1 C-injured
11	3.8	2	2 C-injured
10	3.4	3	3 C-injured
11	3.8	4	4 C-injured
4	1.4	5	5 C-injured
5	1.7	6	6 C-injured
2	0.7	7	7 C-injured
5	1.7	9	9 C-injured
1	0.3	12	12 C-injured
1	0.3	15	15 C-injured
1	0.3	17	17 C-injured
1	0.3	39	39 C-injured

Variable	Name	Format	Type	Length
v158	NUMBER B-INJURED IN VEH	FVBINJ	Numeric	8

NUMBER OF B-INJURED IN VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
223	76.1	0	0 B-injured
38	13.0	1	1 B-injured
7	2.4	2	2 B-injured
3	1.0	3	3 B-injured
7	2.4	4	4 B-injured
2	0.7	5	5 B-injured
2	0.7	6	6 B-injured
1	0.3	8	8 B-injured
1	0.3	9	9 B-injured
3	1.0	10	10 B-injured

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	11	11 B-injured
1	0.3	14	14 B-injured
1	0.3	17	17 B-injured
1	0.3	19	19 B-injured
1	0.3	20	20 B-injured
1	0.3	31	31 B-injured

Variable	Name	Format	Type	Length
v159	NUMBER A-INJURED IN VEH	FVAINJ	Numeric	8

---

NUMBER OF A-INJURED IN VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
263	89.8	0	0 A-injured
13	4.4	1	1 A-injured
3	1.0	2	2 A-injured
2	0.7	3	3 A-injured
1	0.3	4	4 A-injured
1	0.3	5	5 A-injured
2	0.7	6	6 A-injured
2	0.7	8	8 A-injured
1	0.3	14	14 A-injured
1	0.3	15	15 A-injured
1	0.3	19	19 A-injured
1	0.3	22	22 A-injured
1	0.3	23	23 A-injured
1	0.3	28	28 A-injured

Variable	Name	Format	Type	Length
v160	NUMBER K-INJURED IN VEH	FVKINJ	Numeric	8

---

NUMBER OF K-INJURED IN VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
252	86.0	0	0 killed
29	9.9	1	1 killed
4	1.4	2	2 killed
2	0.7	3	3 killed
2	0.7	4	4 killed

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	7	7 killed
2	0.7	9	9 killed
1	0.3	17	17 killed

Variable	Name	Format	Type	Length
v161	NUM UNK INJURED IN VEH	FVUNKINJ	Numeric	8

NUMBER OF UNKNOWN INJURED IN VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
288	98.3	0	0 unknown injured
1	0.3	1	1 unknown injured
2	0.7	2	2 unknown injured
1	0.3	5	5 unknown injured
1	0.3	8	8 unknown injured

Variable	Name	Format	Type	Length
v162	VEH RELATED FACTORS #1	FVRF	Numeric	3

RELATED FACTORS AT VEHICLE LEVEL – RESPONSE #1

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
283	96.6	0	None
Vehicle condition(s) noted			
3	1.0	1	Tires
2	0.7	2	Brake system
0	0.0	3	Steering system
0	0.0	4	Suspension
0	0.0	5	Power train
0	0.0	6	Exhaust system
0	0.0	7	Headlights
0	0.0	8	Signal lights
0	0.0	9	Other lights
0	0.0	10	Horn
0	0.0	11	Mirrors
0	0.0	12	Wipers
0	0.0	13	Driver seating and control
0	0.0	14	Body, doors, hood, other

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	15	Trailer hitch
0	0.0	16	Wheels
0	0.0	17	Air bag
0	0.0	18	Other vehicle defects
0	0.0	19	Safety belts
Special vehicle flags			
2	0.7	31	Hit-and-run vehicle
2	0.7	32	Vehicle registration for handicapped
0	0.0	33	Vehicle being pushed by non-motorist
0	0.0	35	Reconstructed/altered vehicle
0	0.0	36	Electric/alternative fuel vehicle
0	0.0	37	Transporting children to/from Head Start/day care
0	0.0	39	Highway construction, maintenance or utility vehicle, in-transport (inside or outside work zone)
0	0.0	40	Highway incident response vehicle
0	0.0	41	Police, fire, or emergency services vehicle working at the scene of an emergency or performing other traffic control activities
1	0.3	42	Other working vehicle (not construction, maintenance, utility, police, fire, or emergency services vehicle)
0	0.0	44	Adaptive equipment
0	0.0	99	Unknown

Variable	Name	Format	Type	Length
v163	VEH RELATED FACTORS #2	FVRF	Numeric	3

RELATED FACTORS AT VEHICLE LEVEL – RESPONSE #2

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	None

Variable	Name	Format	Type	Length
v164	UNDERRIDE/OVERRIDE	FURID05F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
291	99.3	0	No underride or override

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
			Underriding a motor vehicle in-transport
0	0.0	1	Underride, compartment intrusion
0	0.0	2	Underride, no compartment intrusion
0	0.0	3	Underride, compartment intrusion unknown
2	0.7	7	Overriding a motor vehicle in-transport
0	0.0	8	Overriding a motor vehicle not in-transport
0	0.0	9	Unknown if underride or override

Variable	Name	Format	Type	Length
v170	MOTOR CARRIER ID		Char	11

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
			Issuing authority (columns 1-2)
13	4.4	00	Not applicable
1	0.3	04	
		-	FARS state code
1	0.3	56	
57	19.5	57	US DOT
1	0.3	58	MC/MX (ICC)
110	37.5	88	None
55	18.8	99	Unknown

			Identification number (columns 3-11)
		00000000	Not applicable
		88888888	None
		99999999	Unknown

Variable	Name	Format	Type	Length
v171	BUS USE	FBUSUSE	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
13	4.4	0	Not used as a bus
90	30.7	1	Used as a public school bus
7	2.4	2	Used as a private school bus

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
35	11.9	3	Used as a school bus, public or private unknown
71	24.2	4	Used as a scheduled service bus
17	5.8	5	Used as a tour bus
23	7.8	6	Used as a commuter bus
15	5.1	7	Used as a shuttle bus
2	0.7	8	Modified for personal/private use
20	6.8	9	Unknown bus use

Variable	Name	Format	Type	Length
v172	GROSS WEIGHT RATING-GVWR	FGVWR	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
13	4.4	0	Not applicable
14	4.8	1	10,000 lbs or less
59	20.1	2	10,001 - 26,000 lbs
193	65.9	3	26,001 lbs or more
14	4.8	9	Unknown

Variable	Name	Format	Type	Length
v173	EVENT #1	FSEQ04F	Numeric	3

---

## EVENT #1 RELATED TO THIS MOTOR VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	No event
2	0.7	1	Overturn/rollover
0	0.0	2	Fire/explosion
0	0.0	3	Immersion
0	0.0	4	Gas inhalation
3	1.0	5	Fell/jumped from vehicle
2	0.7	6	Injured in vehicle (other than cargo/equipment loss or shift)
2	0.7	7	Other non-collision
72	24.6	8	Pedestrian
15	5.1	9	Pedal cycle
0	0.0	10	Railway train
0	0.0	11	Live animal
172	58.7	12	Motor vehicle in-transport on same roadway
0	0.0	13	Motor vehicle in-transport on different roadway

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	14	Parked motor vehicle or vehicle stopped off roadway
1	0.3	15	Non-motorist on personal conveyance
0	0.0	16	Thrown or falling object
0	0.0	17	Boulder
0	0.0	18	Other object (not fixed)
0	0.0	19	Building
0	0.0	20	Impact attenuator/crash cushion
0	0.0	21	Bridge pier or abutment
0	0.0	22	Bridge parapet end
0	0.0	23	Bridge rail
1	0.3	24	Guardrail face
0	0.0	25	Concrete traffic barrier
0	0.0	26	Other traffic barrier
0	0.0	27	Highway/traffic sign post/sign
0	0.0	28	Overhead sign support/sign
0	0.0	29	Luminaire/light support
0	0.0	30	Utility pole
0	0.0	31	Other post, other pole or other supports
0	0.0	32	Culvert
0	0.0	33	Curb
0	0.0	34	Ditch
0	0.0	35	Embankment - earth
0	0.0	36	Embankment - rock, stone or concrete
0	0.0	37	Embankment - material type unknown
0	0.0	38	Fence
0	0.0	39	Wall
0	0.0	40	Fire hydrant
0	0.0	41	Shrubbery
0	0.0	42	Tree (standing tree only)
0	0.0	43	Other fixed object
0	0.0	44	Pavement surface irregularity (pothole, grooved, grates)
1	0.3	45	Working motor vehicle (construction, maintenance or utility vehicle only)
0	0.0	46	Traffic signal support/signal
0	0.0	47	Vehicle occupant struck or run over by own vehicle
0	0.0	48	Snow bank
0	0.0	49	Ridden animal or animal-drawn conveyance
0	0.0	50	Bridge overhead structure
0	0.0	51	Jackknife

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	52	Guardrail end
0	0.0	53	Mail box
1	0.3	54	Motor vehicle in-transport strikes or is struck by cargo, persons or objects set-in-motion from/by another motor vehicle in-transport
0	0.0	55	Motor vehicle in motion outside the trafficway
0	0.0	57	Cable Barrier
0	0.0	60	Cargo/equipment loss or shift (causing injury or damage)
2	0.7	61	Equipment failure (blown tire, brake failure, etc.)
0	0.0	62	Separation of units
10	3.4	63	Ran off road - right
4	1.4	64	Ran off road - left
5	1.7	65	Cross median/centerline
0	0.0	66	Downhill runaway
0	0.0	67	Vehicle went airborne
0	0.0	99	Unknown

Variable	Name	Format	Type	Length
v174	EVENT #2	FSEQ04F	Numeric	3

EVENT #2 RELATED TO THIS MOTOR VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
219	74.7	0	No event
6	2.0	1	Overturn/rollover
3	1.0	2	Fire/explosion
1	0.3	5	Fell/jumped from vehicle
2	0.7	8	Pedestrian
15	5.1	12	Motor vehicle in-transport on same roadway
1	0.3	20	Impact attenuator/crash cushion
1	0.3	23	Bridge rail
2	0.7	24	Guardrail face
1	0.3	27	Highway/traffic sign post/sign
1	0.3	33	Curb
1	0.3	37	Embankment - material type unknown
2	0.7	42	Tree (standing tree only)
1	0.3	43	Other fixed object
1	0.3	61	Equipment failure (blown tire, brake failure, etc.)
1	0.3	62	Separation of units



<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
18	6.1	63	Ran off road - right
12	4.1	64	Ran off road - left
5	1.7	65	Cross median/centerline

Variable	Name	Format	Type	Length
v175	EVENT #3	FSEQ04F	Numeric	3

---

EVENT #3 RELATED TO THIS MOTOR VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
256	87.4	0	No event
12	4.1	1	Overturn/rollover
4	1.4	12	Motor vehicle in-transport on same roadway
3	1.0	24	Guardrail face
1	0.3	30	Utility pole
2	0.7	33	Curb
3	1.0	34	Ditch
1	0.3	37	Embankment - material type unknown
1	0.3	38	Fence
1	0.3	42	Tree (standing tree only)
5	1.7	63	Ran off road - right
3	1.0	64	Ran off road - left
1	0.3	65	Cross median/centerline

Variable	Name	Format	Type	Length
v176	EVENT #4	FSEQ04F	Numeric	3

---

EVENT #4 RELATED TO THIS MOTOR VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
276	94.2	0	No event
3	1.0	1	Overturn/rollover
1	0.3	2	Fire/explosion
1	0.3	12	Motor vehicle in-transport on same roadway
1	0.3	14	Parked motor vehicle or vehicle stopped off roadway
1	0.3	25	Concrete traffic barrier
1	0.3	27	Highway/traffic sign post/sign
1	0.3	30	Utility pole
1	0.3	37	Embankment - material type unknown

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	38	Fence
3	1.0	42	Tree (standing tree only)
2	0.7	65	Cross median/centerline
1	0.3	67	Vehicle went airborne

Variable	Name	Format	Type	Length
v177	EVENT #5	FSEQ04F	Numeric	3

---

## EVENT #5 RELATED TO THIS MOTOR VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
286	97.6	0	No event
2	0.7	1	Overturn/rollover
1	0.3	14	Parked motor vehicle or vehicle stopped off roadway
1	0.3	24	Guardrail face
3	1.0	64	Ran off road - left

Variable	Name	Format	Type	Length
v178	EVENT #6	FSEQ04F	Numeric	3

---

## EVENT #6 RELATED TO THIS MOTOR VEHICLE

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	No event
1	0.3	1	Overturn/rollover
1	0.3	19	Building
1	0.3	24	Guardrail face
1	0.3	25	Concrete traffic barrier
1	0.3	35	Embankment - earth
1	0.3	63	Ran off road - right

Variable	Name	Format	Type	Length
v179	HAZARDOUS MATERIAL CLASS NUMBER	FHAZ4F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	Not applicable

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

Variable	Name	Format	Type	Length
v180	HAZARDOUS MATERIAL ID NUMBER	FHAZ3F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	Not applicable

Variable	Name	Format	Type	Length
v181	HAZARDOUS MATERIAL INVOLVEMENT	FHAZ07F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	1	No

Variable	Name	Format	Type	Length
v182	HAZARDOUS MATERIAL PLACARD	FHAZ2F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	Not applicable

Variable	Name	Format	Type	Length
v183	HAZARDOUS MATERIAL RELEASED	FHAZ2F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	Not applicable

Variable	Name	Format	Type	Length
v184	MCID ISSUING AUTHORITY	FSTATES	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
14	4.8	0	Not applicable
22	7.5	6	
		-	FARS state code
2	0.7	56	
57	19.5	57	US DOT
1	0.3	58	MC/MX (ICC)
110	37.5	88	None
55	18.8	99	Unknown

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS VEHICLE VARIABLES

Variable	Name	Format	Type	Length
v185	MCID IDENTIFICATION NUMBER		Char	9

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	00010206	
		-	MCID identification number
1	0.3	899147	
13	4.4	00000000	Not applicable
116	39.6	88888888	None
82	28.0	99999999	Unknown

### The DRIVER Variables

Variables 207 through 236 describe the driver of the bus involved in the accident.

Variable	Name	Format	Type	Length
v207	DRIVER PRESENCE	FDRIVER	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	1	Driver-operated vehicle
0	0.0	2	Driverless
0	0.0	3	Driver left scene
0	0.0	4	Motor vehicle not in-transport (parked/stopped off roadway/working motor vehicle)

Variable	Name	Format	Type	Length
v208	DRIVER DRINKING	FDRIVEDR	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
288	98.3	0	No (alcohol not involved)
5	1.7	1	Yes (alcohol involved)
0	0.0	8	Not reported

Variable	Name	Format	Type	Length
v209	LICENSE STATE	FSTATES	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
4	1.4	1	Alabama
0	0.0	2	Alaska
10	3.4	4	Arizona
2	0.7	5	Arkansas
31	10.6	6	California
1	0.3	8	Colorado
3	1.0	9	Connecticut
2	0.7	10	Delaware
0	0.0	11	District of Columbia
31	10.6	12	Florida
11	3.8	13	Georgia
0	0.0	15	Hawaii
1	0.3	16	Idaho

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
14	4.8	17	Illinois
4	1.4	18	Indiana
2	0.7	19	Iowa
3	1.0	20	Kansas
8	2.7	21	Kentucky
5	1.7	22	Louisiana
0	0.0	23	Maine
7	2.4	24	Maryland
3	1.0	25	Massachusetts
12	4.1	26	Michigan
3	1.0	27	Minnesota
4	1.4	28	Mississippi
4	1.4	29	Missouri
1	0.3	30	Montana
1	0.3	31	Nebraska
2	0.7	32	Nevada
1	0.3	33	New Hampshire
7	2.4	34	New Jersey
0	0.0	35	New Mexico
15	5.1	36	New York
12	4.1	37	North Carolina
0	0.0	38	North Dakota
11	3.8	39	Ohio
2	0.7	40	Oklahoma
2	0.7	41	Oregon
15	5.1	42	Pennsylvania
1	0.3	44	Rhode Island
4	1.4	45	South Carolina
2	0.7	46	South Dakota
5	1.7	47	Tennessee
24	8.2	48	Texas
2	0.7	49	Utah
0	0.0	50	Vermont
8	2.7	51	Virginia
7	2.4	53	Washington
2	0.7	54	West Virginia
1	0.3	55	Wisconsin
1	0.3	56	Wyoming

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	96	Mexico
1	0.3	99	Unknown

Variable	Name	Format	Type	Length
v210A	NON-CDL LICENSE TYPE	FLTYPF	Numeric	3

NON-CDL LICENSE TYPE, REGARDLESS OF VEHICLE DRIVEN

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	Not licensed
290	99.0	1	Full driver license
0	0.0	2	Intermediate driver license
0	0.0	7	Learner's permit
0	0.0	8	Temporary license
3	1.0	9	Unknown license type

Variable	Name	Format	Type	Length
v210B	NON-CDL LICENSE STATUS	FLST93F	Numeric	3

NON-CDL LICENSE STATUS, REGARDLESS OF VEHICLE DRIVEN

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	Not licensed
2	0.7	1	Suspended
0	0.0	2	Revoked
0	0.0	3	Expired
0	0.0	4	Canceled or denied
288	98.3	6	Valid
3	1.0	9	Unknown license status

Variable	Name	Format	Type	Length
v211	LICENSE CLASS COMPLIANCE	FCOM87F	Numeric	3

LICENSE COMPLIANCE (FOR THIS CLASS VEHICLE)

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	Not licensed
0	0.0	1	No license required for this class vehicle

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	2	No valid license for this class vehicle
288	98.3	3	Valid license for this class vehicle
0	0.0	8	Unknown if commercial driver license and/or commercial driver license endorsement required for this vehicle
3	1.0	9	Unknown

Variable	Name	Format	Type	Length
v212	CDL LICENSE STATUS	FCDL93F	Numeric	3

---

## COMMERCIAL MOTOR VEHICLE LICENSE STATUS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
20	6.8	0	No (commercial driver license)
0	0.0	1	Suspended
0	0.0	2	Revoked
1	0.3	3	Expired
0	0.0	4	Canceled or denied
1	0.3	5	Disqualified
262	89.4	6	Valid
6	2.0	7	Learner's permit
0	0.0	8	Other - not valid
3	1.0	9	Unknown

Variable	Name	Format	Type	Length
v213	LICENSE ENDORSEMENTS	FEND91F	Numeric	3

---

## COMPLIANCE WITH LICENSE ENDORSEMENTS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
84	28.7	0	No endorsements required for this vehicle
153	52.2	1	Endorsement(s) required, complied with
1	0.3	2	Endorsement(s) required, not complied with
53	18.1	3	Endorsement(s) required, compliance unknown
2	0.7	9	Unknown if required



Variable	Name	Format	Type	Length
v214	LICENSE RESTRICTIONS MET	FLREST	Numeric	3

COMPLIANCE WITH LICENSE RESTRICTIONS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
162	55.3	0	No restrictions or not applicable
31	10.6	1	Restrictions complied with
2	0.7	2	Restrictions not complied with
94	32.1	3	Restrictions, compliance unknown
4	1.4	9	Unknown

Variable	Name	Format	Type	Length
v216	NUMBER OF PREV ACCIDENTS	FNOPAC	Numeric	3

NUMBER OF PREVIOUS RECORDED ACCIDENTS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
213	72.7	0	0 accidents
42	14.3	1	1 accident
14	4.8	2	2 accidents
4	1.4	3	3 accidents
1	0.3	5	5 accidents
15	5.1	98	Accidents not reported on driving record
4	1.4	99	Unknown

Variable	Name	Format	Type	Length
v217	NUMBER PREV SUSPENSIONS	FNOPSUS	Numeric	3

NUMBER OF PREVIOUS SUSPENSIONS/REVOICATIONS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
275	93.9	0	0 suspensions
7	2.4	1	1 suspension
3	1.0	2	2 suspensions
2	0.7	3	3 suspensions
1	0.3	7	7 suspensions
1	0.3	13	13 suspensions
4	1.4	99	Unknown

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

Variable	Name	Format	Type	Length
v218	NUMBER OF PREV DWI CONV	FNODWI	Numeric	3

NUMBER OF PREVIOUS DRIVING WHILE UNDER THE INFLUENCE CONVICTIONS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
288	98.3	0	0 driving while intoxicated convictions
1	0.3	1	1 driving while intoxicated conviction
4	1.4	99	Unknown

Variable	Name	Format	Type	Length
v219	NUM PREV SPEEDING CONV	FNOPSPD	Numeric	3

NUMBER OF PREVIOUS SPEEDING CONVICTIONS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
261	89.1	0	0 speed convictions
24	8.2	1	1 speed conviction
3	1.0	2	2 speed convictions
1	0.3	4	4 speed convictions
4	1.4	99	Unknown

Variable	Name	Format	Type	Length
v220	NUM PREV OTHER MV CONV	FNOPTH	Numeric	3

NUMBER OF PREVIOUS OTHER HARMFUL MOVING VIOLATIONS CONVICTIONS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
248	84.6	0	0 other convictions
36	12.3	1	1 other conviction
5	1.7	2	2 other convictions
4	1.4	99	Unknown

Variable	Name	Format	Type	Length
v221	LAST ACCIDENT - MONTH	FACMONTH	Numeric	3

LAST ACCIDENT/SUSPENSION/CONVICTION – MONTH

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
177	60.4	0	No record

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
8	2.7	1	January
5	1.7	2	February
14	4.8	3	March
8	2.7	4	April
10	3.4	5	May
5	1.7	6	June
14	4.8	7	July
9	3.1	8	August
10	3.4	9	September
9	3.1	10	October
7	2.4	11	November
13	4.4	12	December
4	1.4	99	Unknown

Variable	Name	Format	Type	Length
v222	LAST ACCIDENT - YEAR		Numeric	4

---

LAST ACCIDENT/SUSPENSION/CONVICTION – YEAR

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
177	60.4	0	No record
6	2.0	2005	2005
34	11.6	2006	2006
44	15.0	2007	2007
28	9.6	2008	2008
4	1.4	9999	Unknown

Variable	Name	Format	Type	Length
v223	FIRST ACCIDENT - MONTH	FACMONTH	Numeric	3

---

FIRST ACCIDENT/SUSPENSION/CONVICTION – MONTH

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
177	60.4	0	No record
8	2.7	1	January
5	1.7	2	February
12	4.1	3	March
7	2.4	4	April
10	3.4	5	May

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
8	2.7	6	June
12	4.1	7	July
11	3.8	8	August
12	4.1	9	September
8	2.7	10	October
8	2.7	11	November
11	3.8	12	December
4	1.4	99	Unknown

Variable	Name	Format	Type	Length
v224	FIRST ACCIDENT - YEAR		Numeric	4

FIRST ACCIDENT/SUSPENSION/CONVICTION – YEAR

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
177	60.4	0	No record
19	6.5	2005	2005
39	13.3	2006	2006
39	13.3	2007	2007
15	5.1	2008	2008
4	1.4	9999	Unknown

Variable	Name	Format	Type	Length
v227	DRIVER RELATED FACTORS#1	FDRF02F	Numeric	3

FACTORS AT DRIVER LEVEL – RESPONSE #1

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
201	68.6	0	None
			Physical/mental condition
1	0.3	1	Drowsy, sleepy, asleep, fatigued
0	0.0	2	Ill, passed out/blackout
0	0.0	3	Emotional (e.g., depression, angry, disturbed)
0	0.0	4	Reaction to or failure to take drugs/medication
0	0.0	5	Under the influence of alcohol, drugs or medication
13	4.4	6	Careless/inattentive
0	0.0	7	Restricted to wheelchair
0	0.0	8	Aggressive driving/road rage

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	9	Impaired due to previous injury
0	0.0	11	Other physical impairment (includes paraplegic)
0	0.0	12	Mother of dead fetus
0	0.0	13	Mentally challenged
0	0.0	15	Seat back not in normal upright position, seat back reclined
0	0.0	16	Police or law enforcement officer
Miscellaneous causes			
0	0.0	18	Traveling on prohibited trafficways
0	0.0	19	Legally driving on suspended or revoked license
0	0.0	20	Leaving vehicle unattended with engine running
1	0.3	21	Overloading/improper loading of vehicle with passengers or cargo
0	0.0	22	Towing or pushing improperly
1	0.3	23	Failing to dim lights or to have lights on when required
0	0.0	24	Operating without required equipment
1	0.3	26	Following improperly
0	0.0	27	Improper or erratic lane changing
7	2.4	28	Failure to keep in proper lane
1	0.3	29	Illegal driving on road shoulder, ditch, sidewalk, median
0	0.0	30	Making improper entry to or exit from trafficway
1	0.3	31	Starting or backing improperly
0	0.0	32	Opening closure into moving traffic or while vehicle is in motion
0	0.0	33	Passing where prohibited by posted signs, school bus warning, etc.
0	0.0	34	Passing on wrong side
0	0.0	35	Passing with insufficient distance/inadequate visibility; failing to yield to overtaking vehicle
2	0.7	36	Operating vehicle in an erratic, reckless, negligent manner
25	8.5	38	Failure to yield right-of-way
3	1.0	39	Failure to obey traffic signs, control devices, officers, etc.
0	0.0	40	Passing through or around barrier
0	0.0	41	Failure to observe warnings/instructions on vehicle displaying them
0	0.0	42	Failure to signal intentions
2	0.7	43	Driving too fast for conditions
4	1.4	44	Driving in excess of posted maximum
0	0.0	45	Driving less than posted minimum
0	0.0	46	Racing

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	47	Making right turn from left turn lane; or left turn from right turn lane
4	1.4	48	Making other improper turn
0	0.0	50	Driving wrong way in one-way traffic
0	0.0	51	Driving on wrong side of road (intentional or unintentional)
0	0.0	52	Operator inexperience
0	0.0	53	Unfamiliar with roadway
0	0.0	54	Stopped in roadway (vehicle not abandoned)
0	0.0	55	Underriding a parked truck
0	0.0	57	Locked wheel
0	0.0	58	Overcorrecting
0	0.0	59	Getting off/out of or on/into vehicle

Vision obscured by:

0	0.0	61	Rain, snow, fog, smoke, sand, dust
1	0.3	62	Reflected glare, bright sunlight, headlights
0	0.0	63	Curve, hill, design features (including traffic signs, embankment)
0	0.0	64	Building, billboard, other structures
1	0.3	65	Trees, crops, vegetation
0	0.0	66	Motor vehicle (including load)
0	0.0	67	Parked vehicle
0	0.0	68	Splash or spray of passing vehicle
0	0.0	69	Inadequate defrost or defog system
0	0.0	70	Inadequate lighting system
1	0.3	71	Obstructing angles on vehicle
0	0.0	72	Mirrors
0	0.0	75	Broken or improperly cleaned windshield
1	0.3	76	Other visual obstruction

Avoiding, swerving, or sliding due to:

0	0.0	77	Severe crosswind
0	0.0	78	Wind from passing truck
0	0.0	79	Slippery or loose surface
2	0.7	80	Tire blow-out or flat
0	0.0	81	Debris or objects in road
0	0.0	82	Ruts, holes, bumps in road
1	0.3	83	Live animals in road
0	0.0	84	Vehicle in road

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	85	Phantom vehicle
0	0.0	86	Pedestrian, pedalcyclist, or other nonmotorist
3	1.0	87	Ice, snow, slush, water, sand, dirt, oil, wet leaves on road
0	0.0	88	Trailer fishtailing or swaying
Special circumstances			
0	0.0	73	Driver not complied with learner's permit/intermediate driver license restrictions
2	0.7	74	Driver not complied with physical/other imposed restrictions
1	0.3	89	Hauling hazardous material improperly
2	0.7	90	Hit and run vehicle, driver
1	0.3	91	Nontraffic violation charged - manslaughter, homicide, other
3	1.0	92	Other nonmoving traffic violations
Possible distractions (inside vehicle)			
3	1.0	93	Cellular phone present in vehicle
1	0.3	94	Cellular phone in use in vehicle
0	0.0	95	Computer/fax machines/printers
0	0.0	96	On-board navigation system
0	0.0	97	Two-way radio
0	0.0	98	Head-up display
3	1.0	99	Unknown

Variable	Name	Format	Type	Length
v228	DRIVER RELATED FACTORS#2	FDRF02F	Numeric	3

FACTORS AT DRIVER LEVEL – RESPONSE #2

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
264	90.1	0	None
Physical/mental condition			
1	0.3	1	Drowsy, sleepy, asleep, fatigued
1	0.3	2	Ill, passed out/blackout
1	0.3	6	Careless/inattentive
Miscellaneous causes			
1	0.3	23	Failing to dim lights or to have lights on when required

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	24	Operating without required equipment
4	1.4	28	Failure to keep in proper lane
5	1.7	38	Failure to yield right-of-way
1	0.3	39	Failure to obey traffic signs, control devices, officers, etc.
2	0.7	44	Driving in excess of posted maximum
1	0.3	48	Making other improper turn
2	0.7	58	Overcorrecting

Vision obscured by:

1	0.3	61	Rain, snow, fog, smoke, sand, dust
1	0.3	71	Obstructing angles on vehicle

Possible distractions (inside vehicle)

3	1.0	93	Cellular phone present in vehicle
1	0.3	97	Two-way radio
3	1.0	99	Unknown

Variable	Name	Format	Type	Length
v229	DRIVER RELATED FACTORS#3	FDRF02F	Numeric	3

---

FACTORS AT DRIVER LEVEL – RESPONSE #3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
284	96.9	0	None
Physical/mental condition			
1	0.3	6	Careless/inattentive
Miscellaneous causes			
1	0.3	28	Failure to keep in proper lane
1	0.3	32	Opening closure into moving traffic or while vehicle is in motion
1	0.3	35	Passing with insufficient distance/inadequate visibility; failing to yield to overtaking vehicle
1	0.3	39	Failure to obey traffic signs, control devices, officers, etc.
1	0.3	58	Overcorrecting
3	1.0	99	Unknown



Variable	Name	Format	Type	Length
v230	DRIVER RELATED FACTORS#4	FDRF02F	Numeric	3

FACTORS AT DRIVER LEVEL – RESPONSE #4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
289	98.6	0	None
Avoiding, swerving, or sliding due to:			
1	0.3	87	Ice, snow, slush, water, sand, dirt, oil, wet leaves on road
3	1.0	99	Unknown

Variable	Name	Format	Type	Length
v231	VIOLATIONS CHARGED#1	FVCHG97F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
262	89.4	0	None
Reckless/careless/hit-and-run type offenses			
6	2.0	1	Manslaughter or homicide
0	0.0	2	Willful reckless driving; driving to endanger; negligent driving
0	0.0	3	Unsafe reckless (not willful, wanton reckless) driving
3	1.0	4	Inattentive, careless, improper driving
0	0.0	5	Fleeing or eluding police
0	0.0	6	Fail to obey police, fireman, authorized person directing traffic
0	0.0	7	Hit-and-run, fail to stop after accident
0	0.0	8	Fail to give aid, information, wait for police after accident
0	0.0	9	Serious violation resulting in death
Impairment offenses			
0	0.0	11	Driving while intoxicated (alcohol or drugs) or blood alcohol limit above limit (any detectable blood alcohol limit for commercial drivers)
0	0.0	12	Driving while impaired
0	0.0	13	Driving under influence of substance not intended to intoxicate
0	0.0	14	Drinking while operating
0	0.0	15	Illegal possession of alcohol or drugs
0	0.0	16	Driving with detectable alcohol

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	18	Refusal to submit to chemical test
0	0.0	19	Alcohol, drug, or impairment violations generally
Speed-related offenses			
0	0.0	21	Racing
0	0.0	22	Speeding (above the speed limit)
0	0.0	23	Speed greater than reasonable and prudent (not necessarily over the limit)
0	0.0	24	Exceed special speed limit (e.g.: for trucks, buses, cycles, or on bridge, in school zone, etc.)
0	0.0	25	Energy speed (exceeding 55 MPH, non-pointable)
0	0.0	26	Driving too slowly
1	0.3	29	Speed related violations, generally
Rules of the road – traffic sign and signals			
0	0.0	31	Fail to stop for red signal
0	0.0	32	Fail to stop for flashing red
2	0.7	33	Violation of turn on red (fail to stop and yield; yield to pedestrians before turning)
0	0.0	34	Fail to obey flashing signal (yellow or red)
0	0.0	35	Fail to obey signal generally
0	0.0	36	Violate railroad grade crossing device/regulations
2	0.7	37	Fail to obey stop sign
0	0.0	38	Fail to obey yield sign
0	0.0	39	Fail to obey traffic control device
Rules of the road – turning, yielding, signaling			
0	0.0	41	Turn in violation of traffic control (disobey signs, turn arrow or pavement markings; this is not a right-on-red violation)
0	0.0	42	Improper method and position of turn (too wide, wrong lane)
0	0.0	43	Fail to signal for turn or stop
0	0.0	45	Fail to yield to emergency vehicle
8	2.7	46	Fail to yield, generally
0	0.0	48	Enter intersection when space insufficient
1	0.3	49	Turn, yield, signaling violations, generally
Rules of the road – wrong side, passing and following			
0	0.0	51	Driving wrong way on one-way road
0	0.0	52	Driving on left, wrong side of road, generally
0	0.0	53	Improper, unsafe passing

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	54	Pass on right (drive off pavement to pass)
0	0.0	55	Pass stopped school bus
0	0.0	56	Fail to give way when overtaken
1	0.3	58	Following too closely
0	0.0	59	Wrong side, passing, following violations, generally
Rules of the road – lane usage			
0	0.0	61	Unsafe or prohibited lane change
0	0.0	62	Improper use of lane (enter of 3-lane road, high occupancy vehicle designated lane)
0	0.0	63	Certain traffic to use right lane (trucks, slow moving, etc.)
0	0.0	66	Motorcycle lane violations (more than two per lane, riding between lanes, etc.)
0	0.0	67	Motorcyclist attached to another vehicle
1	0.3	69	Lane violations, generally
Non-moving – license and registration violations			
0	0.0	71	Driving while license withdrawn (including violation of provisions of work permit)
0	0.0	72	Other driver license violations
0	0.0	73	Commercial driver violations (log book, hours, permits carried)
1	0.3	74	Vehicle registration violations
0	0.0	75	Fail to carry insurance card
0	0.0	76	Driving uninsured vehicle
1	0.3	79	Non-moving violations, generally
Equipment			
0	0.0	81	Lamp violations
0	0.0	82	Brake violations
0	0.0	83	Failure to require restraint use (by self or passengers)
0	0.0	84	Motorcycle equipment violations (helmet, special equipment)
0	0.0	85	Violation of hazardous cargo regulations
0	0.0	86	Size, weight, load violations
0	0.0	89	Equipment violations, generally
Other violations			
0	0.0	91	Parking
0	0.0	92	Theft, unauthorized use of motor vehicle
0	0.0	93	Driving where prohibited (sidewalk, limited access, off truck route)

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	98	Other moving violation (coasting, backing, opening door)
4	1.4	99	Unknown violation

Variable	Name	Format	Type	Length
v232	VIOLATIONS CHARGED#2	FVCHG97F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
286	97.6	0	None
Speed-related offenses			
1	0.3	23	Speed greater than reasonable and prudent (not necessarily
Rules of the road – turning, yielding, signaling			
1	0.3	46	Fail to yield, generally
Non-moving – license and registration violations			
2	0.7	73	Commercial driver violations (log book, hours, permits carried)
3	1.0	99	Unknown violation

Variable	Name	Format	Type	Length
v233	VIOLATIONS CHARGED#3	FVCHG97F	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
290	99.0	0	None
3	1.0	99	Unknown violation

Variable	Name	Format	Type	Length
v235	DRIVER HEIGHT (INCHES)		Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	59	
		-	Actual height in inches
1	0.3	78	
7	2.4	99	Unknown

Variable	Name	Format	Type	Length
v236	DRIVER WEIGHT		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
4	1.4	120	
		-	Actual weight in pounds
1	0.3	325	
93	31.7	999	Unknown

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS DRIVER VARIABLES

### The OCCUPANT Variables

Variables 306 through 363 describe the occupant of the bus (i.e., the driver) and are obtained from the FARS occupant file.

Variable	Name	Format	Type	Length
v306	OCCUPANT NUMBER		Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	1	Occupant #1

Variable	Name	Format	Type	Length
v308	OCCUPANT AGE	FOCCAGE	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	21	21 years
3	1.0	24	24 years
2	0.7	25	25 years
2	0.7	26	26 years
4	1.4	28	28 years
2	0.7	30	30 years
4	1.4	31	31 years
3	1.0	32	32 years
3	1.0	33	33 years
1	0.3	34	34 years
6	2.0	35	35 years
5	1.7	36	36 years
6	2.0	37	37 years
6	2.0	38	38 years
10	3.4	39	39 years
6	2.0	40	40 years
7	2.4	41	41 years
8	2.7	42	42 years
7	2.4	43	43 years
7	2.4	44	44 years
7	2.4	45	45 years
6	2.0	46	46 years
6	2.0	47	47 years
13	4.4	48	48 years
11	3.8	49	49 years

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
6	2.0	50	50 years
7	2.4	51	51 years
9	3.1	52	52 years
14	4.8	53	53 years
11	3.8	54	54 years
13	4.4	55	55 years
9	3.1	56	56 years
9	3.1	57	57 years
7	2.4	58	58 years
8	2.7	59	59 years
8	2.7	60	60 years
6	2.0	61	61 years
6	2.0	62	62 years
4	1.4	63	63 years
5	1.7	64	64 years
6	2.0	65	65 years
2	0.7	66	66 years
5	1.7	67	67 years
2	0.7	68	68 years
5	1.7	69	69 years
4	1.4	70	70 years
3	1.0	71	71 years
2	0.7	74	74 years
3	1.0	75	75 years
3	1.0	99	Unknown

Variable	Name	Format	Type	Length
v309	OCCUPANT SEX	FSEX	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
175	59.7	1	Male
116	39.6	2	Female
2	0.7	9	Unknown



Variable	Name	Format	Type	Length
v310	OCCUPANT TYPE	FPTYP94F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	1	Driver of a motor vehicle in-transport

Variable	Name	Format	Type	Length
v311	OCC SEATING POSITION	FSEAT82F	Numeric	3

OCCUPANT SEATING POSITION

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	11	Front seat - left side (driver's side)

Variable	Name	Format	Type	Length
v312	RESTRAINT SYSTEM USE	FRUSE08F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
13	4.4	0	None used/not applicable - not a motor vehicle occupant
4	1.4	1	Shoulder belt
28	9.6	2	Lap belt
227	77.5	3	Lap and shoulder belt
21	7.2	99	Unknown

Variable	Name	Format	Type	Length
v313	AIR BAG AVAIL/FUNCTION	FAIRB98F	Numeric	3

AIR BAG AVAILABILITY – DEPLOYMENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
Deployed (for this seat)			
9	3.1	1	From the front (steering wheel, dashboard)
0	0.0	2	From the side (door, seat, canopy)
0	0.0	7	From other direction (knee, airbelt, etc.)
0	0.0	8	From multiple direction
0	0.0	9	From unknown direction

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
			Not deployed (for this seat)
18	6.1	20	Airbag available – no deployment
0	0.0	28	Airbag available – switched off
			Unknown if deployed
5	1.7	29	Airbag available – unknown if deployed
			Not available
260	88.7	30	Not available (this seat)
0	0.0	31	Previously deployed/not replaced
0	0.0	32	Disabled/removed
1	0.3	99	Unknown if airbag available (for this seat)

Variable	Name	Format	Type	Length
v314	OCCUPANT EJECTION	FEJEC07F	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
289	98.6	0	Not ejected
3	1.0	1	Totally ejected
1	0.3	9	Unknown

Variable	Name	Format	Type	Length
v315	EJECTION PATH	FEPATH	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
289	98.6	0	Not ejected – not applicable
1	0.3	1	Side door opening
0	0.0	2	Side window
0	0.0	3	Windshield
0	0.0	4	Back window
0	0.0	5	Back door/tailgate opening
0	0.0	6	Roof opening (sunroof, convertible top down)
0	0.0	7	Roof (convertible top up)
0	0.0	8	Other path (e.g., back of pickup truck)
3	1.0	9	Unknown/unknown path

Variable	Name	Format	Type	Length
v316	OCCUPANT EXTRICATION	FEXTR	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	Not extricated - not applicable
4	1.4	1	Extricated
2	0.7	9	Unknown

Variable	Name	Format	Type	Length
v321	DRUG INVOLVEMENT	FDRUGS	Numeric	3

POLICE REPORTED OTHER DRUG INVOLVEMENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
104	35.5	0	No (other drugs not involved)
0	0.0	1	Yes (other drugs involved)
176	60.1	8	Not reported
13	4.4	9	Unknown (police reported as unknown)

Variable	Name	Format	Type	Length
v322	DRUG DETERMINATION	FDRUGDET	Numeric	3

METHOD OTHER DRUG DETERMINATION (POLICE)

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
20	6.8	1	Evidential test (blood, urine)
4	1.4	2	Drug Recognition Technician determined
3	1.0	3	Behavioral
16	5.5	7	Other
250	85.3	8	Not reported

Variable	Name	Format	Type	Length
v323	DRUG TEST TYPE #1	FDR_TEST	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
200	68.3	0	Not tested for drugs
52	17.7	1	Blood test
10	3.4	2	Urine test

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	3	Blood and urine tests
1	0.3	7	Unknown test type
29	9.9	9	Unknown if tested for drugs

Variable	Name	Format	Type	Length
v324	DRUG TEST RESULTS #1	FDR93RES	Numeric	3

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
200	68.3	0	Not tested for drugs
44	15.0	1	No drugs reported
0	0.0	100	
		-	Narcotic drug
0	0.0	295	
0	0.0	300	
		-	Depressant drug
0	0.0	395	
0	0.0	401	
		-	Stimulant drug
0	0.0	495	
0	0.0	500	
		-	Hallucinogen drug
0	0.0	595	
0	0.0	600	
		-	Cannabinoid drug
0	0.0	695	
0	0.0	700	
		-	Phencyclidine (PCP)
0	0.0	795	
0	0.0	800	
		-	Anabolic steroid
0	0.0	895	

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	900	
		-	Inhalant drug
0	0.0	995	
3	1.0	996	Other drug
14	4.8	997	Tested for drugs, results unknown
1	0.3	998	Tested for drugs, drugs found, type unknown
29	9.9	999	Unknown if tested for drugs

Variable	Name	Format	Type	Length
v325	DRUG TEST TYPE #2	FDR_TEST	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
263	89.8	0	Not tested for drugs
3	1.0	1	Blood test
0	0.0	2	Urine test
0	0.0	3	Blood and urine tests
0	0.0	7	Unknown test type
0	0.0	8	Other type test
27	9.2	9	Unknown if tested for drugs

Variable	Name	Format	Type	Length
v326	DRUG TEST RESULTS #2	FDR93RES	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
263	89.8	0	Not tested for drugs
2	0.7	1	No drugs reported
1	0.3	996	Other drug
0	0.0	997	Tested for drugs, results unknown
0	0.0	998	Tested for drugs, drugs found, type unknown
27	9.2	999	Unknown if tested for drugs

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

Variable	Name	Format	Type	Length
v327	DRUG TEST TYPE #3	FDR_TEST	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
264	90.1	0	Not tested for drugs
2	0.7	1	Blood test
0	0.0	2	Urine test
0	0.0	3	Blood and urine tests
0	0.0	7	Unknown test type
0	0.0	8	Other type test
27	9.2	9	Unknown if tested for drugs

Variable	Name	Format	Type	Length
v328	DRUG TEST RESULTS #3	FDR93RES	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
264	90.1	0	Not tested for drugs
2	0.7	1	No drugs reported
0	0.0	996	Other drug
0	0.0	997	Tested for drugs, results unknown
0	0.0	998	Tested for drugs, drugs found, type unknown
27	9.2	999	Unknown if tested for drugs

Variable	Name	Format	Type	Length
v329	OCCUPANT INJURY SEVERITY	FINJURY	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
177	60.4	0	O - no injury
48	16.4	1	C - possible injury
41	14.0	2	B - nonincapacitating evident injury
18	6.1	3	A - incapacitating injury
6	2.0	4	K - fatal injury
1	0.3	5	Injured, severity unknown
0	0.0	6	Died prior to accident
2	0.7	9	Unknown

Variable	Name	Format	Type	Length
v330	OCC TAKEN TO HOSPITAL	FHOSPIT	Numeric	3

TRANSPORTED FOR TREATMENT BY

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
205	70.0	0	Not transported
82	28.0	1	Yes, emergency medical services
1	0.3	2	Yes, law enforcement
3	1.0	3	Yes, other
2	0.7	9	Unknown

Variable	Name	Format	Type	Length
v331	OCC DEATH DATE - MONTH		Numeric	3

OCCUPANT DEATH DATE – MONTH

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	Not applicable
1	0.3	3	March
1	0.3	4	April
1	0.3	5	May
1	0.3	9	September
1	0.3	10	October
1	0.3	12	December

Variable	Name	Format	Type	Length
v332	OCC DEATH DATE - DAY		Numeric	3

OCCUPANT DEATH DATE – DAY

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	Not applicable
1	0.3	2	
		-	Day of month
1	0.3	28	

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

Variable	Name	Format	Type	Length
v333	OCC DEATH DATE - YEAR		Numeric	4

## OCCUPANT DEATH DATE – YEAR

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	Not applicable
6	2.0	2008	2008

Variable	Name	Format	Type	Length
v334	OCC DEATH TIME - HOURS	FACHOUR	Numeric	3

## OCCUPANT DEATH TIME – HOURS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
287	98.0	0	12:01 am - 12:59 am or not applicable
1	0.3	5	5:00 am - 5:59 am
1	0.3	6	6:00 am - 6:59 am
1	0.3	9	9:00 am - 9:59 am
1	0.3	10	10:00 am - 10:59 am
1	0.3	17	5:00 pm - 5:59 pm
1	0.3	22	10:00 pm - 10:59 pm

Variable	Name	Format	Type	Length
v335	OCC DEATH TIME - MINUTES		Numeric	3

## OCCUPANT DEATH TIME – MINUTES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
288	98.3	0	
		-	Minute
2	0.7	40	



Variable	Name	Format	Type	Length
v336	LAG TIME ACC/DEATH - HRS		Numeric	3

LAG TIME BETWEEN ACCIDENT AND DEATH -- HOURS

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
4	1.4	0	-
			Actual time in hours
1	0.3	200	
287	98.0	999	Unknown

Variable	Name	Format	Type	Length
v342	OCC FATAL INJURY AT WORK	FWORKINJ	Numeric	3

OCCUPANT FATAL INJURY AT WORK

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	0	No
5	1.7	1	Yes
287	98.0	8	Not applicable (not a fatality)

Variable	Name	Format	Type	Length
v345	OCC ALCOHOL INVOLVEMENT	FDRINK	Numeric	3

OCCUPANT ALCOHOL INVOLVEMENT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
207	70.6	0	No (alcohol not involved)
2	0.7	1	Yes (alcohol involved)
71	24.2	8	Not reported
13	4.4	9	Unknown (police reported)

Variable	Name	Format	Type	Length
v346	OCC METH ALC DETERMINAT	FALC_D	Numeric	3

METHOD OF ALCOHOL DETERMINATION (POLICE)

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
38	13.0	1	Evidential test (breath, blood, urine)
4	1.4	2	Preliminary Breath Test

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	3	Behavioral
0	0.0	4	Passive Alcohol Sensor
35	11.9	5	Observed
0	0.0	8	Other (e.g., saliva test)
215	73.4	9	Not reported

Variable	Name	Format	Type	Length
v347	ALCOHOL TEST TYPE	FTESTTYP	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
179	61.1	0	Not tested for alcohol
71	24.2	1	Whole blood
7	2.4	2	Breathalyzer
3	1.0	3	Urine
0	0.0	4	Vitreous
0	0.0	5	Blood plasma/serum
0	0.0	6	Blood clot
0	0.0	7	Liver
0	0.0	8	Other test type
9	3.1	10	Preliminary Breath Test
24	8.2	99	Unknown/not reported

Variable	Name	Format	Type	Length
v348	OCC ALCOHOL TEST RESULT	FT_RES	Numeric	3

OCCUPANT ALCOHOL TEST RESULT

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
81	27.6	0	Blood alcohol test result < 0.01%
0	0.0	94	.94 or greater
0	0.0	95	Test refused
179	61.1	96	None given
10	3.4	97	Alcohol test performed, results unknown
0	0.0	98	Positive reading with no actual value
23	7.8	99	Unknown if tested

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
 FARS OCCUPANT VARIABLES

Variable	Name	Format	Type	Length
v361	RACE	FRACE	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
286	97.6	0	Not a fatality (not applicable)
3	1.0	1	White
3	1.0	2	Black
0	0.0	3	American Indian (includes Aleuts and Eskimos)
			Asian or Pacific Islander
0	0.0	4	Chinese
0	0.0	5	Japanese
0	0.0	6	Hawaiian (includes part-Hawaiian)
0	0.0	7	Filipino
0	0.0	18	Asian Indian
0	0.0	19	Other Indian (includes South Central America, not American/Asian Indians)
0	0.0	28	Korean
0	0.0	38	Samoan
0	0.0	48	Vietnamese
0	0.0	58	Guamanian
0	0.0	68	Other Asian or Pacific Islander
0	0.0	78	Asian or Pacific Islander, no specific (individual) race
0	0.0	97	Multiple races (individuals races not specified; ex. "mixed")
0	0.0	98	All other races
1	0.3	99	Unknown

Variable	Name	Format	Type	Length
v362	HISPANIC ORIGIN	FHISPAN	Numeric	3

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
286	97.6	0	Not a fatality (not applicable)
0	0.0	1	Mexican
0	0.0	2	Puerto Rican
0	0.0	3	Cuban
0	0.0	4	Central or South American
0	0.0	5	European Spanish
0	0.0	6	Hispanic, origin not specified or other origin

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
FARS OCCUPANT VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
6	2.0	7	Non-Hispanic
1	0.3	99	Unknown

Variable	Name	Format	Type	Length
v363	OCC DEAD ON ARRIVAL	FDOA01F	Numeric	3

---

## OCCUPANT DEAD ON ARRIVAL

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
288	98.3	0	Not applicable (non-fatals/victims dying other than scene)
5	1.7	7	Died at scene
0	0.0	8	Died en route
0	0.0	9	Fatal, unknown location

### The SURVEY Variables

Information in variables 1110 through 1870 was collected by the BIFA interview.

Variable	Name	Format	Type	Length
v1110	BUS MAKE	V1110_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	7	Dodge
33	11.3	12	Ford
8	2.7	20	Chevrolet
10	3.4	23	GMC
14	4.8	82	Freightliner
71	24.2	84	International Harvester
20	6.8	90	Blue Bird
27	9.2	92	Gillig
17	5.8	93	MCI
15	5.1	94	Thomas Built
4	1.4	111	Fixible/Grumman Fixible
2	0.7	112	Neoplan
8	2.7	113	New Flyer
8	2.7	116	Orion
6	2.0	117	Prevost
7	2.4	118	Van Hool
9	3.1	201	NABI
9	3.1	202	Nova
16	5.5	998	Other
7	2.4	999	Unknown

Variable	Name	Format	Type	Length
v1130	MODEL YEAR	V1130_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	1982	1982
2	0.7	1985	1985
1	0.3	1986	1986
1	0.3	1987	1987
1	0.3	1988	1988
2	0.7	1989	1989

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
3	1.0	1990	1990
3	1.0	1991	1991
1	0.3	1992	1992
5	1.7	1993	1993
6	2.0	1994	1994
16	5.5	1995	1995
10	3.4	1996	1996
17	5.8	1997	1997
19	6.5	1998	1998
19	6.5	1999	1999
23	7.8	2000	2000
26	8.9	2001	2001
22	7.5	2002	2002
11	3.8	2003	2003
19	6.5	2004	2004
13	4.4	2005	2005
26	8.9	2006	2006
25	8.5	2007	2007
11	3.8	2008	2008
3	1.0	2009	2009
7	2.4	9999	Unknown

Variable	Name	Format	Type	Length
v1140	FRONT OF BUS	V1140_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
123	42.0	1	Conventional hood
163	55.6	2	Flat front
7	2.4	9	Unknown

Variable	Name	Format	Type	Length
v1170	BUS MODEL	\$CHAR10	Char	10

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	102C3	
		-	Model name or number
1	0.3	XB	

Variable	Name	Format	Type	Length
v1180	BUS TYPE	V1180_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
9	3.1	1	Type A school bus
70	23.9	3	Type C school bus
44	15.0	4	Type D school bus
83	28.3	5	Flat front (like transit or shuttle)
14	4.8	6	Big cowl and chassis
36	12.3	7	High platform
18	6.1	8	Small cowl and chassis
9	3.1	9	Van
4	1.4	98	Other
6	2.0	99	Unknown

Variable	Name	Format	Type	Length
v1190	DESCRIPTION OF BUS	\$CHAR50	Char	50

<u>N</u>	<u>Prcnt</u>	<u>Label</u>
1	0.3	Alternative fuel heavy-duty transit bus
2	0.7	Articulated heavy-duty transit bus
1	0.3	Articulated heavy-duty transit bus 519 WB
1	0.3	Articulated heavy-duty transit bus 995 WB
4	1.4	Conventional hood bus
1	0.3	Conventional hood bus with cargo box
64	21.8	Heavy-duty transit bus
7	2.4	Large passenger van
1	0.3	Large passenger van outfitted as school bus
1	0.3	Large passenger van with cargo trailer
33	11.3	Long-distance coach
2	0.7	Long-distance commuter coach
1	0.3	Medium-duty limousine bus
6	2.0	Medium-duty shuttle bus
1	0.3	Medium-duty tour bus
1	0.3	Open-top double-decked sightseeing bus
3	1.0	Recycled school bus
109	37.2	School bus
12	4.1	Shuttle bus
7	2.4	Small paratransit shuttle bus

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Label</u>
8	2.7	Small school bus
9	3.1	Small shuttle bus
1	0.3	Small special needs school bus
5	1.7	Special needs school bus
1	0.3	Special needs shuttle bus
2	0.7	Stretch limousine
1	0.3	Stretch pickup truck limousine
1	0.3	Touring coach
1	0.3	Trolley replica bus
6	2.0	Unknown

Variable	Name	Format	Type	Length
v1200	NUMBER OF AXLES	V1200_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
247	84.3	2	2 axles
38	13.0	3	3 axles
8	2.7	9	Unknown

Variable	Name	Format	Type	Length
v1220	PASSENGER SEATING CAPACITY	V1220_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
3	1.0	8	8 seats
3	1.0	9	9 seats
2	0.7	10	10 seats
3	1.0	11	11 seats
3	1.0	12	12 seats
1	0.3	13	13 seats
11	3.8	14	14 seats
3	1.0	15	15 seats
2	0.7	16	16 seats
1	0.3	18	18 seats
2	0.7	19	19 seats
4	1.4	20	20 seats
3	1.0	21	21 seats
2	0.7	22	22 seats



BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	23	23 seats
4	1.4	24	24 seats
5	1.7	25	25 seats
2	0.7	26	26 seats
1	0.3	27	27 seats
3	1.0	28	28 seats
5	1.7	29	29 seats
3	1.0	30	30 seats
2	0.7	31	31 seats
3	1.0	32	32 seats
5	1.7	34	34 seats
8	2.7	35	35 seats
3	1.0	36	36 seats
4	1.4	37	37 seats
8	2.7	38	38 seats
3	1.0	39	39 seats
10	3.4	40	40 seats
1	0.3	42	42 seats
10	3.4	43	43 seats
2	0.7	44	44 seats
6	2.0	45	45 seats
1	0.3	46	46 seats
3	1.0	47	47 seats
3	1.0	48	48 seats
1	0.3	49	49 seats
2	0.7	50	50 seats
1	0.3	51	51 seats
4	1.4	52	52 seats
5	1.7	54	54 seats
10	3.4	55	55 seats
6	2.0	56	56 seats
6	2.0	57	57 seats
3	1.0	58	58 seats
2	0.7	59	59 seats
5	1.7	60	60 seats
2	0.7	64	64 seats
15	5.1	65	65 seats
10	3.4	66	66 seats
7	2.4	71	71 seats

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
15	5.1	72	72 seats
5	1.7	74	74 seats
1	0.3	75	75 seats
5	1.7	77	77 seats
6	2.0	78	78 seats
1	0.3	81	81 seats
2	0.7	83	83 seats
12	4.1	84	84 seats
1	0.3	89	89 seats
19	6.5	996	15 or more seats
8	2.7	999	Unknown

Variable	Name	Format	Type	Length
v1310	DESCRIPTION OF OPERATING AUTHORITY	\$CHAR50	Char	50

---

<u>N</u>	<u>Prcnt</u>	<u>Label</u>
1	0.3	Airport shuttle service
1	0.3	Casino shuttle and charter service
3	1.0	Casino shuttle service
20	6.8	Charter service
1	0.3	Charter service for church trip
1	0.3	Charter service for military personnel
1	0.3	Charter service for school band trip
1	0.3	Child development center transportation
4	1.4	Church use
1	0.3	Church use for casino trip
1	0.3	Church use for choir trip
1	0.3	College transporting wrestling team
1	0.3	Community service organization
1	0.3	Commuter service
1	0.3	Commuter shuttle service
1	0.3	Contracted carrier for private school
27	9.2	Contracted carrier for school district
1	0.3	Contracted carrier for transit authority
1	0.3	County agency for developmentally disabled
1	0.3	County department of corrections
1	0.3	County medical center
2	0.7	Day care center transportation

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Label</u>
1	0.3	Dealer delivering bus
1	0.3	Drive away company delivering new bus
1	0.3	Employee shuttle
1	0.3	Employee transportation
3	1.0	Farm labor transportation
2	0.7	Funeral home
1	0.3	Individually-owned bus providing school transport
1	0.3	Intercity service for train passengers
4	1.4	Interstate passenger and express freight
3	1.0	Interstate passenger service
1	0.3	Musical group touring transportation
1	0.3	National armed services division
1	0.3	Non-profit after school program
1	0.3	Non-profit community action agency
1	0.3	Non-profit senior citizen service agency
1	0.3	Nursing home resident transportation
1	0.3	Paratransit contractor for city
1	0.3	Private camp attendee transportation
88	30.0	Public school district
1	0.3	Public school district athletic team transport
3	1.0	Public school department of education
3	1.0	Scheduled route and paratransit regional urban area
1	0.3	Scheduled route and paratransit regional area
1	0.3	Scheduled route regional area
67	22.9	Scheduled route regional urban area
13	4.4	Scheduled route urban area
1	0.3	Shuttle service
2	0.7	Sightseeing charter service
1	0.3	Special needs transportation provider
2	0.7	State department of corrections
10	3.4	Unknown
1	0.3	Vanpool operation of regional transit

Variable	Name	Format	Type	Length
v1350	BUS OPERATOR TYPE	V1350_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
92	31.4	1	School district

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
86	29.4	2	Urban transit authority
9	3.1	3	Scheduled intercity
27	9.2	4	Charter bus
4	1.4	5	Private company (not passenger transport)
10	3.4	6	Non-government organization
5	1.7	7	Non-educational unit of government
1	0.3	8	Private individual for personal transportation
28	9.6	9	Contractor for school district
21	7.2	98	Other
10	3.4	99	Unknown

Variable	Name	Format	Type	Length
v1360	AREA OF OPERATION	V1360_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
116	39.6	1	Interstate
162	55.3	2	Intrastate
15	5.1	9	Unknown

Variable	Name	Format	Type	Length
v1370	OPERATING AUTHORITY	V1370_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
26	8.9	1	Private
76	25.9	2	For hire
184	62.8	3	Government owned
7	2.4	9	Unknown

Variable	Name	Format	Type	Length
v1380	TRIP TYPE	V1380_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
232	79.2	1	Local
12	4.1	2	51 to 100 miles
2	0.7	3	101 to 150 miles
4	1.4	4	151 to 200 miles
13	4.4	5	201 to 500 miles

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
11	3.8	6	Over 500 miles
2	0.7	7	Unknown over-the-road trip distance
17	5.8	9	Unknown

Variable	Name	Format	Type	Length
v1510	HOURS OF DRIVING	6	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
53	18.1	1	1 hour
41	14.0	2	2 hours
43	14.7	3	3 hours
30	10.2	4	4 hours
25	8.5	5	5 hours
24	8.2	6	6 hours
6	2.0	7	7 hours
6	2.0	8	8 hours
4	1.4	9	9 hours
1	0.3	10	10 hours
1	0.3	16	16 hours
1	0.3	19	19 hours
8	2.7	96	96 Unknown, but under legal limit
50	17.1	99	Unknown

Variable	Name	Format	Type	Length
v1520	COMPENSATION-HOURLY	V1520_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
191	65.2	1	Yes
58	19.8	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1530	COMPENSATION-MILEAGE	V1530_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
7	2.4	1	Yes

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
242	82.6	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1540	COMPENSATION-TIPS	V1540_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	1	Yes
248	84.6	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1550	COMPENSATION-PERCENT REVENUE	V1550_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	1	Yes
249	85.0	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1560	COMPENSATION-SALARY	V1560_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
12	4.1	1	Yes
237	80.9	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1570	COMPENSATION-DRIVER OWNER	V1570_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	0.7	1	Yes
247	84.3	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1580	COMPENSATION-DRIVER VOLUNTEER	V1580_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
6	2.0	1	Yes
243	82.9	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1590	COMPENSATION-DRIVER PRIMARY EMP NOT BUS DRIVER	V1590_F	Numeric	4

DRIVER'S PRIMARY EMPLOYMENT IS NOT AS A BUS DRIVER

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
9	3.1	1	Yes
240	81.9	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1600	COMPENSATION-OTHER	V1600_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
32	10.9	1	Yes
217	74.1	2	No
44	15.0	9	Unknown

Variable	Name	Format	Type	Length
v1610	DESCRIPTION OF COMPENSATION	\$CHAR50	Char	50

COMPENSATION METHOD

<u>N</u>	<u>Prcnt</u>	<u>Label</u>
1	0.3	Bus mechanic serving as relief driver
1	0.3	Charter operator transferring bus to dealer
3	1.0	Church volunteer
205	70.0	Compensation coded
3	1.0	Driver is also corrections officer
1	0.3	Driver is also member of national armed services

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Label</u>
1	0.3	Driver is also musician in touring group
1	0.3	Driver is also oil field worker for company
1	0.3	Driver is also owner of charter bus company
1	0.3	Driver is member of van pool
11	3.8	Paid by day
1	0.3	Paid by day plus mileage
5	1.7	Paid by route
1	0.3	Paid by route plus mileage
2	0.7	Paid by run
6	2.0	Paid by trip
1	0.3	Paid by trip plus mileage
1	0.3	Paid flat rate plus mileage
1	0.3	Paid on commission – percentage of contract
1	0.3	Parents pay bus owner/driver for school transport
1	0.3	Teacher also paid monthly stipend for driving
44	15.0	Unknown

Variable	Name	Format	Type	Length
v1710	ACCIDENT TYPE	V1710_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
0	0.0	0	No impact
5	1.7	1	Drive off road, right
		-	Diagram number (see appendix)
3	1.0	97	Untripped rollover
45	15.4	98	Other accident type
7	2.4	99	Unknown

Variable	Name	Format	Type	Length
v1720	PEDESTRIAN FATALITY	V1720_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
4	1.4	1	Discharged passenger
4	1.4	2	Intended passenger
76	25.9	3	Not related to bus
200	68.3	97	No non-motorist involvement



<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	98	Other
8	2.7	99	Unknown

Variable	Name	Format	Type	Length
v1830	INTERVIEW CONDUCTED	V1830_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
247	84.3	1	Yes
46	15.7	2	No

Variable	Name	Format	Type	Length
v1840	POLICE REPORT	V1840_F	Numeric	4

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
281	95.9	1	Yes
12	4.1	2	No

Variable	Name	Format	Type	Length
v1850	FAX/MAIL	V1850_F	Numeric	4

INFORMATION RECEIVED BY FAX OR MAIL

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
62	21.2	1	Yes
231	78.8	2	No

Variables 1861 through 1865 indicate modifications to responses received from the interview. Also indicated here are deductions made by the editors to fill in missing data elements. The numbers coded in these variables are the question numbers on the interview form (see Appendix).

Variable	Name	Format	Type	Length
v1861	1ST QUESTION DERIVED	V1861_F	Numeric	4

FIRST QUESTION DERIVED

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
289	98.6	0	None
1	0.3	11	Question 11

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
1	0.3	15	Question 15
2	0.7	18	Question 18

Variable	Name	Format	Type	Length
v1862	2ND QUESTION DERIVED	V1862_F	Numeric	4

---

## SECOND QUESTION DERIVED

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	None

Variable	Name	Format	Type	Length
v1863	3RD QUESTION DERIVED	V1863_F	Numeric	4

---

## THIRD QUESTION DERIVED

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	None

Variable	Name	Format	Type	Length
v1864	4TH QUESTION DERIVED	V1864_F	Numeric	4

---

## FOURTH QUESTION DERIVED

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	None

Variable	Name	Format	Type	Length
v1865	5TH QUESTION DERIVED	V1865_F	Numeric	4

---

## FIFTH QUESTION DERIVED

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
293	100.0	0	None

### SURVEY Variables for Vehicles Not In-Transport

Variable	Name	Format	Type	Length
v1140	FRONT OF BUS	V1140_F	Numeric	4

---

<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
3	50.0	1	Conventional hood
3	50.0	2	Flat front

Variable	Name	Format	Type	Length
v1180	BUS TYPE	V1180_F	Numeric	4

---


































<u>N</u>	<u>Prcnt</u>	<u>Code</u>	<u>Label</u>
2	33.3	3	Type C school bus
1	16.7	5	Flat front (like transit or shuttle)
2	33.3	7	High platform
1	16.7	8	Small cowl and chassis

BUSES INVOLVED IN FATAL ACCIDENTS, 2008  
SURVEY VARIABLES

## APPENDIX



### ACCIDENT TYPES (INCLUDES INTENT)

CATEGORY	CONFIGURATION		4	5			
I SINGLE DRIVER	A. RIGHT ROADSIDE DEPARTURE	 DRIVE OFF ROAD	 CONTROL/ TRACTION LOSS	 AVOID COLLISION W/ VEHICLE, PEDESTRIAN, ANIMAL	SPECIFICS OTHER	SPECIFICS UNKNOWN	
	B. LEFT ROADSIDE DEPARTURE	 DRIVE OFF ROAD	 CONTROL/ TRACTION LOSS	 AVOID COLLISION W/VEHICLE, PEDESTRIAN, ANIMAL	SPECIFICS OTHER	SPECIFICS UNKNOWN	
	C. FORWARD IMPACT	 PARKED VEHICLE	 STATIONARY OBJECT	 PEDESTRIAN ANIMAL	 END DEPARTURE	SPECIFICS OTHER	SPECIFICS UNKNOWN
II SAME TRAFFICWAY SAME DIRECTION	D. REAR-END	 STOPPED 21,22,23	 SLOWER 25,26,27	 DECELERATING 29,30,31	(EACH - 32) SPECIFICS OTHER	(EACH - 33) SPECIFICS UNKNOWN	
	E. FORWARD IMPACT	 CONTROL/ TRACTION LOSS	 CONTROL/ TRACTION LOSS	 AVOID COLLISION WITH VEHICLE	 AVOID COLLISION WITH OBJECT	(EACH - 42) SPECIFICS OTHER	(EACH - 43) SPECIFICS UNKNOWN
	F. SIDESWIPE ANGLE			(EACH - 48) SPECIFICS OTHER	(EACH - 49) SPECIFICS UNKNOWN		
III SAME TRAFFICWAY OPPOSITE DIRECTION	G. HEAD-ON	 LATERAL MOVE	(EACH - 52) SPECIFICS OTHER	(EACH - 53) SPECIFICS UNKNOWN			
	H. FORWARD IMPACT	 CONTROL/ TRACTION LOSS	 CONTROL/ TRACTION LOSS	 AVOID COLLISION WITH VEHICLE	 AVOID COLLISION WITH OBJECT	(EACH - 62) SPECIFICS OTHER	(EACH - 63) SPECIFICS UNKNOWN
	I. SIDESWIPE/ ANGLE	 LATERAL MOVE	(EACH - 66) SPECIFICS OTHER	(EACH - 67) SPECIFICS UNKNOWN			
IV CHANGE TRAFFICWAY VEHICLE TURNING	J. TURN ACROSS PATH	 INITIAL OPPOSITE DIRECTIONS	 INITIAL SAME DIRECTION	(EACH - 74) SPECIFICS OTHER	(EACH - 75) SPECIFICS UNKNOWN		
	K. TURN INTO PATH	 TURN INTO SAME DIRECTION	 TURN IN OPPOSITE DIRECTIONS	(EACH - 84) SPECIFICS OTHER	(EACH - 85) SPECIFICS UNKNOWN		
V INTERSECTING PATH-VEHICLE DAMAGE	L. STRAIGHT PATHS			(EACH - 90) SPECIFICS OTHER	(EACH - 91) SPECIFICS UNKNOWN		
VI MISC.	M. BACKING ETC.	 BACKING VEHICLE	 OTHER VEHICLE OR OBJECT	97 UNTRIPPED ROLLOVER 98 OTHER ACC TYPE 99 UNKNOWN ACC TYPE 00 NO IMPACT			





# CENTER FOR NATIONAL TRUCK & BUS STATISTICS BUSES INVOLVED IN FATAL ACCIDENTS SURVEY

Accident Date \_\_\_\_\_ / \_\_\_\_\_ / **2008**  
Month Day Year

**ACCIDENT IDENTIFICATION** *(fill out prior to interview)*

1. FARS State Code 

_	_
1	2

 State of Accident \_\_\_\_\_

2. FARS Case No. 

_	_	_	_
3	4	5	6

3. FARS Vehicle No. 

_	_
7	8

*NOTE: Put all information and calculations on this form.*

5. Bus Model Year: 

_	_	_	_
12	13	14	15

**VEHICLE DESCRIPTION**

4. Bus Make:
- |   |   |     |
|---|---|-----|
| [ | ] | 001 |
| [ | ] | 007 |
| [ | ] | 012 |
| [ | ] | 020 |
| [ | ] | 023 |
| [ | ] | 082 |
| [ | ] | 084 |
| [ | ] | 090 |
| [ | ] | 091 |
| [ | ] | 092 |
| [ | ] | 093 |
| [ | ] | 094 |
| [ | ] | 111 |
| [ | ] | 112 |
| [ | ] | 113 |
| [ | ] | 114 |
| [ | ] | 115 |
| [ | ] | 116 |
| [ | ] | 117 |
| [ | ] | 118 |
| [ | ] | 201 |
| [ | ] | 202 |
| [ | ] | 998 |
- Other \_\_\_\_\_  
*(Specify)*

6. Front of Bus:

Conventional hood	[ ] 1
Flat Front	[ ] 2
Other _____	[ ] 8
<i>(Specify)</i>	16

7. Bus Model \_\_\_\_\_ (editor)  
17 18 19 20 21 22 23 24 25 26

8. Bus Type:

Type A School Bus	[ ] 01
Type B School Bus	[ ] 02
Type C School Bus	[ ] 03
Type D School Bus	[ ] 04
Flat Front (like transit or shuttle bus)	[ ] 05
Big Cowl and Chassis	[ ] 06
High Platform	[ ] 07
Small Cowl and Chassis	[ ] 08
Van	[ ] 09
Other _____	[ ] 98
<i>(Specify)</i>	27-28

9. Describe the Bus:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_ (editor)  
29-78

10. No. of Axles:

<hr style="width: 50px; margin: 0 auto;"/> 79
--

11. Passenger Seating Capacity:

*(does not include driver but does include designated wheelchair spaces)*

<hr style="width: 100%; margin: 0;"/> 80    81    82
---

**VEHICLE USE**

12. Describe Bus Operating Authority:

<hr style="border-top: 1px dashed black;"/> <hr style="border-top: 1px dashed black;"/> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>83-132</span> <span>(editor)</span> </div>
--

13. Bus Operator Type:

- School District
- Urban transit authority
- Scheduled intercity
- Charter bus
- Private company (not pass. transport)
- Non-govt. organization
- Non-educational unit of govt.
- Private individual for personal -transportation
- Contractor for School District
- Other \_\_\_\_\_

*(Specify)*

[ ] 01
[ ] 02
[ ] 03
[ ] 04
[ ] 05
[ ] 06
[ ] 07
[ ] 08
[ ] 09
[ ] 98

133-134

15. Operator : Private

- Carry passengers for hire
- Govt. owned

[ ] 1
[ ] 2
[ ] 3

136

14. Within twelve months before the accident, did any of the operator's buses carry passengers across state lines?

- Yes
- No

[ ] 1
[ ] 2

135

16. Intended One-Way Trip Distance

- Local *(within a 50 mile radius of base)* [ ] 1
- Over-the-Road
- 51 to 100 miles [ ] 2
- 101 to 150 miles [ ] 3
- 151 to 200 miles [ ] 4
- 201 to 500 miles [ ] 5
- Greater than 500 miles [ ] 6
- Unknown over-the-road trip distance [ ] 7

137

**DRIVER DESCRIPTION**

17. How many hours had the driver been driving since the last 10-hour break?

_____	_____	Hrs.
138	139	

18. How was the driver compensated for this trip?  
*(check all that apply)*

- Hourly
- Mileage
- Tips
- Percentage of revenue
- Salary
- Driver is owner
- Driver is volunteer
- Driver's primary employment is not as bus driver
- Other \_\_\_\_\_  
*(Specify)*

Yes	No	
[ ] 1	[ ] 2	140
[ ] 1	[ ] 2	141
[ ] 1	[ ] 2	142
[ ] 1	[ ] 2	143
[ ] 1	[ ] 2	144
[ ] 1	[ ] 2	145
[ ] 1	[ ] 2	146
[ ] 1	[ ] 2	147
[ ] 1	[ ] 2	148

19. Describe compensation method:

-----

-----

149-198

(editor)

REMAINDER TO BE COMPLETED BY EDITOR.

20. Collision avoidance section. Illustrate pre-collision scenario below. Enter GES code.

199 200

[Large empty box for collision avoidance scenario illustration]

21. Interview?

Yes  
No

[ ] 1  
[ ] 2  
201

22. Police report?

Yes  
No

[ ] 1  
[ ] 2  
202

23. FAX/Mail?

Yes  
No

[ ] 1  
[ ] 2  
203

DERIVED INFORMATION (Insert question numbers.)

204 205    206 207    208 209    210 211    212 213

NON-MOTORIST FATALITY

24. Relationship of non-motorist to bus:

- Discharged passenger [ ] 01
- Intended passenger [ ] 02
- Not related to bus [ ] 03
- No non-motorist involvement [ ] 97
- Other \_\_\_\_\_ [ ] 98  
*(Specify)*
- Unknown [ ] 99

214-215

25. PAR Number

216 217 218 219 220 221 222 223 224 225 226 227

26. ICC Number

228 229 230 231 232 233

27. DOT Number

234 235 236 237 238 239 240

28. State PSC Number

241 242 243 244 245 246 247 248 249 250

29. State issuing

251 252