



Ion Batteries

International Edition: DOI: 10.1002/anie.201601542 German Edition: DOI: 10.1002/ange.201601542

Atomistic Conversion Reaction Mechanism of WO₃ in Secondary Ion Batteries of Li, Na, and Ca

Yang He⁺, Meng Gu⁺, Haiyan Xiao, Langli Luo, Yuyan Shao, Fei Gao,* Yingge Du,* Scott X. Mao,* and Chongmin Wang*

Abstract: Intercalation and conversion are two fundamental chemical processes for battery materials in response to ion insertion. The interplay between these two chemical processes has never been directly seen and understood at atomic scale. Here, using in situ HRTEM, we captured the atomistic conversion reaction processes during Li, Na, Ca insertion into a WO₃ single crystal model electrode. An intercalation step prior to conversion is explicitly revealed at atomic scale for the first time for Li, Na, Ca. Nanoscale diffraction and ab initio molecular dynamic simulations revealed that after intercalation, the inserted ion-oxygen bond formation destabilizes the transition-metal framework which gradually shrinks, distorts and finally collapses to an amorphous W and M_xO (M=Li, Na, Ca) composite structure. This study provides a full atomistic picture of the transition from intercalation to conversion, which is of essential importance for both secondary ion batteries and electrochromic devices.

Conversion-type lithium ion batteries (LIB) using electrodes such as transition metal oxides, hydrides, and sulfides are capable of utilizing all possible oxidation states of a compound, and thus can provide large specific capacity for advanced applications such as electrical vehicles.^[1] Under-

[*] M. Gu, [*] L. Luo, Y. Du, C. Wang Environmental Molecular Sciences Laboratory Pacific Northwest National Laboratory Richland, WA 99352 (USA)

E-mail: yingge.du@pnnl.gov chongmin.wang@pnnl.gov

Y. He,^[+] S. X. Mao

Department of Mechanical Engineering and Materials Science University of Pittsburgh

Pittsburgh, PA 15261 (USA)

E-mail: sxm2@pitt.edu

H. Xiao

School of Physical Electronics

University of Electronic Science and Technology of China

Chengdu, 610054 (China)

Y. Shao

Energy and Environmental Directorate Pacific Northwest National Laboratory

Richland, WA 99352 (USA)

F. Gad

Department of Nuclear Engineering and Radiological Sciences University of Michigan

Ann Arbor, MI 48109 (USA) E-mail: gaofeium@umich.edu

[+] These authors contributed equally to this work.

Supporting information for this article can be found under: http://dx.doi.org/10.1002/anie.201601542. standing the atomistic conversion mechanism is fundamentally important in searching for new conversion-type electrode materials and the application of these materials.^[2] Unfortunately, the conversion mechanism has not been explicitly established mostly because the process is wrapped in a nanoscale narrow reaction front. By atomistic simulations and detecting traces of intermediate phase, it is proposed that the conversion process is likely initiated by ion intercalation into the electrode materials, such as $FeF_{2},^{[2d]}SnO_{2},^{[3]}Co_{3}O_{4},^{[4]}$ Fe₂O₃,^[5] RuO₂,^[6] MoO₃,^[7] and WO₃.^[8] However, the methods including X-ray diffraction and selected area electron diffraction from a broad area across the reaction front are too ensemble-averaged to clearly resolve the relation between the intercalation and conversion. Besides, how the crystalline intercalation phase evolves to fully-charged conversion phases lacks detailed experimental investigation at the atomic scale. Here, using nano-beam diffraction (NBD) and electron energy loss spectroscopy (EELS) coupled with scanning/transmission electron microscopy (S/TEM), we investigated the structural and chemical evolution across a conversion reaction front with high spatial resolution in WO₃ upon insertion of electrochemical ions (Li, Na, Ca).

WO₃ is an ideal model system to study the intercalation-initiated conversion reaction, and the interplay between these two chemical processes. It is a widely studied electrochromic material as its pseudo-cubic cell contains a large, empty center site, providing an open environment for reversible intercalation/removal of small ions (e.g., H and Li). Due to the same reason and the high valence state that can theoretically host a maximum of 6 alkali metal ions or 3 alkaline earth metal ions, ^[7,9] WO₃ has also received interest as a candidate of conversion-type anode for next generation multivalent ion batteries. ^[10]

The test setup is shown in Figure 1a. Single-crystalline WO₃ films grown epitaxially on conductive Nb-doped SrTiO₃-(001) (Nb-STO) substrates by molecular beam epitaxy was used as electrodes in a half solid-cell setup. Details on film growth and characterization have been published elsewhere. Electron diffraction (inset in Figure 1c) indicates that as-grown WO₃ has a monoclinic structure (space group *P*21/*c*), which is in good agreement with WO₃ used in LIB. He hetero-epitaxial architecture provides high mechanical stability for high-resolution TEM imaging and guarantees good electrical contact through conductive Nb-STO. Pure metals of Li, Na, and Ca were used as ion sources. The surface oxides due to short-time air-exposure, that is, Li₂O, Na₂O, and CaO, worked as electrolytes for ions. The ion source is manipulated by piezo-system to contact the WO₃ electrode at






Figure 1. a) Setup of the in situ experiment (M = Li, Na, Ca). b) Atomic structural model of monoclinic WO3 showing WO6 octahedral and vacant site with Li (Na, or Ca) transporting along the channel into the vacant center site. c) Sequential TEM bright-field images showing WO3 structure evolution during Li insertion (lithiation). Insets show electron diffraction patterns of pristine and fully lithiated phases. White dashed lines mark the reaction front or the surface position highlighting the volume expansion. Scale bar, 100 nm. d) High-resolution TEM image of a local region on the reaction front (dashed line). Inset on left is an atomic resolution annular dark field image of the boxed region. Scale bar. 1 nm.

one end, and then biased (-0.8 V) with respect to the WO₃ film to drive the electrochemical reaction.

General morphology evolution of WO₃ during Li⁺ insertion is shown by the sequential bright-field TEM images in Figure 1 c. The reaction front (white dashed line in Figure 1 c) is roughly perpendicular to WO₃ [001] direction, implying that Li atoms diffused along [010] lattice channel. This claim is supported by the atomic resolution images in Figure 1 d which shows a reaction front penetrating along $\langle 001 \rangle$ into the lattice. Different from many other electrode materials, [3b,12] there was no high density dislocations, or "Medusa" zone, at the propagating reaction front (Supporting Movie 1), which can be attributed to the small volume expansion as a result of the spacious lattice channels (3.8 Å) for ion conduction in WO₃. Assuming equal expansion along three $\langle 001 \rangle$ directions, the volume expansion at full lithiation was estimated to be 17%, which was much lower than SnO₂^[12] or Si (300%).^[13] After fully charged with Li, the crystalline WO3 was converted to amorphous W (a-W) metal and Li₂O as indicated by the electron diffraction pattern (inset in Figure 1c). This finding is consistent with previous reports of "pseudo-amorphous" final phase structure, but is different from the picture that transition metal forms 1-2 nm nanocrystals in many in situ TEM studies. A detailed characterization on the final product and discussion on the electron beam effect can be found in Supporting Figure S1 and Supporting Discussion.

To reveal the reaction mechanism, Li_xWO₃ phase and W valence state evolution across the reaction front were




Figure 2. a) High angle annular dark field (HAADF) scanning transmission electron microscopy (STEM) image of the reaction front in Figure 1 c. Scale bar, 50 nm. b) Nano beam diffractions (NBD) from the pristine sample and across the conversion front (CF). c) Structure and crystal symmetry evolution with increasing Li concentration in the Li_xWO₃ lattice as indicated by the corresponding NBDs.

analyzed with NBD and EELS line scan (Figure 2, Supporting Figure S2 and Supporting Movie 2). On the right side of the reaction front (e.g. position 3 and 4 in Figure 2a), diffused amorphous ring appeared in the NBDs, meaning that the structure lost crystallinity beyond the reaction front (CF). Surprisingly, near the left side of the CF, the NBD shows significant variations compared to the pristine WO3, even though the crystallinity is well preserved.

Measurement from NBD shows that, approaching from far left to CF, the d-spacing of (002) planes slightly decreased. More obviously, at position 2 in Figure 2, some diffraction spots disappeared compared to that of pristine WO3. Referring to known structures of LixWO3, [8a] this change is consistent with gradual Li concentration increase from left to right. At position 2, the concentration reached a maximum Li intercalation value with crystalline symmetry changing from the original P21/c monoclinic structure to the final intercalated cubic phase, which is also consistent with the detailed phase diagram measured by in situ X-ray diffraction (XRD) measurement. [8a,14] However, the critical maximum Li concentration that can be intercalated into WO3 may depend critically on the dimensionality, size, and structural stability of the specific WO₃ materials. As reported by Qiang et al., [14] the WO₃ nanorods with a high aspect ratio yield an intercalation capacity of 1.12 Li per formula unit, which is much higher than 0.5 Li per formula unit for bulk WO₃ powder as reported by Zhong et al. [8a] The maximum value of Li concentration in the final cubic phase need further evaluation using light-elementsensitive method such as atom probe tomography.^[15] In addition, scanning from left to right of CF, spatial-resolved EELS spectrums (Supporting Figure S2) show that the intensity of Li K-edge gradually increased and the O₂-edge of W monotonically shifted from 56.5 eV to 54.5 eV, indicating W valence state decrease with Li⁺ insertion.^[2b] The structure and spectroscopy information explicitly proves that Li intercalated into the WO₃ before conversion reaction, and

6245







the lithium concentration gradually increased in the intercalation region until conversion started at the CF. The structure evolution is illustrated by schematic models in Figure 2c. The intercalation front (IF) cannot be accurately determined (dash line in Figure 2a), because, at very low x values (going farther beyond the CF), Li_xWO₃ has very similar NBD pattern with pristine WO₃ and has trivial volume change and weak Li K-edge signal in the EELS spectrum. However, the distance between the CF and the point where cubic diffraction pattern is obtained (Figure 2 point 3) is ca. 60 nm, meaning that the width of intercalation region should be at least 60 nm.

With increasing Li concentration, the intercalation phase gradually transformed to amorphous starting from the CF. As shown in Supporting Figure S3a, the NBD spots of intercalation phase continuously shifted outward both tangentially and radially as shown by the red arrows. The lattice was cubic after intercalation as shown by the red square pattern of the diffraction spot. However, after further insertion of Li ions, the lattice distorted and the diffraction pattern of the original red square changed to irregular shape and finally a diffraction ring pattern appears. Ab initio molecular dynamics simulations (Supporting Figure S3b,c) consistently indicate the excessive Li ions bonded with O atoms and distorted WO₃ framework towards the formation of Li₂O and W metal ordering. A detailed analysis on the intercalation to conversion transition is provided in Supporting Information.

Similar to the case of Li⁺ insertion, with continuous Na⁺ insertion, the CF progressively propagated upward from the bottom contact with Na source (Figure 3 a and Supporting Movie 3). Figure 3 b shows a HRTEM snapshot of the CF. Fast




Figure 3. a) TEM image of WO_3 after Na^+ insertion. b) Atomic resolution TEM image of the conversion front. Insets show FFTs of the two sides of CF. c,d) Select area diffraction of the circled region in (a) before and after conversion.

Fourier transformations (FFT) of the local regions in the image (insets in Figure 3b) were used to analyze local phases across the CF. The FFT of the region right above the CF can only be assigned to cubic Na_xWO_3 with aligned WO_6 octahedral. The FFT of the converted region shows the formation of W nanocrystals. These phases can also be

identified from the select area diffraction (SAD) pattern in Figure 3d taken from the circled region in Figure 3a; besides the diffraction rings from the W metal and Na_2O_2 , there is another set of diffraction pattern which can be assigned to the residual cubic Na_xWO_3 phase. The HRTEM and SAD provide solid evidence for the formation of cubic intercalation phase before conversion, hence support an intercalation-initiated conversion reaction.

To test whether the above mechanism holds for larger and multivalence ions, Ca^{2+} (radii 100 pm vs. Li^+ radii 76 pm)^[16] insertion into WO_3 was studied using in situ TEM. Ca^{2+} insertion in WO_3 was also proved to follow the intercalation initiated conversion process. As shown by Figure 4a, electrochemical charging with Ca^{2+} transformed the structure to W




Figure 4. a) Atomic resolution HAADF-STEM image of WO_3 after Ca insertion. Scale bar, 2 nm. b) EELS spectrum of the intercalation region. Insets show enlarged atomic resolution HAADF-STEM images before and after Ca intercalation.

metal and CaO. Due to relatively large Z number of Ca, we were able to directly image Ca atoms in WO $_3$ lattice using HAADF-STEM. Figure 4b shows atomic resolution HAADF-STEM images and EELS spectrum of the intercalation region. Comparing with pristine lattice, the enhanced contrast at the centers of WO $_3$ unit-cells directly shows Ca atoms intercalation into the center site of the WO $_3$ lattice. In addition, EELS spectrum of this region showing sharp Ca Ledges further supports the intercalation. Unfortunately, the conversion only proceeded for ca. 2 nm into the film, which may be attributed to the poor diffusivity of big Ca $^{2+}$ ions in the dense W metal layers.

In conclusion, microscopic detail of conversion reaction in WO_3 during Li^+ , Na^+ , and Ca^{2+} ions insertion was systematically studied. In all cases, the conversion reaction was initiated by intercalation. The intercalation reaction penetrates deeply into the lattice beyond the conversion reaction front, and gradually reduces the transition metal and increases structural symmetry and conductivity, facilitating subsequent conversion reaction. With excessive "ion-soaking", ion-oxygen bonding forms and gradually destabilizes the W framework which shrinks, distorts and finally collapses to amorphous structure. With unprecedented resolution, this work by combining experiments and ab initio MD simulations presents an atomistic full picture of conversion reaction in a conversion-type electrode material in second ion batteries.

Communications





The techniques demonstrated here can be widely applied to resolve dynamic structure and chemistry in other reaction fronts or interfaces.

Acknowledgements

This work was supported by the Assistant Secretary for Energy Efficiency and Renewable Energy, Office of Vehicle Technologies of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231, Subcontract No. 6951379 under the advanced Battery Materials Research (BMR) program. Y.D. acknowledges support on film growth by the Office of Basic Energy Sciences, Division of Materials Science and Engineering under Award 10122 and EMSL's Intramural Research and Capability Development Program. PNNL is a multiprogram national laboratory operated by Battelle for the U.S. Department of Energy (DOE) under Contract DE-AC05-76RL01830. The research was performed using the Environmental Molecular Sciences Laboratory (EMSL), a national scientific user facility sponsored by the Department of Energy's Office of Biological and Environmental Research and located at PNNL.

Keywords: conversion · in situ TEM · intercalation · ion batteries · WO₃

How to cite: Angew. Chem. Int. Ed. 2016, 55, 6244-6247 Angew. Chem. 2016, 128, 6352-6355

- [1] P. Poizot, S. Laruelle, S. Grugeon, L. Dupont, J.-M. Tarascon, Nature 2000, 407, 496-499.
- [2] a) S.-W. Kim, N. Pereira, N. A. Chernova, F. Omenya, P. Gao, M. S. Whittingham, G. G. Amatucci, D. Su, F. Wang, ACS Nano **2015**, 9, 10076 – 10084; b) M. Langell, S. Bernasek, *Phys. Rev. B* 1981, 23, 1584-1593; c) K. He, F. Lin, Y. Zhu, X. Yu, J. Li, R. Lin, D. Nordlund, T.-C. Weng, R. M. Richards, X.-Q. Yang, M. M. Doeff, E. A. Stach, Y. Mo, H. L. Xin, D. Su, Nano Lett. 2015, 15, 5755 – 5763; d) F. Wang, H. C. Yu, M. H. Chen, L. Wu, N. Pereira, K. Thornton, A. Van der Ven, Y. Zhu, G. G. Amatucci, J. Graetz, Nat. Commun. 2012, 3, 1201; e) K. He, Y. Zhou, P. Gao, L. Wang, N. Pereira, G. G. Amatucci, K.-W. Nam,

- X.-Q. Yang, Y. Zhu, F. Wang, D. Su, ACS Nano 2014, 8, 7251-7259.
- [3] a) A. Nie, L. Y. Gan, Y. Cheng, H. Asayesh-Ardakani, Q. Q. Li, C. Z. Dong, R. Z. Tao, F. Mashayek, H. T. Wang, U. S. Schlogl, R. F. Kile, R. S. Yassar, ACS Nano 2013, 7, 6203-6211; b) L. Zhong, X. H. Liu, G. F. Wang, S. X. Mao, J. Y. Huang, Phys. Rev. Lett. 2011, 106, 248302.
- [4] L. Luo, J. Wu, J. Xu, V. P. Dravid, ACS Nano 2014, 8, 11560-11566.
- [5] Q. Su, D. Xie, J. Zhang, G. Du, B. Xu, ACS Nano 2013, 7, 9115-
- [6] K. E. Gregorczyk, Y. Liu, J. P. Sullivan, G. W. Rubloff, ACS Nano 2013, 7, 6354-6360.
- [7] L. Q. Mai, B. Hu, W. Chen, Y. Y. Qi, C. S. Lao, R. S. Yang, Y. Dai, Z. L. Wang, Adv. Mater. 2007, 19, 3712-3716.
- [8] a) Q. Zhong, J. Dahn, K. Colbow, Phys. Rev. B 1992, 46, 2554-2560; b) S. H. Lee, M. J. Seong, H. M. Cheong, E. Ozkan, E. C. Tracy, S. K. Deb, Solid State Ionics 2003, 156, 447-452; c) K. Qi, J. Wei, M. Sun, Q. Huang, X. Li, Z. Xu, W. Wang, X. Bai, Angew. Chem. Int. Ed. 2015, 54, 15222-15225; Angew. Chem. 2015, 127, 15437 - 15440.
- [9] a) S. H. Lee, Y. H. Kim, R. Deshpande, P. A. Parilla, E. Whitney, D. T. Gillaspie, K. M. Jones, A. H. Mahan, S. Zhang, A. C. Dillon, Adv. Mater. 2008, 20, 3627-3632; b) W. J. Li, Z. W. Fu, Appl. Surf. Sci. 2010, 256, 2447-2452.
- [10] H. Yuan, L. Jiao, J. Cao, X. Liu, M. Zhao, Y. Wang, J. Mater. Sci. Technol. 2004, 20, 41-45.
- [11] Y. Du, M. Gu, T. Varga, C. Wang, M. E. Bowden, S. A. Chambers, ACS Appl. Mater. Interfaces 2014, 6, 14253-14258.
- [12] J. Y. Huang, L. Zhong, C. M. Wang, J. P. Sullivan, W. Xu, L. Q. Zhang, S. X. Mao, N. S. Hudak, X. H. Liu, A. Subramanian, H. Fan, L. Qi, A. Kushima, J. Li, Science 2010, 330, 1515-1520.
- Y. He, D. M. Piper, M. Gu, J. J. Travis, S. M. George, S. H. Lee, A. Genc, L. Pullan, J. Liu, S. X. Mao, J. G. Zhang, C. Ban, C. Wang, ACS Nano 2014, 8, 11816-11823.
- [14] W. Qiang, W. Zhenhai, J. Yeonseok, C. Jiyoung, L. Kwangyeol, L. Jinghong, Nanotechnology 2006, 17, 3116.
- [15] A. Devaraj, M. Gu, R. Colby, P. Yan, C. M. Wang, J. M. Zheng, J. Xiao, A. Genc, J. G. Zhang, I. Belharouak, D. Wang, K. Amine, S. Thevuthasan, Nat. Commun. 2015, 6, 8014.
- [16] A. Ponrouch, C. Frontera, F. Barde, M. R. Palacin, Nat. Mater. **2015**, 15, 169-172.

Received: February 25, 2016 Published online: April 13, 2016