

Anthropogenic N deposition increases soil C storage by reducing the relative abundance of lignolytic fungi. Elizabeth M. Entwistle, Donald R. Zak, and William A. Argiroff.
Ecological Monographs.

APPENDIX S1

Table S1. Physiological categories to which we assigned OTUs identified in SIMPER analysis.			
Physiology	Function	Taxa	Citations
White-rot and lignolytic litter decay ¹	Enzymatically decompose lignin	<i>Mycena</i>	(Worrall et al. 1997, Osono and Takeda 2002, Steffen et al. 2007, Liers et al. 2011, Cline and Zak 2015)
		<i>Marasmius</i>	(Osono and Takeda 2002, Steffen et al. 2007)
		<i>Gymnopus</i>	(Osono et al. 2003, Osono and Takeda 2006, Valaskova et al. 2007, Šnajdr et al. 2010, Cline and Zak 2015)
		<i>Crepidotus</i>	(Gutiérrez et al. 1999, Del Río et al. 2001, Martínez Ferrer et al. 2005)
		<i>Sphaerobolus</i>	(Robinson et al. 1993, Worrall et al. 1997, Baetsen 2013, Nagy et al. 2015)
		<i>Hypoderma</i>	(Binder et al. 2013)
		Gomphales	(Ginns and Lefebvre 1993, Erden et al. 2009, Hibbett et al. 2014)
Soft-rot and cellulolytic litter decay	enzymatically decompose cellulose or hemicelluloses, but decay little to no lignin	Cantharellales	(Boberg et al. 2011, Floudas et al. 2015, Nagy et al. 2015)
		Ascomycota (except Xylariales)	(Worrall et al. 1997, Osono et al. 2006, Osono and Takeda 2006, Boberg et al. 2011, Nagy et al. 2015)

Brown-rot	demethoxylate (“modify”) lignin but leave its phenolic and nonphenolic bonds intact	<i>Antrodia</i> spp.	(Binder et al. 2013)
		<i>Anomoporia</i> spp.	(Niemelä et al. 2007)
		<i>Ceriporia reticulata</i>	(Floudas and Hibbett 2015)
Weakly lignolytic	exhibit either high laccase but no - low peroxidase activity or relatively low laccase and peroxidase activity	Xylariaceae	(Osono and Takeda 2001, 2002, Stephen and Parungao 2003, Liers et al. 2011)
		Psathyrellaceae	(Ruiz-Duenas et al. 2009, Oliver et al. 2010, Liers et al. 2011)
		Entolomataceae	(Gramss 1997, Casieri et al. 2010)
		Tubariaceae	(Okino et al. 2000, Machado et al. 2005)
Mycorrhizal/ biotrophic	In a mycorrhizal or biotrophic association with a host	<i>Russula</i>	(Kirk et al. 2008)
		<i>Tomentella</i>	(Kirk et al. 2008)
		<i>Hygrocybe</i>	(Seitzman et al. 2011)
		Sebacinales	(Kirk et al. 2008)
1. Please note that our definition of “white-rot and lignolytic litter decay” fungi for this analysis is broader than our rather conservative definition of “highly lignolytic taxa” which we used for relative abundance analyses; white-rot and lignolytic litter decay fungi include any taxa which we have described as highly lignolytic (Tables 2 and S2), as well as some additional Agaricomycete taxa which were excluded from our analysis of the relative abundance of highly lignolytic taxa.			

REFERENCES

- Baetsen, A. 2013. Confirmation of *Sphaerobolus Stellatus* as a Causal Organism of Thatch Collapse of Turfgrasses. The Pennsylvania State University.
- Binder, M., A. Justo, R. Riley, A. Salamov, F. Lopez-Giraldez, E. Sjökvist, A. Copeland, B. Foster, H. Sun, E. Larsson, K.-H. Larsson, J. Townsend, I. V. Grigoriev, and D. S. Hibbett. 2013. Phylogenetic and phylogenomic overview of the Polyporales. *Mycologia* **105**:1350-1373.
- Boberg, J. B., K. Ihrmark, and B. D. Lindahl. 2011. Decomposing capacity of fungi commonly detected in *Pinus sylvestris* needle litter. *Fungal Ecology* **4**:110-114.
- Casieri, L., A. Anastasi, V. Prigione, and G. C. Varese. 2010. Survey of ectomycorrhizal, litter-degrading, and wood-degrading Basidiomycetes for dye decolorization and ligninolytic enzyme activity. *Antonie van Leeuwenhoek* **98**:483-504.
- Cline, L. C., and D. R. Zak. 2015. Initial colonization, community assembly and ecosystem function: fungal colonist traits and litter biochemistry mediate decay rate. *Molecular Ecology* **24**:5045-5058.

- Del Rio, J., A. Gutiérrez, M. Martínez, and A. Martínez. 2001. Py-GC/MS study of Eucalyptus globulus wood treated with different fungi. *Journal of Analytical and Applied Pyrolysis* **58**:441-452.
- Erden, E., M. C. Ucar, T. Gezer, and N. K. Pazarlioglu. 2009. Screening for ligninolytic enzymes from autochthonous fungi and applications for decolorization of Remazole Marine Blue. *Brazilian Journal of Microbiology* **40**:346-353.
- Floudas, D., B. W. Held, R. Riley, L. G. Nagy, G. Koehler, A. S. Ransdell, H. Younus, J. Chow, J. Chiniquy, A. Lipzen, A. Tritt, H. Sun, S. Haridas, K. LaButti, R. A. Ohm, U. Kües, R. A. Blanchette, I. V. Grigoriev, R. E. Minto, and D. S. Hibbett. 2015. Evolution of novel wood decay mechanisms in Agaricales revealed by the genome sequences of *Fistulina hepatica* and *Cylindrobasidium torrendii*. *Fungal Genetics and Biology* **76**:78-92.
- Floudas, D., and D. S. Hibbett. 2015. Revisiting the taxonomy of Phanerochaete (Polyporales, Basidiomycota) using a four gene dataset and extensive ITS sampling. *Fungal Biology* **119**:679-719.
- Ginns, J., and M. Lefebvre. 1993. Lignicolous Corticioid Fungi (Basidiomycota) of North America. *Mycologia Memoir No. 19*. APS Press, St Paul, Minnesota.
- Gramss, G. 1997. Activity of oxidative enzymes in fungal mycelia from grassland and forest soils. *Journal of Basic Microbiology* **37**:407-423.
- Gutiérrez, A., C. José, M. J. Martínez, and A. T. Martínez. 1999. Fungal degradation of lipophilic extractives in Eucalyptus globulus wood. *Applied and Environmental Microbiology* **65**:1367-1371.
- Harkin, J. M., M. J. Larsen, and J. R. Obst. 1974. Use of syringaldazine for detection of laccase in sporophores of wood rotting fungi. *Mycologia*:469-476.
- Hibbett, D. S., R. Bauer, M. Binder, A. J. Giachini, K. Hosaka, A. Justo, E. Larsson, K.-H. Larsson, J. D. Lawrey, and O. Miettinen. 2014. 14 Agaricomycetes. Pages 373-429 *Systematics and evolution*. Springer.
- Kirk, P., P. Cannon, D. Minter, and J. Stalpers. 2008. *Dictionary of the Fungi*.(10thedn). Wallingford, UK.
- Liers, C., T. Arnstadt, R. Ullrich, and M. Hofrichter. 2011. Patterns of lignin degradation and oxidative enzyme secretion by different wood- and litter-colonizing basidiomycetes and ascomycetes grown on beech-wood. *Fems Microbiology Ecology* **78**:91-102.
- Machado, K. M. G., D. R. Matheus, and V. L. R. Bononi. 2005. Ligninolytic enzymes production and Remazol brilliant blue R decolorization by tropical brazilian basidiomycetes fungi. *Brazilian Journal of Microbiology* **36**:246-252.
- Martínez Ferrer, Á. T., M. Speranza, F. J. Ruíz-Dueñas, P. Ferreira, S. Camarero, F. Guillén, M. J. Martínez, A. Gutiérrez Suárez, and J. C. d. Río Andrade. 2005. Biodegradation of lignocellulosics: microbial, chemical, and enzymatic aspects of the fungal attack of lignin.
- Nagy, L. G., R. Riley, A. Tritt, C. Adam, C. Daum, D. Floudas, H. Sun, J. S. Yadav, J. Pangilinan, and K.-H. Larsson. 2015. Comparative genomics of early-diverging

- mushroom-forming fungi provides insights into the origins of lignocellulose decay capabilities. *Molecular Biology and Evolution*:msv337.
- Niemelä, T., K.-H. Larsson, and E. Larsson. 2007. Anomoloma, a new genus separated from Anomoporia on the basis of decay type and nuclear rDNA sequence data. *Mycotaxon* **100**:305-317.
- Okino, L. K., K. M. G. Machado, C. Fabris, and V. L. R. Bononi. 2000. Ligninolytic activity of tropical rainforest basidiomycetes. *World Journal of Microbiology and Biotechnology* **16**:889-893.
- Oliver, J. P., J. Perkins, and J. Jellison. 2010. Effect of fungal pretreatment of wood on successional decay by several inky cap mushroom species. *International Biodeterioration & Biodegradation* **64**:646-651.
- Osano, T., Y. Fukasawa, and H. Takeda. 2003. Roles of diverse fungi in larch needle-litter decomposition. *Mycologia* **95**:820-826.
- Osano, T., S. Hobara, K. Koba, and K. Kameda. 2006. Reduction of fungal growth and lignin decomposition in needle litter by avian excreta. *Soil Biology and Biochemistry* **38**:1623-1630.
- Osano, T., and H. Takeda. 2001. Effects of organic chemical quality and mineral nitrogen addition on lignin and holocellulose decomposition of beech leaf litter by *Xylaria* sp. *European Journal of Soil Biology* **37**:17-23.
- Osano, T., and H. Takeda. 2002. Comparison of litter decomposing ability among diverse fungi in a cool temperate deciduous forest in Japan. *Mycologia* **94**:421-427.
- Osano, T., and H. Takeda. 2006. Fungal decomposition of Abies needle and Betula leaf litter. *Mycologia* **98**:172-179.
- Robinson, C. H., J. Dighton, and J. C. Frankland. 1993. Resource capture by interacting fungal colonizers of straw. *Mycological Research* **97**:547-558.
- Ruiz-Duenas, F. J., M. Morales, E. Garcia, Y. Miki, M. J. Martinez, and A. T. Martinez. 2009. Substrate oxidation sites in versatile peroxidase and other basidiomycete peroxidases. *Journal of Experimental Botany* **60**:441-452.
- Seitzman, B. H., A. Ouimette, R. L. Mixon, E. A. Hobbie, and D. S. Hibbett. 2011. Conservation of biotrophy in Hygrophoraceae inferred from combined stable isotope and phylogenetic analyses. *Mycologia* **103**:280-290.
- Šnajdr, J., K. T. Steffen, M. Hofrichter, and P. Baldrian. 2010. Transformation of 14C-labelled lignin and humic substances in forest soil by the saprobic basidiomycetes *Gymnopus erythropus* and *Hypholoma fasciculare*. *Soil Biology and Biochemistry* **42**:1541-1548.
- Steffen, K. T., T. Cajthaml, J. Snajdr, and P. Baldrian. 2007. Differential degradation of oak (*Quercus petraea*) leaf litter by litter-decomposing basidiomycetes. *Research in Microbiology* **158**:447-455.
- Stephen, B., and M. M. Parungao. 2003. Production of wood-decay enzymes, mass loss and lignin solubilization in wood by tropical Xylariaceae. *Mycological Research* **107**:231-235.

- Valaskova, V., J. Snajdr, B. Bittner, T. Cajthaml, V. Merhautova, M. Hoffichter, and P. Baldrian. 2007. Production of lignocellulose-degrading enzymes and degradation of leaf litter by saprotrophic basidiomycetes isolated from a *Quercus petraea* forest. *Soil Biology & Biochemistry* **39**:2651-2660.
- Worrall, J. J., S. E. Anagnost, and R. A. Zabel. 1997. Comparison of wood decay among diverse lignicolous fungi. *Mycologia*:199-219.