A Appendix

=

	2000	2002	Difference
	(1)	(2)	(1)-(2)
Local program			
Outside of target age range	0.24	0.267	-0.027
	(0.012)	(0.012)	(0.017)
In target age range	0.487	0.493	-0.005
	(0.015)	(0.015)	(0.021)
No local program			
Outside of target age range	0.251	0.248	0.003
	(0.011)	(0.011)	(0.016)
In target age range	0.421	0.432	-0.010
	(0.014)	(0.013)	(0.019)

_

Table A.1: Parallel trends

	Coefficient	Std. Erro
Local	-0.011	(0.012)
Target	-0.002	(0.012)
Post	-0.027***	(0.009)
Local x Target	0.066^{***}	(0.018)
Post x Local	0.012	(0.014)
Post x Target	0.122^{***}	(0.014)
Post x Local x Target	-0.080***	(0.017)
Health status (ref: good)		
Poor	-0.085***	(0.013)
Fair	-0.015*	(0.008)
Excellent	-0.030***	(0.008)
Unknown	-0.470***	(0.010)
Complementary health insurance (ref: private)		
Unknown	-0.044***	(0.017)
None	-0.088***	(0.010)
Public	-0.069***	(0.011)
Chronic disease (ref: no)		、 /
Has a chronic disease	0.016^{**}	(0.007)
Smoker	-0.043***	(0.008)
Education (ref: primary or lower)		· · · ·
Junior High school	0.032***	(0.007)
High school	0.037***	(0.007)
University	0.040***	(0.009)
Other	0.002	(0.011)
Occupation (ref: executive)		()
Farmer	-0.036***	(0.013)
Shopkeeper, craftmen	-0.025	(0.017)
Intermediary profession	0.009	(0.011)
Employee	-0.015	(0.011)
Worker	-0.042***	(0.014)
Not working/other	-0.078***	(0.017)
Income (ref: 1st quintile)		()
2nd quintile	0.023**	(0.011)
3rd quintile	0.041***	(0.012)
4th quintile	0.060***	(0.010)
5th quintile	0.082***	(0.010)
Unknown	0.007	(0.009)
Rural	-0.010	(0.007)
Parisian region	0.013	(0.001)
Age	0.167***	(0.009)
Age squared	-0.002***	(0.000)
Aged cubed	0.0002	(0.000) (0.000)
Radiologist density	0.007***	(0.000) (0.001)
GP density	0.000	(0.001) (0.000)
Mortality rate of breast cancer	-0.001	(0.000) (0.002)
Constant	-3.418***	(0.002) (0.171)
Observations	29,296	(0.111)
R-squared	0.340	
n-squared	0.340	

Table A.2: Basic regression results with covariates

Notes: * * * p < .01; * * p < .05; * p < .10

A. Differences by Education	Dépt with no Local Program			Dépts with Local Program		
A. Differences by Education	Pre-2004	Post-2004	Change	Pre-2004	Post-2004	Change
	(N = 2,562)	(N = 4,806)		(N = 2,072)	(N = 3,994)	
Primary or less	46.25%	63.90%	17.65^{***}	56.11%	64.16%	8.05***
Middle School	63.21%	70.98%	7.77***	61.72%	70.66%	8.94***
High School	65.88%	75.49%	9.61^{***}	64.60%	72.77%	8.17^{**}
University or higher	66.91%	74.22%	7.31**	72.48%	72.31%	-0.17
University/Primary or less	1.45	1.16		1.29	1.13	
B. Differences by Income						
	Pre-2004	Post-2004	Change	Pre-2004	Post-2004	Change
	(N = 1,856)	(N = 3,535)		(N = 1,492)	(N = 2,954)	
1st Quintile	52.20%	77.46%	25.26***	65.33%	74.46%	9.13**
2nd Quintile	60.69%	77.18%	16.49***	67.77%	79.92%	12.15***
3rd Quintile	73.03%	79.56%	6.53**	79.04%	77.72%	-1.32
4th Quintile	77.42%	81.74%	4.32*	77.46%	81.45%	3.99
5th Quintile	78.69%	84.64%	5.95^{**}	78.86%	81.39%	2.53
5th Quintile/1st Quintile	1.51	1.09		1.21	1.09	

Table A.3: Percentage of Women Receiving a Mammogram ever by income and education categories

Notes: We assess if the change is statistically significant using t-tests.

***p < .01; **p < .05; *p < .10