Ultrasound Strain Imaging to Assess the Biceps Brachii Muscle in Chronic Poststroke Spasticity

We sincerely appreciate Dr Sabour for pointing out that intraclass correlation analysis should have been used to test intra-observer agreement in our article. We have, therefore, reassessed intra-observer agreement in our data using intraclass correlation (Table 1). Intraclass correlation coefficient was determined with the statistical package SPSS Version 24.0 (SPSS, Armonk, NY, USA). The intraclass correlation coefficient between 2 measurements performed by a single observer was 0.92 (P<.001). Based on these results, we suggest that ultrasound strain imaging is feasible for quantifying biceps brachii muscle mechanical properties with good repeatability. We hope this response has improved the original article. 1

Jing Gao, MD Jonathan M. Rubin, MD, PhD

Rocky Vista University
Ivins, Utah USA
Weill Cornell Medicine, Cornell University
New York, New York USA
University of Michigan, Ann Arbor, Michigan USA

doi:10.1002/jum.14639

Reference

 Gao J, Chen J, O'Dell M, et al. Ultrasound strain imaging to assess the biceps brachii muscle in chronic poststroke spasticity [published online ahead of print February 5, 2018]. J Ultrasound Med 2018. doi: 10.1002/jum.14558.

Table 1. Intraclass Correlation Coefficient of Intra-observer Agreement

| | Intraclass Correlation ^a | 95% Confidence Interval | | F Test With True Value 0 | | | |
|------------------|--|-------------------------|-------------|--------------------------|-----|-----|------|
| | | Lower Bound | Upper bound | Value | df1 | df2 | Sig |
| Single Measures | .850 ^b | .764 | .906 | 12.305 | 63 | 63 | .000 |
| Average Measures | .919 ^c | .866 | .951 | 12.305 | 63 | 63 | .000 |

Note: a. Type C intraclass correlation coefficients using a consistency definition-the between-measure variance is excluded from the denominator variance; b. The estimator is the same, whether the interaction is present or not; c. This estimate is computed assuming the interaction effect is absent because it is not estimable otherwise.