

Default Question Block

Welcome to the preintervention survey for the MEEI launch of the SIMPL application for resident operative skills feedback. By now you have been introduced to the ZWISCH SCALE - a novel method for evaluating the "practice readiness" of surgical trainees. For a refresher on this scale, please click [here](#). Remember that the scale describes the **attending's** level of involvement in the case (e.g. show and tell, active help, supervision only).

This survey asks you, a new user of SIMPL, what level of practice residents in each post graduate year should be able to achieve. This survey should take 5 minutes to complete.

If you have any questions, please email jenny_chen@meei.harvard.edu.

We thank you for your cooperation in this research study, and hope you will benefit from using SIMPL.

Stacey T. Gray

Elliott D. Kozin

Jenny X. Chen

First name

Last name

You are a(n)

- Attending
- Trainee

PGY

- 1
- 2
- 3
- 4
- 5

What level on the ZWISCH SCALE do you think PGY1 residents at MEEI should operate at for the following procedures?

	Show & Tell	Active Help	Passive Help	Supervision Only
Parotidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Neck dissection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Show & Tell	Active Help	Passive Help	Supervision Only
Oral cavity resection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thyroid/parathyroidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tympanoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mastoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stapedectomy/Ossiculoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rhinoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mandible/midface fractures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flaps and grafts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airway-pediatric and adult	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Congenital neck masses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ethmoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bronchoscopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

What level on the ZWISCH SCALE do you think PGY2 residents at MEEI should operate at for the following procedures?

	Show & Tell	Active Help	Passive Help	Supervision Only
Parotidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Neck dissection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oral cavity resection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thyroid/parathyroidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tympanoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mastoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stapedectomy/Ossiculoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rhinoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mandible/midface fractures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flaps and grafts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airway-pediatric and adult	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Congenital neck masses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ethmoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bronchoscopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

What level on the ZWISCH SCALE do you think PGY3 residents at MEEI should operate at for the following procedures?

	Show & Tell	Active Help	Passive Help	Supervision Only
Parotidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Neck dissection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oral cavity resection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thyroid/parathyroidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tympanoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mastoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stapedectomy/Ossiculoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rhinoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mandible/midface fractures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flaps and grafts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airway-pediatric and adult	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Congenital neck masses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ethmoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bronchoscopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

What level on the ZWISCH SCALE do you think PGY4 residents at MEEI should operate at for the following procedures?

	Show & Tell	Active Help	Passive Help	Supervision Only
Parotidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

	Show & Tell	Active Help	Passive Help	Supervision Only
Neck dissection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oral cavity resection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thyroid/parathyroidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tympanoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mastoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stapedectomy/Ossiculoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rhinoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mandible/midface fractures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flaps and grafts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airway-pediatric and adult	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Congenital neck masses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ethmoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bronchoscopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

What level on the ZWISCH SCALE do you think PGY5 residents at MEEI should operate at for the following procedures?

	Show & Tell	Active Help	Passive Help	Supervision Only
Parotidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Neck dissection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oral cavity resection	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thyroid/parathyroidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tympanoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mastoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stapedectomy/Ossiculoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rhinoplasty	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mandible/midface fractures	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flaps and grafts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Airway-pediatric and adult	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Congenital neck masses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ethmoidectomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bronchoscopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Thank you for completing this survey!

Please email jenny_chen@meei.harvard.edu if you have any questions or concerns.