

Working Paper

The Covid-19 pandemic is a Vitamin D Deficiency problem and is easy to solve: Revised to cite a new double-blind randomized study.

Allan Afuah
Stephen M. Ross School of Business
University of Michigan

Ross School of Business Working Paper
Working Paper No. 1398
September 2020

This paper can be downloaded without charge from the
Social Sciences Research Network Electronic Paper Collection:
<http://ssrn.com/abstract=3658597>

The Covid-19 pandemic is a Vitamin D deficiency problem and is easy to solve: Revised to cite a new double-blind randomized study

Allan Afuah
University of Michigan

Abstract: In this paper, I argue that the covid-19 pandemic that has ravaged the world's healthcare systems and economies is actually a Vitamin D deficiency problem with an unbelievably effective solution that costs a few cents a day per person but saves lives and trillions of dollars, with zero adverse side effects. Until people worldwide raise their serum Vitamin D levels to 30 ng/mL (75 nmol/L) and above—covid-19 and other diseases caused by viruses will continue to wreak havoc on health and economies. Remarkably, fighting viruses is only the tip of the iceberg of the health problems that high doses of Vitamin D can solve. One way to verify these properties of high doses of Vitamin D for yourself is to talk to someone that you trust who takes more than 5,000 IU of Vitamin D per day. That trusted someone can be a friend, family member, co-worker, someone from your place of worship, or someone from a social network you trust. A recent double-blind randomized study now shows that high doses of Vitamin D are also very effective in treating patients who have already been infected by the virus. Finally, it remains to be proven that what is observed as the effectiveness of a vaccine against the virus is not actually a Vitamin D effect.¹

Key words: Covid-19, coronavirus strategy, forgotten scientific miracles, Vitamin D solution, crowdsourcing, business model, open innovation, disruptive innovation, status quo, pandemic, pollution, double-blind randomized study, vaccine effectiveness, rickets

Introduction

Connecting the dots in scientific research strongly suggests that the covid-19 problem that the world faces is actually a Vitamin D deficiency problem. Until people worldwide raise their serum Vitamin D levels above 30 ng/mL (75 nmol/L)—covid-19 and other viruses will continue to wreak havoc on health and economies. Luckily, people can easily raise their serum Vitamin D levels using high doses of the vitamin that are readily available at negligibly low cost (less than \$0.05 a day per person) in stores in the US and other countries.

¹ This paper summarizes and clarifies information from the author's book, "*Forgotten Scientific Miracles*" by Allan Afuah

Back to the Future

To begin to understand why a deficiency in a vitamin can wreak so much havoc on health, we return to the future. For centuries, a maiming disease called *rickets* harassed humanity, especially children. It reached epidemic levels during the industrial revolution that started around 1760—a revolution that was characterized by production of energy from coal-burning power plants that blanketed the skies over industrial neighborhoods with smoke and other pollutants, and many people leaving the countryside for work in crowded cities. The populations hit the hardest by rickets were in the industrialized cities of Western Europe and the northern United States. Healthcare experts scrambled around for the cause and cure for the disease, blaming inadequate fresh air, lack of exercise, germs, witchcraft, poor hygiene, poor parenting, and so on. Some authorities ordered children stricken by the disease to be isolated. Some doctors unsuccessfully used clamps to straighten the characteristic bowlegs of victims, and so on and so on.

The Miracle

It was not until the 20th Century when scientists discovered that rickets was caused by a deficiency in a micronutrient they named Vitamin D. Vitamin D—which is actually a hormone—is made by our bodies when exposed to the sun’s UVB rays under the right conditions. Indeed, the hormone has shaped human health and live at least since humans roamed the sunny grasslands of Eastern Africa before migrating to the rest of the world. The substance was isolated in 1931, and its structure and synthesis determined in 1932.¹ Adolf Otto Reinhold Windaus had won the Nobel Prize in Chemistry in 1928 for his work on the steroid structures critical to synthesizing Vitamin D. The substance could now be manufactured to tame rickets—a miracle to many relieved parents and loved ones. Some countries got milk fortified with low doses of Vitamin D.

Tip of the Iceberg

For many healthcare professionals, policy makers and drug makers, rickets was a problem that had been nipped in the bud with low doses of Vitamin D. That was the end of the story for them, and remains the end of the story even today among drug makers and many doctors! However, more scientific research showed that *rickets* was only *the tip of an iceberg* of the numerous other diseases caused or exacerbated by Vitamin D deficiency.² The tip of the iceberg could be chipped off using low doses of Vitamin D, but getting rid of the rest of the iceberg would require higher doses.

Indeed, researchers showed that—in addition to its superior abilities in bone and muscle health, cardiometabolic health, and immune function health—Vitamin D is also an anti-inflammatory, antithrombotic (prevents blood clotting), an immune modulator, and a lot more (see references at the end of paper).³ Thus, for example, a severe deficiency in the

vitamin can lead to a compromised immune system, making us very susceptible to viruses (e.g., covid-19 virus, HIV, MERS virus, the flu, etc.) and the ravages they inflict on health. Indeed, Vitamin D deficiency causes or exacerbates numerous other health problems.⁴

Just as important, scientists also worked out and published the blood levels of Vitamin D that are likely to provide people with these benefits, and the levels below which one is in danger of succumbing to viruses such as the covid-19 virus and numerous other health problems. These categories are: Deficiency (0 to 20 ng/mL), insufficiency (21 to 29 ng/mL), and sufficiency (30 ng/mL and above). Other scientists argued for an optimal level of 40 to 100 ng/mL.⁵ Scientists also pointed out the daily intake that is likely to raise a person's serum levels to these optimal levels.

For many people, reaching the 30 ng/mL (75 nmol/L) lower bound for good health requires at least 3,000 IU per day. This is higher than the Recommended Dietary Allowances (RDA) of 800 IU per day, but lower than the Institute of Medicine's Tolerable Upper Intake Level (UL) of 4,000 IU per day and the Endocrine Society's UL of 10,000 per day. This 10,000 IU per day is also the European Food and Safety Administration's No Observed Adverse Effect Level (NOAEL).⁶

Fast Forward to 2020: Covid-19 Pandemic Research

In 2020, as covid-19 ravaged lives and economies, two questions kept many scientists busy. Who is likely to be infected by the virus? Once infected by the virus, what can be used to treat it? Recent research confirmed earlier research findings that high serum levels of Vitamin D provide superior prevention of infection by the virus.⁷ That is, high blood levels of Vitamin D prevent infection by the covid-19 virus. However, for a long time, there were no known studies showing that Vitamin D cures people infected by the virus. That changed in August 2020 when a randomized double-blind study demonstrated the superiority of Vitamin D in treating covid-19 patients.⁸ In the randomized study, 50 covid-19 patients took high doses of Calcifediol (25-hydroxyvitamin D) while a control group of 26 patients did not. The results were remarkable. Only one of the 50 patients taking the high doses of Vitamin D had to be admitted to the intensive care unit (ICU). That one patient was eventually got well enough to be discharged. However, half of the 26 patients in the control group—the group that did not receive the high doses of Vitamin D—were admitted to the ICU, and 2 of them died. (Recall that in scientific research, double-blind randomized studies are the gold standard.)

Interestingly, the demographic groups that have suffered the most from covid-19 infections and deaths just happen to be the same groups that suffer the most from *Vitamin D deficiency*. These include the elderly, the obese, people of color (especially in the UK, USA, Brazil, South Africa, and Sweden), the poor, people with pre-existing health conditions, people in polluted areas, and people living outside the tropics.

More importantly, the theory behind how and why Vitamin D works lends even more credence to the argument that the covid-19 problem is a Vitamin D deficiency problem. Even more importantly, you can verify the power of high doses of Vitamin D for yourself by talking to someone that you trust who takes at least 5,000 IU of Vitamin D a day. That trusted someone can be a friend, family member, co-worker, someone from your place of worship, or someone from a social network community you trust.

The question is: Why have our Vitamin D levels dropped so low as to leave us vulnerable to the ravages of covid-19, other disease caused by viruses, and a lot more? Relatedly, why may the human body's requirements for Vitamin D have risen? That is, why has Vitamin D deficiency become so severe and pervasive?

Why the Severity of Vitamin D Deficiency

Recall that our bodies make Vitamin D when exposed to the right amount of sun and our livers and kidneys—which turn the Vitamin D into the active forms that perform the miracles—are in good shape. Thus, anything about your body that tempers with its ability to produce Vitamin D, or blocks your sun—e.g., pollution, being outside the tropics, winters, being indoors, etc.—decreases your chances of building up the high serum levels of Vitamin D that your body needs. Today's hyper industrial revolution—like its 18th century counterpart—also generates lots of electricity using coal-fired plants that spew smoke, blocking the sun from getting to people near the plants. For example, in 2019, China generated 1,005 Gigawatts of power from coal compared to 246 Gigawatts for second place USA, and 229 Gigawatt for third place India.⁹ Even more importantly, the world has been rapidly adding more and more gasoline-powered cars to its congested roads, generating even more pollution. Also, more and more people are staying indoors, getting fatter, becoming insulin resistant, metabolically unhealthy, avoiding the sun, becoming deficient in Vitamin D's co-factors, covering up with sunscreen, and so on. These factors are not very good for Vitamin D serum levels. For example, the insulin resistant we get, the more difficult it is for our bodies to build up serum Vitamin D levels. The more metabolically unhealthy we are, the more difficult that it becomes for us to raise our Vitamin D levels. And so on, and so on.

Fortunately for us—thanks to the work of scientists going back to the 1920s—we can raise our Vitamin D serum levels using high doses of Vitamin D supplements. For less than 5 cents a day, an adult in the US can purchase what he or she needs to keep his or her serum levels above the recommended lower bound level of 30 ng/mL needed to protect people from viruses and a lot more. Vitamin D is readily available online, in brick-and-mortar drugstores, and some grocery stores.

The trillion dollar question is: If high doses of Vitamin D are the solution to the covid-19 problem—and numerous other health problems—and the vitamin is readily available for

less than 5 cents per person per day, why has it been so difficult for the world to accept this superior solution, and save lives and economies?

Why the Vitamin D solution has been neglected

There are five major reasons why it has been very difficult to accept high doses of Vitamin D as the solution to the covid-19 problem. First, the covid-19 problem belongs to a category of problems that appear impossible to solve using status quo approaches but become unbelievably easier to solve using crowds. Determining that Vitamin D is the solution to the covid-19 problem uses the power and wisdom of crowds—an approach that healthcare systems, governments, and the World Health Organization have yet to embrace. Ironically, using crowds to solve problems goes back to at least 1714 when the British government used the Longitude Prize to solve a problem that had eluded the world for centuries.

Second, Vitamin D as a solution to covid-19 is disruptive to the business models of many powerful status quo healthcare players, many of whom are ignorant of the effectiveness of high doses of Vitamin D and are misinformed about the alleged toxicity of high doses of the nutrient.¹⁰ Third, there was a miscalculation in the Recommended Dietary Allowance (RDA) of Vitamin D that gave many people the false impression that a Vitamin D daily intake of 800 IU was good enough for adult health.¹¹ It turned out that the RDA of 800 IU per day does not even come close to providing serum levels of 10 ng/mL, let alone the 30 ng/mL that is the lower bound of the levels needed to fight covid-19 and numerous other problems.

Fourth, many people see Vitamin D as their secret advantage, and see no reason why they should tell anyone else about its effectiveness solving health problems. They take high doses of Vitamin D and keep it a secret.

Fifth, governments have not paid enough attention to the root cause of covid-19 and how to cure people once they have been infected. Governments that care have focused their attention and limited resources—and rightly so—on stopping the spread of the diseases using measures such as the wearing of masks, social distancing, and so on. Consequently, governments have paid little or no attention on finding the root cause of the problem.

Conclusion

The covid-19 problem that is harassing the world is the Vitamin D deficiency problem that was solved by scientists in the 1930s. All we have to do to get out of the healthcare quagmire is unbelievably simple: Raise people's Vitamin D serum levels to more than 30 ng/mL (75 nmol/L) using high doses of Vitamin D. Luckily, Vitamin D supplements are cheap and readily available.

A double-blind randomized study now shows that high doses of Vitamin D very successfully treat covid-19 patients.¹² This is remarkable! However, the key is still prevention. Thus, it is important to note, again, that one has to build up one's serum levels of Vitamin D to 30 ng/mL or higher to enjoy its full benefits. That takes high doses of Vitamin D and time if one is deficient. You cannot stay deficient until you have been infected by a virus and then turn to Vitamin D expecting it to make the virus disappear right away. Here is the recommendation of Grant et al. (2020):

“To reduce the risk of infection, it is recommended that people at risk of influenza and/or Covid-19 consider taking 10,000 IU/d of vitamin D3 for a few weeks to rapidly raise 25(OH)D concentrations, followed by 5000 IU/d. The goal should be to raise 25(OH)D concentrations above 40–60 ng/mL (100–150 nmol/L).”¹³

If your hopes hang on a vaccine, remember that few vaccines are effective against coronaviruses (e.g., SARS and MERS). Importantly, it remains to be proven that what is observed by researchers as the effectiveness of a vaccine against a coronavirus is not a Vitamin D effect. That is, what researchers think is the effectiveness of a vaccine to protect against coronaviruses may actually be the effect of Vitamin D in the patients who receive the vaccine.

Meanwhile, please do what your authorities and scientists tell you to do to stop the virus from spreading: Wearing masks, social distancing, self-isolation when infected by the virus, thorough washing of hands, etc.

It is interesting to see how we have gone back to the future—to the *ricketts* days—and are trying to solve a micronutrient deficiency problem with everything but the micronutrient. The best way to verify—for yourself—the power of Vitamin D is to contact someone you trust that takes at least 5,000 IU of the vitamin per day, and ask the person what the vitamin has done for him or her. That trusted person can be from your school, family, work, place of worship, social network, or the comments section of a website you trust.

This article is derived from the author's book “*Forgotten Scientific Miracles*” (2020). The information in the article and in the book is for educational purposes only and is not intended to be medical advice.

¹ Carpenter, K. J. (2003). A short history of nutritional science: part 3 (1912–1944). *The Journal of Nutrition*, 133(10), 3023–3032.

² Afuah, A N. (2020). *Forgotten Scientific Miracles*. (2) Vitamindwiki.com

³ For example: Manson, J. E. (2020). COMMENTARY: Does Vitamin D Protect Against Covid-19? Medscape, May 11, 2020. Retrieve May 13, 2020, from: <https://www.medscape.com/viewarticle/930152>

⁴ For a list of these diseases, please see (1) Afuah, A N. (2020). Forgotten Scientific Miracles. (2) Vitamindwiki.com

⁵ Holick, M. F., Binkley, N. C., Bischoff-Ferrari, H. A., Gordon, C. M., Hanley, D. A., Heaney, R. P., ... & Weaver, C. M. (2011). Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline. *The Journal of Clinical Endocrinology & Metabolism*, 96(7), 1911-1930.

EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). (2012). Scientific opinion on the tolerable upper intake level of vitamin D. *EFSA Journal*, 10(7), 2813

⁶ EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). (2012). Scientific opinion on the tolerable upper intake level of vitamin D. *EFSA Journal*, 10(7), 2813.

⁷ Merzon, E., Tworowski, D., Gorohovski, A., Vinker, S., Golan Cohen, A., Green, I., & Frenkel-Morgenstern, M. (2020). Low plasma 25 (OH) vitamin D level is associated with increased risk of COVID-19 infection: an Israeli population-based study. *The FEBS journal*, 287(17), 3693-3702. Israel, A., Cicurel, A. A., Feldhamer, I., Dror, Y., Givon, S. M., Gillis, D., ... & Lavie, G. (2020). The link between vitamin D deficiency and Covid-19 in a large population. medRxiv.

⁸ Castillo, M. E., Costa, L. M. E., Barrios, J. M. V., Díaz, J. F. A., Miranda, J. L., Bouillon, R., & Gomez, J. M. Q. (2020). Effect of Calcifediol Treatment and best Available Therapy versus best Available Therapy on Intensive Care Unit Admission and Mortality Among Patients Hospitalized for COVID-19: A Pilot Randomized Clinical study. *The Journal of Steroid Biochemistry and Molecular Biology*, 105751.

⁹ Statista. 2020. Installed capacity of coal power plants worldwide as of January 2020, by select country (in megawatts). Retrieved July 20, 2020, from: <https://www.statista.com/statistics/530569/installed-capacity-of-coal-power-plants-in-selected-countries/>

¹⁰ For easy-to-understand scientific papers on why toxicity is not a problem for high doses of Vitamin D, see Dr. Holick (MD, PhD)'s research. For example: Holick, M. F. (2015, May). Vitamin D is not as toxic as was once thought: A historical and an up-to-date perspective. In *Mayo Clinic Proceedings* (Vol. 90, No. 5, pp. 561-564). Elsevier.

For a list of readings and research papers about Vitamin D, please see:

<https://vitamindwiki.com/Overview+Toxicity+of+vitamin+D>

Last retrieved on May 25, 2020

¹¹ Veugelers, P. J., & Ekwaru, J. P. (2014). A statistical error in the estimation of the recommended dietary allowance for vitamin D. *Nutrients*, 6(10), 4472-4475.

Heaney, R., Garland, C., Baggerly, C., French, C., & Gorham, E. (2015). Letter to Veugelers, PJ and Ekwaru, JP, A Statistical Error in the Estimation of the Recommended Dietary Allowance for Vitamin D. *Nutrients* 2014, 6, 4472–4475. *Nutrients*, 7(3), 1688-1690.

¹² Castillo, M. E., Costa, L. M. E., Barrios, J. M. V., Díaz, J. F. A., Miranda, J. L., Bouillon, R., & Gomez, J. M. Q. (2020). Effect of Calcifediol Treatment and best Available Therapy versus best Available Therapy on Intensive Care Unit Admission and Mortality Among Patients Hospitalized for COVID-19: A Pilot Randomized Clinical study. *The Journal of Steroid Biochemistry and Molecular Biology*, 105751.

¹³ Grant, W. B., Lahore, H., McDonnell, S. L., Baggerly, C. A., French, C. B., Aliano, J. L., & Bhattoa, H. P. (2020). Evidence that vitamin D supplementation could reduce risk of influenza and Covid-19 infections and deaths. *Nutrients*, 12(4), 988.

References

- Afuah, A N. (2020). Forgotten Scientific Miracles. (2) Vitamindwiki.com
- Carpenter, K. J. (2003). A short history of nutritional science: part 3 (1912–1944). *The Journal of Nutrition*, 133(10), 3023-3032.
- Dancer, R. C., Parekh, D., Lax, S., D'Souza, V., Zheng, S., Bassford, C. R., ... & Sapey, E. (2015). Vitamin D deficiency contributes directly to the acute respiratory distress syndrome (ARDS). *Thorax*, 70(7), 617-624.
- EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA). (2012). Scientific opinion on the tolerable upper intake level of vitamin D. *EFSA Journal*, 10(7), 2813
- Garland, C. F., Gorham, E. D., Mohr, S. B., & Garland, F. C. (2009). Vitamin D for cancer prevention: global perspective. *Annals of Epidemiology*, 19(7), 468-483.
- Grant, W. B., Lahore, H., McDonnell, S. L., Baggerly, C. A., French, C. B., Aliano, J. L., & Bhattoa, H. P. (2020). Evidence that Vitamin D Supplementation Could Reduce Risk of Influenza and Covid-19 Infections and Deaths. *Nutrients*, 12(4), 988.
- Gruber-Bzura, B. M. (2018). Vitamin D and Influenza—Prevention or Therapy?. *International Journal of Molecular Sciences*, 19(8), 2419.
- Heaney, R., Garland, C., Baggerly, C., French, C., & Gorham, E. (2015). Letter to Veugelers, PJ and Ekwaru, JP, A Statistical Error in the Estimation of the Recommended Dietary Allowance for Vitamin D. *Nutrients* 2014, 6, 4472–4475. *Nutrients*, 7(3), 1688-1690.
- Holick (MD, PhD)'s research. For example: Holick, M. F. (2015, May). Vitamin D is not as toxic as was once thought: A historical and an up-to-date perspective. In *Mayo Clinic Proceedings* (Vol. 90, No. 5, pp. 561-564). Elsevier.
- Holick, M. F., Binkley, N. C., Bischoff-Ferrari, H. A., Gordon, C. M., Hanley, D. A., Heaney, R. P., ... & Weaver, C. M. (2011). Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline. *The Journal of Clinical Endocrinology & Metabolism*, 96(7), 1911-1930.
- Jolliffe, D. A., Greenberg, L., Hooper, R. L., Griffiths, C. J., Camargo Jr, C. A., Kerley, C. P., ... & Martineau, A. R. (2017). Vitamin D supplementation to prevent asthma exacerbations: a systematic review and meta-analysis of individual participant data. *The Lancet Respiratory Medicine*, 5(11), 881-890.
- Jolliffe, D. A., Greenberg, L., Hooper, R. L., Mathysen, C., Rafiq, R., de Jongh, R. T., ... & Martineau, A. R. (2019). Vitamin D to prevent exacerbations of COPD: systematic review and meta-analysis of individual participant data from randomised controlled trials. *Thorax*, 74(4), 337-345.
- Kearns, M. D., Alvarez, J. A., Seidel, N., & Tangpricha, V. (2015). Impact of vitamin D on infectious disease. *The American Journal of the Medical Sciences*, 349(3), 245-262.
- Manson, J. E. (2020). COMMENTARY: Does Vitamin D Protect Against Covid-19? *Medscape*, May 11, 2020. Retrieve May 13, 2020, from: <https://www.medscape.com/viewarticle/930152>

- Martineau, A. R. (2012). Old wine in new bottles: vitamin D in the treatment and prevention of tuberculosis. *Proceedings of the Nutrition Society*, 71(1), 84-89.
- Martineau, A. R., Jolliffe, D. A., Hooper, R. L., Greenberg, L., Aloia, J. F., Bergman, P., ... & Goodall, E. C. (2017). Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. *BMJ*, 356, i6583.
- Raharusun, P., Priambada, S., Budiarti, C., Agung, E., & Budi, C. (2020). Patterns of COVID-19 mortality and vitamin D: an Indonesian study. Available at SSRN
- Urashima, M., Segawa, T., Okazaki, M., Kurihara, M., Wada, Y., & Ida, H. (2010). Randomized trial of vitamin D supplementation to prevent seasonal influenza A in schoolchildren. *The American Journal of Clinical Nutrition*, 91(5), 1255-1260.
- Schwalfenberg, G. K. (2011). A review of the critical role of vitamin D in the functioning of the immune system and the clinical implications of vitamin D deficiency. *Molecular nutrition & food research*, 55(1), 96-108.
- Valdivielso, J. M., Cannata-Andía, J., Coll, B., & Fernández, E. (2009). A new role for vitamin D receptor activation in chronic kidney disease. *American Journal of Physiology-Renal Physiology*, 297(6), F1502-F1509.
- Veugelers, P. J., & Ekwaru, J. P. (2014). A statistical error in the estimation of the recommended dietary allowance for vitamin D. *Nutrients*, 6(10), 4472-4475.
- Von Essen, M. R., Kongsbak, M., Schjerling, P., Olgaard, K., Ødum, N., & Geisler, C. (2010). Vitamin D controls T cell antigen receptor signaling and activation of human T cells. *Nature Immunology*, 11(4), 344-349.