



# Head and Neck Cancer and Social Media: The Patient Experience and Cancer Survivorship

Rebecca W. Gao, MD ; Joshua D. Smith, MD ; Kelly M. Malloy, MD

**Objectives/Hypothesis:** To characterize the head and neck cancer patients' lived experiences with survivorship through Instagram and examine opportunities for health professionals to provide support and outreach specifically targeting these needs.

**Study Design:** Descriptive observational study.

**Methods:** We analyzed key head and neck cancer-related hashtags by querying medical and layman terminology. The top English-language posts for #headandneckcancer underwent further content examination using thematic analysis based in grounded theory for categorization for user engagement (determined by "likes" and comments), type of content, and category of the account that created the post. Of the survivorship posts by patients, the content of posts in top user accounts was further analyzed.

**Results:** There were 11,600 Instagram posts on #headandneckcancer, 1,300 posts on #headandneckcancerawareness, 1,100 posts on #headandneckcancersurvivor, and several thousand posts for additional layman terms. The majority of posts were from patients (65%), with few from head and neck surgeons or medical organizations (26%). User engagement was primarily by nonmedical accounts (95%). Posts by patients discussed medical appointments and treatments (81%), managing treatment effects and symptoms (66%), and cancer screening and prevention (23%). Specific concerns included fatigue (53%), postsurgical cosmetic appearance (27%), and weight and nutrition (34%).

**Conclusions:** Our study suggests that Instagram accounts can be intimate records of the patient experience, and gaining a better understanding of the daily experience of survivorship may be critical for head and neck surgeons and other oncology providers to provide truly comprehensive cancer care.

**Key Words:** Social media, cancer survivorship.

**Level of Evidence:** 4

*Laryngoscope*, 131:E1214–E1219, 2021

## INTRODUCTION

As cancer treatments have improved over time, increased attention has been given to issues of symptom management and longer-term survivorship considerations.<sup>1,2</sup> The most inclusive definition of "survivorship" provided by the National Coalition for Cancer Survivorship and the Office of Cancer Survivorship and the National Cancer Institute includes both the patient and their families who are "living with, through and beyond a cancer diagnosis."<sup>3,4</sup>

Head and neck cancer (HNC) treatment and survivorship present many uniquely difficult and socially isolating challenges.<sup>5–8</sup> Difficulties with nutrition and eating, changes in speech and articulation, surgical scarring in highly visible and cosmetically sensitive areas, and social and financial stressors all contribute to survivorship experience. Some patients may have additional risk factors such as alcohol and tobacco use that can be addressed.

Head and neck surgeons, radiation oncologists, medical oncologists, and other healthcare professionals involved

in a patient's oncologic treatment connect with patients for brief clinic visits once every few weeks or months initially, to every few years in the longer term. The lived experience of patient survivorship, however, includes every single day between these intermittent visits as well time that is not as easily characterized or studied.

With the advent and rise of social media, these lived patient experiences have gradually become more available and gained greater visibility. Patients and caregivers have increasingly turned to social media to document their cancer survivorship journey, seek social support and community, and obtain medical information.<sup>9–14</sup> Social media platforms have the potential to offer a more intimate, nuanced view of the day-to-day of cancer of survivorship.

Instagram is the third most commonly used social media network behind only Facebook and YouTube and has emerged as a popular platform for building online communities through sharing photos and short videos.<sup>15</sup> This media-centric model has led to the increased popularity of Instagram by cancer survivors, with previous research showing substantial utilization by breast, prostate, and skin cancer survivors.<sup>16–20</sup>

To date, however, there is still very limited understanding of how HNC patients utilize social media, including Instagram, for their documentation of their daily lived experiences with survivorship. No previous research addressing this deficiency was identified. As such, our study's objective was to better characterize the

From the Department of Otolaryngology–Head and Neck Surgery, University of Michigan, Ann Arbor, Michigan, U.S.A.

Editor's Note: This Manuscript was accepted for publication on August 14, 2020.

The authors have no funding, financial relationships, or conflicts of interest to disclose.

Send correspondence to Rebecca W. Gao, MD, Department of Otolaryngology–Head and Neck Surgery, 1500 E. Medical Center Drive, Ann Arbor, MI 48109. E-mail: rwg@med.umich.edu

DOI: 10.1002/lary.29074

content and user engagement on Instagram related to HNC patient experiences and survivorship.

We hypothesized that analyzing Instagram posts by patients will provide greater insight into the daily patient experience of survivorship, offering both opportunities for further research and for health professionals to provide support, education, and outreach on Instagram specifically targeting these needs.

## MATERIALS AND METHODS

### *Study Design*

We performed a descriptive study using both qualitative and quantitative methods. We analyzed the publicly available, English-language hashtags by querying HNC-related topics from Instagram (www.instagram.com; Facebook, Menlo Park, CA). With review by an otolaryngology-specific academic librarian, we developed a systematic search methodology for hashtags and utilized grounded theory-based qualitative thematic analysis for posted content. Posts are images or videos with captions posted by users on a social media site. Data were obtained September 2019 to May 2020.

### *Hashtag Prevalence*

We queried both medical and lay-person terminology for HNC content via hashtag analysis. Hashtags are words or phrases used commonly in social media to label content, such as #cancer or #cancersurvivor. The queries we used were based on American Joint Committee on Cancer 8th edition HNC staging categories such as #oralcavitycancer, #oralcancer, #oropharyngealcancer, #nasopharyngealcancer, #laryngealcancer, #supraglotticcancer, and #salivaryglandcancer. Within each category, recognized anatomic subsites were also included, such as lip, tongue, floor of mouth, gingiva, buccal mucosa, retromolar trigone, and hard palate for oral cavity. For each anatomic site, the lay-person equivalent was also included (e.g., #nosecancer for #nasopharyngealcancer or #nasopharynxcancer, #gumcancer for gingiva). To account for more specific pathology-based diagnoses, the World Health Organization Classification of Tumors was used to query specific HNC pathological types, such as #squamouscellcarcinoma.<sup>21</sup>

The total number of posts using each hashtag was recorded. When tags with only minor grammatical differences were encountered, such as #headandneckcancer, #headandneckcancers, #headneckcancer, and #headneckcancers, the hashtag with the larger number of posts was recorded. Hashtags that resulted in <200 posts were excluded. Hashtags with more than half of the top 10 posts referring to an unrelated topic were excluded (e.g., #earcancer referring colloquially to music tastes).

### *Types of Accounts Active With #Headandneckcancer*

We then analyzed the type of account that created the top 200 posts for #headandneckcancer. The accounts were categorized as belonging to a head and neck surgeon/otolaryngologist, other health professionals (e.g., speech-language pathologist, dermatologists, oral surgeons, dentists), patients, or other. Accounts that could not be identified or were assigned as “private with content withheld” were excluded.

We subsequently focused in on a further subset and analyzed the “top posts” for #headandneckcancer. Top posts on Instagram are the first posts to be featured as results for a given hashtag and are determined by Instagram’s internal algorithm that ranks post popularity by user engagement. This

internal algorithm also determines granularity of the number of “hits” on a hashtag.

We analyzed the user engagement (defined as “likes” or comments) for #headandneckcancer posts to determine what type of accounts (and thus individuals or groups) interact with HNC posts. The accounts that commented on the selected top posts were then categorized as belonging to head and neck surgeons, other health professionals, the general public (i.e., accounts from users who do not appear to work in the healthcare field), and other.

### *Thematic Analysis of Post Content by Patients*

A preliminary qualitative thematic analysis evaluation was undertaken using methodology based in grounded theory via an iterative approach. Grounded theory is a methodology commonly used in the social sciences for qualitative research that is “grounded in data systematically gathered and analyzed.”<sup>22</sup>

There was an initial content analysis review of 25 posts to draw and code themes via an inductive approach. Using this open coding analysis, specific categories were refined. A subsequent iterative review of another 25 posts was then performed to verify saturation of the coding categories, such as “social support.” The 200 posts in the paper’s dataset were analyzed using the code book. The formal content analysis was then performed on the top 200 publicly available top posts for quantitative analysis. Based on the thematic analysis, each post by patients was quantitatively categorized as primarily discussing a medical appointment or procedure, a cancer milestone, social support, or cancer screening and prevention. The classification of the 200 posts was then repeated for verification, and test–retest reliability was performed using Cohen’s  $\kappa$ .

To explore specific patient concerns and challenges with survivorship, the patient-created posts from the top 200 posts for #headandneckcancer, #thyroidcancer, and #oralcancer were separately analyzed. These three hashtags were selected because they were the most popular hashtags identified and could represent different unique subpopulations. The hashtag #basalcellcarcinoma was not used due to the inclusion of possible non–head and neck locations.

A similar iterative post based in grounded theory, as discussed previously, was utilized to systematically gather qualitative information. The posts were categorized as discussing issues with pain, speech changes, surgical scars, facial and neck deformities, weight and nutrition challenges, fatigue, social stress, financial challenges, and psychological stress.

### *How Often Cancer Patients Post Regarding Their Diagnosis*

To determine how often HNC patients post about their cancer diagnosis and symptoms, 50 patient accounts from the top 50 patient-created posts for #headandneck were examined further. The most recent 20 posts for each account were examined to determine if they contained content directly related to cancer treatment or symptoms, and the average percentage of posts was determined.

### *Statistical Analysis*

The statistics and data analyses were performed using Microsoft Excel 2017 (Microsoft, Redmond, WA) and GraphPad Prism (GraphPad Software, San Diego, CA).

## RESULTS

### *Popularity of HNC Hashtags*

A total of 11,600 posts were tagged #headandneckcancer (Table I). The most popular type of HNC was

TABLE I.  
Hashtags Related to Head and Neck Cancers Queried for Number of Posts.

Hashtag	No. of Posts
#thyroidcancer	115,000
#oralcancer	22,500
#basalcellcarcinoma	13,400
#headandneckcancer	11,600
#squamouscellcarcinoma	10,900
#throatcancer	7,600
#papillarythyroidcancer	3,400
#ameloblastoma	2,500
#tonguecancer	2,100
#adenoidcysticcarcinoma	1,700
#medullarythyroidcancer	672
#nasopharyngealcancer	670
#pleomorphicadenoma	569
#salivaryglandcancer	534
#nasalcancer	470
#larynxcancer	450
#lipcancer	445
#mucoepidemoidcarcinoma	410
#follicularthyroidcancer	362
#mucosalmelanoma	345
#nosecancer	344
#merkelcellcarcinoma	317
#tonsilcancer	301

Hashtags resulting in less than 200 posts were not included.


#thyroidcancer at 115,000, #oralcancer at 22,500, and #basalcellcarcinoma at 13,400 (with some overlap with non-head and neck regions). Additional laymen hashtags such as #nosecancer, #neckcancer, and #tonguecancer also returned several hundred posts (345, 836, and 2,100 respectively). The most common pathology-based cancer diagnoses were #basalcellcarcinoma with 13,400 posts, #squamouscellcarcinoma with 10,800 posts, and #ameloblastoma with 2,500 posts. A notable subset that was not further analyzed due to the significant crossover with non-head and neck regions was cutaneous malignancies such as melanoma or basal cell carcinomas.

### Accounts Involved

Of the top 200 posts tagged #headandneckcancer, 128 posts (64%) were created by accounts of patients and/or their families (Fig. 1A). Only 14 (7%) were posted by head and neck surgeons or other otolaryngologists, and 38 (19%) were posted by other healthcare professionals (e.g., oral surgeons, dentists, speech-language pathologists). Most of the remaining 10% were posted by medical content pages that featured different diseases.

The types of accounts that engaged with the top posts tagged #headandneckcancer were primarily from the general public (95%), which were categorized as personal accounts of individuals who did not appear to work in

A  
ACCOUNTS CREATING  
HEAD AND NECK CANCER POSTS



B  
ACCOUNTS ENGAGING WITH  
HEAD AND NECK CANCER POSTS




Fig. 1. (A) Types of Instagram accounts that create posts tagged #headandneckcancer. (B) Type of Instagram accounts that engage in posts (likes or comments) on posts tagged #headandneckcancer.

healthcare (Fig. 1B). Only 4% of engagement was by head and neck surgeons or other healthcare professionals.

### Content of Patient Posts

Of the 128 top posts made by patients, 104 posts (81%) referenced their medical appointments or treatments they recently underwent or had planned (Table II). Eighty-five posts (66%) discussed managing treatment-related symptoms and side effects such as mucositis, weight loss, and fatigue. Twenty-four posts (19%) mentioned their social support networks, and 44 (34%) discussed a cancer milestone (e.g., 5 years cancer free). Twenty-nine posts (23%) touched on the importance of cancer screening, early symptoms, or cancer prevention (e.g., wearing sunscreen). Cohen's  $\kappa$  was 0.86 on average, indicating very high agreement.

### Patient Survivorship Challenges

The three most popular hashtags #headandneckcancer, #thyroidcancer, and #oral cancer were independently analyzed for specific patient experiences and challenges of survivorship. Of the 200 top posts for each, 128 were posted by patients for #headandneckcancer, 144 for #thyroidcancer,

TABLE II.  
Thematic Analysis of Categories of Patient Posts Tagged #headandneckcancer.

Theme	No. of Occurrences (%)	Example of Post	Cohen's κ
Medical appointments and procedures	104 (81.3%)	"Day 5 radiation in the books. 25 more to go. Chemo/radiation tomorrow."	0.92
Managing treatment effects and symptoms	85 (66.4%)	"Today is the first day I've felt human in a long while! Eating is getting easier (would be even better if this...sore on the roof of my mouth would go away) and I haven't lost weight for the first time in like a month. Cut my fentanyl dose in half and only taking oxy at night now. Skin is dry but healed around my neck."	0.83
Social support	24 (18.8%)	"It's been a very long year and I've met many amazing people who were/are going through the same thing. I couldn't have done it without the support of my wife, family & amazing crazy...friends."	0.78
Cancer milestones	44 (34.4%)	"Second PET scan done, second NED results! Almost 6 months since my last treatment, and a little over 2 months from now will be my first Cancerversary. I can't believe it."	0.84
Cancer screening and prevention	29 (22.7%)	"I've now had my carcinoma removed from my nose now....I'm posting this as I really want to make people aware that if you don't protect your skin from the sun you may get skin cancer....I also used sun beds when I was younger...don't do it"	0.92

NED = no evidence of disease; PET = positron emission tomography.

and 61 for #oralcancer (Fig. 2). One hundred twelve (88%) of #headandneckcancer patient posts and 121 (84%) of #thyroidcancer and 43 (70%) of #oralcancer posts discussed at least one cancer survivorship challenge or concern.

Concerns that were mentioned more commonly included general tiredness and fatigue (53% for both) (Fig. 2). The care of surgical scars was mentioned in 34 posts (27%) for #headandneckcancer, 44 posts (31%) for #thyroidcancer, and none for #oralcancer. Other cosmetic concerns included facial and neck deformities in 25 posts (19%), which related to "overly thin" necks after neck dissection, radiation fibrosis, and other skin discoloration, which was 19% in the #headandneck tagged population and 3% for #oralcancer. Difficulty with weight and nutrition were prominent in all groups at 44 posts (34%) for #headandneckcancer, 61 posts (42%) for #thyroidcancer, and 22 posts (36%) for #oralcancer. Sixteen posts (12%) and 29 posts (20%), respectively,

described social or financial hardships directly or indirectly caused by cancer diagnosis and treatment. Psychological stress or mental health challenges were mentioned in 62 (48%) #headandneckcancer posts and 104 (72%) #thyroidcancer posts.

### How Often Cancer Patients Post Regarding Their Diagnosis

On average, 5.4 out of 20 (27%) of the most recent posts on an HNC patient's Instagram account discussed cancer diagnosis, treatment, or symptoms. Standard deviation was high at 5.64, with some accounts posting predominantly on a patient's cancer course and others only incidentally as part of an Instagram account with a different primary focus (e.g., paintings done by the patient).

Patient Concerns in Instagram Posts




Fig. 2. Symptoms and concerns reported in posts by patients or patient families in posts tagged #headandneckcancer compared to #thyroidcancer. Percentages may not add up to 100% as a single post may contain content from several categories.

## DISCUSSION

With the rise of social media, cancer patients have increasingly turned to online platforms such as Instagram for community, medical information, and outreach. Analyzing Instagram posts by patients may thus give greater insight into the daily HNC patients' experience of survivorship and explore opportunities for health professionals to provide more tailored support and outreach specifically targeting these needs.

Our study examined the utilization of Instagram by HNC patients and their documented survivorship experiences on the platform. HNC posts had thousands to tens of thousands of Instagram posts with high user engagement of likes and comments. Our study showed that the majority of the posts (64%) were created by patients, and the vast majority of engagement with these posts (95%) was by the general public. Our study also suggested that patients with HNC frequently posted about their cancer diagnosis, with potentially a quarter of all posts on their accounts pertaining to cancer-related issues.

Of these patient-created posts, the majority (81%) discussed the patients' cancer treatment course, a finding also seen in previous studies on social media posts by cancer survivors.<sup>23</sup> Many of these posts also describe the challenges managing treatment effects and symptoms and other survivorship concerns (66%), the most common of which were fatigue (53%), psychological stress (48%), weight and nutrition (34%), and surgical scars (27%).

There were some differences noted between patient concerns in the subpopulations using the hashtags #thyroidcancer, #oralcancer, and #headandneckcancer. These HNC subcommunities reflect the diversity of malignancies that affect the head and neck region, and further research may be able to provide a more nuanced understanding of how their different needs are expressed on social media. The thyroid cancer population in particular is a distinct subpopulation from the more traditional HNC squamous cell carcinoma population, but we chose to include these data because we believe that it would be remiss to exclude this large population of patients who are operated on by head and neck surgeons and identify as cancer survivors. We do, however, recognize that the thyroid cancer patient population is distinctive, so we excluded this subpopulation from the primary analysis of the hashtag #headandneckcancer, and we analyzed the thyroid data separately (Fig. 2). We believe that this should remove the potential for confounding the thyroid data with the squamous cell carcinoma data while still respecting the value of the experiences of thyroid cancer patients.

However, it is notable that at least 70% of all patient posts expressed some type of challenge or difficulty the patient and his/her loved ones have faced or are preparing to face. As such, there remains significant opportunity for support and outreach via Instagram by oncology providers, including otolaryngologists. The #headandneckcancer tag has thousands of posts and tens of thousands of marks of user engagement primarily by patients and the general public, demonstrating that there is an engaged audience with interest in outreach efforts. These issues may not always be fully explored or addressed during brief clinic

visits but are critical for providing truly comprehensive cancer care.

Education and outreach may be tailored to address the survivorship challenges shown in our study. Our findings and future research may present opportunities to provide care that is more targeted toward these specific needs. Although the most commonly reported patient concerns in our study, acute and chronic fatigue and psychological stress, are often not fully addressed by oncology providers.<sup>24,25</sup> Moreover, head and neck surgeons may be able to address concerns on weight and nutrition with the help of a dietician and speech-language pathology colleagues.

These efforts may be in the form of increased support efforts in the clinical setting or online social media campaigns and education. For example, our study showed that over a quarter of posts were regarding surgical scarring, and thus, further education on scar and wound care may be helpful. Patients and the general public have increasingly turned to online resources to obtain medical information and support, and there are already opportunities collaborate with other healthcare professionals on existing and new campaigns for survivorship education on social media, such as sun protection and continued skin checks, mental health, and tobacco and alcohol cessation.

However, our study was limited in only presenting a snapshot of the current status of HNC content. We did not analyze dynamic changes in content and engagement over time. Our study also focused on Instagram and did not include additional social media sites such as Facebook or Twitter. We chose to examine Instagram because their media-centric model has shown broad appeal and substantial utilization by cancer survivors in previous research.<sup>16-20</sup> Although Facebook is a larger social media platform than Instagram and has a higher percentage of older users (65% vs. 23% of adults in the United States over the age of 50 years, respectively), it is less image-centric than Instagram.<sup>26,27</sup> Twitter has a similar age distribution as Instagram but is a less popular platform and lacks the image and video-centric models that are additional dimensions of information sharing.<sup>15, 26</sup>

Instagram also allows for accounts to make private posts, and our study could only examine publicly available posts, thus missing individual patients' private posts to close friends and family. Additionally, because we only analyzed top posts, it may not be a full reflection of post diversity, as less popular posts may have different content and characteristics. HNCs may have bimodal age distributions (e.g., human papillomavirus [HPV]-positive vs. HPV-negative squamous cell carcinoma), and the older patient population's experience may be less well represented because it is less likely to use social media. However, colon cancer and prostate cancer also have an older distribution but still have robust communities with several hundred thousand posts.

Our study was a limited descriptive study broadly characterizing the documentation of the HNC patient experience and survivorship on Instagram. Based on our preliminary results, further research may include a larger sample size for more nuanced analysis and improved understanding of the day-to-day patient experience and needs. Future studies may also address how

social media use affects mental health for HNC patients and how effective education and outreach methods through social media may be. Additionally, as with all social media-related content, patient privacy and the ethics of use within healthcare must be carefully considered in all future research and outreach efforts.

## CONCLUSION

Our study suggests that Instagram accounts can be intimate records of the patient experience, and gaining a better understanding of the daily experience of survivorship may be critical for head and neck surgeons and other oncology providers to provide truly comprehensive cancer care.

## BIBLIOGRAPHY

1. Shapiro CL. Cancer survivorship. *N Engl J Med* 2018;379:2438–2450.
2. Miller KD, Siegel RL, Lin CC, et al. Cancer treatment and survivorship statistics, 2016. *CA Cancer J Clin* 2016;66:271–289.
3. National Coalition for Cancer Survivorship. Available at: <http://www.canceradvocacy.org>. Accessed May 12, 2020
4. National Cancer Institute, Division of Cancer Control and Population Sciences. Available at: <http://www.cancercontrol.cancer.gov/ocs>. Accessed May 12, 2020
5. Giuliani M, McQuestion M, Jones J, et al. Prevalence and nature of survivorship needs in patients with head and neck cancer. *Head Neck* 2016;38:1097–1103.
6. Nilsen ML, Mady LJ, Hodges J, Wasserman-Wincko T, Johnson JT. Burden of treatment: reported outcomes in a head and neck cancer survivorship clinic. *Laryngoscope* 2019;129:E437–E444.
7. Berkowitz CM, Allen DH, Tenhover J, et al. Head and neck cancer survivors: specific needs and their implications for survivorship care planning. *Clin J Oncol Nurs* 2018;22:523–528.
8. Ringash J. Survivorship and quality of life and head and neck cancer. *J Clin Oncol* 2015;33:3322–3327.
9. Yoon H, Sohn M, Jung M. Media use and the cancer communication strategies of cancer survivors. *J Cancer Prev* 2016;21:127–134.
10. Portier K, Greer GE, Rokach L, et al. Understanding topics and sentiment in an online cancer survivor community. *J Natl Cancer Inst Monogr* 2013;2013:195–198.
11. Loeb S, Katz MS, Langford A, Byrne N, Ciprut S. Prostate cancer and social media. *Nat Rev Urol* 2018;15:422–429.
12. Falzone AE, Brindis CD, Chren MM, et al. Teens, tweets, and tanning beds: rethinking the use of social media for skin cancer prevention. *Am J Prev Med* 2017;53:S86–S94.
13. Falisi AL, Wiseman KP, Gaysynsky A, Scheideler JK, Ramin DA, Chou WS. Social media for breast cancer survivors: a literature review. *J Cancer Surviv* 2017;11:808–821.
14. Pellino G, Simillis C, Qiu S, et al. Social media and colorectal cancer: a systematic review of available resources. *PLoS One* 2017;12:e0183031.
15. Instagram. Available at: <https://about.instagram.com/about-us>. Accessed May 12, 2020.
16. Basch CH, MacLean SA. Breast cancer on Instagram: a descriptive study. *Int J Prev Med* 2019;10:166.
17. Vraga EK, Stefanidis A, Lampranidis G, et al. Cancer and social media: a comparison of traffic about breast cancer, prostate cancer, and other reproductive cancers on twitter and Instagram. *J Health Commun* 2018;23:181–189.
18. Basch CH, Hillyer GC. Skin cancer on Instagram: implications for adolescents and young adults [published online February 7, 2020]. *Int J Adolesc Med Health*. <https://doi.org/10.1515/ijamh-2019-0218>.
19. Struck JP, Siegel F, Kramer MW, et al. Substantial utilization of Facebook, twitter, YouTube, and Instagram in the prostate cancer community. *World J Urol* 2018;36:1241–1246.
20. Cho H, Silver N, Na K, Adams D, Luong KT, Song C. Visual cancer communication on social media: an examination of content and effects of #melanomasucks. *J Med Internet Res* 2018;20:e10501.
21. Barnes L, Everson JW, Reichart P, Sidransky D. eds. *World Health Organization Classification of Tumors. Pathology and Genetics: Head and Neck Tumors*. Lyon, France: WHO Press; 2005.
22. Chapman AL, Hadfield M, Chapman CJ. Qualitative research in healthcare: an introduction to grounded theory using thematic analysis. *J R Coll Physicians Edinb* 2015;45:201–205.
23. Crannell WC, Clark E, Jones C, James TA, Moore J. A pattern-matched twitter analysis of US cancer-patient sentiments. *J Surg Res* 2016;206:536–542.
24. Biering K, Frydenberg M, Pappot H, Hjollund NH. The long-term course of fatigue following breast cancer diagnosis. *J Patient Rep Outcomes* 2020;4:37.
25. Granek L, Nakash O, Ariad S, Shapira S, Ben-David M. Mental health distress: oncology nurses' strategies and barriers in identifying distress in patients with cancer. *Clin J Oncol Nurs* 2019;23:43–51.
26. Smith A, Anderson M. Social media use in 2018: appendix A: detailed table. Pew Research Center website. Available at: <https://www.pewresearch.org/internet/2018/03/01/social-media-use-2018-appendix-a-detailed-table/>. Accessed July 11, 2020.
27. Tran T. Instagram demographics that matter to social media marketers in 2020. Hootsuite website. Available at: <https://blog.hootsuite.com/instagram-demographics/>. Accessed July 11, 2020.