

Table 1a. Pairwise comparisons of changes in biomarkers from baseline to 48hrs by insulin treatment groups.

	Treatment Group											p-value for difference of changes between 2 groups	
	Intensive Insulin Treatment					Standard Insulin Treatment							
	n	Estimated mean at BL	Estimated mean at 48hr	Estimated mean of changes	95% CI		n	Estimated mean at BL	Estimated mean at 48hr	Estimated mean of changes	95% CI		
<b>DDIMER (ng/ml)</b>	49	1529	1424	-105	-786	577	62	1474	1389	-84	-791	623	0.9676
<b>FVII (U/ml)</b>	49	1.14	1.01	-0.13	-0.24	-0.02	62	1.20	1.18	-0.02	-0.14	0.09	0.1982
<b>FVIII (U/ml)</b>	49	3.14	2.83	-0.31	-0.73	0.10	62	3.22	3.23	0.02	-0.41	0.45	0.2711
<b>FVIIa (mU/ml)</b>	49	55.29	62.59	7.30	-5.42	20.03	62	63.28	51.23	-12.06	-25.27	1.16	0.0388
<b>PAI1 (ng/ml)</b>	48	35.74	29.43	-6.31	-13.03	0.40	62	42.43	46.17	3.74	-3.21	10.70	0.0416
<b>TAT (µg/l)</b>	48	12.79	10.90	-1.89	-10.23	6.45	62	9.42	9.75	0.33	-8.31	8.98	0.7139
<b>TFPCA (U/ml)</b>	48	102.96	70.86	-32.10	-52.03	-12.17	56	68.49	71.11	2.62	-19.61	24.85	0.0231
<b>TFPI (ng/ml)</b>	48	48.31	49.49	1.18	-11.33	13.68	62	52.92	50.54	-2.38	-15.34	10.58	0.6962

Table 1b. Pairwise comparisons of changes in biomarkers from baseline to 48hrs by functional outcome groups.

	Functional outcome												p-value for difference of changes between 2 groups
	Unfavorable Outcome						Favorable Outcome						
	n	Estimated mean at BL	Estimated mean at 48hr	Estimated mean of changes	95% CI		n	Estimated mean at BL	Estimated mean at 48hr	Estimated mean of changes	95% CI		
<b>DDIMER (ng/ml)</b>	96	1862	1541	-320	-684	43.11	15	1140	1272	131	-780	1044	0.3632
<b>FVII (U/ml)</b>	96	1.25	1.11	-0.14	-0.20	-0.08	15	1.10	1.08	-0.02	-0.17	0.13	0.1383
<b>FVIII (U/ml)</b>	96	3.17	3.33	0.17	-0.05	0.39	15	3.19	2.73	-0.46	-1.02	0.09	0.0383
<b>FVIIa (mU/ml)</b>	96	62.60	50.68	-11.92	-18.71	-5.13	15	55.98	63.14	7.17	-9.87	24.21	0.0416
<b>PAI1 (ng/ml)</b>	95	37.06	35.80	-1.26	-4.86	2.34	15	41.10	39.79	-1.31	-10.28	7.66	0.9920
<b>TAT (µg/l)</b>	95	12.51	14.32	1.81	-2.66	6.29	15	9.70	6.33	-3.37	-14.51	7.77	0.3941
<b>TFPCA (U/ml)</b>	90	77.57	70.71	-6.87	-17.78	4.05	14	93.88	71.27	-22.61	-50.40	5.18	0.2980
<b>TFPI (ng/ml)</b>	95	58.23	56.37	-1.85	-8.56	4.86	15	43.01	43.66	0.65	-16.06	17.37	0.7831