## Suicide Prevention and Mood Disorders:

## Self-exclusion Agreements for Firearms as a Suicide Prevention Strategy

Melvin G McInnis,<sup>1\*</sup> MD

Stephen B Thompson,<sup>1</sup> JD

Sofia D Merajver,<sup>1</sup> MD, PhD

Carl E Schneider,<sup>2</sup> JD

<sup>1</sup>University of Michigan School of Medicine

<sup>2</sup>University of Michigan School of Law

\*Correspondence:

Melvin G McInnis, MD, FRCPsych

Department of Psychiatry

University of Michigan School of Medicine

4250 Plymouth Rd

Ann Arbor, MI, 48109

mmcinnis@umich.edu

T: 734.936.6018 / F: 734.936.7868

The authors declare no conflict of interest related to this manuscript.

Word count: 1596

This is the author manuscript accepted for publication and has undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the Version of Record. Please cite this article as doi: 10.1111/appy.12455

This article is protected by copyright. All rights reserved.

## Suicide Prevention and Mood Disorders:

## Self-exclusion Agreements for Firearms as a Suicide Prevention Strategy

Melvin G McInnis,<sup>1\*</sup> MD

Stephen B Thompson,<sup>1</sup> JD

Sofia D Merajver,<sup>1</sup> MD, PhD

Carl E Schneider,<sup>2</sup> JD

<sup>1</sup>University of Michigan School of Medicine

<sup>2</sup>University of Michigan School of Law

\*Correspondence:

Melvin G McInnis, MD, FRCPsych

Department of Psychiatry

University of Michigan School of Medicine

4250 Plymouth Rd

Ann Arbor, MI, 48109

mmcinnis@umich.edu

T: 734.936.6018 / F: 734.936.7868

The authors declare no conflict of interest related to this manuscript.

Word count: 1596

Suicide, willfully ending one's own life, represents one of the greatest human tragedies. There are few words in any language that describe the complex and devastating emotional aftermath of a suicide. Suicide is a worldwide problem that is often shrouded by cultural influences that inhibit the accurate record in some societies. Frequently, suicides are recorded as death by accidental injury, many involve guns. Individuals with mental health disorders are at far greater risk for suicide, depression being the most common symptoms in the background of a person who died by suicide (Kamali et al., 2019). Those with mental health disabilities die at a rate far greater that the general population (Black, Warrack, & Winokur, 1985) and suicide accounts for a substantial portion of the non-natural causes of death (Ruschena et al., 1998). Guns account for half of suicide deaths (Hemenway, 2019). Worldwide suicide trends reveal sensitivities to crisis conditions, suicides increased in many societies following the global financial crisis of 2008 (Alicandro et al., 2019). This raises concerns for the current Covid-19 pandemic and the inherent risks to suicide that this crisis confer (Gunnell et al., 2020).

The capacity of medical professionals to predict suicidal risk is low and the accuracy of predicting a future suicide event is essentially zero (Belsher, Smolenski, & Pruitt). Strategies are needed to address the needs of those in crisis, whether it be the current Covid-19 crisis or future and as yet unknown crises. Those with mental health illness continue to be at the highest risk for suicide, their circumstances are compounded by the consequences of their illness and its complications of unstable social conditions, financial stressors, co-morbid substance abuse, and stigma-related social perceptions. Impulse, driven by ready access to means to kill oneself, can be

deadly. Gun related suicidal behavior has a case fatality rate (CFR) of 90% compared to a CFR of 7% for non-firearm suicide behavior (Hemenway, 2019), providing a compelling argument for a focused effort on prevention and policy related to guns in society.

The current social upheaval from the combined stressors of the Covid-19 pandemic and the protests over the pervasive racial injustices unmasked by multiple murders of Black people has compounded an American epidemic of gun violence. There remains a divided and diverse public reaction to the public health crisis of firearms and violence. Overall, it raises the national angst and historically this has led to an increase in gun-seeking and related behaviors (Callcut, Robles, Kornblith, Plevin, & Mell, 2019). These viral-like phenomena are perpetuated by the false belief that owning a gun makes one safer (Moyer, 2017). In fact, owning a gun raises the risk of personal injury, that suicide attempts are successful (Anestis, 2018), or that children's curiosity proves fatal (Anglemyer, Horvath, & Rutherford, 2014). Furthermore, murders of women are significantly associated with the availability of guns (Smucker, Kerber, & Cook, 2018). These facts are largely ignored and public support for changes to firearm laws waxes then wanes with each mass shooting or critical event. Life goes on. A recent review of public opinion finds strong support for regulations banning people likely to use a gun violently from obtaining one (Haner, Cullen, Lero Jonson, Burton, & Kulig, 2019). Among those considered more likely to use guns violently are the mental ill, and multivariate analytical modeling shows that gun ownership far exceeds mental illness as a predictor of firearm-related death (Bangalore & Messerli, 2013). It is however blatantly clear that the volatile combination of guns and mental illness can be deadly (Emma E.

McGinty, 2018; Swanson, McGinty, Fazel, & Mays, 2015). How can we empower safe self-care strategies among those with mental illness when seeking firearms goes 'viral'? is there a roll for self-exclusion from firearms?

Access to guns in an impulsive moment is a major factor in suicides (Anestis, 2018) which alone account for over half of firearm deaths (Swanson et al., 2015). Health care providers (and prudent friends and families) urge individuals with psychiatric illness and elevated risk of suicide to deny themselves access to guns. This is responsible clinical care and a fundamental public health obligation to the community (E. E. McGinty, Webster, & Barry, 2014). It has been challenged with legislation attempting to interfere with the patient-doctor relationship, but such "gag laws" have been condemned by leading medical and legal societies in the U.S. (Jones, Nguyen, Strand, & Reeves, 2018; Weinberger et al., 2015). Indeed, the conversation is better centered around developing effective and standardized ways of talking with patients about safety and guns (Betz & Wintemute, 2015; Damari, Ahluwalia, Viera, & Goldstein, 2018). It is simply a basic human right to be cared for when ill, and a health care provider's duty to advise patients to minimize dangers in their personal environment.

Predicting violence is challenging and all but abandoned by the criminal justice system (Monahan, 2018) as consequences are based on fact not projected risks; identifying those likely to use guns violently is also notoriously difficult (Fazel, Singh, Doll, & Grann, 2012). Complicating the laws surrounding guns and gun use is the need to avoid infringing constitutional rights and to avoid exacerbating the stigma of mental illnesses (thus discouraging those who need care from seeking it) (Appelbaum & Swanson, 2010). Depression, bipolar disorder, and other medical and psychiatric

diseases often impair judgment and *predispose* sufferers to act impulsively (Swann et al., 2005), with the *potential* for lethally harming themselves and others (Anestis, 2018). The overwhelming majority of people with these diseases will never use a gun violently (Steadman, Monahan, Pinals, Vesselinov, & Robbins, 2015; Swanson, Holzer, Ganju, & Jono, 1990), however suicidal thoughts are often part of significant depression, and depression is a common and powerful risk factor for suicide (Anglemyer et al., 2014). The risks are real.

In the current charged, high stakes public-health crisis (Webster & Wintemute, 2015), an opportunity exists to avoid the potentially disastrous results of gun ownership by vulnerable individuals. While many legislated directives formally and effectively restrict gun ownership based on adjudicated criteria (Zeoli & Webster, 2019), the opportunity for others at risk for harmful use of guns to make a personal commitment against gun ownership should be offered. Such an opt-out is not new gun control legislation. It is simply aligned with current perspectives of self-determination in personal health and individual autonomy.

Since 1998 the U.S. Department of Justice, through its Federal Bureau of Investigation, has maintained the National Instant Criminal Background Check System ("NICS"), which can run a background check on any person seeking to purchase a firearm from a licensed retailer (Justice, 2014). When the required information identifying the prospective purchaser is submitted, the NICS checks databases of federal and state information that would prevent a person from legally buying a gun. Within minutes, the NICS returns one of three answers: "proceed," "deny," or "delay" for further investigation. The NICS decision to deny an attempted purchase does not

identify the reason for the denial and does not imply a criminal record. It is, however, a robust and reliable method of excluding individuals from purchasing firearms through a licensed retailer.

A sensible use of the NICS database is to register the personal request to receive the "deny" response should the individual try to purchase a firearm (Vars, 2015). This personal choice and commitment, resembling a "Ulysses contract" (Ulysses tied himself to the mast so that the Sirens' alluring song would not seduce him into driving his ship onto the rocks) is not new. Some states allow people to put themselves on a list excluding them from gambling establishments (Office of the Attorney General, 2015). The medication disulfiram can be prescribed to, and voluntarily taken by, those who want help resisting the impulse to drink alcohol (Duckert & Johnsen, 1987). Living wills allow individuals to make in advance choices to be enforced when the person loses the competence to make medical decisions. A voluntary self-exclusion for firearm purchase is a logical extension of modern society's respect for autonomy and will help those predisposed to impulsive decisions to protect themselves, their loved ones, and their neighbors.

Voluntary exclusions from access to firearms honors personal choices yet raises several questions. Should society allow people who have a history of suicide behavior to purchase and own guns? Would an exclusion policy impede individuals from seeking help for psychiatric illness? Will the Department of Justice honor a self-exclusion request? Should someone with documented mood or emotional instability be encouraged to consider self-exclusion? Should a period of self-exclusion be indefinite or last a defined period? Should self-exclusion be subject to later revocation, and if so,

what procedures would govern that revocation? Does revocable self-exclusion simply amount to a de facto waiting period to purchase a firearm (Vars, 2015)?

The common good that voluntary firearm self-exclusion may do in diminishing death and distress is substantial. Several states in the USA provide for a short-term, court-ordered involuntary restriction on gun purchase and possession and studies from Connecticut (Swanson et al., 2017) and Indiana (Swanson et al., 2019) suggest that for every 10 gun-removal actions, 1 life was saved. Entrusting friends with one's firearms is certainly an easy option and care providers should identify opportunities when they are concerned for health and safety (Pallin et al., 2019). Empowering individuals to formalize such a request in the court systems is very attractive as it provides a formal agreement with official powers to prevent acquiring firearms. The cost is vanishingly low and could be implemented on a national basis. It provides the opportunity for the vulnerable individual to exercise their health-centered and personal right to self-determination by denying themselves access to firearms.

- Alicandro, G., Malvezzi, M., Gallus, S., La Vecchia, C., Negri, E., & Bertuccio, P. (2019).

  Worldwide trends in suicide mortality from 1990 to 2015 with a focus on the global recession time frame. *International journal of public health, 64*(5), 785-795.
- Anestis, M. D. (2018). Guns and suicide: An American epidemic: Oxford University Press.
- Anglemyer, A., Horvath, T., & Rutherford, G. (2014). The accessibility of firearms and risk for suicide and homicide victimization among household members: a systematic review and meta-analysis. *Annals of Internal Medicine*, *160*(2), 101-110.
- Appelbaum, P. S., & Swanson, J. W. (2010). Law & psychiatry: Gun laws and mental illness: how sensible are the current restrictions? *Psychiatric services*, *61*(7), 652-654. doi:10.1176/appi.ps.61.7.652
- Bangalore, S., & Messerli, F. H. (2013). Gun ownership and firearm-related deaths. *The American journal of medicine*, *126*(10), 873-876. doi:10.1016/j.amjmed.2013.04.012
- Belsher, B. E., Smolenski, D. J., & Pruitt, L. D. Prediction models for suicide attempts and deaths: a systematic review and simulation [published March 13, 2019]. *JAMA Psychiatry. doi, 10.*
- Betz, M. E., & Wintemute, G. J. (2015). Physician Counseling on Firearm Safety: A New Kind of Cultural Competence. *JAMA*, *314*(5), 449-450. doi:10.1001/jama.2015.7055
- Black, D. W., Warrack, G., & Winokur, G. (1985). Excess mortality among psychiatric patients: the lowa record-linkage study. *JAMA*, *253*(1), 58-61.
- Callcut, R. A., Robles, A. M., Kornblith, L. Z., Plevin, R. E., & Mell, M. W. (2019). Effect of mass shootings on gun sales—A 20-year perspective. *Journal of trauma and acute care surgery*, 87(3), 531-540.
- Damari, N. D., Ahluwalia, K. S., Viera, A. J., & Goldstein, A. O. (2018). Continuing medical education and firearm violence counseling. *AMA journal of ethics*, *20*(1), 56-68.

- Duckert, F., & Johnsen, J. (1987). Behavioral use of disulfiram in the treatment of problem drinking. *The International journal of the addictions*, 22(5), 445-454. Retrieved from <a href="http://www.ncbi.nlm.nih.gov/pubmed/3596857">http://www.ncbi.nlm.nih.gov/pubmed/3596857</a>
- Fazel, S., Singh, J. P., Doll, H., & Grann, M. (2012). Use of risk assessment instruments to predict violence and antisocial behaviour in 73 samples involving 24 827 people: systematic review and meta-analysis. *BMJ*, 345.
- Gunnell, D., Appleby, L., Arensman, E., Hawton, K., John, A., Kapur, N., . . . Caine, E. D. (2020). Suicide risk and prevention during the COVID-19 pandemic. *The Lancet Psychiatry*, 7(6), 468-471.
- Haner, M., Cullen, F. T., Lero Jonson, C., Burton, A. L., & Kulig, T. C. (2019). Price of liberty or never again: Americans' views on preventing mass murder. *Justice Evaluation Journal*, 2(1), 50-72.
- Hemenway, D. (2019). Comparing gun-owning vs non-owning households in terms of firearm and non-firearm suicide and suicide attempts. *Prev Med*, *119*, 14-16.
- Jones, N., Nguyen, J., Strand, N. K., & Reeves, K. (2018). What Should Be the Scope of Physicians' Roles in Responding to Gun Violence? *AMA journal of ethics*, *20*(1), 84-90.
- National Instant Criminal Background Check System (NICS) Operations, (2014).
- Kamali, M., Saunders, E. F. H., Assari, S., Ryan, K. A., Marshall, D. F., & McInnis, M. G. (2019).
  Mood, Dimensional Personality, and Suicidality in a Longitudinal Sample of Patients with
  Bipolar Disorder and Controls. Suicide Life Threat Behav, 49(5), 1360-1378.
  doi:10.1111/sltb.12529
- McGinty, E. E. (2018). Mental illness and gun violence: disrupting the narrative. *Psychiatric* services, 69(8), 842-843.
- McGinty, E. E., Webster, D. W., & Barry, C. L. (2014). Gun policy and serious mental illness: priorities for future research and policy. *Psychiatric services*, *65*(1), 50-58. doi:10.1176/appi.ps.201300141

- Monahan, J. (2018). Predictions of violence. *The roots of modern psychology and law: A narrative history*, 143.
- Moyer, M. W. (2017). More guns do not stop more crimes, evidence shows. *Scientific American,*1.
- Office of the Attorney General, N. J. (2015). Gambling restriction. Retrieved from http://www.nj.gov/oag/ge/selfexclusion.html
- Pallin, R., Siry, B., Azrael, D., Knoepke, C. E., Matlock, D. D., Clement, A., . . . Betz, M. E. (2019). "Hey, let me hold your guns for a while": A qualitative study of messaging for firearm suicide prevention. *Behavioral sciences & the law, 37*(3), 259-269.
- Ruschena, D., Mullen, P. E., Burgess, P., Cordner, S., Barry-Walsh, J., Drummer, O., . . . Wallace, C. (1998). Sudden death in psychiatric patients. *The British Journal of Psychiatry*, 172(4), 331-336.
- Smucker, S., Kerber, R. E., & Cook, P. J. (2018). Suicide and additional homicides associated with intimate partner homicide: North Carolina 2004–2013. *Journal of urban health*, *95*(3), 337-343.
- Steadman, H. J., Monahan, J., Pinals, D. A., Vesselinov, R., & Robbins, P. C. (2015). Gun

  Violence and Victimization of Strangers by Persons With a Mental Illness: Data From the

  MacArthur Violence Risk Assessment Study. *Psychiatric services*, appips201400512.

  doi:10.1176/appi.ps.201400512
- Swann, A. C., Dougherty, D. M., Pazzaglia, P. J., Pham, M., Steinberg, J. L., & Moeller, F. G. (2005). Increased impulsivity associated with severity of suicide attempt history in patients with bipolar disorder. *Am J Psychiatry.*, *162*(9), 1680-1687.
- Swanson, J. W., Easter, M. M., Alanis-Hirsch, K., Belden, M. C., Norko, M. A., Robertson, A. G., & Parker, G. F. (2019). Indiana's experience with a risk-based gun seizure law: criminal justice and suicide outcomes. *Journal of the American Academy of Psychiatry and the Law*.

- Swanson, J. W., Holzer, C. E., 3rd, Ganju, V. K., & Jono, R. T. (1990). Violence and psychiatric disorder in the community: evidence from the Epidemiologic Catchment Area surveys.

  \*Hosp Community Psychiatry, 41(7), 761-770. Retrieved from <a href="http://www.ncbi.nlm.nih.gov/pubmed/2142118">http://www.ncbi.nlm.nih.gov/pubmed/2142118</a>
- Swanson, J. W., McGinty, E. E., Fazel, S., & Mays, V. M. (2015). Mental illness and reduction of gun violence and suicide: bringing epidemiologic research to policy. *Ann Epidemiol*, 25(5), 366-376. doi:10.1016/j.annepidem.2014.03.004
- Swanson, J. W., Norko, M. A., Lin, H.-J., Alanis-Hirsch, K., Frisman, L. K., Baranoski, M. V., . . . Bonnie, R. J. (2017). Implementation and effectiveness of Connecticut's risk-based gun removal law: does it prevent suicides. *Law & Contemp. Probs., 80*, 179.
- Vars, F. E. (2015). Self-Defense Against Gun Suicide. *Boston College Law Review, 56*(4), 1465.

  Retrieved from

  <a href="https://heinonline.org/HOL/LandingPage?handle=hein.journals/bclr56&div=37&id=&page="https://heinonline.org/HOL/LandingPage?handle=hein.journals/bclr56&div=37&id=&page="https://heinonline.org/HOL/LandingPage?handle=hein.journals/bclr56&div=37&id=&page=h
- Webster, D. W., & Wintemute, G. J. (2015). Effects of policies designed to keep firearms from high-risk individuals. *Annual review of public health, 36*, 21-37. doi:10.1146/annurev-publhealth-031914-122516
- Weinberger, S. E., Hoyt, D. B., Lawrence, H. C., 3rd, Levin, S., Henley, D. E., Alden, E. R., . . . Hubbard, W. C. (2015). Firearm-related injury and death in the United States: a call to action from 8 health professional organizations and the American Bar Association. *Ann Intern Med*, 162(7), 513-516. doi:10.7326/M15-0337
- Zeoli, A. M., & Webster, D. W. (2019). Firearm policies that work. *JAMA*, 321(10), 937-938.