

Table 1 - Patient Characteristics

	# of Patients	Frequency (%)	Median ± IQR
Demographics			
All	580	100.0%	
Age			
Sex (% male)	359	61.9%	
Race			
— African American	49	8.4%	
— AI or AN	5	0.9%	
— Asian	2	0.3%	
— Caucasian	495	85.3%	
— Unknown/Other	29	5.0%	
BMI			
Baseline Laboratory Values			
WBC			6.6 ± 4.5
HGB			11.4 ± 3.4
PLT			127 ± 101
Na			138 ± 5
Cr			0.98 ± 0.62
Albumin			3.6 ± 1.0
Bilirubin, total			1.0 ± 1.2
INR			1.1 ± 0.3
Home Medications			
Lactulose	121	20.9%	
Rifaximin	56	9.7%	
Preoperative Medications			
Lactulose	33	5.7%	
— Total Dose			
Rifaximin	20	3.4%	
Diuretics	23	4.0%	
Nonselective Beta Blockers	6	1.0%	
Postoperative Medications			
Lactulose	58	10.0%	

— Total Dose (24hr postop)			
— Total Dose (48hr postop)			
Rifaximin	37	6.4%	
Opioids	377	65.0%	
Acetaminophen	248	42.8%	
NSAIDs	59	10.2%	
Anti-psychotics	0	0.0%	
Benzodiazepines	68	11.7%	
Cirrhosis Details			
Etiology			
— Alcohol-related	202	34.8%	
Complications			
— Hx of Ascites	358	61.7%	
— Hx of Varices	200	34.5%	
— Hx of HE	289	49.8%	
— Hx of TIPS	60	10.3%	
Disease Severity Scoring			
— MELD-Na			
— CCI			
— ASA classification			
— 30-day Mortality (Mayo)			
Surgery Details			
Scheduled (%)	304	52.4%	
Type of Surgery			
— Abdominal	70	12.1%	
— Abdominal, Nonbowel	193	33.3%	
— Cardiac	91	15.7%	
— Head & Neck	35	6.0%	
— I&D	5	0.9%	
— IR Biopsy	2	0.3%	
— OB	1	0.2%	
— Orthopaedic	110	19.0%	
— Spine	24	4.1%	
— Thoracic	15	2.6%	
— Vascular	34	5.9%	