

Dust Lifting Through Surface Albedo Changes at Jezero Crater, Mars

A. Vicente-Retortillo^{1,2}, G.M. Martínez^{3,2}, M. T. Lemmon⁴, R. Hueso⁵, J. R. Johnson⁶, R. Sullivan⁷, C. E. Newman⁸, E. Sebastián¹, D. Toledo⁹, V. Apéstigue⁹, I. Arruego⁹, A. Manguira⁵, A. Sánchez-Lavega⁵, N. Murdoch¹⁰, M. Gillier¹⁰, A. Stott¹⁰, L. Mora-Sotomayor¹, T. Bertrand¹¹, L. K. Tamppari¹², M. de la Torre Juárez¹², J.-A. Rodríguez-Manfredi¹

¹Centro de Astrobiología (INTA-CSIC), Madrid, Spain, ²University of Michigan, Ann Arbor, MI, USA, ³Lunar and Planetary Institute, USRA, Houston, TX, USA, ⁴Space Science Institute, Boulder, CO, USA, ⁵Física Aplicada, Escuela de Ingeniería, Universidad del País Vasco (UPV/EHU), Bilbao, Spain, ⁶Johns Hopkins University Applied Physics Laboratory, Laurel, MD, USA, ⁷CCAPS, Cornell University, Ithaca, NY, USA, ⁸Aeolis Research, Chandler, AZ, USA, ⁹Instituto Nacional de Técnica Aeroespacial (INTA), Madrid, Spain, ¹⁰Institut Supérieur de l'Aéronautique et de l'Espace (ISAE-SUPAERO), Université de Toulouse, Toulouse, France, ¹¹LESIA, Paris Observatory, Meudon, France, ¹²Jet Propulsion Laboratory/California Institute of Technology, Pasadena, CA, USA

Contents of this file

Figure S1.

This supporting information consists of one figure showing the TIRS FOV (Figure S1).




Figure S1. Images showing the modeled TIRS FOV corresponding to the Mars 2020 location for sols 52 - 65 (left) and 287 – 328 (right). Images are obtained from the Mars 2020 Advanced Science Targeting Tool for Robotic Operations (ASTTRO).