Contributions

from the Museum of Paleontology, University of Michigan

Vol. 36, No. 1, PP. 1–7

AUGUST 12, 2024

# CATALOG OF TYPE SPECIMENS FOR UPPER MICHIGAN BLACK RIVER AND TRENTON (UPPER ORDOVICIAN) INVERTEBRATE SPECIES NAMED BY RUSSELL C. HUSSEY

BY

NICHOLAS GARDNER<sup>1</sup>, RYAN SHELL<sup>2</sup>, CLINTON N. GODLESKY<sup>3</sup>

Abstract — Russell C. Hussey, in his 1952 monograph on the Middle–Upper Ordovician fossil record of Michigan's Upper Peninsula, erected multiple new species of brachiopods, gastropods, pelecypods, and trilobites. Unfortunately, he failed to designate holotypes, type series, type localities, or a specimen repository in his text. We consulted with staff at the University of Michigan Museum of Paleontology and located many of these specimens. In this contribution, we review the Black River and Trenton-aged name-bearing specimens collected by Hussey from Upper Michigan. In reviewing each species, we find that they are not used in scientific literature. Further, we discovered that four of these species were previously erected by Hussey (1941, 1952) be regarded as provisionally valid until they can be subjected to a detailed systematic treatment compared with other established species from coeval deposits elsewhere in eastern North America.

### **INTRODUCTION**

Russell C. Hussey (1888–1970) was a professor of geology at the University of Michigan. His work focused primarily on the Ordovician rocks of Michigan's Upper Peninsula (see Hussey, 1926, 1928, 1936, 1941, 1950, 1952). Hussey was awarded his doctoral degree in 1924 and completed his long-awaited review of the Middle and Upper Ordovician rocks (Hussey, 1952) later in his academic career (he retired in 1958). His 1952 monograph described ten new fossil species from the Black River and Trenton formations, including brachiopods, gastropods, bivalves, and trilobites. Hussey did not publish the details of where the name-bearing specimens were reposited, did not note which specimens were the type specimen or series, and typically reported no type localities (even though some species were recognized as being from multiple localities he had described in his 1952

paper and his prior works). Additionally, Hussey erected four of these "new" species in an earlier paper (Hussey, 1941), including the pelecypod *Vanuxemia calveri*, the gastropods *Bucania buckwalteri* and *Liospira bachmanni*, and the trilobite *Amphilichas/Tetralichas staebleri*. He did not cite his 1941 paper in Hussey (1952). We provide an overview of his named taxa, the associated specimens, and what locality details we could resolve to aid future researchers. Evaluation of the taxonomic status of these species is outside the scope of this study.

### MATERIAL AND METHODS

Most—if not all—specimens collected and reported by Hussey (1941, 1952) appear to have been deposited into the collections at the University of Michigan Museum of

<sup>&</sup>lt;sup>1</sup>Mary F. Shipper Library, WVU Potomac State College, Keyser, WV 26726, U.S.A. (ngardner@mail.wvu.edu).

<sup>&</sup>lt;sup>2</sup>Research Associate, Department of Vertebrate Paleontology, Cincinnati Museum Center, Cincinnati, OH 45203, U.S.A.

<sup>&</sup>lt;sup>3</sup>Independent Researcher, Leechburg, PA 15656, U.S.A.

Paleontology. Dr. Jennifer Bauer and her collection team, Paloma Calvin and David Thompson, surveyed the collection and identified for us specimens with relevant catalog entries that visually matched specimens figured in Hussey (1941, 1952). They photographed each of the specimens that could be found. We provide those photographs for comparison to the original material, which allow for verification that these are identical specimens. Specimens figured in Hussey's various papers (1941, 1950, 1952), if recovered, were designated as part of the type series for their respective species. This is not intended to imply that these species are valid, but to help specialists locate this material for future studies. A cursory description of each locality is provided below after Hussey (1936) along with his locality numbers. Readers should consult Hussey (1936) for additional details on each locality, including stratigraphic sections:

- Locality 5. "Exposure at Cornell, southwestern Delta County" (pp. 6–7);
- Locality 8. "Dam No. 2 on Escanaba River, 3 miles north of Escanaba, Delta County" (pp. 7–8);
- Locality 10. "Groos Quarry, Wells Township, five miles north of Escanaba, Delta County" (pp. 9);
- Locality 12. "About <sup>1</sup>/<sub>4</sub> mile northeast of the Groos Quarry, in Delta County" (pp. 10);
- Locality 13. "Rapid River, Delta County" (pp. 9–10);
- Locality 26. "Exposure at Trenary, Alger County" (pp. 4–5).

### **INSTITUTIONAL ABBREVIATIONS**

UMMP — University of Michigan Museum of Paleontology, Ann Arbor, Michigan, U.S.A.

## SYSTEMATIC PALEONTOLOGY

Phylum BRACHIOPODA Duméril, 1806 Class RHYNCHONELLATA Williams et al., 1996 Order ORTHIDA Schuchert and Cooper, 1932 Family PLATYSTROPHIIDAE Schuchert and Le Vene, 1929 *Platystrophia* King, 1850 Fig. 1A–D

*Type Species.*— *Porambonites costatus* Pander, 1830. *Note.*— We recognize *Platystrophia costata* (Pander, 1830) as the type species for this genus (Zuykov, 1999; Zuykov and Harper, 2004; Zuykov and Harper, 2007, pp. 13–15), rather than *Terebratulites biforatus* Schlotheim, 1820 as Hussey did.

*Referred Species.*— *Platystrophia bowlesi* Hussey, 1952 = "*Platystrophia duchainei*" Hussey, 1952. The latter name appears on pp. 58–59 in Hussey (1952). It likely reflects a typographical error for *P. bowlesi*, substituting the specific epithet of another brachiopod species that was newly named in the same manuscript (*Trigrammaria duchainei*). Given that *P. bowlesi* repeatedly appears in the text and with the figure legend for the plates, it is clearly the intended name for this species (Hussey, 1952: pl. 7). As such, "*Platystrophia duchainei*" is currently unavailable but could be utilized by future authors per ICZN 13.1.

*Holotype.*— UMMP 30123 (Hussey, 1952, pp. 58–59, pl. 7, figs. 6, 8, 9).

*Locality.*— Specimen is from Locality 8 (inferred from Hussey, 1952, pl. 7). Hussey (1952, p. 59) reported *P. bowlesi* from Locality 5 and Locality 8, and the catalog card for UMMP IP 30123 offers both as possible localities for its origin, suggesting Hussey could not remember at the time of accessioning. Additionally, he suggests *P. bowlesi* is also present from exposures near the West Neebish Channel (Hussey, 1952: p. 81, pl. 7). Still, he doesn't report this species in the fauna list for that locality (Hussey, 1952: p. 46).

## Class STROPHOMENATA Williams et al., 1996 Order STROPHOMENIDA Öpik, 1934 Family STROPHOMENIDAE King, 1846 *Trigrammaria* Wilson, 1945 Fig. 1E–N

*Type Species.— Trigrammaria trigonalis* Wilson, 1945.

*Referred species.— Trigrammaria duchainei* Hussey, 1952.

*Syntype.*— UMMP 30145 (Hussey, 1952, p. 55, pl. 3, figs. 1, 2, 14)—Locality 8 (Hussey, 1952, p. 55; catalog card). *T. duchainei* is also reported from Locality 5 (Hussey, 1952, p. 18).

Referred species.— Trigrammaria stummi Hussey, 1952.

*Holotype.*— UMMP 30168 (Hussey, 1952, p. 56, pl 10, figs. 6, 7).

*Locality.*— Locality 10 (Hussey, 1952, p. 56; catalog card). Purportedly common at other unspecified localities (Hussey, 1952, p. 18).

*Referred Species.— Microtrypa warmingtoni* Hussey, 1952.

*Syntypes.*— UMMP 30156, 30157, 30159 (Hussey, 1952: p. 55, pl. 4, figs. 8, 10, 11).

*Locality.*— Specimen is from Locality 8 (Hussey, 1952, pp. 55, 77; catalog card).

*Note.*— Wilson (1945) erected new genera for two Ordovician brachiopods, *Microtrypa* from the Ordovician of Europe (type species *Microtrypa cassata*) and *Trigrammaria* from the Ordovician of North America (type species *Trigrammaria trigonalis*). Hussey (1952) referred his new species to the former genus. Williams et al. (2000) regarded *Microtrypa* Wilson, 1945 as a synonym of *Trigrammaria*. As such, we also refer Hussey's *Microtrypa warmingtoni* to *Trigrammaria*.

Phylum MOLLUSCA Linnaeus, 1758 Class GASTROPODA Cuvier, 1795 Order BELLEROPHONTIDA Ulrich and Scofield, 1897 Family BUCANIIDAE Ulrich and Scofield, 1897 *Bucania* Hall, 1847

#### HUSSEY'S BLACK RIVER AND TRENTON SPECIES



FIGURE 1 — Comparison of brachiopod figures from Hussey (1952) with modern photos of specimens from the University of Michigan Museum of Paleontology. Scale bar equals 1 cm. A–D, syntype of *Platystrophia bowlesi* Hussey, 1952, UMMP 30123 in dorsal (A) and ventral (B) views; Hussey, 1952, plate 7, fig. 9 (C), fig. 8 (D). E–F, Syntype of *Trigrammaria duchainei* Hussey, 1952, UMMP 30145 ventral valve (E); Hussey, 1952, plate 3, fig. 14 (F). G–H, holotype of *Trigrammaria stummi* Hussey, 1952, UMMP 30168 dorsal valve (G), Hussey, 1952, plate 10, fig. 6 (H). I–N, syntypes of *Trigrammaria warmingtoni* (Hussey, 1952), brachial valves, UMMP 30157 (I), UMMP 30159 (J), UMMP 30156 (K), Hussey, 1952, plate 4, fig. 10 (L), fig. 11 (M), fig. 8 (N).

*Type Species.— Bellerophon sulcatinus* Emmons, 1842.

Referred Species.— Bucania buckwalteri Hussey, 1941.

*Holotype.*— UMMP 26395 (Hussey, 1952, p. 62, pl. 7, figs. 10–11). This specimen was listed in the UMMP catalog but not located in the collection.

*Locality.*— Specimen is from Locality 5 (Hussey, 1941, p. 447; Hussey, 1950, p. 21; Hussey, 1952, p. 21). Hussey (1952, pl. 7) described the specimen as being from Locality 8 but did not do so anywhere else.

### Order EUOMPHALINA de Koninck, 1881 Family HOLOPEIDAE Wenz, 1938 *Holopea* Hall, 1847 Fig. 2A–D

*Type Species.*— *Holopea symmetrica* Hall, 1847. *Referred Species.*— *Holopea weaveri* Hussey, 1941. *Holotype.*— UMMP IP 26418 (Hussey, 1941, p. 446, pl. 1, figs. 9–10).

*Locality.*– Specimen is from Locality 26 (Hussey, 1941, p. 446; Hussey, 1952, p. 21; catalog card).



FIGURE 2 — Comparison of gastropod and bivalve figures from Hussey (1941) with modern photos of specimens from the University of Michigan Museum of Paleontology. Scale bar equals 1 cm. A–D, holotype of *Holopea weaveri* Hussey, 1941; UMMP 26418 in apical (A) and abapertural (B) views; Hussey, 1941, plate 1, fig. 9 (C) and fig. 10 (D). E–H, holotype of *Liospira bachmanni* Hussey, 1941, UMMP 26396 in apical (E) and abapertural (F) views; Hussey, 1941, plate 1, fig. 16 (G) and fig. 14 (H). I–J, holotype of *Cyrtodontula eardleyi* (Hussey, 1941), UMMP 26393 left valve (I), Hussey, 1941, plate 1, fig. 4 (J). K–L, holotype of *Cuneamya childsi* Hussey, 1941, UMMP 26392 left valve (K), Hussey, 1941, plate 1, fig. 15 (L).

## Order MURCHISONIINA Cox and Knight, 1960 Family EOTOMARIIDAE Wenz, 1938 *Liospira* Ulrich and Scofield, 1897 Fig. 2E–H

*Type Species.— Pleurotomaria micula* Hall and Whitney, 1862.

Referred Species.— Liospira bachmanni Hussey, 1941.

*Holotype.*— UMMP 26396 (Hussey, 1941, p. 447, pl. 1, figs. 14, 16; Hussey, 1952, p. 61, pl. 7, figs. 16, 19).

*Locality.*— Specimen is from Locality 10 (Hussey, 1941; Hussey, 1952; catalog card).

Class BIVALVIA Linnaeus, 1758 Order CYRTODONTIDA Scarlato and Starobogov in Nevesskaya et al., 1971 Family CYRTODONTIDAE Ulrich, 1894 *Cyrtodontula* Tomlin, 1931 Synonym. *Whitella* Ulrich, 1890 Fig. 2I–J

Type Species.— Whitella obliquata Ulrich, 1890. Referred Species.— Whitella eardleyi Hussey, 1941. Holotype.— UMMP 26393 (Hussey, 1941, p. 445, pl.

1, figs. 4, 8; Hussey, 1950, pl. 2, fig. 17; Hussey, 1952, pl. 7, figs. 4, 5).

*Locality.*— Specimen is from Locality 10 (Hussey, 1952, pl. VII). It is possibly also found at Localities 12 and 13 (Hussey, 1941, p. 445; Hussey, 1952, pp. 20, 35).

#### Vanuxemia Billings, 1858

*Type Species.— Vanuxemia inconstans* Billings, 1858.

*Referred Species.— Vanuxemia calveri* Hussey, 1941. *Holotype.*— UMMP 26394 (Hussey 1941, p. 446, pl. 1, figs. 11–13; Hussey, 1952, p. 61, pl. 7, figs. 18, 20, 21). List-

ed in the UMMP catalog but not located in the collection. *Locality.*— Specimen is from Locality 5 (Hussey, 1941, p. 446; Hussey, 1952, p. 20).

## Order PHOLADOMYIDA Newell, 1965 Family GRAMMYSIIDAE Miller, 1877 *Cuneamya* Hall and Whitfield 1875 Fig. 2K–L

*Type Species.— Cuneamya miamiensis* Hall and Whitfield, 1875.

Referred Species.— Cuneamya childsi Hussey, 1941. Holotype.— UMMP 26392 (Hussey 1941, p. 446, pl.

1, fig. 15; Hussey, 1952, pl. 10, fig. 22).

1941.

*Locality.*— Specimen is from Locality 10 (Hussey, 1941, p. 446; Hussey, 1952).

Phylum ARTHROPODA Gravenhorst, 1843

*Note.*— Recent historical research by Martínez-Muñoz (2023: p. 4) has revised the authorship of Arthropoda to Dr. Johann Ludwig Christian Gravenhost.

> Class TRILOBITA Walch, 1771 Order LICHIDA Moore, 1959 Family LICHIDAE Hawle and Corda, 1847 *Amphilichas* Raymond, 1905

Type Species.— Platymetopus lineatus Angelin, 1854. Referred Species.— Amphilichas staebleri Hussey,

*Holotype.*— UMMP 26397 (Hussey, 1941, pp. 447–448, pl. 1, figs. 1–3; and as *Tetralichas staebleri* Hussey, 1952, p. 65, pl. 7, figs. 1–3). Specimen is listed in the UMMP catalog but not located in the collection.

Locality.— Specimen is from Locality 26 (Hussey, 1941, p. 448; Hussey, 1952, p. 65).

*Note.*— Hussey (1941) originally referred this species to *Amphilichas*, yet Hussey (1952) consistently placed this species within *Tetralichas* Phegler, 1936 based on his use of the combination *Tetralichas* staebleri in the text (pp. 22, 26) and the plate captions (pl. 7, figs. 1–3) as well as his usage of it in a faunal list in Hussey (1950, p. 10) except for a typographical error placing it within genus *Amphilichas* (p. 65). Hussey (1950) also reported *Tetralichas* sp. at Bony Falls. By 1952, he updated this occurrence as *Tetralichas staebleri* in a faunal list for this locality (p. 22), despite failing to mention this horizon in his description of *T. staebleri* (p. 65). Hussey (1941, pp. 5–6) also reported *Tetralichas* sp. from Cornell and Chandler Falls. We follow Carlucci et al. (2010) in treating *Tetralichas* as a synonym of *Amphilichas*, thus referring *T. staebleri* to *Amphilichas*, as Hussey originally did in 1941.

#### CONCLUSION

Here, we have reported the recovery of numerous specimens described by Hussey (1941, 1952) otherwise thought to have been lost to science. Hussey's work has largely gone unnoticed by other researchers outside those working on the Upper Ordovician of the Michigan Basin. The information provided in this short note will aid future researchers in comparing Hussey's species with other contemporaneous taxa of the North American continent and determine their taxonomic status.

### ACKNOWLEDGEMENTS

We appreciate the cooperation of J. E. Bauer (UMMP IP) and their collection team, P. Calvin and D. Thompson, in searching for and locating the specimens and subsequently providing photography. When research trips were not logistically feasible during the COVID-19 pandemic, the generosity of curatorial staff in supporting taxonomic work was very welcome and appreciated. J.E. Bauer also supplied helpful comments in their review of an earlier draft of this manuscript. A. Swinehart (Hills-dale College) and J. Wilson Mantilla (University of Michigan) are thanked for their useful comments during the review of this paper.

### AUTHOR CONTRIBUTIONS

Each of the authors contributed intellectually to the work above. Their CRediT roles are defined here. Nicholas Gardner: Conceptualization, Investigation, Project administration, Writing - Original draft preparation, review, & editing. Ryan Shell: Conceptualization, Investigation, Project administration, Supervision, Writing - Original draft preparation, review, & editing. Clinton Godlesky: Investigation, Writing - Reviewing & editing, Visualization.

## LITERATURE CITED

- ANGELIN, N. P., 1854. Palaeontologia Scandinavica. Academiae Regiae Scientarium Suecanae (Holmiae), Pars 2: 21–92.
- BILLINGS, E. 1858. The Black River fauna. Canadian Geological Survey Report of Progress, 1857: 147–192.
- CARLUCCI, J. R., S. R. WESTROP, and L. AMATI. 2010. Tetralichine trilobites from the Upper Ordovician of Oklahoma and Virginia and phylogenetic systematics of the Tetralichini. Journal of Paleontology, 84: 1099–1120.
- COX, L. R., and J. B. KNIGHT. 1960. Suborders of Archaeogastropoda. Proceedings of the Malacological Society of London, 33: 262–264.
- CUVIER G. 1795. Second mémoire sur l'organisation et les

rapports des animaux à sang blanc, dans lequel on traite de la structure des Mollusques et de leur division en ordre, lu à la société d'Histoire Naturelle de Paris, le 11 prairial an troisième. Magazin Encyclopédique, ou Journal des Sciences, des Lettres et des Arts, 2: 433–449.

- DUMÉRIL, A. M. C. 1806. Zoologie analytique, ou méthode naturelle de classification des animaux, rendue plus facile à l'aide de tableaux synoptiques. Allais, Paris, 344 pp.
- EMMONS, E. 1842. Geology of New York, Pt. 2, Comprising the survey of the second geologic district. New York State Geological Survey, Albany, 437 pp.
- GRAVENHORST, J. L. C. (1843). Vergleichende Zoologie. Graß, Barth & Comp., Breslau, 687 pp.
- HALL, J. 1847. Palaeontology of New York, volume 1. Van Benthuysen, Albany, 338 pp.
- and R. P. WHITFIELD.1875. Fossils of the Hudson River Group (Cincinnati formations). Report, Geological Survey of Ohio, 2: 67–161.
- \_\_\_\_\_, and J. D. WHITNEY. 1862. Report of the Geological Survey of the State of Wisconsin, 1: 1–455.
- HAWLE, I., and A. J. C. CORDA. 1847. Prodrom einer Monographie der böhmischen Trilobiten. Abhandlungen Kongligischen Böhmischen Gesellschaft der Wissenschaften, V. Folge, 5, Part 5: 1–176.
- HUSSEY, R. 1926. The Richmond Formation of Michigan. Contributions from the Museum of Geology, University of Michigan, 2: 113–187.
- . 1928. Cystoids from the Trenton rocks of Michigan. Contributions from the Museum of Paleontology, University of Michigan, 3: 77–79.
- . 1936. The Trenton and Black River rocks of Michigan. Occasional Papers on the Geology of Michigan [State of Michigan, Department of Conservation, Geological Survey Division], Publication 40, Geological Series 34, Part 3: 227–260.
- . 1941. New species of fossils from the Middle Ordovician of Michigan. Papers of the Michigan Academy of Science, Arts and Letters, 26: 445–448.
- \_\_\_\_\_. 1950. The Ordovician rocks of the Escanaba-Stonington area. Michigan Geological Society, Annual Field Trip Guidebook, 24 pp.
- . 1952. The Middle and Upper Ordovician rocks of Michigan. Michigan Geological Survey, Publication 46, Geological Series 39, 89 pp.
- KING, W. 1846. Remarks on certain genera belonging to class Palliobranchiata. Annals and Magazine of Natural History, 18: 26–42.
- . 1850. A monograph of the Permian fossils of England. Monographs of the Palaeontological Society, 258 pp.
- KONINCK, L. G. de. 1881. Faune du calcaire carbonífère de la Belgique, 3 partie, Gastéropodes. Annales du Musée Royal d'Histoire Naturelle de Belgique, Série Paléontologique, t. 6.
- LINNAEUS, C. 1758. Systema Naturae, Editio Decima, Reformata, Tomus I, Regnum Animale: Stockholm,

Laurentius Salvius, 824 pp.

- MARTÍNEZ-MUÑOZ, C. A. 2023. The correct authorship of Arthropoda—a reappraisal. Integrative Systematics: Stuttgart Contributions to Natural History, 6: 1–8.
- MILLER, S. A. 1877. The American Palaeozoic fossils, a catalogue of the genera and species. Published by author, Cincinnati, 253 pp.
- MOORE, R. C. (ed.). 1959. Treatise on Invertebrate Paleontology. Part O. Arthropoda 1. Geological Society of America, Boulder and University of Kansas, Lawrence, 560 pp.
- NEVESSKAYA, L. A., O. A. SKARLATO, Y. I. STAROBO-GATOV, and A. G. EBERZIN. 1971. A new concept of the bivalve system. Paleontologicheskii Zhurnal, 2: 3–20.
- NEWELL, N. D. 1965. Classification of the Bivalvia. American Museum Novitates, 2206: 1–25.
- ÖPIK, A. A. 1934. Uber Klitamboniten. Acta et Commentationes Universitatis Tartuensis A, 26, 1–239.
- PANDER, C. H. 1830. Beiträge zur Geognosie des Russischen Reiches. Gedruckt bie K. Kray, St. Petersburg, 165 pp.
- RAYMOND, P. E., 1905. Trilobites of the Chazy Limestone. Annals of the Carnegie Museum, 3: 328–386.
- SCHLOTHEIM, E. von 1820. Die Petrefactenkunde auf ihrem jetzigen Standpunkte durch die Beschriebung einer Sammlung versteinerter und fossiler Überreste der Tier-und Plfanzenreichs der Vorwelt Erläutert. Vol. 1. Gotha, 378 pp.
- SCHUCHERT, C., and G. A. COOPER. 1932. Brachiopod genera of the suborders Orthoidea and Pentameroidea. Memoirs of the Peabody Museum of Natural History, 4: 1–270.
- , and C. M. LE VENE. 1929. Brachiopoda, In J. F. Pompeckj, (ed.), Fossilium Catalogus, Animalia, Pars 42, 140 pp.
- TOMLIN, J. R. B. 1931. Some preoccupied generic names. III. Proceedings of the Malacological Society of London, 19: 174–175.
- ULRICH, E.O. 1890. New Lamellibranchiata. No. 2, On two new genera and six new species. American Geologist, 4: 173–181.
- . 1894. The Lower Silurian Lamellibranchiata of Minnesota. Minnesota Geology and Natural History Survey, 3: 475–628.
- , and W. H. SCOFIELD. 1897. The Lower Silurian Gastropoda of Minnesota. Minnesota Geological Survey, 3: 812–1801.
- WALCH, J. E. I. 1771. Die naturgeschichte der Versteinerungen, Dritter Theil. Paul Jonathan Felstecker, Nuremberg, 235 pp.
- WENZ, W. 1938. Gastropoda. Allgemeiner Teil und Prosobranchia, In O. H. Schindewolf, Handbuch der Paläontologie, Band 6, Teil 1 und 2. Gebrueeder Borntraeger, Berlin, 1639 pp.
- WILLIAMS, A., M. G. BASSETT, L. R. M. COCKS, L. E.

POPOV, C. H. C. RACHEBOEUF, L. E. HOLMER, S. J. CARLSON, and M. MERGL. 2000. Part H Brachiopoda (revised): Volumes 2 & 3, Linguliformea, Craniiformea, Rhynchonelliformea (part). Treatise on Invertebrate Paleontology. Geological Society of America and the University of Kansas. 919 pp.

- S. J. CARLSON, C. H. C. BRUNTON, L. E. HOL-MER, and L. POPOV. 1996. A supra-ordinal classification of the Brachiopoda. Philosophical Transactions of the Royal Society of London, Series B, 351: 1171–1193.
- WILSON, A. E. 1945. Strophomena and its homeomorphs Trigrammaria and Microtrypa, from the Ottawa Limestone of the Ottawa–St. Lawrence Lowlands. Royal Society of Canada, Transactions, 39: 121–150.
- ZUYKOV, M. A. 1999. *Platystrophia* (Orthida, Brachiopoda) from the Arenig and lowermost Llanvirn of northwestern Russia. Proceedings of the Estonian Academy of Sciences, Geology, 48: 195–212.
- , and D. A. T. HARPER. 2004. Case 3290. *Platystrophia* King, 1850 (Brachiopoda, Orthida): proposed conservation of usage by designation of *Porambonites costatus* Pander, 1830 (currently *Platystrophia costata*) as the type species of *Platystrophia*. Bulletin of Zoological Nomenclature, 61: 246–250.
- \_\_\_\_\_, and \_\_\_\_\_. 2007. *Platystrophia* (Orthida) and new related Ordovician and Early Silurian brachiopod genera. Estonian Journal of Earth Sciences, 56: 11–34.

#### Museum of Paleontology, The University of Michigan 1105 North University Avenue, Ann Arbor, Michigan 48109-1085 Matt Friedman, Director

Contributions from the Museum of Paleontology, University of Michigan, is a medium for publication of reports based chiefly on museum collections and field research sponsored by the museum. Jeffrey Wilson Mantilla, Editor

Publications of the Museum of Paleontology are accessible online at: http://deepblue.lib.umich.edu/handle/2027.42/41251 This is an open access article distributed under the terms of the Creative Commons CC-BY-NC-ND 4.0 license, which permits noncommercial distribution and reproduction in any medium, provided the original work is properly cited.

You are not required to obtain permission to reuse this article. To request permission for a type of use not listed, please contact the Museum of Paleontology at Paleo-Museum@umich.edu.

Print (ISSN 0097-3556), Online (ISSN 2771-2192). Text and illustrations ©2024 by the Museum of Paleontology, University of Michigan