## Erratum

## Application of flow cytometry to determine the cytotoxicity of urethane dimethacrylate in human cells

**M. Reza Nassiri**,<sup>1,\*</sup> **Carl T. Hanks**,<sup>2</sup> **Mark J. Cameron**,<sup>1</sup> **Susan E. Strawn**,<sup>2</sup> **and Robert G. Craig**<sup>1</sup> <sup>1</sup>Department of Biologic and Materials Sciences and <sup>2</sup>Department of Pathology and Oral Surgery, School of Dentistry, The University of Michigan, Ann Arbor, Michigan 48109-1078

Please note that the chemical structure given for urethane dimethacrylate (UDMA) in Figure 1 (on page 154) is incorrect. The correct structure is

The error was brought to the attention of the authors by Dr. Allen D. Johnston of Esschem Company (Essington, PA). Esschem is a major supplier of resins to the dental industry and has supplied the authors with a number of resins for the study of biological responses. Although the structure originally given in Figure 1 is not that of the resin supplied by Esschem, the formula has been used in Vivadent and Caulk resins<sup>†</sup> and has been identified as propyl methacrylate–urethane.

Published in Journal of Biomedical Materials Research, 28, 153-158 (1994).

\*To whom correspondence should be addressed.

<sup>\*</sup>Source: H. F. Albers, Tooth colored restoratives: A text for selection, placement and finishing, Alto, Santa Rosa, 1985, pp. 2–20.