

MISCELLANEOUS PUBLICATIONS
MUSEUM OF ZOOLOGY, UNIVERSITY OF MICHIGAN, NO. 88

**An Annotated List of the Moths of Michigan
Exclusive of Tineoidea (Lepidoptera)**

BY
SHERMAN MOORE

ANN ARBOR
MUSEUM OF ZOOLOGY, UNIVERSITY OF MICHIGAN
JANUARY 31, 1955

LIST OF THE MISCELLANEOUS PUBLICATIONS
OF THE MUSEUM OF ZOOLOGY, UNIVERSITY OF MICHIGAN


Address inquiries to the Director of the Museum of Zoology, Ann Arbor, Michigan

*On sale from the University Press, 311 Maynard St., Ann Arbor, Michigan.

Bound in Paper

- No. 1. Directions for Collecting and Preserving Specimens of Dragonflies for Museum Purposes. By E. B. Williamson. (1916) Pp. 15, 3 figures
- No. 2. An Annotated List of the Odonata of Indiana. By E. B. Williamson. (1917) Pp. 12, 1 map
- No. 3. A Collecting Trip to Colombia, South America. By E. B. Williamson. (1918) Pp. 24 (Out of print)
- No. 4. Contributions to the Botany of Michigan. By C. K. Dodge. (1918) Pp. 14
- No. 5. Contributions to the Botany of Michigan, II. By C. K. Dodge. (1918) Pp. 44, 1 map
- No. 6. A Synopsis of the Classification of the Fresh-water Mollusca of North America, North of Mexico, and a Catalogue of the More Recently Described Species, with Notes. By Bryant Walker. (1918) Pp. 213, 1 plate, 233 figures
- No. 7. The Aculosae of the Alabama River Drainage. By Calvin Goodrich. (1922) Pp. 57, 3 plates
- No. 8. The Amphibians and Reptiles of the Sierra Nevada de Santa Marta, Colombia. By Alexander G. Ruthven. (1922) Pp. 69, 13 plates, 2 figures, 1 map
- No. 9. Notes on American Species of Triacanthagyna and Gynacantha. By E. B. Williamson. (1923) Pp. 67, 7 plates
- No. 10. A Preliminary Survey of the Bird Life of North Dakota. By Norman A. Wood. (1923) Pp. 85, 6 plates, 1 map
- No. 11. Notes on the Genus Erythemis with a Description of a New Species (Odonata). By E. B. Williamson.
- The Phylogeny and the Distribution of the Genus Erythemis (Odonata). By Clarence H. Kennedy. (1923) Pp. 21, 1 plate
- No. 12. The Genus Gyrotoma. By Calvin Goodrich. (1924) Pp. 29, 2 plates
- No. 13. Studies of the Fishes of the Order Cyprinodontes. By Carl L. Hubbs. (1924) Pp. 23, 4 plates
- No. 14. The Genus Perilestes (Odonata). By E. B. Williamson and J. H. Williamson. (1924) Pp. 36, 1 plate
- No. 15. A Check-List of the Fishes of the Great Lakes and Tributary Waters, with Nomenclatorial Notes and Analytical Keys. By Carl L. Hubbs. (1926) Pp. 77, 4 plates
- No. 16. Studies of the Fishes of the Order Cyprinodontes. VI. By Carl L. Hubbs. (1926) Pp. 79, 4 plates
- No. 17. The Structure and Growth of the Scales of Fishes in Relation to the Interpretation of Their Life-History, with Special Reference to the Sunfish *Eupomotis gibbosus*. By Charles W. Creaser. (1926) Pp. 80, 1 plate, 12 figures
- No. 18. The Terrestrial Shell-bearing Mollusca of Alabama. By Bryant Walker. (1928) Pp. 180, 278 figures
- No. 19. The Life History of the Toucan Ramphastos brevirostris. By Josselyn Van Tyne. (1929) Pp. 43, 8 plates, 1 map
- No. 20. Materials for a Revision of the Catostomid Fishes of Eastern North America. By Carl L. Hubbs. (1930) Pp. 47, 1 plate
- No. 21. A Revision of the Libelluline Genus Perithemis (Odonata). By F. Ris. (1930) Pp. 50, 9 plates
- No. 22. The Genus Oligoclada (Odonata). By Donald Borror. (1931) Pp. 42, 7 plates
- No. 23. A Revision of the Puer Group of the North American Genus Melanoplus, with Remarks on the Taxonomic Value of the Concealed Male Genitalia in the Cyrtacanthacrinae (Orthoptera, Acrididae). By Theodore H. Hubbell. (1932) Pp. 64, 3 plates, 1 figure, 1 map
- No. 24. A Comparative Life History Study of the Mice of the Genus Peromyscus. By Arthur Sviha. (1932) Pp. 39
- No. 25. The Moose of Isle Royale. By Adolph Murie. (1934) Pp. 44, 7 plates
- No. 26. Mammals from Guatemala and British Honduras. By Adolph Murie. (1935) Pp. 30, 1 plate, 1 map
- No. 27. The Birds of Northern Petén, Guatemala. By Josselyn Van Tyne. (1935) Pp. 46, 2 plates, 1 map
- No. 28. Fresh-Water Fishes Collected in British Honduras and Guatemala. By Carl L. Hubbs. (1935) Pp. 22, 4 plates, 1 map
- No. 29. A Contribution to a Knowledge of the Herpetology of a Portion of the Savanna Region of Central Petén, Guatemala. By L. C. Stuart. (1935) Pp. 56, 4 plates, 1 figure, 1 map

(CONTINUED ON LAST PAGES)



The publications of the Museum of Zoology, University of Michigan, consist of two series — the Occasional Papers and the Miscellaneous Publications. Both series were founded by Dr. Bryant Walker, Mr. Bradshaw H. Swales, and Dr. W. W. Newcomb.

The Occasional Papers, publication of which was begun in 1913, serve as a medium for original papers based principally upon the collections of the Museum. The papers are issued separately to libraries and specialists, and, when a sufficient number of pages has been printed to make a volume, a title page, table of contents, and index are supplied to libraries and individuals on the mailing list for the entire series.

The Miscellaneous Publications, which include papers on field and museum techniques, monographic studies, and other contributions not within the scope of the Occasional Papers, are published separately, and as it is not intended they will be grouped into volumes, each number has a title page and, when necessary, a table of contents.

MISCELLANEOUS PUBLICATIONS
MUSEUM OF ZOOLOGY, UNIVERSITY OF MICHIGAN, NO. 88

**An Annotated List of the Moths of Michigan
Exclusive of Tineoidea (Lepidoptera)**

BY
SHERMAN MOORE

ANN ARBOR
MUSEUM OF ZOOLOGY, UNIVERSITY OF MICHIGAN
JANUARY 31, 1955

AN ANNOTATED LIST OF THE MOTHS OF MICHIGAN
EXCLUSIVE OF TINEOIDEA
(LEPIDOPTERA)

ALTHOUGH there are still parts of Michigan in which but little collecting of Lepidoptera has been done, sufficient data are now available to justify the publication of a list of the moths known to occur in the state, exclusive of the Tineoidea. In each of 13 counties, fairly well distributed, more than 200 species of non-Tineoid moths have been collected. These counties are Mackinac and Schoolcraft in the Upper Peninsula, and in the Lower Peninsula Benzie, Charlevoix, Cheboygan, and Midland in the north, and Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, and Wayne in the south. There are also records in lesser numbers from most of the other counties. The Tineoidea are omitted from the list, as the group has been little collected except in the southeast corner of the state, and many of the Michigan specimens have not yet been determined satisfactorily.

A few local and partial lists of Michigan moths have been published.¹ Pettit (1901) gave Upper Peninsula records for 13 species; Ruthven (1906:103) recorded three species from the Porcupine Mountains in Ontonagon County; Adams (1909:268) reported three from Isle Royale in Lake Superior; Newcomb (1913) published a list of the Michigan Sphingidae; and Welch (1915) recorded 91 species exclusive of Microlepidoptera in a list of the Lepidoptera of the Douglas Lake region in Cheboygan County. Andrews (1929:137) reported six species from the Huron Mountains in Marquette County, and Beebe (1953:28) listed four species of Microlepidoptera as occurring on the E. S. George Reserve in Livingston County. Three of the *Occasional Papers of the Museum of Zoology*, University of Michigan, contain records of Michigan moths: No. 54 (1918) is a report by McAlpine on a collection made at Whitefish Point in Chippewa County; Nos. 114 (1922) and 214 (1930) are respectively my "List of Northern Michigan Lepidoptera" and "Lepidoptera of the Beaver Islands."

Little or no attention seems to have been given the Lepidoptera of Michigan until about 1898. In that year W. W. Newcomb began collecting around Detroit, and from then until about 1920 he and W. S. McAlpine were practically the only men so engaged in the state, although Pettit did a little collecting in the Upper Peninsula. During this period some Lepidoptera were obtained by expeditions sent out under the auspices of the Museum of Zoology — to the Porcupine Mountains in Ontonagon County (1904), Isle Royale in Lake Superior (1904, 1905), the Charity Islands in Saginaw Bay (1910), Whitefish Point in Chippewa County (1913, 1914), Schoolcraft County (1915), Alger County (1916), and Berrien County (1917-20). After 1925 the number of collectors increased. The list includes G. W. Rawson, W. C. Stinson, W. VanDeurs, P. E. Moody, and J. H. Newman, all of whom

¹"A List of the Butterflies of Michigan" by Sherman Moore was published in 1939 (*Occ. Papers Mus. Zool. Univ. Mich.*, 411:1-23).

did their collecting in the Detroit area except for short trips to other parts of the state, and R. R. Dreisbach, whose collecting of Lepidoptera has been chiefly in Midland and surrounding counties.

Newcomb's collection, and all of Rawson's moths except for a few of the rarer species, are now in the Museum of Zoology. McAlpine's private collection is at his home in Birmingham, and Stinson's collection is probably at his home in Port Huron. What became of the VanDeurs collection is not known, but he probably took it to Denmark with him. The Moody collection went to J. H. Newman, whose large and valuable collection, especially rich in Noctuidae, is at his home near South Lyon.

The present list of 1,066 forms is based on the materials contained in the above-mentioned collections; most of the specimens have passed through my hands at one time or another. The records have been taken from the card catalogue that I have maintained for more than 25 years. It is unfortunate that the only Michigan records of 41 species are based on specimens that are, or were, in private collections. Some of these already have been lost, and it is not pleasant to contemplate the probable fate of the others.

Most of the determinations have been made by me, assisted on some of the Noctuidae by the criticism of J. H. Newman. About 10 per cent of the determinations have been made by others than myself. Of McAlpine's material from Whitefish Point, some of the Noctuidae were determined by F. H. Wolley Dodd, and some of the Geometridae by L. W. Swett. One of the three Noctuidae recorded from Isle Royale was determined by H. G. Dyar. Occasional specimens that gave me trouble were determined for me by F. H. Benjamin, A. E. Brower, August Busck, J. F. Gates Clark, W. T. M. Forbes, J. G. Franclemont, Carl Heinrich, J. McDunnough, A. G. Richards, and L. W. Swett. Acknowledgment has been given in the list for determinations made by others. For specimens not seen by me which are county records, the name of the determiner is given in parentheses.

The arrangement and nomenclature here followed are those of the Barnes and McDunnough *Check List* (1917), with such modifications as were needed to include species recognized since the publication of that list. Use of the more recent McDunnough *Check List* (1938-39) was considered, but there seemed to be no advantage in adopting it, and its use might result in confusion as the collection in the Museum of Zoology is still arranged according to the older list. The cost of relabeling and rearranging that collection probably would not be justified, for still another list may be expected before many years. I have included in the present list only a few subspecific names. In the Lepidoptera a great many nominal subspecies are of uncertain validity, and there is the problem of what to do with the many intermediate forms.

To give to those unfamiliar with the location of the counties in Michigan a clear idea of the part of the state in which each species has been taken, the state has been divided into the three "zones" adopted by the Michigan Department of Conservation. One of these, designated by U. P., covers the Upper Peninsula including Isle Royale. The Lower Peninsula is divided into a northern and a southern zone by an irregular line following county boundaries from Saginaw Bay to Muskegon; these zones are

designated N.L.P. and S.L.P., respectively. Within each zone the counties in which each species has been taken are listed alphabetically, together with the earliest and latest dates of capture in that zone. It has seemed desirable to include, as localities equivalent to counties, Isle Royale (Keweenaw County) in Lake Superior, the Beaver Islands (Charlevoix County) and the Fox Islands (Leelanau County) in Lake Michigan, and the Charity Islands (Arenac County) in Saginaw Bay.

For those species that are illustrated in Holland's *Moth Book* (1905), cited as "H" in the list, references to plate (roman numerals) and figure numbers (arabic numerals) are given in the hope that this may be helpful to the amateur collector. The amateur should be warned, however, that definite determinations cannot be made from pictures alone. In many instances Holland's illustrations cannot be recognized with certainty even by one familiar with the species, especially in the later reprints of the book. There is, unfortunately, no other comparable work of more recent date. The Holland illustrations will, however, serve to give an idea of the general appearance of many of our species.

Most of the books dealing with American moths were published long ago, and are now out of print and difficult to obtain. Probably the most useful general work today is *The Lepidoptera of New York and Neighboring States* by W. T. M. Forbes. Part I (1923) deals principally with the Microlepidoptera, but includes also the families Epiplemidae, Lacosomidae, Saturniidae, Ceratocampidae, Eupterotidae, Lasiocampidae, Thyatiridae, and Drepanidae. Part II (1948) contains the Sphingidae, Geometridae, Notodontidae, and Lymantriidae. Part III has been completed and in the hands of the printer for some time, awaiting funds for publication. It includes the remaining families. Although this work is based on the Lepidoptera of New York, many species from outside that state are included, and it covers very well the moths likely to occur in Michigan.

SPHINGIDAE

Herse cingulata Fabr. SLP: Wayne; Sept. 22. A straggler from the south. H vi: 3.

Cocytius cluentius Grote. SLP: Wayne; July. A stray from the tropics.

Protoparce sexta Johan. SLP: Berrien, Lenawee, Wayne; Aug. 8-Sept. 14. H. iv: 2.

Protoparce quinquemaculata Haw. NLP: Charity Isl., Midland; July 14-Aug. 6. SLP: Berrien, Ionia, Kent, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 1-Sept. 30. H. iv: 1.

Dolba hyloeus Dru. NLP: Midland; June 10. SLP: Berrien, Livingston, Oakland, Wayne; June 17-Aug. 15. H. vi: 4.

Ceratomia amyntor Hbn. NLP: Beaver Isls., Midland; July 10-17. SLP: Gratiot, Ingham, Lenawee, Livingston, Montcalm, St. Clair, Washtenaw, Wayne; May 31-Oct. 1. H. iv: 6.

Ceratomia undulosa Wlk. UP: Alger, Chippewa, Mackinac, Menominee, Schoolcraft; June 27-Aug. 6. NLP: Beaver Isls., Benzie, Cheboygan, Iosco, Midland, Newaygo, Ogemaw, Oscoda; June 12-Aug. 3. SLP: Berrien, Cass, Hillsdale, Huron, Ingham, Lapeer, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 28-Aug. 16. H. vi: 7.

Ceratomia catalpae Bdv. SLP: Occasionally occurs in southern Michigan, and has overwintered in some localities (McDaniel, 1933, p. 47). H. iv: 7.

Sphinx eremita Hbn. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; June 6-Aug. 9. H. vi: 6.

Sphinx chersis Hbn. UP: Mackinac, Schoolcraft; July 2. NLP: Alpena, Antrim, Beaver Isls., Benzie, Charlevoix, Cheboygan (Welch, 1915), Midland, Oscoda; May-Aug. 23. SLP: Berrien, Genesee, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 28-Aug. 3. H. vii: 8.

Sphinx canadensis Bdv. UP: Chippewa; July 18-20. NLP: Beaver Isls., Cheboygan; June 22-Aug. 23. H. text fig. 25.

Sphinx kalmiae A. & S. UP: Chippewa, Mackinac, Schoolcraft; June 5-July 14. NLP: Arenac, Beaver Isls., Cheboygan, Iosco, Midland, Oscoda; June 4-Aug. 9. SLP: Berrien, Macomb, Oakland, St. Clair, Wayne; June 13-Aug. 10. H. vi: 8.

Sphinx gordius Cram. UP: Chippewa, Luce, Mackinac, Schoolcraft; July 6-26. NLP: Crawford, Leelanau, Midland, Montmorency, Oscoda; May 29-Aug. 1. SLP: Livingston, Oakland, Washtenaw, Wayne; May 24-July 14. H. v: 13.

Sphinx luscitiosa Clem. UP: Chippewa, Luce, Mackinac, Menominee, Schoolcraft; June 18-July 29. NLP: Cheboygan, Crawford, Midland, Oscoda; June 4-Aug. 3. SLP: St. Clair, (no date). H. v: 1.

Sphinx drupiferarum A. & S. UP: Mackinac, ex pupa. NLP: Benzie, Cheboygan, Crawford, Midland, Oscoda; May 30-July 30. SLP: Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 16-July 17. H. vii: 7.

Lapara bombycoides Wlk. UP: Chippewa, Delta, Schoolcraft; July 2-21. NLP: Beaver Isls., Cheboygan, Crawford, Iosco, Midland, Oceana, Oscoda; June 12-July 28. SLP: Berrien, July, Aug. H. iii: 7.

Smerinthus geminatus Say. UP: Chippewa, Delta, Dickinson, Mackinac, Menominee, Schoolcraft; June 21-July 30. NLP: Alpena, Arenac, Beaver Isls., Benzie, Cheboygan, Iosco, Midland, Newaygo, Oscoda, Roscommon; May 16-Aug. 7. SLP: Branch, Clinton, Huron, Ingham, Lapeer, Lenawee, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 13-Aug. 22. H. iv: 11.

Smerinthus cerisyi Kirby. UP: Chippewa, Mackinac, Schoolcraft; June 5-Aug. 22. NLP: Beaver Isls., Cheboygan, Crawford, Iosco, Lake, Midland, Montmorency, Oscoda, Roscommon; May 9-July 21. SLP: Lapeer, Livingston, Macomb, Washtenaw; May 14-July 27. H. vii: 3.

Paonias excaecata A. & S. UP: Alger, Chippewa, Luce, Mackinac, Schoolcraft; June 21-July 26. NLP: Alpena, Arenac, Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Grand Traverse, Midland, Montmorency, Newaygo, Oceana; May 28-July 28. SLP: Berrien, Branch, Clinton, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne. May 1-Aug. 25. H. vii: 4.

Paonias myops A. & S. UP: Chippewa, June 26-July 10. NLP: Benzie, Cheboygan, Midland, Oceana, Ogemaw; July 4-Aug. 4. SLP: Berrien, Clinton, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 27-Aug. 9. H. iv: 12.

Cressonia juglandis A. & S. UP: Mackinac, June 18-July 6. NLP: Beaver Isls., Benzie, Oceana; May 18-July 15. SLP: Berrien, Cass, Lapeer, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 14-July 27. H. vi: 9.

Pachysphinx modesta Harris. UP: Chippewa, Delta, Dickinson, Isle Royale, Mackinac, Schoolcraft; June 13-Aug. 13. NLP: Beaver Isls., Cheboygan, Crawford, Emmet, Iosco, Midland, Oscoda; June 13-Aug. 20. SLP: Berrien, Cass, Clinton, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 2-Aug. 16. H. vii: 1.

Erinnyis ello Linn. SLP: Wayne, Aug.-Oct. 5. A stray from the south. H. v: 3, 10.

Enyo lugubris Linn. SLP: Oakland, no date. A stray from the south. H. ii: 17.

Aellopos tantalus Linn. SLP: Berrien, June 2. A stray from the tropics.

Aellopos titan Cram. UP: Chippewa, July 10. A tropical species. Listed by McAlpine (1918) as *tantalus*. H. ii: 16.

Haemorrhagia thysbe Fabr. UP: Chippewa, Dickinson, Isle Royale (Adams, 1909), Luce, Mackinac, Marquette (Andrews, 1929), Schoolcraft; June 27-Aug. 7. NLP: Bay, Beaver Isls., Cheboygan, Emmet, Iosco, Midland, Montmorency, Oscoda, Presque Isle; May 30-Aug. 8. SLP: Berrien, Clinton, Ingham, Jackson, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 30-Sept. 5. H. ii: 5.

Haemorrhagia gracilis G. & R. UP: Chippewa, Mackinac; June 3-5. NLP: Arenac, Oscoda, Presque Isle, Roscommon; May 29-July 4. H. iii: 15.

Haemorrhagia diffinis Bd. UP: Chippewa, Dickinson, Isle Royale, Luce, Mackinac, Marquette (Andrews, 1929), Schoolcraft; May 21-July 13. NLP: Arenac, Beaver Isls., Benzie, Cheboygan, Crawford, Fox Isls., Midland, Missaukee, Montmorency, Presque Isle, Ogemaw, Oscoda; May 11-July 25. SLP: Huron, Ingham, Lenawee, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 21-Sept. 4. H. ii: 1, 2, 3, 4.

Pholus satellitia pandorus Hbn. SLP: Berrien, Gratiot, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 4-Aug. 8. H. iii: 6.

Pholus achemon Dru. NLP: Midland, Oceana; July 13-16. SLP: Hillsdale, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 20-Aug. 15. H. iii: 5.

Pholus labruscae Linn. SLP: Wayne, no date. A stray from the south. H. iii: 11.

Ampeloeeca versicolor Harris. SLP: Clinton, Livingston, Oakland, Washtenaw, Wayne; May 17-Aug. 12. H. iii: 13.

Ampeloeeca myron Cram. UP: Schoolcraft, July 26. NLP: Iosco, Midland, Oceana; June 12-Aug. 3. SLP: Berrien, Cass, Ingham, Lapeer, Livingston, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; May 23-Sept. 28. H. iii: 4.

Darapsa pholus Cram. UP: Chippewa, Schoolcraft; June 25-July 7. NLP: Cheboygan, Crawford, Midland, Presque Isle, Roscommon; May 27-July 26. SLP: Berrien, Ingham, Livingston, Oakland, Washtenaw, Wayne; June 4-Aug. 16. H. iii: 3.

Sphecodina abbotti Swains. SLP: Ingham, Livingston, Washtenaw, Wayne; May 18-June 12. H. ii: 19.

Deidamia inscriptum Harris. NLP: Midland, Newaygo; June 4-11. SLP: Genesee, Livingston, Macomb, Montcalm, Oakland, Washtenaw, Wayne; Apr. 10-June 14. H. ii: 15.

Amphion nessus Cram. UP: Mackinac, May 29-June 5. NLP: Benzie, Midland, Montmorency; May 24-June 1. SLP: Huron, Ingham, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 8-July 3. H. ii: 18.

Xylophanes tersa Linn. SLP: Macomb, Washtenaw; June 14. A stray from the south. H. ii: 13.

Celerio galli intermedia Kirby. UP: Chippewa, Mackinac; June 5-July 10. SLP: Macomb, St. Clair, Washtenaw, Wayne; June 8-July 12. H. ii: 20.

Celerio lineata Fabr. UP: Gogebic, Schoolcraft; Aug. NLP: Charity Isl., Cheboygan, Iosco, Leelanau, Mecosta, Midland, Otsego; June 8-Sept. 11. SLP: Berrien, Branch, Gratiot, Ingham, Lenawee, Livingston, Macomb, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; May 28-Sept. 21. H. ii: 14.

SATURNIIDAE

Samia cecropia Linn. UP: Dickinson, Mackinac, Schoolcraft; June 23-Aug. 5. NLP: Benzie, Cheboygan, Midland, Ogemaw, Oscoda, Otsego; June 13-July 3. SLP: Branch, Ionia, Kent, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 27-July 13. H. viii: 1.

Samia columbia Smith. SLP: Lapeer, Montcalm, Oakland, Washtenaw, Wayne. All records are from pupae or specimens emerging indoors. H. viii: 8.

Samia cecropia x columbia. SLP: Oakland, June 13. This specimen and a few others that have been taken agree with known hybrids obtained in captivity.

Callosamia promethea Dru. UP: Chippewa, June 21. NLP: Mecosta, Midland, Newaygo, Ogemaw; June 14-July 7. SLP: Berrien, Ingham, Kent, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 30-July 23. H. xi: 11, 12.

Callosamia angulifera Wlk. SLP: Berrien, Branch, Cass, St. Clair; July 9-Aug. 18. H. viii: 3, 4.

Tropaea luna Linn. UP: Chippewa, Isle Royale, Luce, Mackinac, On-tonagon, Schoolcraft; June 6-July 6. NLP: Beaver Isls., Cheboygan, Clare, Crawford, Iosco, Manistee, Midland, Montmorency, Oceana, Roscommon; May 26-July 2. SLP: Berrien, Jackson, Livingston, Montcalm, Oakland, St. Clair, Washtenaw; May 10-July 27. H. xii: 7.

Telea polyphemus Cram. UP: Dickinson, Mackinac, Marquette, Schoolcraft; July 12-Aug. 5. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan (Welch 1915), Clare, Crawford, Midland, Oceana, Ogemaw; June 2-Aug. 2. SLP: Berrien, Branch, Ingham, Lapeer, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 1-July 24. H. ix: 1.

Automeris io Fabr. UP: Marquette, Menominee; June 18-July 5. NLP: Benzie, Clare, Crawford, Lake, Midland, Newaygo, Oceana; June 9-Aug. 26. SLP: Berrien, Ingham, Ionia, Kent, Livingston, Macomb, Montcalm, Monroe, Oakland, St. Clair, St. Joseph, Washtenaw, Wayne; May 18-Sept. 27. H. ix: 4, 5.

Hemileuca maia Dru. UP: Schoolcraft; no date. NLP: Lake; Sept. 23. SLP: Barry, Branch, Calhoun, Ingham, Montcalm; Sept. 20-Oct. 8. H. xi: 1.

CERATOCAMPIDAE

Anisota stigma Fabr. NLP: Newaygo; June 12. SLP: Ingham, Livingston, Macomb, Oakland, Wayne; June 25-July 20. H. xi: 9, 10.

Anisota senatoria A. & S. SLP: Livingston, Oakland, St. Clair, Wayne; June 13-July 17.

Anisota virginiensis Dru. NLP: Iosco, Midland, Oceana; June 28-July 6. SLP: Berrien, Livingston, Oakland, Washtenaw; June 5-July 20. H. xiii: 9, 10.

Anisota rubicunda Fabr. UP: Chippewa; June 22. NLP: Beaver Isls., Charity Isl., Cheboygan, Crawford, Midland, Missaukee, Newaygo, Oscoda, Roscommom; May 22-July 29. SLP: Berrien, Branch, Cass, Ingham, Lapeer, Lenawee, Livingston, Macomb, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; May 8-July 25. H. xiii: 11.

Adelocephala bicolor Harris. SLP: Oakland, Washtenaw, Wayne; May 22-Sept. 12. H. x: 5, 6.

Basilona imperialis Dru. SLP: Berrien, Branch, Cass, Ingham, Jackson, Livingston, Oakland, Washtenaw, Wayne; June 19-Aug. 11. H. x: 2, xi: 13.

Basilona imperialis pini Michener. NLP: Cheboygan (Type), Iosco; June 24-July 17. Determined by Michener.

Citheronia regalis Fabr. SLP: Has been reported from Hillsdale (Moody), and Ingham (McDaniel).

SYNTOMIDAE

Scepsis fulvicollis Hbn. UP: Alger, Chippewa, Dickinson, Iron, Mackinac, Schoolcraft; June 30-Sept. 24. NLP: Alpena, Beaver Isls., Benzie, Cheboygan, Clare, Emmet, Iosco, Mason, Midland, Oceana; June 25-Sept. 14. SLP: Berrien, Branch, Huron, Ingham, Jackson, Lapeer, Livingston, Macomb, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; May 27-Oct. 28. H. xiii: 12.

Lycomorpha pholus Dru. UP: Mackinac, Marquette; July 20. NLP: Cheboygan (Welch 1915). Presque Isle, July 30. H. xiii: 15.

Ctenucha virginica Charp. UP: Alger, Luce, Mackinac, Marquette, Schoolcraft; June 24-July 31. NLP: Alpena, Beaver Isls., Benzie, Cheboygan, Crawford, Iosco, Leelanau, Midland, Newaygo, Ogemaw, Oscoda, Roscommon; June 18-July 24. SLP: Jackson, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 31-July. H. xiii: 18.

ARCTIIDAE

Nolinae

Celama cilicoides Grote. NLP: Alpena, Iosco, Oceana; July 13-24. SLP: Branch, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 10-Aug. 26.

Celama triquetrina Fitch. NLP: Midland; May 10. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Mar. 30-May 19. H. xiii: 25.

Nigentia formosalis Wlk. SLP: Oakland, Washtenaw; July 4-25. H. xiii: 32.

Roeselia minuscula Zell. SLP: Livingston, Oakland, Washtenaw; May 30-July 4.

Roeselia minuscula phylla Dyar. NLP: Charity Isl., June 26. SLP: Livingston, Oakland, St. Clair, Washtenaw; May 2-July 30. Determined by Heinrich.

Lithosiinae

Lexis bicolor Grote. UP: Dickinson, Isle Royale; Aug. 1-12. NLP: Beaver Isls., Cheboygan, Iosco, Oscoda; July 19-Aug. 12. H. xiii: 29.

Crambidia pallida Pack. NLP: Alpena, Beaver Isls., Cheboygan, Midland, Muskegon, Oscoda; July 14-Sept. 5. SLP: Allegan, Livingston, Oakland, Washtenaw; July 11-Aug. 27.

Crambidia casta Sanb. UP: Dickinson, Schoolcraft; July 23-Aug. 26. NLP: Beaver Isls., Cheboygan, Crawford, Osceola; Aug. 19-Sept. 9. SLP: Oakland, June 22-July 2. H. xiii: 30.

Clemensia albata Pack. UP: Alger, Chippewa, Mackinac; July 22-Aug. 2. NLP: Beaver Isls., Charlevoix, Cheboygan, Fox Isls., Iosco, Montmorency, Oceana; July 7-Aug. 9. SLP: Oakland, Wayne; June 18-29. H. xiii: 38.

Hypoprepia miniatia Kirby. UP: Mackinac, Ontonagon, Schoolcraft; Aug. 5-28. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Fox Isls., Iosco, Lake, Midland, Montmorency, Newaygo, Oceana; June 11-Aug. 22. SLP: Huron, Livingston, Oakland, St. Clair; July 20-Aug. 8. H. xiii: 41.

Hypoprepia fucosa Hbn. UP: Mackinac; July 29. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Lake, Muskegon, Newaygo, Oceana, Oscoda; June 23-Aug. 15. SLP: Berrien, Cass, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 27-Aug. 19. H. xiii: 42.

Arctiinae

Ammalo tenera Hbn. UP: Mackinac, Schoolcraft; June 24-July 8. NLP: Beaver Isls., Cheboygan, Crawford, Midland; June 16-Aug. 26. SLP: Allegan, Berrien, Branch, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 28-Aug. 26.

Halisidota caryaef Harris. UP: Luce; July 6. NLP: Midland, Oceana; June 2-July 3. SLP: Berrien, Ingham, Lapeer, Lenawee, Livingston, Macomb, Oakland, St. Clair, St. Joseph, Washtenaw; May 20-July 2. H. xiv: 10.

Halisidota maculata Harris. UP: Luce, Mackinac, Schoolcraft; June 7-July 26. NLP: Arenac, Beaver Isls., Benzie, Cheboygan, Midland, Missaukee, Oceana, Oscoda; June 7-July 30. SLP: Berrien, Ingham, Livingston, Oakland, St. Clair, Washtenaw; May 28-July 10. H. xiv: 11.

Halisidota tessellaris A. & S. UP: Schoolcraft; July 30. NLP: Beaver Isls., Benzie, Cheboygan, Fox Isls., Midland, Oceana, Oscoda, Otsego; June 25-Aug. 15. SLP: Berrien, Branch, Cass, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 3-Aug. 18. H. xiv: 12.

Eubaphe laeta Guer. UP: Isle Royale, Mackinac; Aug. 1. NLP: Beaver Isls., Benzie, Cheboygan, Lake, Midland; June 24-Aug. 2. SLP: Berrien, Branch, Lapeer, Livingston, Oakland, Washtenaw, Wayne; June 10-July 29.

Eubaphe aurantiaca Hbn. UP: Alger, Chippewa, Dickinson, Isle Royale, Mackinac, Schoolcraft; June 20-Sept. 9. NLP: Alpena, Arenac, Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Crawford, Emmet, Fox Isls., Iosco, Lake, Montmorency, Midland, Muskegon, Newaygo, Oceana, Oscoda, Otsego, Presque Isle, Roscommon; June 20-Aug. 29. SLP: Berrien, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, St. Joseph, Washtenaw, Wayne; May 30-Sept. H. xiv: 20 ? as *immaculata* Reak. 19, 21, form *rubicunda* as *brevicornis*.

Eubaphe opella Grote. NLP: Muskegon, Oceana; June 1-Aug. 16. SLP: Lenawee, Livingston, Oakland, St. Clair, Washtenaw; June 13-July 17. H. xiv: 23: 24, form *belmaria*.

Eubaphe immaculata Reak. UP: Isle Royale; Aug. 1. NLP: Cheboygan (Welch, 1915), Midland; July 11-26. SLP: Berrien, Branch, Livingston, Macomb, Washtenaw; May 22-July 31. H. xiv: 20, is much too red and looks like *aurantiaca*. This insect probably should be called *ferruginosa* Wlk., as in McDunnough's *Check List* (1938).

Hyphoraia parthenos Harr. UP: Chippewa; July 10-26. NLP: Cheboygan (Welch, 1915), Iosco; July-Aug. H. xvi: 20.

Phragmatobia fuliginosa Linn. NLP: Cheboygan, Iosco, Midland, Montmorency; July 21-Aug. 8. SLP: Branch, Cass, Ingham, Kent, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 29-Sept. 12. H. xiv: 31.

Phragmatobia assimilans Wlk. NLP: Benzie, Montmorency; Apr. 9-May 30.

Diacrisia latipennis Stretch. NLP: Cheboygan, Clare, Gladwin; June 11-July 8. SLP: Berrien, Branch, Lapeer, Livingston, Macomb, Monroe, Oakland, Washtenaw, Wayne; June 5-July 4. H. xvi: 6.

Diacrisia virginica Fabr. UP: Alger, Dickinson, Luce, Mackinac, Schoolcraft; June 23-July 26. NLP: Bay, Beaver Isls., Benzie, Cheboygan, Crawford, Gladwin, Midland, Newaygo, Oceana, Roscommon; May 29-Aug. 21. SLP: Berrien, Branch, Huron, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 16-Aug. 19. H. xvi: 7.

Isia isabella A. & S. UP: Dickinson, Mackinac, Menominee; June 18-July 6. NLP: Beaver Isls., Cheboygan, Midland; June 15-Aug. SLP: Berrien, Cass, Jackson, Lapeer, Livingston, Macomb, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; May 20-Sept. 9. H. xvi: 13.

Hyphantria textor Harris. UP: Alger, Dickinson, Isle Royale, Luce, Mackinac, Schoolcraft; June 22-Aug. 12. NLP: Beaver Isls., Charity Isl., Cheboygan, Midland, Osceola, Roscommon; May 28-Aug. 5. SLP: Berrien, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; May 19-Aug. 16. H. xvi: 9.

Hyphantria cunea Dru. UP: Alger, Mackinac; June 18-27. NLP: Charity Isl., Cheboygan, Crawford, Newaygo; May 29-July 18. SLP: Livingston, Oakland; June 14-July 23. H. xv: 26, xvi: 10.

Estigmene acraea Dru. UP: Chippewa, Dickinson, Mackinac; June 25-Aug. 1. NLP: Midland, Newaygo; June 12-Aug. 18. SLP: Berrien, Genesee, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 19-Aug. 28. H. xvi: 11, 12.

Estigmene congrua Wlk. NLP: Benzie, Cheboygan, Crawford, Midland, Oscoda; May 29-July 2. SLP: Lapeer, Livingston, Macomb, Oakland, Washtenaw; May 21-July. H. xvi: 8.

Epantheria deflorata Fabr. SLP: Berrien, Oakland; June 6-July. H. xvi: 16.

Apantesis virgo Linn. UP: Chippewa, Delta; July 17-22. NLP: Cheboygan, Charlevoix, Iosco, Midland, Osceola, Oscoda, Otsego, Presque Isle; July 23-Aug. SLP: Berrien, Clinton, Huron, Livingston, Oakland, St. Clair, Washtenaw, Wayne; July 3-Aug. 5. H. xv: 11.

Apantesis parthenice Kirby. UP: Alger, Dickinson, Mackinac, Schoolcraft; July 23-Aug. 18. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Emmet, Iosco, Midland, Montmorency, Ogemaw, Osceola, Oscoda; July 3-Aug. 31. SLP: Berrien, Livingston, Montcalm, Oakland, Washtenaw; Aug. 13-Sept. 7. H. xv: 13.

Apantesis rectilinea French. NLP: Osceola; Sept. 12. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw; May 27-Sept. 20. H. xv: 1.

Apantesis arge Dru. NLP: Benzie, Midland, Newaygo, Oceana; June 12-Aug. 6. SLP: Berrien, Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 16-Oct. 17. H. xv: 15.

Apantesis anna Grote. NLP: Newaygo; June 12. SLP: Berrien, Hillsdale, Huron, Ingham, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 20-July 31. The majority of Michigan specimens are form *persephone* Grt. H. xv: 8, 10.

Apantesis virguncula Kirby. UP: Chippewa, Dickinson, Mackinac, Menominee; July 5-Aug. 1. NLP: Cheboygan, Iosco, Midland, Oceana; June 19-July 28. SLP: Cass, Ingham, Jackson, Livingston, Oakland, Sanilac, St. Clair, St. Joseph, Washtenaw, Wayne; June 10-July 8. H. xv: 9, 16.

Apantesis williamsi Dodge. UP: Chippewa; July 21-27. NLP: Oscoda; June 20. SLP: St. Clair; June. H. xv: 3, form *determinata*.

Apantesis phyllira Dru. UP: Dickinson, Schoolcraft; July 24-Aug. 5. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Manistee, Midland, Oceana, Osceola; May 31-Sept. 6. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, Washtenaw; May 21-Aug. 27. H. xv: 14.

Apantesis celia Saund. NLP: Crawford, Oscoda; May 30-June 1. SLP: Livingston, May 5-Aug. 11.

Apantesis nais Dru. NLP: Midland; June 5-Aug. 13. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 3-Sept. 5.

Apantesis vittata Fabr. SLP: Livingston, Oakland; May 20-June 5. H. xv: 22, 25.

Apantesis phalerata Harris. NLP: Benzie, Crawford, Midland; May 28-Aug. 20. SLP: Berrien, Hillsdale, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 9-Aug. 30. H. xv: 6. Formerly listed as a form of *vittata*, now considered a valid species.

Euchaetias egle Dru. NLP: Bay, Beaver Isls., Cheboygan; June 26-July 23. SLP: Berrien, Cass, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 26-Aug. 9. H. xvi: 21.

Euchaetias oregonensis Stretch. UP: Mackinac; June 30. NLP: Cheboygan, Crawford, Iosco, Mecosta, Newaygo; May 22-July 17. SLP: Ingham, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 8-Aug. 15. H. xvi: 19.

Arctia caia americana Harris. UP: Alger, Marquette, Schoolcraft; July-Aug. 6. NLP: Beaver Isls., Cheboygan, Ogemaw, Presque Isle; July 9-Sept. H. xv: 2, as *wiskotti*.

Utetheisa bella Linn. UP: Mackinac, Schoolcraft; July 25-Sept. 6. NLP: Beaver Isls., Midland; July 27-Aug. 18. SLP: Livingston, Macomb, Oakland, St. Clair, Wayne; July 3-Sept. 26. H. xv: 27.

Haploa clymene Brown. SLP: Berrien, St. Clair, Wayne; June 18-Aug. 9. H. xvii: 7.

Haploa colona Hbn. UP: Mackinac; Aug. 1. NLP: Cheboygan, Midland, Missaukee, Muskegon, Oceana; July 12-Aug. 16. SLP: Cass, Livingston, Macomb, Monroe, Oakland, Washtenaw; June 3-Aug. 2. *Reversa* Stretch. is the common form in Michigan, form *fulvicosta* Clem. occurs occasionally, but the typical form is rare. H. xvii: 2.

Haploa lecontei Bd. UP: Dickinson, July 5. NLP: Cheboygan, Presque Isle; July 3-15. SLP: Berrien, Clinton, Lapeer, Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, Wayne; June 16-Aug. H. text fig. 59; xvii: 1, 4, form *militaris* Harris.; xvii: 9, form *dyari* Merrick.

Haploa confusa Lyman. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; June 20-Aug. 4. NLP: Alpena, Beaver Isls., Benzie, Cheboygan, Crawford, Iosco, Manistee, Midland, Montmorency, Muskegon, Oscoda, Presque Isle, Roscommon; June 24-Aug. 6. SLP: Berrien, Ingham, Kent, Livingston, Macomb, Oakland, Washtenaw; June 18-July 25. H. xvii: 6.

Haploa contigua Wlk. NLP: Benzie, Charlevoix, Cheboygan, Iosco, Montmorency, Oscoda, Presque Isle; July 2-25. H. text fig. 60.

AGARISTIDAE

Alypia octomaculata Fabr. UP: Mackinac, Schoolcraft; June 11-July 26. NLP: Beaver Isls., Midland; June 4-July 7. SLP: Berrien, Branch, Cass, Ingham, Livingston, Macomb, St. Clair, Washtenaw, Wayne; May 8-Sept. 1. H. xvii: 20, 21.

Alypia langtoni Couper. UP: Alger, Chippewa, Dickinson, Houghton, Mackinac, Schoolcraft; June 23-Aug. 1. NLP: Beaver Isls., Kalkaska; June 23-July 9. SLP: St. Clair; Aug. 14. H. xvii: 17.

NOCTUIDAE

Agrotinae

Heliothis paradoxa Grote. SLP: Ingham, Livingston, Oakland, Washtenaw, Wayne; June 19-Oct. 7. H. xxvii: 15.

Heliothis phloxiphaga G. & R. NLP: Midland, Newaygo, Oceana, Osceola, Oscoda; May 28-Aug. 15. SLP: Ingham, Livingston, Oakland, Washtenaw, Wayne; May 14-Sept. 21.

Heliothis obsoleta Fabr. UP: Keweenaw, Mackinac; July 16-Oct. 13. NLP: Beaver Isls., Benzie, Cheboygan, Midland; Sept. 9-Oct. SLP: Lenawee, Livingston, Macomb, Oakland, Ottawa, St. Clair, Tuscola, Washtenaw, Wayne; June 20-Nov. 2. H. xxvii: 17, as *armigera*.

Heliothis virescens Fabr. SLP: Oakland, St. Clair, Washtenaw, Wayne; June 15-Sept. 13. H. xxvii: 14.

Rhodophora florida Gn. NLP: Beaver Isls., Cheboygan, Iosco, Midland; July 1-Aug. 20. SLP: Berrien, Huron, Ingham, Kalamazoo, Livingston, Oakland, St. Clair, Washtenaw, Wayne; July 15-Aug. 22. H. xxvii: 19.

Lygranthoecia meskeana Grote. NLP: Crawford; June 1.

Lygranthoecia obscurata Stkr. NLP: Newaygo; July 7. SLP: Livingston, Oakland, Washtenaw, Wayne; May 25-Aug. 27.

Lygranthoecia marginata Haw. UP: Dickinson; Aug. 7. NLP: Beaver Isls., Midland; Aug. 11-24. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 24-Sept. 7. H. xxvii: 44.

Schinia trifascia Hbn. NLP: Midland, Newaygo; July 7-Aug. 11. SLP: Berrien, Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; July 8-Oct. 1. H. xxvii: 35.

Schinia nundina Dru. NLP: Midland; Aug. SLP: Berrien, Livingston, Washtenaw; Aug. 12-27. H. xxvii: 33.

Schinia lynx Gn. NLP: Midland, Oceana; July 16-27. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 5-Sept. 1. H. xxvii: 38.

Schinia arcigera Gn. NLP: Benzie, Crawford, Midland, Montmorency, Oceana; May 29-Aug. 21. SLP: Berrien, Livingston, Macomb, Oakland, Wayne; Aug. 12-Sept. 12. H. xxvii: 42, as *arcifera*.

Porosagrotis vetusta Wlk. UP: Schoolcraft; July 17-21. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Iosco, Midland, Muskegon, Osceola; July 3-Sept. 10. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, Ottawa, St. Clair, Washtenaw, Wayne; Aug. 16-Oct. 11. H. xxii: 25.

Euxoa perolivalis Smith. NLP: Benzie, Iosco; July 4-Aug. 6. Determined by Brower.

Euxoa catenula Grt. NLP: Beaver Isls., Fox Isls., Midland; June 15-July 30. SLP: St. Clair; July 5. Determined by Forbes.

Euxoa detersa Wlk. UP: Mackinac, Schoolcraft; July 29-Sept. 18. NLP: Alpena, Beaver Isls., Charlevoix, Cheboygan, Crawford, Emmet, Iosco, Midland, Osceola, Oscoda; July 2-Sept. 20. SLP: Berrien, Genesee, Gratiot, Livingston, Macomb, Montcalm, Oakland, St. Clair, Wayne; July 27-Sept. 18. H. xxii: 39.

Euxoa perpolita Morr. UP: Dickinson; Aug. 12. NLP: Beaver Isls., Crawford, Midland; July-Aug. 24. H. xxii: 36.

Euxoa mimallonis Grt. UP: Dickinson; Aug. 18. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Osceola; Aug. 22-Sept. SLP: Huron; Sept. 5.

Euxoa messoria Harris. UP: Schoolcraft; Aug. 16. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Emmet, Iosco, Midland, Oceana, Osceola, Otsego; July 21-Sept. 26. SLP: Berrien, Cass, Clinton, Huron, Ingham, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; July 5-Sept. 29. H. xxii: 40.

Euxoa scholastica McD. SLP: Washtenaw; Aug. 11. Determined by Gates Clark.

Euxoa fumalis vestitura Sm. UP: Dickinson; Aug. 7. SLP: Washtenaw, July 16.

Euxoa ontario Sm. SLP: Livingston, Oakland; July 22-29. Determined by Brower.

Euxoa quinquelineata lutulenta Sm. UP: Dickinson, Mackinac; Aug. 2-4. NLP: Charlevoix; Aug. 28. SLP: Macomb; Sept. 18. Determined by Forbes. H. xxiii: 13.

Euxoa bostoniensis Grt. UP: Isle Royale, Keweenaw; Aug. 9-17. Determined by Dyar.

Euxoa tessellata Harris. UP: Alger, Chippewa, Dickinson, Mackinac; July 12-Aug. 7. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Emmet, Iosco, Midland, Montmorency, Oceana, Otsego, Presque Isle, Roscommon; July 1-Sept. 18. SLP: Berrien, Cass, Clinton, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 15-Sept. 23. H. xxiii: 4. Determined by Forbes.

Euxoa declarata Wlk. UP: Mackinac, Schoolcraft; Aug. 6-11. SLP: St. Clair; July 10. Determined by Forbes.

Euxoa albipennis Grt. NLP: Iosco, Osceola; Sept. 6-13. SLP: Berrien, Livingston, Macomb; July 29-Sept. 23. Determined by Brower. H. xxiii: 7.

Euxoa mollis Wlk. UP: Dickinson; July 24. NLP: Cheboygan, Roscommon; July 4.

Euxoa divergens Wlk. UP: Alger, Chippewa, Isle Royale, Mackinac; June 29-July 31. NLP: Beaver Isls., Charity Isl., Crawford, Montmorency, Osceola; June 18-Sept. 10. Determined by Dodd.

Euxoa obeliscoidea Gn. SLP: Washtenaw; July 31-Aug. 11. H. xxiii: 12.

Euxoa redimicula Morr. UP: Mackinac; Aug. 3. NLP: Beaver Isls., Midland; July 16-Aug. 16. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw; July 10-Aug. 31. H. xxiii: 9.

Euxoa ochrogaster Gn. UP: Chippewa, Dickinson, Keweenaw, Mackinac, Schoolcraft; June 25-Sept. 12. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Fox Isls., Oceana, Oscoda; July 5-Aug. 25. SLP: Berrien, Huron, Oakland, St. Clair; July 1-Aug. 29. Determinations by Brower and Forbes. H. xxiii: 10.

Euxoa excellens Grt. UP: Dickinson; Aug. 1-9. NLP: Beaver Isls., Charlevoix; Aug. 6-21. A western species. Agrees with specimen from Oregon determined by Dyar.

Euxoa tristicula Morr. NLP: Cheboygan; Aug. 12. Determined by Brower.

Feltia gladiaria Morr. NLP: Beaver Isls., Midland; July 25-Sept. 9. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Sept. 6-22. H. xxii: 19.

Feltia venerabilis Wlk. UP: Mackinac; Aug. 29-Sept. 7. NLP: Beaver Isls., Cheboygan, Crawford, Newaygo, Oscoda, Otsego; June 5-Sept. 11. SLP: Genesee, Gratiot, Livingston, Macomb, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; July 15-Oct. 4. H. xxii: 26.

Feltia ducens Wlk. UP: Dickinson, Keweenaw, Mackinac, Schoolcraft; Aug. 6-Sept. 4. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Iosco, Midland, Osceola, Otsego; Aug. 8-Sept. 9. SLP: Allegan, Berrien, Livingston, Macomb, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; Aug. 7-Sept. 29. H. xxii: 21, as *subgothica*.

Feltia subgothica Haw. UP: Alger, Dickinson, Isle Royale, Mackinac; July 3-Aug. 26. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Fox Isls., Iosco, Midland, Oscoda; July 2-Sept. 14. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 7-Sept. 24. H. xxii: 21, looks like *ducens*, text Fig. 105 is better.

Feltia herilis Grt. UP: Mackinac; July 25-Aug. 28. NLP: Beaver Isls., Cheboygan, Crawford, Lake, Montmorency; July 19-Aug. 15. SLP: Allegan, Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 14-Sept. 24. H. xxii: 20.

Feltia volubilis Harvey. NLP: Cheboygan, Iosco, Midland, Montmorency, Ogemaw, Oscoda; May 26-June 29. SLP: Livingston, Oakland, Washtenaw, Wayne; May 13-June 13. H. xxii: 23.

Agrotis badinodis Grt. NLP: Charlevoix, Cheboygan, Osceola, Otsego; Sept. 2-12. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Sept. 1-Oct. 1. H. xxi: 37.

Agrotis geniculata G. & R. UP: Mackinac; Aug.-Sept. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Iosco, Osceola, Oscoda; July 26-Sept. 12. SLP: Livingston, Macomb, Oakland, Ottawa, St. Clair; Aug. 29-Sept. 16. H. xxi: 36.

Agrotis aurulenta Grt. UP: Chippewa; July 7.

Agrotis ypsilon Rott. UP: Chippewa, Isle Royale, Mackinac, Menominee, Schoolcraft; May 15-Sept. 1. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Iosco, Midland, Oceana, Oscoda; May-Oct. 10. SLP: Berrien, Huron, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 20-Oct. 15. H. text fig. 103.

Agrotis collaris G. & R. UP: Dickinson; Aug. 19. NLP: Cheboygan, Crawford, Osceola; Aug. 24-Sept. 9. SLP: Livingston, Macomb, Oakland; Sept. 3-18. H. xxii: 7.

Agrotis c-nigrum Linn. UP: Mackinac, Schoolcraft; July 23-Oct. 3. NLP: Arenac, Beaver Isls., Benzie, Charlevoix, Cheboygan, Iosco, Midland, Oceana, Osceola, Oscoda; May-Sept. 25. SLP: Berrien, Huron, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 5-Oct. 28. H. xxii: 1.

Agrotis bicarnea Gn. UP: Dickinson, Isle Royale, Menominee; Aug. 1-22. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Midland; July 31-Aug. 23. SLP: Allegan, Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 9-Sept. 18. H. xxi: 25.

Agrotis treati Grt. UP: Dickinson, Mackinac, Schoolcraft; July 19-Aug. 24. NLP: Beaver Isls., Cheboygan, Oscoda; July 23-Aug. 8. SLP: Livingston, Oakland, Washtenaw; Aug. 3-29. Determined by Brower.

Agrotis normaniana Grt. UP: Alger, Chippewa; July 20-30. NLP: Beaver Isls., Charlevoix, Fox Isls., Lake, Ogemaw, Osceola; Aug. 3-22. SLP: Allegan, Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Aug. 8-24. H. xxi: 34.

Agrotis baja Fabr. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; July 27-Aug. 19. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Fox Isls., Iosco, Lake, Manistee, Midland, Osceola; May 30-Sept. 7. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 10-Sept. 27.

Agrotis plecta Linn. UP: Alger, Chippewa, Mackinac, Schoolcraft; June 18-Aug. 23. NLP: Beaver Isls., Cheboygan, Crawford, Newaygo, Presque Isle, Osceola; May 29-Sept. 15. SLP: Allegan, Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 13-Sept. 12. H. xxii: 6.

Agrotis cynica Smith. NLP: Charlevoix; Aug. 3.

Agrotis rubifera Grt. UP: Dickinson, Mackinac; July 23-Aug. 2. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Iosco, Presque Isle; July 14-Aug. 26. SLP: Oakland, Wayne; June 28-July 5.

Agrotis jucunda Wlk. UP: Alger, Mackinac; July 23-29. NLP: Beaver Isls., Cheboygan; July 16-Aug. 3. SLP: Livingston, Oakland; July. H. xxii: 5.

Agrotis phyllophora Grt. UP: Alger, Chippewa, Mackinac; July 16-30. NLP: Beaver Isls., Cheboygan, Iosco, Lake, Midland, Montmorency, Oceana, Oscoda; June 20-Aug. 7. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 25-July 27. H. xxii: 2.

Agrotis fennica Tausch. UP: Alger, Chippewa, Isle Royale, Marquette; July 8-18. NLP: Beaver Isls., Charity Isl., Oceana, Presque Isle; June 10-Sept. 3. SLP: St. Clair, Wayne; Aug. 4-31. H. xxii: 4. Determined by Forbes.

Agrotis unimacula Morr. UP: Alger, Chippewa, Dickinson, Keweenaw, Mackinac; July 4-Aug. 7. NLP: Beaver Isls., Charity Isl., Cheboygan, Iosco, Midland, Montmorency, Oceana, Presque Isle; July 11-Aug. 20. SLP: Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 30-Aug. 20. H. xxii: 9 as *haruspica*.

Agrotis unicolor Wlk. UP: Chippewa, Dickinson, Isle Royale, Mackinac, Marquette; June 29-Aug. 16. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Crawford, Iosco, Lake, Midland, Montmorency, Oceana, Oscoda, Otsego, Roscommon; June 18-Sept. 26. SLP: Berrien, Huron, Ingham, Jackson, Lapeer, Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, Wayne; June 1-Oct. 12. H. xxii: 14, as *clandestina*.

Eucoptocnemis tripars Wlk. SLP: Allegan, Livingston, Wayne; July 22-Sept. 17. H. xxii: 37.

Epipsilia fungorum G. & R. SLP: Ingham, Washtenaw; Sept. 11-21. H. xxvi: 23.

Epipsilia manifesta Morr. SLP: Livingston, Oakland, Wayne; May 10-June 11. Determined by Gates Clark.

Epipsilia salicarum Wlk. SLP: Macomb, Oakland, Washtenaw; Apr. 14-30. H. xxi: 31.

Epipsilia monochromatea Morr. SLP: Livingston; June 16.

Epipsilia littoralis Pack. UP: Alger, Chippewa, Dickinson, Mackinac; June 22-July 16. NLP: Beaver Isls., Cheboygan, Fox Isls.; June 19-July 8. H. xxi: 32.

Lycophotia scandens Riley. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; June 17-Aug. 7. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Iosco, Lake, Midland, Missaukee, Muskegon, Oceana, Presque Isle, Roscommon; June 30-Aug. 28. SLP: Berrien, Ingham, Oakland, St. Clair, Washtenaw, Wayne; June 30-Sept. 4.

Lycophotia astricta Morr. UP: Chippewa, Isle Royale, Mackinac; July 23-Aug. 4. NLP: Iosco; Aug. 6-7. H. xxi: 41. Determined by Dodd.

Lycophotia occulta Linn. UP: Alger, Chippewa, Mackinac, Schoolcraft; June 30-Aug. 21. NLP: Beaver Isls., Charity Isl., Cheboygan, Emmet;

June 23-Sept. 16. SLP: Huron, Macomb, Oakland, St. Clair, Wayne; June 3-July 24. H. xxi: 42.

Lycophotia margaritosa Haw. UP: Alger, Houghton, Mackinac, Schoolcraft; July 5-Oct. 5. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Iosco, Mason, Midland, Muskegon, Oceana, Osceola; June 25-Sept. 25. SLP: Berrien, Huron, Ingham, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 8-Oct. 30. H. xxi: 40, as *saucia*.

Lycophotia lubricans Gn. NLP: Cheboygan, Midland, Oscoda; July 5-Aug. 27. SLP: Allegan, Livingston, Oakland, Washtenaw, Wayne; May 28-Sept. 4. H. xxii: 8.

Aplectoides speciosa Hbn. UP: Isle Royale, Aug. 2. Determined by Franclemont as *perquiritata* Morr. Barnes and McDunnough (1917) list this as a synonym of *speciosa*.

Aplectoides pressus Grt. UP: Alger, Chippewa, Isle Royale, Mackinac, Marquette, Schoolcraft; July 23-Aug. 1. NLP: Beaver Isls., Benzie, Cheboygan; July 3-Aug. 30. SLP: Berrien, Oakland, St. Clair, Washtenaw, Wayne; June 30-Aug. 1. H. xxi: 25.

Aplectoides condita Gn. UP: Mackinac; June 29-July 15. NLP: Benzie; July 5. SLP: Huron; July.

Apharetra dentata Grt. NLP: Iosco, Oscoda, Presque Isle; July 21-Aug. 29. H. text fig. 88.

Ufeus satyricus Grt. NLP: Benzie; Mar. 30. H. xxiii: 20.

Anytus privata Wlk. UP: Mackinac, Marquette; Aug.-Oct. 2. NLP: Osceola, Sept. 22. SLP: Macomb, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; Aug. 30-Sept. 24. H. xxiii: 16.

Matuta elimata Gn. NLP: Beaver Isls., Crawford, Iosco, Oceana, Osceola; July 10-Sept. 8. SLP: Livingston, Oakland; Sept. 6-16. H. xxi: 29. Determined by Brower and by Forbes.

Matuta tenebrifera Wlk. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Mar. 30-May 27. H. xxi: 33.

Matuta prasina Fabr. UP: Alger, Chippewa, Dickinson, Keweenaw, Schoolcraft; July 8-Aug. 5. NLP: Beaver Isls., Charity Isl., Midland, Oceana; July 23-Sept. 3. SLP: Berrien, Livingston, Macomb, St. Clair, Washtenaw; July 5-Sept. 2. H. xxi: 24.

Rhynchagrotis rufipectus Morr. UP: Isle Royale, Mackinac; Aug. 1-20. SLP: Oakland; July 25. H. xxi: 22.

Rhynchagrotis brunneicollis Grt. UP: Luce; July 6. NLP: Cheboygan; July 6. SLP: Allegan, Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 11-Sept. 5.

Rhynchagrotis placida Grt. UP: Mackinac; Aug. 28. NLP: Benzie, Charity Isl., Charlevoix, Cheboygan, Iosco, Oceana; July 4-Aug. 22. SLP: Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw; July 7-Sept. 18. H. xxi: 21, 23.

Rhynchagrotis alternata Grt. UP: Mackinac; July 18. NLP: Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Oscoda; July 4-Sept. 2. SLP: Allegan, Berrien, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 28-Oct. 20. H. xxl: 20.

Rhynchagrotis anchoceloides Gn. UP: Dickinson, Mackinac, Schoolcraft; July 26-Aug. 18. NLP: Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Montmorency, Oscoda; July 16-Sept. 10. SLP: Berrien, Huron, Livingston, Macomb, Oakland, Washtenaw, Wayne; June 28-Sept. 23. H. xxl: 19.

Rhynchagrotis cupida Grt. NLP: Beaver Isls., Fox Isls., Montmorency, Oscoda; July 18-Aug. 16. SLP: Livingston, Oakland; June 22-July 16. Most Michigan specimens are form *brunneipennis* Grt. Determined by Gates Clark.

Rhynchagrotis gilvipennis Grt. UP: Alger, Chippewa, Dickinson, Mackinac; July 20-Aug. 27. NLP: Beaver Isls., Lake, Oscoda; July 19-Aug. 10. SLP: Livingston, St. Clair, Washtenaw; June 17-Aug. 14. H. xxi: 18.

Euretagrotis sigmoides Grt. UP: Mackinac; July 23. NLP: Benzie, Charlevoix, Oceana; July 11-Aug. 3. SLP: Berrien, Branch, Cass, Macomb, Oakland, St. Clair, Washtenaw; July 4-Aug. 6. H. xxi: 26.

Euretagrotis perattenta Grt. UP: Alger, Chippewa, Dickinson, Mackinac, Marquette, Schoolcraft; June 28-Aug. 5. NLP: Beaver Isls., Benzie, Cheboygan, Iosco, Montmorency, Oscoda; June 25-Aug. 6. SLP: Livingston, Oakland, Washtenaw; June 13-July 14. H. xxi: 27.

Euretagrotis attenta Grt. NLP: Oscoda; July 24-25.

Protogrotis niveivenosa Grt. UP: Mackinac; June 20-July 28. NLP: Alpena; July 10. SLP: Huron; June 21.

Hadeninae

Barathra curialis Sm. UP: Chippewa; July. Determined by Dodd.

Scotogramma trifolii Rott. UP: Alger, Dickinson; July 31-Aug. 7. NLP: Charlevoix, Cheboygan, Crawford, Iosco, Midland; May 28-Aug. 26. SLP: Berrien, Hillsdale, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 30-Sept. 25. H. xxiii: 29.

Polia lustralis Grt. UP: Mackinac; July 6. NLP: Alpena, Cheboygan, Oscoda; June 17-July 12. SLP: Oakland; Aug. 30. H. xxiii: 22.

Polia detracta Wlk. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; July 3-28. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan, Crawford, Iosco, Lake, Midland, Oceana, Oscoda, Presque Isle; June 19-July 28. SLP: Berrien, Jackson, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 2-July 26. H. xxiii: 24.

Polia imbrifera Gn. UP: Alger, Chippewa, Dickinson, Mackinac; July 11-30. NLP: Beaver Isls., Cheboygan (Welch 1915), Oscoda; July 23-Aug. 3. H. xxiii: 32. Determined by Dodd.

Polia purpurissata Grt. UP: Alger, Chippewa, Dickinson, Isle Royale, Mackinac, Schoolcraft; July 22-Sept. 4. NLP: Beaver Isls., Cheboygan, Crawford, Iosco, Midland, Osceola, Oscoda; Aug. 6-Sept. 6. SLP: Berrien, Macomb, Oakland, Washtenaw; Aug. 8-30. H. xxiii: 26.

Polia determinata Sm. SLP: Livingston, Washtenaw; Aug. 24-29. This is a western species, described from Colorado. In male genitalia it agrees with *meditata*. Michigan specimens agree well with Smith's description, but whether the species is valid or a form of *meditata* is not clear. I have seen no intergrades. Specimens were submitted to authorities at the U. S. National Museum, but they declined to commit themselves.

Polia meditata Grt. UP: Isle Royale, Mackinac; Aug. 1-21. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Iosco, Manistee, Midland, Oceana, Oscoda; May 31-Sept. 7. SLP: Berrien, Ingham, Livingston, Macomb, Montcalm, Oakland, Ottawa, St. Clair, Washtenaw, Wayne; June 17-Sept. 14. H. xxiii: 21.

Polia distincta Hbn. SLP: Livingston, Oakland, Washtenaw; Apr. 15-May 18.

Polia grandis Bd. UP: Chippewa, Mackinac; June 18-July 22. NLP: Beaver Isls., Charity Isl., Cheboygan, Crawford, Midland, Montmorency, Newaygo, Roscommon; May 31-July 7. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw; May 27-June 25. H. xxiii: 41.

Polia sub juncta G. & R. UP: Dickinson; June 29. NLP: Benzie, Midland, Roscommon; June 28-Aug. 5. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 26-Sept. 4. H. xxiii: 27.

Polia nevadæ canadensis Sm. UP: Chippewa; July 8. Determined by Dodd. H. (*nevadæ*) xxiii: 33.

Polia ingravis Sm. NLP: Crawford, Ogemaw, Oscoda; May 18-June 1. SLP: Livingston; July 6. Determined by Brower.

Polia lubens Grt. UP: Luce, Mackinac; June 20-July 6. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Lake, Midland, Newaygo, Oscoda; May 31-July 24. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw; June 2-Sept. 5. H. xxiii: 28.

Polia latex Gn. NLP: Beaver Isls., Benzie, Crawford, Montmorency; May 31-July 23. SLP: Berrien, Livingston, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 21-July 4. H. xxiii: 40.

Polia nimbosa Gn. UP: Luce; July 5.

Polia adjuncta Bd. UP: Chippewa, Mackinac; from larvae. NLP: Beaver Isls., Benzie, Charity Isl., Midland; June 24-27. SLP: Ingham, Livingston, Macomb, Oakland, St. Clair, Wayne; May 23-Oct. 10. H. xxiii: 38.

Polia atlantica Grt. NLP: Beaver Isls.; July 9.

Polia legitima Grt. UP: Mackinac, Schoolcraft; June 17-Aug. 1. NLP: Cheboygan, Iosco, Lake, Midland, Presque Isle, Oscoda; July 3-Aug. 12.

SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 17-Sept. 5.

Polia lilacina Harvey. UP: Alger; July. SLP: Oakland, Washtenaw; Aug. 24. H. xxiii: 39.

Polia goodelli Grt. UP: Dickinson, Mackinac, Schoolcraft; June 28-July 30. NLP: Charity Isl., Oscoda; June 25-July 21. SLP: Berrien, Oakland, St. Clair, Washtenaw, Wayne; May 20-Aug. 14.

Polia obscura Sm. UP: Mackinac; June 28-July 3. NLP: Beaver Isls., Montmorency, Oscoda; May 31-July 8. SLP: Livingston, Oakland; May 24-26.

Polia assimilis Morr. UP: Chippewa, Luce, Mackinac, Schoolcraft; July 3-17. NLP: Cheboygan, Midland; July 12-24. SLP: Livingston, Oakland; July 15-26.

Polia anguina Grt. UP: Luce; July 6. NLP: Beaver Isls., Crawford, Montmorency, Newaygo, Ogemaw, Oscoda, Roscommon; May 25-July 8. SLP: Livingston; May 1-June 1. H. xxiv: 5.

Polia vicina Grt. UP: Chippewa; July 25. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Iosco, Leelanau, Midland, Oscoda, Presque Isle; June 7-Aug. 12. SLP: Berrien, Van Buren; July 26-Aug. 10. H. xxiv: 6.

Polia renigera Steph. UP: Alger, Chippewa, Dickinson, Mackinac, Menominee, Schoolcraft; July 17-Aug. 4. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Iosco, Midland, Montmorency, Oceana, Roscommon; June 9-Sept. 14. SLP: Berrien, Branch, Genesee, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 30-Sept. 23. H. xxiii: 35.

Polia lorea Gn. UP: Alger, Chippewa, Mackinac, Schoolcraft; July 3-30. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Oscoda, Presque Isle; June 18-July 27. SLP: Berrien, Ingham, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 30-July 28. H. xxiv: 2.

Polia olivacea Morr. UP: Alger, Mackinac, Menominee, Schoolcraft; July 22-Aug. 28. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Fox Isls., Iosco, Midland, Montmorency, Osceola, Otsego; July 30-Sept. 3. SLP: Macomb, St. Clair; Aug. 18-Sept. 9. H. xxiii: 37.

Polia implicata McD. NLP: Newaygo; Aug. 20-24 (paratypes). SLP: Livingston, Oakland, Ottawa; Aug. 19-Sept. 17. Determined by Brower. H. xxiv: 1, as *laudabilis*.

Epinemoria capsularis Gn. NLP: Beaver Isls., Newaygo; June 11-July 1. SLP: Livingston, Oakland, Washtenaw; May 28-June 17.

Chabuata signata Wlk. UP: Mackinac; June 28-Aug. 24. NLP: Beaver Isls., Charlevoix, Fox Isls., Iosco, Midland; July 8-Aug. 26. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 24-Sept. 2. H. xxv: 7.

Hyssia modesta Morr. NLP: Beaver Isls., Cheboygan, Crawford, Newaygo, Ogemaw, Oscoda, Roscommon; May 22-June 30. SLP: Huron, Livingston, Oakland; June 14-July 9. H. xxiv: 16. Determined by Forbes.

Eriopyga incincta Morr. UP: Luce, Mackinac; July 5-Aug. 29. NLP: Beaver Isls., Iosco; Aug. 19-Sept. 7. SLP: Allegan, Berrien, Oakland, Wayne; May 30-Sept. 2.

Eriopyga oviduca Gn. UP: Mackinac, Schoolcraft; June 9-July 14. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Montmorency, Newaygo, Oceana, Oscoda, Roscommon; May 23-Sept. 14. SLP: Lapeer, Livingston, Oakland, St.Clair, Washtenaw, Wayne; May 14-July 2. H. xxv: 2.

Eriopyga culea Gn. NLP: Crawford, Newaygo; May 28-June 11. SLP: Livingston, May 24-June 13. H. xxv: 1.

Eriopyga crenulata Butl. UP: Mackinac, July 29. NLP: Beaver Isls., Cheboygan, Iosco, Oceana, Presque Isle; July 11-Aug. 3. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 3-Sept. 9. H. xxiv: 37.

Eriopyga cynica Gn. UP: Chippewa, Dickinson, Luce, Mackinac; June 18-July 14. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan, Oscoda; June 1-July 16. SLP: Berrien, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 22-July 17. H. xxiv: 38.

Eriopyga intractata Morr. SLP: Livingston, Oakland; Apr. 29-May 6.

Eriopyga vecors Gn. UP: Schoolcraft; July 25. SLP: Berrien, Washtenaw; June 2-Aug. 12. H. xix: 20.

Eriopyga contrahens Wlk. SLP: St. Clair; July 17. H. xxiv: 44.

Eriopyga furfurata Grt. NLP: Beaver Isls., Benzie; July 28-Aug. 2. SLP: Berrien, Oakland, St. Clair, Washtenaw; July 4-Aug. 5.

Nephelodes emmedonia Cram. UP: Chippewa, Mackinac, Menominee, Schoolcraft; Aug. 22-Sept. 11. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Fox Isls., Manistee, Midland, Osceola; July 2-Sept. 9. SLP: Allegan, Berrien, Genesee, Ingham, Livingston, Macomb, Montcalm, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; Aug. 3-Sept. 24. H. xxiv: 33, as *minians*.

Morrisonia evicta Grt. NLP: Crawford, Oscoda; May 9-30. SLP: Lenawee, Livingston, Macomb, Oakland, Washtenaw, Wayne; Apr. 17-May 24. H. xxiv: 13, as *sectilis*; 14 form *vomerina*.

Morrisonia confusa Hbn. NLP: Crawford, Newaygo; May 9-June 29. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Apr. 29-May 26. H. xxiv: 15.

Xylomyges dolosa Grt. NLP: Crawford, Montmorency, Oscoda; May 9-30. SLP: Livingston, Macomb, Oakland, Washtenaw; Apr. 22-June 11. H. xxiv: 20.

Orthosia rubrescens Wlk. NLP: Benzie; Apr. 17. SLP: Livingston, Macomb, Oakland, Washtenaw; Apr. 25-June 11.

Orthosia arthrolita Harvey. NLP: Oscoda; May 30.

Orthosia garmani Grt. SLP: Livingston, Macomb, Oakland, Washtenaw; Apr. 15-May 8. H. xxv: 4.

Orthosia revicta Morr. NLP: Ogemaw; May 25. SLP: Livingston, Oakland, Washtenaw, Wayne; Apr. 21-May 12.

Orthosia hibisci Gn. UP: Mackinac; May 25. NLP: Benzie, Crawford, Oscoda; Apr. 16-May 30. SLP: Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Mar. 25-May 21. H. xxv: 3, as *alia*.

Sideridis rosea Harvey. NLP: Crawford, Iosco, Midland, Montmorency, Ogemaw; May 25-June 19. SLP: Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw; May 23-July 9. H. xxiii: 30.

Sideridis normani Grt. NLP: Benzie, Crawford, Montmorency; May 31-June 14. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 19-Sept. 27. H. xxiv: 43.

Sideridis congermana Morr. NLP: Cheboygan; Sept. 10. SLP: Huron, Oakland, St. Clair, Wayne; June 11-Aug. 2. H. xxiii: 31.

Sideridis rubefacta Morr. UP: Chippewa; July 6. NLP: Oscoda; June 5-16.

Ceramica picta Harris. UP: Mackinac, ex larva. NLP: Midland, Montmorency; May 29-Aug. 22. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 23-Aug. 29. H. xxiii: 34.

Cirphis pseudargyria Gn. NLP: Beaver Isl., Benzie, Charlevoix, Cheboygan, Midland, Montmorency, Oceana; July 2-31. SLP: Berrien, Ingham, Jackson, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 23-Sept. 1. H. xxiv: 47.

Cirphis multilinea Wlk. UP: Alger, Dickinson, Mackinac; July 12-Aug. 9. NLP: Beaver Isl., Charlevoix, Cheboygan, Osceola; July 9-Sept. 6. SLP: Huron, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 20-Sept. 4. H. xxiv: 39.

Cirphis commoides Gn. UP: Chippewa, Dickinson, Mackinac; July 2-Aug. 2. NLP: Beaver Isl., Benzie, Cheboygan, Iosco, Midland, Montmorency, Oceana; July 2-Aug. 12. SLP: Berrien, Branch, Huron, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 28-Aug. 12. H. xxiv: 42.

Cirphis phragmatidicola Gn. UP: Mackinac, Schoolcraft; May 20-Sept. 1. NLP: Charlevoix, Cheboygan, Crawford, Iosco, Midland, Osceola; June 13-Oct. 4. SLP: Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 24-Sept. 27.

Cirphis insueta Gn. UP: Luce; July 5. NLP: Beaver Isl., Charity Isl.; June 15-30. SLP: Berrien, Livingston, Oakland, Washtenaw; May 31-June 24.

Cirphis unipuncta Haw. UP: Isle Royale, Mackinac, Schoolcraft; May 30-Oct. 3. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Iosco, Lake, Manistee, Midland, Oceana, Osceola, Roscommon; May 24-Oct. 10. SLP: Berrien, Branch, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 24-Nov. 7. H. xxiv: 40.

Neleucania rubripennis G. & R. SLP: Oakland, Wayne; Aug. 7-13. A western species, recorded from Missouri and Texas.

Neleucania albilinea Hbn. UP: Dickinson, Luce, Mackinac; June 1-Aug. 4. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Iosco, Midland, Missaukee, Muskegon, Newaygo; May 22-Aug. 31. SLP: Berrien, Genesee, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 6-Sept. 16. H. xxiv: 34.

Leucania luteopallens Sm. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; June 28-Aug. 13. NLP: Beaver Isls., Charlevoix, Cheboygan, Midland; June 5-July 29. SLP: Berrien, Branch, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 19-Oct. 3.

Cuculliinae

Cucullia speyeri Lint. NLP: Midland; June 14-Aug. 6. SLP: Livingston, Oakland, Washtenaw; May 18-Sept. 9. H. xxv: 26.

Cucullia intermedia Spey. UP: Mackinac, Schoolcraft; June 9-11. NLP: Benzie; June. H. xxv: 30.

Cucullia postera Gn. UP: Mackinac, Schoolcraft; ex larvae. NLP: Cheboygan, Midland, Roscommon; June 24-Sept. 14. SLP: Livingston, Washtenaw; May 24-Aug. 10.

Cucullia asteroides Gn. UP: Chippewa; July 21. NLP: Alpena, Benzie, Midland; June 27-Aug. 20. SLP: Berrien, Clinton, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 30-Sept. 19. H. xxv: 27.

Cucullia convexipennis G. & R. UP: Mackinac, ex larva. NLP: Midland; July 13. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; July 20-Aug. 19. H. xxv: 29.

Lepipolys perscripta Gn. NLP: Newaygo; June 11-12. H. xxi: 11.

Oncocnemis saundersiana Grt. SLP: Livingston, Oakland, Washtenaw; Sept. 1-20. Determined by Gates Clark.

Oncocnemis viriditincta Sm. NLP: Midland; Aug. 21. SLP: Oakland; Aug. 29-Sept. 18. Determined by Gates Clark.

Oncocnemis riparia Morr. UP: Mackinac, Schoolcraft; July 24-Oct. 13. NLP: Beaver Isls., Charity Isl., Iosco, Oceana, Oscoda; June 26-July 19. SLP: Berrien; July.

Homohadena badistriga Grt. UP: Mackinac; July 22-24. NLP: Midland, Oscoda; July 12-26. SLP: Oakland, St. Clair, Washtenaw, Wayne; June 27-July 26. H. xxi: 1.

Feralia jocosa Gn. NLP: Benzie; Apr. 14. H. xvii: 32.

Momophana comstocki Grt. UP: Isle Royale; June 3. H. text Fig. 95.

Psaphida resumens Wlk. NLP: Crawford; May 9-10. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Mar. 30-May 14. H. xxi: 15.

Psaphida grotei Morr. SLP: Macomb, Oakland, Washtenaw; Apr. 14-May 5. H. xxi: 14.

Psaphida thaxteriana Grt. SLP: Oakland; Mar. 17-Apr. 19.

Psaphida electilis Morr. SLP: Livingston, Oakland, Washtenaw; Apr. 15-May 12.

Eutolype grandis Sm. SLP: Livingston, Oakland, Washtenaw; Mar. 19-May 16. Determined by Gates Clark.

Eutolype depilis Grt. SLP: Livingston, Oakland, Washtenaw, Wayne; Apr. 10-May 25. H. xxi: 13, as *bombyciformis*.

Eutolype rolandi Grt. SLP: Livingston, Oakland, Washtenaw; Mar. 27-May 12.

Copipanolis cubilis Grt. NLP: Crawford; May 9. SLP: Livingston, Oakland, Washtenaw; Mar. 20-May 16. H. xxi: 12.

Litholomia napaea Morr. UP: Mackinac; Oct. 3. NLP: Cheboygan, Clare, Osceola; Apr. 29-Sept. 20. H. xxv: 22.

Hillia algens Grt. NLP: Beaver Isls.; Sept. 6. SLP: Oakland, St. Clair; July 24-Aug. 15. H. xix: 35. Determined by Brower.

Hillia iris Zett. NLP: Midland; July 30. Determined by Forbes.

Lithomoia solidaginis Hbn. NLP: Cheboygan, Midland, Osceola; Sept. 6-20. SLP: Macomb, St. Clair, Van Buren, Washtenaw, Wayne; Aug. 10-Sept. 30. H. xxv: 12, as *germana*.

Graptolitha semiusta Grt. SLP: Macomb, Oakland; Apr. 19, Sept. 9-27.

Graptolitha bethunei G. & R. NLP: Benzie, Osceola; Apr. 17, Sept. 24-Oct. 10. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Mar. 17-May 30; Sept. 11-Oct. 16.

Graptolitha patefacta Wlk. NLP: Benzie, Osceola; Mar. 31-Apr. 14; Oct. 15. SLP: Oakland, Sept. 10.

Graptolitha innominata Sm. NLP: Benzie; Mar. 31-Apr. 17. H. xxv: 10.

Graptolitha disposita Morr. NLP: Osceola; Oct. 4. SLP: Macomb, St. Clair, Wayne; Sept. 22-26. H. xxv: 13.

Graptolitha ferrealis Grt. NLP: Benzie; Apr. 17. SLP: Macomb; Sept. 19-27; Oct. 9.

Graptolitha petulca Grt. SLP: Macomb; Sept. 9-27. H. xxv: 9.

Graptolitha signosa Wlk. SLP: Macomb, Washtenaw, Wayne; Mar. 23-Apr. 18; Sept. 18-Oct. 17.

Graptolitha amanda Sm. UP: Mackinac, Schoolcraft; Aug. 24-Sept. 10. NLP: Oscoda; May 30. SLP: Macomb; Sept. 13.

Graptolitha unimoda Lint. NLP: Benzie; Mar. 31. SLP: Macomb, Oakland, Washtenaw; Mar. 17-May 5. H. xxv: 16.

Graptolitha laticinerea Grt. NLP: Benzie, Osceola; Mar. 31; Sept. 25-Oct. 9. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Feb. 8-Apr. 19, Sept. 16-Oct. 29. H. xxv: 17.

Graptolitha antennata Wlk. NLP: Benzie, Osceola; Mar. 31-Apr. 15; Oct. 5. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Mar. 14-May 2; Sept. 18-Oct. 27.

Graptolitha cinerosa Grt. NLP: Osceola; Oct. 3. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Mar. 21-Apr. 30; Sept. 21-Nov. 1.

Graptolitha georgii Grt. UP: Mackinac; Sept. 9-Oct. 21.

Graptolitha fagina Morr. NLP: Osceola; Oct. 4.

Graptolitha tepida Grt. NLP: Benzie, Midland, Osceola; Apr. 5-18; Sept. 20-Oct. 10. H. xxv: 15.

Graptolitha pexata Grt. NLP: Montmorency, Osceola; May 29-31; Oct. 8. SLP: Macomb, St. Clair; Sept. 25-Oct. 1. H. xxv: 20.

Graptolitha thaxteri Grt. NLP: Ogemaw; May 25. SLP: Oakland; Apr. 18. H. xxv: 18.

Xylena nupera Lint. UP: Mackinac; Sept. 11. SLP: Macomb, St. Clair, Wayne; Apr. 4-May 15, Sept. 6-27. H. xxv: 24.

Xylena curvimacula Morr. UP: Mackinac; Sept. 18. NLP: Benzie, Osceola; Mar.; Oct. 3. SLP: Macomb, Oakland, Washtenaw; Mar. 23-Apr. 30. H. xxv: 23.

Xylena cineritia Grt. UP: Mackinac; Oct. 17. NLP: Benzie; May 7. SLP: Macomb, Wayne; Apr. 20-May 6; Oct. 8-Nov. 1.

Xylotype capax G. & R. NLP: Beaver Isls.; Sept. 14.

Eurotype confragosa Morr. UP: Mackinac; Oct. 2.

Harpaglæa sericea Morr. NLP: Osceola; Oct. 10. SLP: Livingston, Washtenaw, Wayne; May 2, Oct. 11-29. H. xxvi: 36.

Epiglæa decliva Grt. SLP: Livingston, Macomb, Washtenaw; Sept. 23-Nov. 1. H. xxvi: 40.

Epiglæa apiata Grt. NLP: Osceola; Oct. 4. SLP: Livingston, Washtenaw; Sept. 16-Oct. 12. Determined by Gates Clark.

Psestraglaea carnosa Grt. NLP: Beaver Isls., Lake, Midland, Presque Isle, Oscoda; Sept. 15-Oct. 20.

Conistra inulta Grt. NLP: Midland, Osceola; July 24-Sept. 6. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Sept. 16-Oct. 12. H. xxvi: 37.

Conistra signata French. SLP: Washtenaw; Mar. 26.

Conistra tristigmata Grt. UP: Mackinac; Sept. 15-21. NLP: Benzie; Mar. 31. SLP: Livingston, Macomb, Oakland, Washtenaw; Feb. 25-Apr. 27.

Conistra sidus Gn. NLP: Benzie, Crawford, Osceola, Oscoda; Mar. 31-May 30, Sept. 14-Oct. 4. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Jan. 25-May 5. H. xxvi: 35, as *walkeri*.

Conistra morrisoni Grt. UP: Schoolcraft; Sept. 5. NLP: Benzie, Osceola; Apr. 17; Oct. 4. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Jan. 25-May 27, Oct. 10-Dec. 13.

Conistra devia Grt. SLP: Oakland, Washtenaw, Wayne; Feb. 20-Apr. 27, Oct. H. xxvi: 42.

Conistra indirecta Wlk. NLP: Benzie; Apr. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw; Jan. 25-May 13, Sept. 25-Oct. 15. H. xxvi: 33, as *moffatiana*.

Conistra graefiana Grt. SLP: Macomb; Jan. 24-26, Oct. 13-17.

Conistra pettiti Grt. SLP: Macomb; Apr. 4. Determined by Brower and by Benjamin.

Conistra ceromatica Grt. NLP: Benzie; Apr. 17. SLP: Macomb; Apr. 4-May 6. H. xxvi: 34.

Parastichtis bicolorago Gn. UP: Keweenaw, Mackinac; Aug. 27-Sept. 25. NLP: Beaver Isls., Crawford, Midland, Osceola; Sept. 17-Oct. 2. SLP: Livingston, Macomb, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; Aug. 30-Oct. 21. H. xxvi: 29.

Parastichtis ralla G. & R. NLP: Alpena, Charlevoix, Cheboygan; Aug. 8-Sept. 18. SLP: Berrien, Oakland, Wayne; July 24-Sept. 5.

Parastichtis puta G. & R. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Osceola; Aug. 8-Sept. 25. SLP: Livingston, Macomb, Washtenaw, Wayne; Aug. 7-Sept. 29.

Atethmia pampina Gn. UP: Mackinac; Aug. 28. NLP: Alpena, Beaver Isls., Cheboygan, Midland, Osceola, Otsego; Aug. 31-Oct. 2. SLP: Livingston, Macomb, Oakland, Ottawa, Saginaw, St. Clair, Washtenaw, Wayne; Sept. 4-Oct. 6. H. xxvi: 21.

Iodia rufago Hbn. NLP: Osceola, Oscoda; May 30-Oct. 15. SLP: Livingston, Oakland; Apr. 27-May 15. H. xxvi: 17.

Brachycosmia digitalis Grt. UP: Marquette; Aug. SLP: Livingston, Washtenaw, Wayne; Sept. 26-Oct. 30. H. xxvi: 25.

Xanthia lutea Strom. UP: Isle Royale, Mackinac; Sept. 10-Oct. 18. NLP: Beaver Isls., Osceola; Sept. 14-25. SLP: Ingham, Livingston, Oakland, St. Clair, Washtenaw; Sept. 27-Oct. 16. H. xxvi: 16, as *flavago*.

Homoglaea hircina Morr. NLP: Crawford; May 10. SLP: Livingston, Macomb, St. Clair; Feb. 22-Apr. 12; Nov. 4. H. xxvi: 39.

Acronyctinae

Amphipyra pyramidoides Gn. UP: Mackinac, Schoolcraft; Aug. 25-28. NLP: Alpena, Beaver Isls., Charlevoix, Cheboygan, Lake, Manistee, Midland, Montmorency, Oscoda, Roscommon; Aug. 1-Sept. 18. SLP: Berrien, Branch, Huron, Ingham, Kent, Livingston, Lenawee, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 16-Sept. 18. H. xx: 30.

Amphipyra tragopoginis Linn. NLP: Charlevoix, Midland; July 7-Aug. 9. SLP: Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 4-Aug. 8. H. xx: 31.

Amphipyra glabella Morr. UP: Menominee; July 22. SLP: Macomb, Oakland, Washtenaw; July 28-Nov. 20. H. xx: 32.

Magusa orbifera Wlk. SLP: Oakland, Wayne; July 22-Sept. 14. H. xxi: 2, as *dissidens*.

Dipterygia scabriuscula Linn. UP: Schoolcraft, July 17. NLP: Benzie, Midland; June 28-July 24. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 30-Sept. 2. H. xx: 28.

Septis verbascoides Gn. UP: Chippewa, Mackinac; July 22-29. NLP: Beaver Isls.; Aug. 6. SLP: Livingston, Macomb, Oakland, St. Clair, Wayne; June 13-July 17. H. xix: 43.

Septis nigrior Sm. NLP: Charity Isl., Cheboygan, July 6-17. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 10-July 9. H. xix: 42.

Septis cariosa Gn. NLP: Benzie, Cheboygan; July 1-Aug. 3. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 9-July 23.

Septis cristata Grt. SLP: Washtenaw; July 6.

Septis vulgaris G. & R. SLP: Oakland; June 6-18.

Septis lignicolora Gn. UP: Alger, Dickinson, Mackinac; July 12-Aug. 1. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Iosco, Lake, Midland, Oceana; June 24-Aug. 31. SLP: Berrien, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 7-July 30. H. xx: 5.

Septis vultuosa Grt. NLP: Beaver Isls., Benzie; July 6-14. SLP: St. Clair; Aug. 3. H. xx: 11.

Septis apamiformis Gn. UP: Alger; July. NLP: Charity Isl.; June 25. SLP: Huron, Macomb, Oakland, Washtenaw, Wayne; June 20-July 31.

Septis plutonia Grt. NLP: Oscoda; June 16. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw; June 3-Aug. 4.

Septis arctica Bdv. UP: Alger, Chippewa, Dickinson, Isle Royale, Mackinac, Schoolcraft; July 9-Aug. 17. NLP: Alpena, Beaver Isls., Benzie, Cheboygan, Crawford, Iosco, Midland, Montmorency, Oceana, Presque Isle; June 18-Aug. 21. SLP: Berrien, Branch, Huron, Ingham, Lapeer, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; June 4-Aug. 8. H. xix: 45.

Septis alia Gn. NLP: Benzie, Midland; June 28-July 1. SLP: Lapeer, Oakland, St. Clair, Washtenaw; May 30-July 21.

Trachea illocata Wlk. NLP: Cheboygan; July 5-Sept. 6. Determined by Gates Clark. H. xx: 24.

Trachea delicata Grt. NLP: Beaver Isls., Cheboygan, Midland; July 12-Aug. 16. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; June 26-Aug. 26. H. xx: 27.

Trachea miselioides Gn. NLP: Charity Isl.; June 25. SLP: Berrien, Van Buren; July 26-Sept. 2. H. xx: 15.

Trachea turbulenta Hbn. SLP: Berrien; June 11-Aug. 15. Determined by Forbes. H. xx: 16.

Trachea indocilis Wlk. UP: Alger, Chippewa; July 20-28. NLP: Beaver Isls.; July 15-16. SLP: Macomb, St. Clair; July 16-27.

Trachea mactata Gn. NLP: Beaver Isls., Charlevoix, Fox Isls.; Aug. 12-Sept. 13. SLP: Berrien, Macomb, Oakland, Van Buren, Wayne; July 24-Sept. 23. H. xx: 8.

Trachea separans Grt. SLP: Berrien, Oakland, St. Clair, Washtenaw; May 31-June 21.

Trachea finitima Gn. UP: Alger, Mackinac; July 15-Sept. 24. NLP: Benzie; May-June. SLP: Oakland, St. Clair, Washtenaw; May 27-June 20.

Trachea jocasta Sm. NLP: Cheboygan, Osceola; Aug. 9-23. SLP: Livingston, Oakland, Washtenaw; July 15-Sept. 6.

Trachea modica Gn. UP: Mackinac; July 16. NLP: Beaver Isls., Charlevoix, Midland; July 13-Aug. 24. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 17-Sept. 1. H. xx: 14.

Trachea impulsa Gn. UP: Chippewa, Dickinson, Mackinac; July 9-22. NLP: Beaver Isls., Cheboygan; June 15-July 16. SLP: Oakland, Washtenaw; June 9-15.

Euplexia lucipara Linn. UP: Mackinac; July 12. NLP: Beaver Isls., Benzie, Charity Isl., Montmorency, Presque Isle; May 31-July 28. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 13-Sept. 16. H. xx: 26.

Perigea xanthoides Gn. SLP: Livingston, Oakland, Washtenaw, Wayne; May 26-Aug. 31. H. xix: 30.

Perigea vecors Gn. NLP: Benzie, Newaygo; June 12-July 30. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 6-Sept. 29. H. xix: 31.

Perigea sutor Gn. SLP: Wayne, Aug.-Sept. 25.

Oligia bridghami G. & R. UP: Chippewa, Aug. 5. NLP: Charlevoix, Cheboygan, Lake; Aug. 1-9. H. xx: 2.

Oligia fractilinea Grt. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 2-Aug. 27. H. xx: 10.

Oligia misera Grt. SLP: Oakland, St. Clair, Washtenaw, Wayne; July 8-Aug. 22.

Oligia minuscula Morr. NLP: Beaver Isls., Cheboygan; Sept. 6-Oct. 2.

Oligia diversicolor Morr. NLP: Beaver Isls., Charlevoix; Aug. 22-Oct. 2. SLP: Ingham, Livingston, St. Clair, Washtenaw, Wayne; Aug. 2-Sept. 30.

Oligia ambifusca J. H. Newman. SLP: Livingston (types), Oakland; Aug. 17-Oct. 1.

Oligia semicana Wlk. NLP: Oscoda; July 22-25. SLP: Wayne; June 25.

Oligia exhausta Sm. SLP: Oakland, Washtenaw, Wayne; June 11-July 9.

Oligia subjuncta Sm. NLP: Oscoda; July 19-26. H. xix: 25.

Oligia includens Wlk. SLP: Oakland; July 1.

Agroperina dubitans Wlk. UP: Alger, Chippewa, Dickinson, Keweenaw, Mackinac, Schoolcraft; July 3-Aug. 30. NLP: Beaver Isls., Charlevoix, Cheboygan, Midland, Osceola; July 5-Sept. 6. SLP: Allegan, Berrien, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 9-Sept. 14. H. xix: 39.

Agroperina lateritia Hufn. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; June 27-July 26. NLP: Beaver Isls., Benzie, Cheboygan, Midland; June 22-Aug. 14. H. xix: 38.

Agroperina inficita Wlk. UP: Isle Royale; Aug. 1-4. Determined by Forbes.

Agroperina helva Grt. NLP: Benzie; Apr. 17. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 25-Oct. 10. H. xxvi: 30.

Taeniosea discivaria Wlk. UP: Chippewa, Mackinac; July 29-31. NLP: Charity Isl., Montmorency; June 26-July 16. Determined by Brower. H. xxvi: 31.

Macronoctua onusta Grt. UP: Mackinac; Aug. 31. NLP: Beaver Isls.; Sept. 10. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; July 24-Oct. 29. H. xx: 18.

Sidemia devastator Brace. UP: Chippewa, Dickinson, Houghton, Isle Royale, Keweenaw, Mackinac, Menominee, Schoolcraft; July 7-Aug. 22. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Crawford, Iosco, Lake, Midland, Muskegon, Oceana, Oscoda, Otsego; June 30-Sept. 7. SLP: Berrien, Branch, Huron, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 1-Sept. 19. H. xix: 44.

Luperina stipata Morr. SLP: Wayne; Aug. 3.

Luperina obtusa Sm. NLP: Newaygo; July 5. SLP: Berrien, Livingston; July 17-Aug. 7.

Luperina passer Gn. UP: Mackinac; July 18. NLP: Beaver Isls., Charity Isl., Cheboygan, Crawford, Midland, Oceana; June 23-July 29. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 14-Oct. 6. H. xix: 36.

Phlogophora iris Gn. UP: Chippewa, Mackinac; June 22-July 24. NLP: Beaver Isls., Benzie, Midland, Montmorency, Oceana, Oscoda; May 31-July 15. SLP: Huron, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 20-July 16. H. xxvi: 19.

Chutapha periculosa Gn. UP: Alger, Chippewa, Mackinac, Schoolcraft; July 12-Aug. 14. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Iosco, Mecosta, Oscoda; July 3-Sept. 4. SLP: Berrien, Wayne; Aug. 27-Sept. 12. H. xxvi: 18, form *v-brunneum*.

Conservula amodonta Gn. NLP: Iosco, Roscommon; July 5-23. SLP: Livingston; July 1-27. H. xxvi: 20.

Callopistria mollissima Gn. NLP: Cheboygan, Newaygo; June 12-July 6. SLP: Branch, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 2-Aug. 12. H. xxix: 63.

Callopistria monetifera Gn. UP: Luce, Mackinac, Schoolcraft; June 20-July 22. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan, Crawford, Midland, Montmorency, Muskegon, Oceana, Ogemaw, Roscommon; June 11-Aug. 14. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 29-July 14. H. xxix: 62.

Fagitala littera Gn. SLP: Livingston; May 16-Aug. 7. H. xxvi: 28.

Chyttonix chlorostigma Harvey. SLP: Oakland; July 15.

Chyttonix palliatricula Gn. UP: Dickinson, Luce, Schoolcraft; July 6-14. NLP: Beaver Isls., Benzie, Grand Traverse, Iosco, Newaygo, Oceana; June 7-Aug. 7. SLP: Berrien, Lapeer, Livingston, Oakland, Washtenaw, Wayne; May 29-Aug. 12. H. xix: 13, 14.

Chyttonix sensilis Grt. UP: Schoolcraft; Aug. 3. NLP: Cheboygan (Welch, 1915), Iosco, Lake, Midland, Oscoda, Presque Isle; July 11-30. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw; July 5-Aug. 12.

Harrisimemna trisignata Wlk. NLP: Beaver Isls., Cheboygan; June 28-July 4. SLP: Berrien, Livingston, Washtenaw; May 30-July 18. H. xix: 4.

Cerma cora Hbn. UP: Luce; July 6. H. text fig. 90.

Polygrammate hebraicum Hbn. NLP: Midland, Oceana; June 24-July 20. SLP: Berrien, Livingston; June 16-Sept. 2. H. xix: 11.

Leuconycta diphteroides Gn. UP: Schoolcraft; July. NLP: Beaver Isls., Benzie, Cheboygan, Fox Isls., Midland; June 3-Aug. 6. SLP: Berrien, Ing-ham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 5-Aug. 4. H. xix: 9, 10.

Agriopodes fallax H. S. UP: Chippewa, Schoolcraft; July 21-26. NLP: Iosco, Oscoda; June 15. H. xviii: 1.

Agriopodes lepidula Grt. NLP: Midland; Aug. 3. SLP: Lapeer, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 5-Aug. 4. H. xix: 7.

Agriopodes teratophora H. S. UP: Houghton, Mackinac; June 18-Aug. 7. NLP: Midland; July 24. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 18-Aug. 22. H. xix: 8.

Acronycta vinnula Grt. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 10-Aug. 14. H. xviii: 25.

Acronycta connecta Grt. SLP: Livingston, Macomb, St. Clair, Washtenaw; July 27-Aug. 26. H. xviii: 19.

Acronycta ovata Grt. NLP: Iosco, Muskegon; July 4. SLP: Livingston, Oakland, St. Clair; June 26-Aug. 11.

Acronycta haesitata Grt. NLP: Charity Isl., Lake; July 10-18. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 12-Sept. 13.

Acronycta pruni Harris. SLP: Berrien, Oakland, Washtenaw, Wayne; June 3-Sept. 5.

Acronycta fragilis Gn. UP: Alger, Chippewa, Mackinac; June 29-July 30. NLP: Beaver Isls., Montmorency, Newaygo, Presque Isle; May 31-July 14. H. xix: 1.

Acronycta inclaris Sm. SLP: Lapeer, Livingston, Oakland, St. Clair, Washtenaw; May 21-Aug. 19.

Acronycta superans Gn. UP: Chippewa, Mackinac, Schoolcraft; June 15-July 24. NLP: Benzie, Charity Isl., Crawford, Montmorency, Oceana; May 30-July 6. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 16-Aug. 8. H. xviii: 26.

Acronycta subochrea Grt. SLP: Berrien, Livingston, Washtenaw; June 30-Aug. 4.

Acronycta noctivaga Grt. UP: Schoolcraft; July. NLP: Beaver Isls., Cheboygan, Midland, Montmorency, Oceana, Osceola, Roscommon; May 30-July 10. SLP: Livingston, Oakland, Shiawassee, Washtenaw, Wayne; May 25-July 21. H. xviii: 20.

Acronycta afflita Grt. NLP: Beaver Isls.; July 8-17. SLP: Oakland, Livingston; June 7-Aug. 19.

Acronycta retardata Wlk. UP: Chippewa, Mackinac; July 3-15. NLP: Benzie, Charity Isl., Cheboygan, Midland, Newaygo, Oceana; June 9-July 11. SLP: Berrien, Lenawee, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 22-Aug. 31.

Acronycta impleta Wlk. NLP: Beaver Isls., Benzie; July 1-5. SLP: Livingston, Oakland, St. Clair; May 1-Sept. 25. H. xviii: 22.

Acronycta quadrata Grt. UP: Luce, Mackinac; July 8. NLP: Beaver Isls.; June 30. H. xviii: 15.

Acronycta hasta Gn. UP: Chippewa; July 21. NLP: Emmet, ex larva. SLP: Berrien, Livingston, St. Clair, Wayne; May 1-Aug. 4. H. xix: 6.

Acronycta furcifera Gn. NLP: Benzie, Montmorency, Oscoda; May 29-July 31. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw; May 1-Sept. 20. H. xviii: 10.

Acronycta lobeliae Gn. NLP: Benzie, Oceana, Presque Isle; July 1-11. SLP: Berrien, Washtenaw, Wayne; July 16-Sept. H. xviii: 9.

Acronycta tritona Hbn. NLP: Cheboygan, Crawford, Iosco, Montmorency, Oscoda, Roscommon; May 31-Aug. 1. SLP: Livingston, Aug. 7.

Acronycta grisea Wlk. UP: Dickinson, Luce, Mackinac, Schoolcraft; June 16-July 7. NLP: Beaver Isls., Iosco, Montmorency; May 31-July 10. SLP: Livingston, Oakland, Washtenaw; May 24-31. H. xviii: 11.

Acronycta radcliffei Harvey. UP: Chippewa; July 23. NLP: Iosco; July 10. H. xviii: 16.

Acronycta morula G. & R. UP: Alger; July. NLP: Benzie; June 10. SLP: Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; Apr. 23-Aug. 24. H. xviii: 8.

Acronycta interrupta Gn. UP: Alger; June 18. NLP: Midland; July 23. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 19-Sept. 2. H. xix: 5.

Acronycta populi Riley. UP: Chippewa, Mackinac; July 6-20. NLP: Beaver Isls., Cheboygan, Crawford, Midland, Montmorency, Ogemaw; May 25-Sept. 2. SLP: Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 24-Sept. 2. H. xviii: 14.

Acronycta chionochroa Hamp. NLP: Cheboygan, Oscoda; May 31-July 5. SLP: Wayne; May 15-18.

Acronycta leporina Linn. NLP: Charity Isl.; June 25.

Acronycta innotata Gn. UP: Alger, Chippewa, Luce, Mackinac, Marquette, Schoolcraft; June 16-July 30. NLP: Beaver Isls., Charity Isl., Cheboygan, Iosco, Oceana, Presque Isle; June 27-Aug. 12. SLP: Oakland, St. Clair, Wayne; May 25-July 4. H. xviii: 13.

Acronycta americana Harris. UP: Chippewa, Mackinac, Schoolcraft; July 15-23. NLP: Beaver Isls., Charity Isl., Cheboygan, Midland, Montmorency, Oceana, Presque Isle; June 23-July 27. SLP: Berrien, Ingham, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 17-Aug. 16. H. xviii: 12.

Acronycta dactylina Grt. UP: Chippewa, Mackinac, Schoolcraft; June 20-Aug. 5. NLP: Beaver Isls., Benzie, Cheboygan, Iosco, Lake, Midland, Montmorency, Oceana; June 10-Aug. 12. SLP: Berrien, Huron, Ingham, Jackson, Livingston, Macomb, Oakland, St. Clair, St. Joseph, Washtenaw, Wayne; May 28-Aug. 17. H. xviii: 17.

Acronycta hastulifera A. & S. UP: Mackinac; June 20.

Acronycta impressa Wlk. UP: Mackinac, ex larva. NLP: Beaver Isls., Benzie, Midland, Ogemaw, Oscoda, Presque Isle; May 25-Aug. 21. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 30-Aug. 20. H. xviii: 21.

Acronycta distans Grt. SLP: Oakland; Apr. 11-May 12. Determined by Brower.

Acronycta longa Gn. NLP: Crawford, Montmorency, Presque Isle, Roscommon; May 27-July 11. SLP: Berrien; Sept. 2.

Acronycta sperata Grt. UP: Chippewa, Schoolcraft; July 15. NLP: Cheboygan, Crawford, Midland, Montmorency, Newaygo, Oscoda; May 28-July 6. SLP: Berrien, Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 24-June 14.

Acronycta lithospila Grt. NLP: Presque Isle; July 11. SLP: Livingston; Aug. 1-15. H. xviii: 24, as *xyliniformis*.

Acronycta oblinita A. & S. NLP: Arenac, Beaver Isls., Cheboygan, Crawford, Midland, Newaygo, Roscommon; May 27-Aug. 5. SLP: Berrien, Ingham, Livingston, Macomb, Monroe (Cole), Oakland, St. Clair, Wash-tenaw, Wayne; May 15-Aug. 31. H. xviii: 18.

Acronycta lanceolaria Grt. UP: Mackinac, Schoolcraft; three specimens all reared from larvae.

Simyra henrici Grt. NLP: Midland, Newaygo; May 29-Aug. 14. SLP: Berrien, Livingston, Macomb, Monroe (Cole), Oakland, St. Clair, Wash-tenaw, Wayne; May 4-Sept. 12. H. xviii: 6, as *albovenosa*.

Delta ramosula Gn. NLP: Beaver Isls., Benzie, Cheboygan, Otsego; May 25-Sept. 1. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 10-Oct. 1. H. xx: 29.

Andropolia extincta Sm. NLP: Leelanau; July 29.

Hyppa xylinoides Gn. UP: Alger, Chippewa, Mackinac, Schoolcraft; June 28-Sept. 2. NLP: Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Midland, Oscoda; May 28-Sept. 3. SLP: Berrien, Huron, Ing-ham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 14-Sept. 24. H. xx: 23.

Catabena lineolata Wlk. NLP: Midland; July 5-Aug. 3. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 5-Aug. 28. H. xix: 15.

Prodenia ornithogalli Gn. NLP: Benzie, Midland; June 13-Sept. 26. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; July 6-Oct. 27. H. xx: 35.

Laphygma frugiperda A. & S. UP: Alger (Pettit, 1901), Mackinac; Sept. 1-Oct. 14. NLP: Alpena, Beaver Isls., Lake; Sept. 17-Oct. 20. SLP: Livingston, Macomb, St. Clair, Washtenaw, Wayne; Aug. 23-Nov. 10. H. xx: 37.

Caradrina multifera Wlk. UP: Mackinac; Aug. 4. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco; Aug. 8-31. H. xix: 29.

Caradrina meralis Morr. NLP: Charlevoix, Cheboygan, Crawford, Osceola; July 5-Sept. 4. SLP: Livingston; Sept. 3-8. H. xix: 22.

Caradrina tarda Gn. SLP: Ottawa; Aug. H. xix: 19, as *prima*.

Proxenus miranda Grt. UP: Chippewa, Mackinac, Schoolcraft; June 29-July 21. NLP: Beaver Isls., Cheboygan, Crawford, Midland, Montmorency; June 9-Sept. 7. SLP: Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 16-Sept. 4. Determined by Dodd.

Galgula partita Gn. NLP: Benzie, Cheboygan, Midland; June 24-July 8. SLP: Berrien, Jackson, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; Apr. 29-Nov. 6. H. xxix: 32, 31, form *hepara*.

Crambodes talidiformis Gn. NLP: Midland; June 28-July 26. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 21-Aug. 27. H. xix: 17.

Platysenta videns Gn. NLP: Midland, Muskegon; June 28-Aug. 11. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 26-Sept. 9. H. xix: 21.

Balsa malana Fitch. UP: Mackinac; Aug. 18-Sept. 26. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Midland, Missaukee, Montmorency, Muskegon; May 29-Aug. 19. SLP: Cass, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 3-Aug. 10. H. xix: 18.

Balsa tristrigella Wlk. SLP: Lapeer, Livingston, Oakland, Washtenaw, Wayne; May 18-July 18.

Balsa labecula Grt. NLP: Crawford, Montmorency, Oscoda; May 31-June 5. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw; May 13-July 18.

Monodes versicolor Grt. UP: Mackinac; June 27-28. NLP: Beaver Isls.; July 14.

Monodes chalcedonia Hbn. NLP: Oceana; July.

Monodes festivoides Gn. UP: Luce, Mackinac; June 20-July 6. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Montmorency, Newaygo, Oscoda, Presque Isle, Roscommon; May 22-July 28. SLP: Hillsdale, Huron, Livingston, Oakland, St. Clair, Washtenaw; May 5-July 11. H. xix: 32.

Monodes grata Hbn. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; May 3-Oct. 7. H. xix: 33.

Monodes georgei Moore & Rawson. SLP: Livingston (types), Oakland; Apr. 24-July 11.

Menopsimus caducus Dyar. UP: Dickinson; Aug. 15. SLP: Livingston, Oakland; June 5-Aug. 18. Determined by Busck and by Franclemont.

Menopsimus fractilinea Sm. UP: Schoolcraft; July 10. NLP: Beaver Isls., Lake; July 10-Aug. 1. SLP: Lapeer, Livingston, Oakland; May 27-Sept. 12. Determined by Franclemont.

Xylomoia chagnoni B. & McD. UP: Dickinson, Schoolcraft; July 21-23. NLP: Oscoda; July 25. SLP: Ingham, Livingston, Washtenaw; July 3-25. Determined by Brower.

Helotropha caduca Grt. SLP: Berrien, Jackson (type), Livingston, Oakland; May 26-July 29.

Helotropha reniformis Grt. UP: Chippewa, July 23-27. NLP: Beaver Isls., Iosco, Osceola; Aug. 25-Oct. 2. SLP: Berrien, Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 10-Sept. 19. H. xx: 33, 34.

Apamea velata Wlk. UP: Alger, Schoolcraft; July 22-29. NLP: Beaver Isls., Benzie, Midland, Oceana; July 8-Aug. 20. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 25-Aug. 19. H. xxvi: 3.

Apamea americana Spey. UP: Alger, Chippewa, Dickinson, Isle Royale, Mackinac, Schoolcraft; July 18-Sept. 25. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Midland, Montmorency, Oceana, Otsego; July 14-Sept. 13. SLP: Berrien, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 29-Sept. 18. H. xxvi: 2, as *nictitans*.

Achatodes zae Harris. UP: Alger; Aug. 4. NLP: Osceola; Aug. 9. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw; July 7-Sept. 6. H. xxvi: 1. Determined by Forbes.

Gortyna stramentosa Gn. SLP: Washtenaw; Sept. 24.

Rhodoecia aurantiago Gn. SLP: Livingston, St. Clair, Washtenaw, Wayne; July 23-Aug. 22.

Pyrrhia umbra Hufn. UP: Chippewa, Isle Royale, Mackinac, Marquette; July 7-13. NLP: Beaver Isls., Cheboygan, Midland, Montmorency, Oceana, Oscoda; May 31-Aug. 2. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 15-Sept. 16. H. xxvi: 15.

Papaipema inquaesita G. & R. NLP: Midland; Sept. 26. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Sept. 7-Oct. 12. H. xxvi: 5.

Papaipema marginidens Gn. NLP: Cheboygan, Osceola; July 5-Sept. 8. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 23-Oct. 11. H. xxvi: 11.

Papaipema furcata Sm. NLP: Cheboygan, Osceola; Sept. 7-Oct. 4. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Sept. 10-Oct. 17. H. xxvi: 14.

Papaipema circumlucens Sm. SLP: Washtenaw, Wayne; Sept. 12-Oct. 6.

Papaipema rutila Gn. SLP: Oakland; Sept. 14.

Papaipema arctivorens Hamp. SLP: Livingston, Oakland, Washtenaw; Aug. 9-Sept. 16.

Papaipema merricata Bird. SLP: Livingston, Oakland; Sept. 12-21.

Papaipema astuta Bird. NLP: Fox Isls.; Aug. 30. SLP: Livingston; Aug. 15. Determined by Wyatt.

Papaipema verona Sm. UP: Isle Royale; Sept. 25. Determined by Forbes.

Papaipema impecuniosa Grt. SLP: Macomb, Oakland, Wayne; Sept. 18-Oct. 12.

Papaipema purpurifascia G. & R. UP: Mackinac; Aug. 28. NLP: Cheboygan; Sept. 11. H. xxvi: 7.

Papaipema pterissi Bird. UP: Luce, Mackinac; Sept. 1-Oct. 1. NLP: Beaver Isls., Crawford, Midland; Sept. 26-Oct. 2. SLP: Livingston, Oakland, Wayne; Aug. 29-Sept. 12. Determined by Wyatt.

Papaipema cataphracta Grt. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Sept. 2-Oct. 19. H. xxvi: 6.

Papaipema duovata Bird. SLP: Wayne; Sept. 12.

Papaipema rigida Grt. SLP: Livingston, Oakland, Washtenaw, Wayne; Aug. 29-Oct. 26.

Papaipema aweme Lyman. NLP: Beaver Isls.; Aug. 13. Determined by Forbes.

Papaipema frigida Sm. NLP: Osceola; Sept. 20-Oct. 2. SLP: Livingston, Oakland, Washtenaw; Sept. 5-Oct. 11.

Papaipema limpida Gn. SLP: Oakland, Washtenaw; Oct. 1-17.

Papaipema nebris Gn. SLP: Livingston, St. Clair, Washtenaw, Wayne; Sept. 11-Oct. 12. H. xxvi: 8, 9. Names are interchanged.

Papaipema necopina Grt. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Sept. 2-Oct. 18. H. xxvi: 12.

Papaipema eupatorii Lyman. SLP: Livingston, Washtenaw; Oct. 4-12.

Papaipema beeriana Bird. SLP: Livingston; Oct. 2.

Ogdoconta cinereola Gn. NLP: Beaver Isls., Midland, Roscommon; July 19-Aug. 14. SLP: Allegan, Berrien, Jackson, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 18-Sept. 11. H. xxix: 1.

Stibadium spumosum Grt. SLP: Macomb, Wayne; Aug. 3-5. H. xxviii: 3.

Ipimorpha pleonectusa Grt. UP: Houghton; Aug. 7. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Midland, Osceola; July 22-Sept. 10. SLP:

Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 10-Sept. 16. H. xxvii: 3.

Bagisara rectifascia Grt. SLP: Livingston, Oakland, Washtenaw; June 6-July 26.

Cosmia orina Gn. NLP: Crawford, Iosco, Lake, Montmorency, Muskegon, Oceana; May 29-Aug. 19. SLP: Ingham, Livingston, Oakland, St. Clair, Washtenaw; June 15-Aug. 12. H. xxvii: 1.

Cirrhophanus triangulifer Grt. SLP: Livingston, Oakland, Washtenaw; Aug. 19-Sept. 8. H. xxviii: 2.

Enargia decolor Wlk. UP: Keweenaw, Mackinac, Ontonagon; July 20-Sept. 2. NLP: Alpena, Beaver Isls., Charlevoix, Cheboygan, Fox Isls., Oscoda, Otsego; July 2-Sept. 18. SLP: Macomb, Oakland, St. Clair, Wayne; Aug. 3-Sept. 18. H. xxvi: 32, as *paleacea*.

Stiriodes obtusa H. S. SLP: Berrien, Cass, Oakland, Washtenaw; June 2-July 7. H. xxix: 41.

Plagiomimicus pityochromus Grt. SLP: Ingham, Washtenaw; July 30-Aug. 22. H. xxviii: 9.

Arzama obliqua Wlk. NLP: Cheboygan; June 24. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 22-Aug. 13. H. xxv: 36.

Bellura gortynoides Wlk. SLP: Berrien, Livingston, Washtenaw; May 25-July 29. H. text fig. 119.

Bellura diffusa Grt. UP: Schoolcraft; July 14.

Archanaara oblonga Grt. NLP: Charlevoix, Midland; Aug. 12-22. SLP: Livingston, Monroe (Cole), St. Clair, Van Buren, Washtenaw, Wayne; July 21-Sept. 4. H. xxv: 33.

Archanaara subflava Grt. NLP: Beaver Isls., Midland; July 23-Sept. 17. SLP: Oakland, Wayne; July 28-Aug. 10. Determined by Gates Clark. H. xxv: 34.

Archanaara laeta Morr. SLP: Livingston, Oakland, Wayne; Aug. 5-31.

Calamia inquinata Gn. UP: Mackinac; Aug. 1. SLP: Livingston, Washtenaw, Wayne; June 6-July 29.

Calamia variana Morr. SLP: Wayne (type). H. xxvi: 26.

Calamia basistriga McD. SLP: Livingston, Oakland, Washtenaw; July 7-Aug. 12.

Calamia defecta Grt. SLP: Livingston; Aug. 6.

Amolita fessa Grt. NLP: Bay, Midland; June 8-July 16. SLP: Berrien, Cass, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 26-July 25. H. xxix: 13.

Euthisanotia grata Fabr. NLP: Midland, Oceana; June 27-July 17. SLP: Berrien, Cass, Livingston, Macomb, Oakland, St. Clair, St. Joseph, Washtenaw, Wayne; June 16-Aug. 8. H. xvii: 24, as *unio*.

Euthisanotia unio Hbn. NLP: Iosco, Midland; June 10-Aug. 7. SLP: Berrien, Branch, Cass, Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 25-Oct. 6. H. xvii: 23, as *grata*.

Psychomorpha epimenis Dru. SLP: Kent, Lenawee, Livingston; May 3-15. H. iii: 9.

Erastrinae

Amyna octo Gn. NLP: Beaver Isls.; Aug. 23. SLP: Wayne; Sept. 16. H. xxix: 7. A southern species.

Chamyris cerintha Treit. NLP: Cheboygan, Midland, Montmorency, Oceana, Oscoda, Roscommon; May 31-July 12. SLP: Berrien, Branch, Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 23-July 15. H. xxix: 43.

Lithacodia synochitis G. & R. NLP: Beaver Isls., Benzie, Midland, Oscoda; June 4-Aug. 5. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 27-July 26. H. xxix: 24.

Lithacodia albidula Gn. UP: Alger, Chippewa, Dickinson, Isle Royale, Luce, Mackinac, Schoolcraft; July 20-Aug. 1. NLP: Alpena, Bay, Beaver Isls., Benzie, Cheboygan, Crawford, Midland, Missaukee, Montmorency, Muskegon, Otsego, Roscommon; June 3-Aug. 27. SLP: Berrien, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 27-Aug. 19. H. xxix: 22.

Lithacodia bellicula Hbn. UP: Chippewa, Dickinson, Mackinac, Schoolcraft, July 7-30. NLP: Cheboygan, Emmet, Iosco, Midland, Osceola, Oscoda, Otsego; May 26-Aug. 14. SLP: Berrien, Livingston, Oakland, Washtenaw; May 27-Aug. 16. H. xxix: 30. Determined by Dodd.

Lithacodia musta G. & R. NLP: Oceana; July 19. SLP: Livingston, Oakland; July 6-Aug. 28. H. xxix: 25.

Lithacodia carneola Gn. UP: Alger, Chippewa, Dickinson, Luce, Mackinac, Menominee, Schoolcraft; June 9-Aug. 22. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan, Midland, Oceana; June 4-Aug. 24. SLP: Berrien, Branch, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 5-Sept. 18. H. xxix: 28.

Lithacodia apicosa Haw. NLP: Benzie, Midland; July 2-Aug. 13. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; Mar. 21-Sept. 11. H. xxix: 27.

Lithacodia muscosula Gn. NLP: Beaver Isls., Benzie, Lake, Midland, Oscoda, Presque Isle, Roscommon; June 4-Sept. 17. SLP: Berrien, Cass, Jackson, Lapeer, Livingston, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 8-Aug. 16. H. xxix: 26.

Cryphia pervertens B. & McD. NLP: Oceana; July.

Cryphia villificans B. & McD. NLP: Oceana; July. SLP: Livingston; June 29-July 27.

Erastria secta Grt. NLP: Lake; Aug. 1. SLP: Livingston; May 31-Aug. 25.

Exyra fax Grt. SLP: Oakland; June 10. Determined by Gates Clark. Only four specimens in the U. S. National Museum.

Spragueia leo Gn. SLP: Oakland; Sept. 5.

Tarachidia tortricina Zell. NLP: Oscoda; June 4. SLP: Wayne; Aug. 15. Determined by Brower.

Tarachidia erastrioides Gn. NLP: Benzie, Midland, Roscommon; May 30-Aug. 24. SLP: Allegan, Berrien, Cass, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 16-Aug. 26. H. xxix: 54.

Tarachidia candefacta Hbn. NLP: Benzie, Crawford, Midland, Newaygo, Oscoda; May 23-Aug. 12. SLP: Berrien, Huron, Ingham, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 14-Oct. 17.

Tarache aprica Hbn. SLP: Ingham, Livingston, Oakland, Washtenaw, Wayne; June 3-Sept. 19. H. xxix: 50.

Tarache terminimaculata Grt. SLP: Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 28-Aug. 9. H. xxix: 46.

Euteliinae

Eutelia pulcherrima Grt. SLP: Ingham, Livingston, Oakland; May 20-July 13. H. text Fig. 150.

Marathyssa basalis Wlk. SLP: Livingston, Macomb, Oakland, Washtenaw; Apr. 29-June 15. H. xxix: 5, as *ventilator*.

Marathyssa inficita Wlk. NLP: Benzie, Charity Isl., Cheboygan, Midland, Oceana, Roscommon; June 10-Aug. 29. SLP: Berrien, Branch, Jackson, Livingston, Macomb, Oakland, St. Clair, Washtenaw; May 20-Sept. 15. H. xxix: 6.

Paectes oculatrix Gn. SLP: Berrien, Livingston, Oakland, Washtenaw; May 24-Aug. 12. H. xxix: 4.

Paectes pygmaea Hbn. NLP: Oscoda; June 1-16. A southern species. H. xxix: 2.

Sarrothripinae

Characoma nilotica Rogenh. SLP: Branch, Livingston, St. Clair; July 9-Sept. 5. Determined by Brower.

Sarrothripus revayana Scop. UP: Mackinac; July 26-30. NLP: Beaver Isls., Charlevoix, Cheboygan (Welch, 1915), Montmorency, Osceola, Oscoda;

May 29-Oct. 15. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; June 11-Aug. 25. H. xlvi: 15, form *lintnerana*.

Baileya doubledayi Gn. NLP: Crawford, Midland, Oscoda; May 30-Aug. 6. SLP: Oakland, St. Clair; June 27-Aug. 8. H. xvii: 26.

Baileya ophthalmica Gn. UP: Mackinac; June 20. NLP: Fox Isls., Montmorency, Oceana, Oscoda; May 30-June 26. SLP: Berrien, Hillsdale, Lapeer, Macomb, Oakland, Washtenaw, Wayne; May 5-July 21. H. xvii: 25.

Baileya australis Grt. SLP: Hillsdale, Lapeer, Livingston, St. Clair, Washtenaw, Wayne; May 6-Sept. 4. Determined by Forbes. H. xvii: 27.

Baileya dormitans Gn. SLP: Berrien, Oakland, Washtenaw; May 20-June 20.

Baileya levitans Sm. SLP: Berrien, Livingston, Washtenaw; Apr. 27-July 7.

Catocalinae

Catocala innubens Gn. SLP: Lenawee, Macomb, Oakland, Washtenaw, Wayne; July 11-Sept. 14. H. xxxiii: 13.

Catocala piatrix Grt. SLP: Branch, Macomb, Oakland, Ottawa, Washtenaw, Wayne; Aug. 7-Sept. 23. H. xxxvi: 6.

Catocala epione Dru. SLP: Livingston, Macomb, Oakland, Washtenaw; July 6-Aug. 2. H. xxxi: 3.

Catocala antinympha Hbn. UP: Dickinson; July 30-Aug. 17. NLP: Beaver Isls., Cheboygan, Crawford, Iosco, Midland, Presque Isle, Oceana, Ogemaw, Oscoda; July 12-Aug. 30. SLP: Allegan, Livingston, St. Clair, Wayne; July 27-Aug. 10. H. xxxii: 8.

Catocala coelebs Grt. UP: Mackinac, Schoolcraft; July 11-24. Determined by Brower. H. xxxii: 18.

Catocala habilis Grt. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 17-Sept. 21. H. xxxiii: 11.

Catocala serena Edw. SLP: Washtenaw; July. H. xxxiii: 14.

Catocala robinsoni Grt. SLP: Wayne; Sept. 12. H. xxxi: 7.

Catocala judith Stkr. SLP: Oakland, Washtenaw, Wayne; July 15-Sept. 2. H. xxxii: 2.

Catocala flebilis Grt. SLP: Oakland, Washtenaw; Aug. 19-21. H. xxxi: 11 is *angusii* not *flebilis*.

Catocala obscura Stkr. SLP: Branch, Macomb, Oakland, Wayne; Aug. 3-Oct. 1. H. xxxi: 14 is *residua* not *obscura*.

Catocala residua Grt. SLP: Livingston, Macomb, Oakland, Washtenaw; July 26-Sept. 10. H. xxxi: 14, as *obscura*.

Catocala reducta Grt. NLP: Roscommon; Oct. 19. SLP: Branch, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Aug. 6-Sept. 24. H. xxxi: 8.

Catocala dejecta Stkr. SLP: Washtenaw; July 27-Aug. 11. H. xxxii: 1.

Catocala insolabilis Gn. SLP: Berrien; Aug. H. xxxi: 10.

Catocala vidua A. & S. SLP: Branch, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Aug. 2-Oct. 9. H. xxxi: 5.

Catocala palaeogama Gn. NLP: Otsego; Aug. 9. SLP: Branch, Livingston, Macomb, Oakland, Washtenaw; July 12-Sept. 13. H. xxxvi: 3, 4.

Catocala nebulosa Edw. SLP: Oakland; Aug. 14. H. xxxiii: 16.

Catocala subnata Grt. SLP: St. Clair; July 30. H. xxxiii: 15.

Catocala neogama A. & S. SLP: Berrien, Macomb, Oakland, Van Buren, Washtenaw, Wayne; July 17-Sept. 11. H. xxxvi: 5.

Catocala ilia Cram. NLP: Beaver Isl., Charity Isl., Cheboygan, Osceola, Oscoda; July 6-Aug. 20. SLP: Berrien, Branch, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 5-Sept. 11. H. xxxiv: 7, as *osculata*, 14, 17, as *uxor*.

Catocala cerogama Gn. NLP: Benzie, Charlevoix, Cheboygan, Midland, Newaygo, Osceola; July 7-Aug. 12. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 26-Sept. 18. H. xxxiv: 6.

Catocala relicta Wlk. UP: Alger, Chippewa, Keweenaw, Mackinac, Schoolcraft; Aug. 4-Oct. 2. NLP: Beaver Isl., Charlevoix, Cheboygan, Emmet, Iosco, Mecosta, Midland, Otsego, Presque Isle; July 2-Sept. 10. SLP: Berrien, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Aug. 6-Oct. 2. H. xxxii: 6, 7.

Catocala parta Gn. UP: Dickinson, Aug. 5. NLP: Benzie, Cheboygan, Emmet, Midland, Oceana, Ogemaw, Presque Isle; July 19-Sept. 7. SLP: Allegan, Berrien, Huron, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 16-Sept. 14. H. xxxiv: 11.

Catocala briseis Edw. UP: Chippewa, Isle Royale, Keweenaw, Mackinac, Marquette, Schoolcraft; July 25-Sept. 22. NLP: Beaver Isl., Cheboygan, Midland; July 27-Aug. 7. SLP: Macomb, Oakland, St. Clair, Wayne; July 25-Sept. 13. H. xxxv: 12.

Catocala meskei Grt. UP: Chippewa; July. NLP: Cheboygan, Emmet, Iosco, Midland; July 24-Sept. 16. SLP: Macomb, Washtenaw, Wayne; July 17-Sept. 6. Determined by Brower. H. xxxiii: 6.

Catocala unijuga Wlk. UP: Chippewa, Isle Royale, Keweenaw, Mackinac, Marquette, Ontonagon, Schoolcraft; July 19-Sept. 18. NLP: Beaver Isl., Charity Isl., Charlevoix, Cheboygan, Crawford, Iosco, Oceana, Oscoda, Presque Isle; July 7-Sept. 16. SLP: Berrien, Branch, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 11-Sept. 17. H. xxxiii: 5.

Catocala semirelicta Grt. UP: Mackinac, Marquette; Aug. 14-18. NLP: Emmet; Sept. 7. Determined by Brower.

Catocala junctura Wlk. SLP: Berrien; Aug. 17.

Catocala cara Gn. NLP: Midland; July. SLP: Berrien, Branch, Ingham, Lenawee, Livingston, Macomb, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; Aug. 1-Oct. 13. H. xxxii: 9.

Catocala concumbens Wlk. UP: Houghton, Mackinac, Schoolcraft; July 30-Oct. 29. NLP: Beaver Isls., Benzie, Cheboygan, Mecosta, Midland, Otsego, Presque Isle; Sept. 27-Oct. 29. SLP: Berrien, Branch, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 28-Oct. 2. H. xxxv: 10.

Catocala amatrix Hbn. NLP: Midland; Aug.-Sept. SLP: Allegan, Berrien, Branch, Calhoun, Ingham, Lenawee, Livingston, Macomb, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; July 20-Sept. 28. H. xxxii: 12, 13.

Catocala gracilis Edw. NLP: Iosco, Oscoda, Presque Isle; July 15-Aug. 6. SLP: Huron, Livingston, Wayne; July 21-Aug. 4. H. xxxv: 7, as *praeclarata*.

Catocala coccinata Grt. NLP: Midland, Oscoda; July 27. SLP: Oakland, St. Clair, Washtenaw, Wayne; July-Aug. 11. H. xxxiv: 10.

Catocala ultronia Hbn. UP: Mackinac; Aug. 9. NLP: Beaver Isls., Benzie, Cheboygan (Welch, 1915), Iosco, Midland; July 29-Sept. 27. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 7-Sept. 1. H. xxxiii: 2, 4, 7.

Catocala crataegi Saund. NLP: Oscoda; July 27. SLP: St. Clair, July 14-Aug. 7. H. xxxiv: 12.

Catocala mira Grt. NLP: Alpena, Osceola, Oscoda; July 16-Aug. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw; July 7-Sept. 1. H. xxxiv: 13, as *polygama*; xxxv: 5, as *jaquenetta*.

Catocala grynea Cram. NLP: Midland; July 19-Aug. 6. SLP: Branch, Ingham, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 1-Aug. 25. H. xxxv: 6.

Catocala praeclarata G. & R. UP: Schoolcraft; Aug. 12. NLP: Midland, Oceana; July-Aug. 7. SLP: Berrien, Huron, Livingston, Macomb, Oakland, Washtenaw; July 13-Aug. 19. H. xxxv: 7 is *gracilis*, not *praeclarata*. Determined by Brower.

Catocala blandula Hlst. NLP: Roscommon; July 26-30. (Brower).

Catocala similis Edw. NLP: Oscoda; July 25. SLP: Livingston, Oakland, Washtenaw; July 9-27. H. xxxv: 2, 3.

Catocala minuta Edw. SLP: Washtenaw, Wayne; June 27-July 8. H. xxxii: 17.

Catocala amica Hbn. SLP: Berrien, Branch, Livingston, Macomb, Oakland, Washtenaw, Wayne; July 7-Sept. 1. H. xxxii: 16, 19, 20.

Euparthenos nubilis Hbn. NLP: Benzie, Cheboygan, Manistee, Oceana, Oscoda; June 27-July 28. SLP: Cass, Ingham, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw; May 23-Sept. 8. H. xxxiv: 2.

Allotria elonympha Hbn. SLP: Berrien; July 31. H. xxxiii: 18.

Parallelia bistriaris Hbn. UP: Alger, Dickinson, Schoolcraft; June 18-Aug. 4. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Cheboygan, Lake, Midland, Muskegon, Newaygo, Oceana, Oscoda; May 29-Aug. 9. SLP: Berrien, Ingham, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 28-Sept. 4. H. xxxvi: 18.

Euclidia cuspidea Hbn. UP: Chippewa, Isle Royale, Mackinac; June 1-27. NLP: Beaver Isls., Benzie, Cheboygan, Iosco, Midland, Oscoda; May 26-June 7. SLP: Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 11-July 22. H. xxx: 20.

Caenurgia erechtea Cram. UP: Chippewa, Mackinac, Schoolcraft; July 8-Sept. 6. NLP: Beaver Isls., Charity Isl., Charlevoix, Cheboygan, Iosco, Midland, Muskegon, Oceana; May 12-Aug. 21. SLP: Berrien, Branch, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 10-Oct. 1. H. xxx: 14.

Caenurgia crassiuscula Haw. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; July 7-Sept. 28. NLP: Alpena, Beaver Isls., Benzie, Cheboygan, Fox Isl., Iosco, Manistee, Midland, Montmorency, Muskegon, Oceana; May 18-Aug. 30. SLP: Berrien, Cass, Huron, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 1-Sept. 13. H. xxx: 15.

Pelamia latipes Gn. SLP: Huron, Livingston, Macomb, Oakland, Wayne; July 21-Sept. 20. H. xxxvi: 16, as *repanda*.

Phurys lima Gn. SLP: Livingston; June 5. A southern species. H. xxxvi: 11.

Celiptera frustulum Gn. SLP: Livingston, Macomb, Oakland, Wayne; Aug. 17-Sept. 22. H. xxxvi: 13.

Argyrostralis anilis Dru. NLP: Arenac, Crawford, Iosco, Ogemaw, Oscoda; May 29-Aug. 4. SLP: Hillsdale, Lapeer, Livingston, Oakland, St. Clair, Washtenaw; June 7-Aug. 2. H. xxx: 41.

Zale lunata Dru. UP: Schoolcraft; Aug. 20. NLP: Beaver Isls., Midland, Oceana; June 27-Sept. 27. SLP: Allegan, Berrien, Lenawee, Livingston, Macomb, Oakland, Ottawa, St. Clair, Van Buren, Washtenaw, Wayne; June 20-Nov. 22. H. xxxvii: 15, 16.

Zale unilineata Grt. NLP: Crawford, Iosco, Montmorency, Newaygo, Oscoda; May 30-June 11. SLP: Livingston, Oakland, Washtenaw, Wayne; May 11-June 12. H. xxxvii: 14.

Zale aeruginosa Gn. NLP: Crawford, Montmorency, Ogemaw, Oscoda, Roscommon; May 18-June 3. SLP: Livingston, Wayne; May 16-July 26.

Zale undularis Dru. NLP: Midland; June 6-26. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw; May 14-Aug. 6. H. xxxvii: 6.

Zale minerea Gn. UP: Mackinac, Schoolcraft; June 13-July 18. NLP: Benzie, Crawford, Midland, Montmorency, Oceana, Oscoda; May 22-July 6. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; May 11-July 21.

Zale lunifera Hbn. UP: Mackinac; June 2. NLP: Midland, Oscoda, Roscommon; May 27-Aug. 21. SLP: Berrien, Ingham, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 1-Sept. 2. H. xxxvii: 5.

Zale duplicata Beth. NLP: Cheboygan, Crawford, Montmorency, Ogemaw, Oscoda; May 18-June 24.

Zale bethunei Sm. NLP: Charity Isl.; June 25.

Zale squamularis Dru. UP: Mackinac; June 4. NLP: Crawford, Montmorency, Ogemaw, Oscoda; May 18-June 4.

Zale obliqua Gn. NLP: Benzie; July 7. SLP: Berrien; June 9.

Zale cingulifera Wlk. NLP: Benzie, Oscoda; May 29. SLP: Livingston, Macomb, Oakland; Apr. 24-May 16. H. xxxvii: 17.

Zale calycanthata A. & S. NLP: Ogemaw; May 18-25. SLP: Oakland; May 15. Determined by U. S. National Museum.

Zale horrida Hbn. UP: Schoolcraft; July. NLP: Benzie, Charity Isl., Cheboygan, Crawford, Oscoda, Roscommon; May 27-July 17. SLP: Cass, Livingston, Macomb, Oakland, Washtenaw; June 2-July. H. xxxvii: 3.

Pantheinae

Colocasia flavicornis Sm. SLP: Berrien; July 19. Determined by Brower.

Colocasia propinquilinea Grt. UP: Mackinac; July 6. NLP: Beaver Isls., Benzie; June 20-July 16. SLP: Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; May 16-July 5. H. xix: 3.

Panthea acronyctoides Wlk. NLP: Beaver Isls.; July 17. SLP: Livingston; May 24-Aug. 11.

Panthea furcilla Pack. UP: Mackinac, ex larva. NLP: Beaver Isls., Cheboygan, Iosco, Newaygo, Oceana, Oscoda; May 30-Aug. 6. SLP: Berrien, Oakland, St. Clair; May 22-Aug. 11. H. xvii: 31.

Charadra deridens Gn. NLP: Beaver Isls., Midland, Newaygo, Oceana; June 23-Aug. 26. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw; May 14-Aug. 17. H. xviii: 4.

Plusiinae

Autographa falcifera Kirby. UP: Chippewa, Isle Royale, Luce, Mackinac, Schoolcraft; June 4-Oct. 1. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan, Crawford, Fox Isls., Iosco, Midland, Montmorency, Newaygo, Oceana, Ogemaw; May 22-Sept. 15. SLP: Berrien, Branch, Huron, Ingham, Lapeer, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 2-Oct. 15. H. xxviii: 37, form *simplex*.

Autographa epigaea Grt. UP: Chippewa, Keweenaw; July 28-Aug. 5.

Autographa selecta Wlk. UP: Alger, Keweenaw; Aug. 1-6. NLP: Beaver Isls.; Aug. 26. H. xxviii: 39.

Autographa rectangulata Kirby. UP: Alger, Chippewa, Keweenaw; July 7-Aug. 6. NLP: Beaver Isls., Charlevoix, Cheboygan, Midland, Oceana; July 4-Aug. 27. SLP: St. Clair; Aug. 15. H. xxviii: 32.

Autographa alias Ottol. UP: Mackinac; July 31. NLP: Beaver Isls., Cheboygan; July 23-Aug. 8.

Autographa octoscripta Grt. UP: Alger, Keweenaw, Mackinac; June 29-Aug. 2. SLP: St. Clair, Wayne; Aug. 2-5.

Autographa egena Gn. SLP: Wayne; Oct. 5. H. xxviii: 29.

Autographa verruca Fabr. SLP: Macomb, Washtenaw, Wayne; Sept. 5-21. H. xxviii: 20.

Autographa brassicae Riley. UP: Keweenaw, Mackinac, Schoolcraft; June 29-Oct. 3. NLP: Cheboygan, Crawford, Midland; July 10-Oct. 2. SLP: Ingham, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 14-Nov. 11. H. xxviii: 36.

Autographa basigera Wlk. SLP: Wayne; Sept. 22. H. xxviii: 26.

Autographa rubida Ottol. NLP: Oscoda; June 5.

Autographa oxygramma Geyer. SLP: St. Clair, Washtenaw, Wayne; Sept. 8-Oct. 26. H. xxviii: 30.

Autographa putnami Grt. UP: Alger, Dickinson, Mackinac, Schoolcraft; June 22-Aug. 3. NLP: Beaver Isls.; July 14-Sept. 17. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 22-Oct. 12. H. xxviii: 15.

Autographa contexta Grt. UP: Chippewa, Dickinson; July 29-Aug. 3. NLP: Midland; July 21. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 13-Oct. 5. H. xxviii: 23.

Autographa biloba Steph. NLP: Cheboygan; July 17. SLP: Berrien, Ingham, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 20-Oct. 22. H. xxviii: 24.

Autographa oo Cram. SLP: Livingston, Oakland, Washtenaw, Wayne; Sept. 11-Oct. 24.

Autographa precationis Gn. UP: Mackinac; Aug. 3-24. NLP: Alpena, Beaver Isls., Benzie, Cheboygan, Midland, Oceana, Osceola, Oscoda; May 30-Sept. 25. SLP: Berrien, Branch, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 26-Oct. 28. H. xxviii: 28.

Autographa bimaculata Steph. UP: Alger, Chippewa, Houghton, Isle Royale, Keweenaw, Mackinac, Marquette, Schoolcraft; July 23-Aug. 11. NLP: Beaver Isls., Oscoda; July 17-Aug. 12. SLP: Washtenaw; Nov. 4. H. xxviii: 19.

Autographa mappa G. & R. UP: Chippewa, Mackinac; June 18-July 29.

Autographa ou Gn. SLP: Livingston, Oakland, Washtenaw, Wayne; July 27-Oct. 16. H. xxviii: 33.

Autographa ampla Wlk. UP: Alger, Chippewa, Dickinson, Mackinac; July 12-24. NLP: Beaver Isls., Cheboygan, Oscoda; July 3-22. SLP: St. Clair, Washtenaw, Wayne; July 1-Aug. 4. H. xxviii: 31.

Plusia aereoides Grt. UP: Alger, Mackinac, Schoolcraft; July 19-Aug. 20. NLP: Beaver Isls., Cheboygan, Midland, Montmorency, Oscoda; July 11-Aug. 6. SLP: Oakland, St. Clair, Washtenaw; July 10-Aug. 12. H. xxviii: 17.

Plusia aerea Hbn. NLP: Midland, Oceana; June 25-Aug. 12. SLP: Ingham, Livingston, Macomb, Oakland, Ottawa, St. Clair, Washtenaw, Wayne; May 29-Oct. 15. H. xxviii: 16.

Plusia balluca Geyer. UP: Alger, Mackinac; July 18-Aug. 13. NLP: Beaver Isls., Benzie; July 20-Sept. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 26-Oct. 1. H. xxviii: 22.

Eosphoropteryx thyatyroides Gn. UP: Alger, Mackinac; July 18-Aug. 28. NLP: Fox Isls.; Aug. 30. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 26-Sept. 14. H. xxviii: 18.

Pseudeva purpurigera Wlk. UP: Luce; July 6. NLP: Fox Isls., Midland; July 24-Aug. 9. SLP: Livingston, Oakland, Washtenaw; June 21-Aug. 16. H. xxviii: 13.

Palaeoplusia venusta Wlk. NLP: Beaver Isls., Cheboygan, Midland; July 11-Sept. 8. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 10-Sept. 8. H. xxviii: 21.

Abrostola formosa Grt. NLP: Oscoda; July 22. SLP: Livingston, Washtenaw; June 17-July 22. H. xxviii: 14.

Abrostola urentis Gn. UP: Alger; July. NLP: Midland; June 30. SLP: Branch, Ingham, Lapeer, Lenawee, Livingston, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 6-Aug. 29. H. xxviii: 42.

Erebinae

Raphia frater Grt. UP: Chippewa, Isle Royale, Luce, Mackinac; June 28-Aug. 1. NLP: Beaver Isls., Benzie, Cheboygan, Midland, Newaygo,

Oceana, Oscoda, Presque Isle, Roscommon; May 30-Aug. 23. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 30-Aug. 14. H. xviii: 3.

Cissura spadix Cram. SLP: Oakland; Apr. 15. A southwestern species.

Melipotis jucunda Hbn. SLP: Livingston, Oakland, Washtenaw, Wayne; May 25-Aug. 28. H. xxx: 24.

Drasteria graphica atlantica B. & McD. UP: Schoolcraft; May 30-June 18. NLP: Crawford, Iosco, Ogemaw, Oscoda, Roscommon; May 25-June 1. H. xxx: 30.

Syneda limbolaris Geyer. NLP: Arenac, Bay, Cheboygan, Crawford, Midland, Montmorency, Newaygo, Oceana, Roscommon; May 27-Aug. 8. SLP: Berrien, Livingston, Montcalm, Oakland, St. Clair, Washtenaw, Wayne; May 22-Aug. 16. H. xxx: 27.

Syneda alleni Grt. UP: Alger, Chippewa, Mackinac, Schoolcraft; June 7-July 15. NLP: Arenac, Beaver Isl., Benzie, Cheboygan, Midland, Ogemaw, Oscoda; May 25-July 16. H. xxx: 35.

Hypocala andremona Cram. NLP: Midland; July. SLP: Wayne; Sept. 8. Neotropical, Texas. H. xxx: 40.

Phoberia atomaris Hbn. NLP: Crawford; May 9. SLP: Livingston, Washtenaw; Mar. 29-May 12. H. xxxvi: 14. Determined by Gates Clark.

Panopoda rufimargo Hbn. NLP: Cheboygan, Midland, Oceana, Presque Isle; June 19-July 16. SLP: Berrien, Ingham, Livingston, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 11-Oct. 4. H. xxxvi: 19.

Anticarsia gemmatalis Hbn. SLP: Macomb, Oakland, Washtenaw, Wayne; Sept. 8-Nov. 2. H. xxxvii: 10.

Strenoloma lunilinea Grt. SLP: Berrien, Oakland, Washtenaw, Wayne; June 5-Aug. 8. H. xxxvi: 9.

Erebis odora Linn. NLP: Cheboygan, July 14-Aug. 1 (Voss). SLP: Ingham, Macomb, St. Clair, Washtenaw; July 30-Sept. 9. A straggler from the south. H. xxxvii: 2.

Thysania zenobia Cram. NLP: Midland; Oct. 2. SLP: Oakland; Sept. 6. A straggler from the south, only two specimens seen. H. xxxvii: 1.

Calpe canadensis Beth. UP: Schoolcraft; July. NLP: Cheboygan, Midland, Osceola; June 25-Aug. 18. SLP: Branch, Ingham, Lenawee, Livingston, Macomb, Oakland, Washtenaw, Wayne; June 11-Sept. 5. H. xxviii: 8.

Scoliopteryx libatrix Linn. UP: Chippewa, Isle Royale, Mackinac, Marquette, Schoolcraft; July 21-Sept. 17. NLP: Beaver Isl., Benzie, Cheboygan, Emmet, Midland, Montmorency, Oceana, Ogemaw, Osceola, Oscoda, Otsego; May 30-Oct. 6. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 3-Oct. 12. H. xxvi: 22.

Plusiodonta compressipalpis Gn. NLP: Charity Isl., Kalkaska; June 27-July 9. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 13-Aug. 26. H. xxviii: 6.

Alabama argillacea Hbn. UP: Mackinac, Schoolcraft; Sept. 5-Oct. 2. NLP: Beaver Isls., Benzie, Charlevoix, Midland, Osceola; Aug. 23-Sept. 7. SLP: Huron, Livingston, Macomb, Oakland, St. Clair, Tuscola, Washtenaw, Wayne; Aug. 26-Oct. 27. H. xxix: 11.

Anomis erosa Hbn. SLP: Huron, Livingston, Washtenaw, Wayne; Sept. 4-Nov. 1. H. xxix: 12.

Hypeninae

Scolecocampa liburna Geyer. NLP: Kalkaska, Oceana; July 9-22. SLP: Berrien, Cass, Livingston, Macomb, Oakland, Washtenaw; July 1-27. H. xxix: 16.

Gabara subnivosella Wlk. NLP: Oscoda; June 19-July 26. Determined by Richards.

Isogona tenuis Grt. SLP: Berrien, Monroe; July 4-18. H. xxxvii: 18, *natatrix* which is doubtfully distinct.

Rivula propinqualis Gn. UP: Alger, Dickinson, Mackinac, Schoolcraft; May 30-July 25. NLP: Beaver Isls., Cheboygan, Fox Isls., Midland, Montmorency, Muskegon, Newaygo; July 5-Aug. 16. SLP: Branch, Lapeer, Livingston, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 9-Sept. 12. H. xxix: 14.

Phytometra semipurpurea Wlk. SLP: Livingston, Macomb, Oakland; May 9-Sept. 3. H. xxix: 36.

Oxycilla panatela Sm. UP: Dickinson, Schoolcraft; July 14-Aug. 3. SLP: Berrien, Branch, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 3-Aug. 13. Determined by Brower.

Phalaenostola larentioides Grt. NLP: Midland, July 3-Aug. 6. SLP: Berrien, Branch, Cass, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 4-Sept. 19. H. xxx: 1.

Pangrapta decoralis Hbn. UP: Chippewa, Dickinson, Schoolcraft; June 10-July 27. NLP: Beaver Isls., Charity Isl., Cheboygan, Grand Traverse, Kalkaska, Midland, Montmorency, Oscoda; May 27-Aug. 1. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 28-Aug. 22. H. xxx: 3.

Spargaloma sexpunctata Grt. UP: Schoolcraft; July. NLP: Beaver Isls., Charity Isl., Charlevoix, Midland, Missaukee, Newaygo, Oscoda; June 12-July 28. SLP: Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 30-Aug. 15. H. xxx: 2.

Spargaloma perditalis Wlk. NLP: Midland; July 14. SLP: Berrien, Branch, Huron, Jackson, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 4-Aug. 20. H. xxx: 4.

Melanomma auricinctaria Grt. NLP: Midland; July 5-20. SLP: Berrien, Huron, Livingston, Oakland, Ottawa, Washtenaw; May 16-Sept. 17. H. text fig. 162.

Dyspyralis illocata Warr. SLP: Livingston, Oakland, Washtenaw; July 22-27.

Dyspyralis puncticosta Sm. SLP: Livingston, Macomb; July 27-Aug. 15.

Dyspyralis nigellus Stkr. SLP: Cass, St. Clair, Washtenaw; July 7-Aug. 11. Determined by Brower.

Metalestra discalis Grt. SLP: Berrien, Branch, Cass, Livingston, Wayne; July 4-Aug. 27.

Metalestra quadrisignata Wlk. UP: Alger, Mackinac, Schoolcraft; June 28-July 26. NLP: Alpena, Beaver Isls., Charity Isl., Cheboygan, Fox Isls., Lake, Montmorency, Newaygo, Oceana, Oscoda, Presque Isle; June 1-Sept. 7. SLP: Berrien, Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 28-Sept. 9. H. xxx: 5, as *contracta*.

Metalestra tantillus Grt. NLP: Beaver Isls.; July 28.

Epizeuxis americanus Gn. UP: Alger, Chippewa, Dickinson, Isle Royale, Mackinac; July 8-Aug. 6. NLP: Beaver Isls., Benzie, Cheboygan, Mason, Midland, Montmorency, Oceana, Osceola, Presque Isle; June 11-Oct. 5. SLP: Berrien, Genesee, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 15-Oct. 19. H. text Fig. 168.

Epizeuxis aemula Hbn. UP: Alger, Chippewa, Dickinson, Isle Royale, Mackinac, Marquette; July 23-Aug. 5. NLP: Arenac, Beaver Isls., Benzie, Cheboygan, Clare, Crawford, Lake, Midland, Montmorency, Muskegon, Newaygo, Oceana, Osceola, Presque Isle; June 22-Aug. 23. SLP: Allegan, Berrien, Cass, Huron, Kent, Lapeer, Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 15-Oct. 19. H. text fig. 169.

Epizeuxis scobialis Grt. NLP: Oceana; July 11. SLP: Berrien; July 20. H. xxxvii: 28.

Epizeuxis rotundalis Wlk. NLP: Beaver Isls., Charity Isl., Cheboygan, Oceana, Presque Isle, Roscommon; July 11-Sept. 6. SLP: Berrien, Huron, Livingston, Oakland, St. Clair, Washtenaw, Wayne; July 2-Aug. 20.

Epizeuxis julia B. & McD. NLP: Charity Isl., Iosco, Lake, Osceola, Presque Isle; July 16-Aug. 6. SLP: Berrien, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 30-Aug. 12.

Epizeuxis forbesi French. NLP: Lake, Montmorency, Presque Isle; July 25-Aug. 2. SLP: Berrien, Lapeer, Livingston, Oakland, Washtenaw, Wayne; June 7-Aug. 26.

Epizeuxis diminuendis B. & McD. NLP: Charity Isl., Cheboygan, Crawford, Lake, Midland, Montmorency, Oscoda, Presque Isle; July 10-26. SLP: Cass, Lapeer, Livingston, Oakland, Washtenaw; May 27-July 31.

Epizeuxis denticulalis Harvey. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw, Wayne; June 23-Aug. 9. H. xxxvii: 27.

Epizeuxis lubricalis Geyer. UP: Alger, Dickinson, Marquette, Schoolcraft; July 14-Aug. 16. NLP: Alpena, Beaver Isls., Benzie, Charity Isl.,

Cheboygan, Crawford, Fox Isls., Lake, Midland, Montmorency, Muskegon, Oceana; July 3-Sept. 18. SLP: Berrien, Cass, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 9-Sept. 21. H. xxxvii: 29.

Epizeuxis majoralis Sm. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 28-Sept. 2.

Parahypenodes quadralis B. & McD. SLP: Livingston; June 23-Oct. 4. Determined by McDunnough.

Zanclognatha lituralis Hbn. UP: Mackinac; June 15-July 6. NLP: Cheboygan, Kalkaska, Presque Isle; July 8-12. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw; June 13-Aug. 4. H. xxxvii: 20.

Zanclognatha theralis Wlk. UP: Schoolcraft; July 25. NLP: Beaver Isls.; July 28-Aug. 12.

Zanclognatha inconspicualis Grt. UP: Mackinac; June 21. SLP: Washtenaw; July 12.

Zanclognatha laevigata Grt. UP: Chippewa, Dickinson, Schoolcraft; July 16-Aug. 2. NLP: Beaver Isls., Fox Isls., Midland, Oceana; July 7-Aug. 9. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw; May 18-Aug. 13. H. xxxvii: 21.

Zanclognatha pedipilalis Gn. NLP: Midland; June 10. SLP: Livingston, Washtenaw, Wayne; June 6-Aug. 2.

Zanclognatha protumnusalis Wlk. UP: Keweenaw; Aug. 1. SLP: Oakland, Washtenaw; July 14-Sept. 2. H. text Fig. 170.

Zanclognatha cruralis Gn. UP: Schoolcraft; July 15-Aug. 11. NLP: Beaver Isls., Charity Isl.; June 20-27. SLP: Oakland, Washtenaw; July 18-Sept. 27.

Zanclognatha jacchusalis Wlk. UP: Chippewa, Dickinson; July 8-15.

Zanclognatha ochreipennis Grt. UP: Chippewa, Dickinson, Isle Royale, Mackinac, Schoolcraft; July 5-31. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Crawford, Fox Isls., Iosco, Lake, Midland, Montmorency, Oceana; July 2-Aug. 15. SLP: Allegan, Berrien, Huron, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 18-Sept. 20. H. xxxvii: 22.

Hormisa absorptalis Wlk. UP: Alger, Mackinac, Schoolcraft; July 21. NLP: Cheboygan, Iosco, Midland, Muskegon, Oceana; June 27-Aug. 19. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 7-Aug. 12. H. xxxvii: 19.

Hormisa litophora Grt. UP: Chippewa; July 15. SLP: Berrien, Livingston, Oakland, Washtenaw; June 5-Aug. 28.

Hormisa bivittata Grt. UP: Chippewa, Schoolcraft; July 7-24. NLP: Bay, Midland; July 14-17. SLP: Cass, Livingston, Oakland, Washtenaw, Wayne; July 11-30. H. xxxvii: 31.

Hormisa orciferalis Wlk. NLP: Bay, Montmorency, Muskegon, Presque Isle; July 17-29. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 30-Aug. 25. H. text Fig. 171.

Xylormisa louisiana Forbes. SLP: Livingston, Oakland, Washtenaw; June 19-Sept. 15. Determined by Brower.

Philometra metonalis Wlk. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; July 16-Aug. 4. NLP: Alpena, Cheboygan, Crawford, Iosco, Midland, Muskegon, Wexford; June 25-Aug. 16. SLP: Hillsdale, Jackson, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 5-Aug. 19. H. xxvii: 30.

Philometra eumelusalis Wlk. NLP: Alpena, Cheboygan, Midland, Newaygo, Roscommon; July 5-31. SLP: Berrien, Branch, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 12-Sept. 10.

Philometra hanhami Sm. UP: Dickinson; July 23-Aug. 2. NLP: Cheboygan, Montmorency, Oscoda, Presque Isle; June 26-Aug. 15. SLP: Branch, Livingston, Oakland; June 30-July 14.

Chytolita morbidalis Gn. NLP: Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Crawford, Montmorency; May 12-July 24. SLP: Berrien, Branch, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 30-July 2. H. xxxvii: 23.

Chytolita petrealis Grt. UP: Chippewa, Dickinson, Luce, Mackinac, Schoolcraft; June 18-July 26. NLP: Beaver Isls., Cheboygan, Midland; June 18-July 20. SLP: Berrien, Jackson, Lapeer, Livingston, Macomb, Monroe, Oakland, Washtenaw, Wayne; May 26-July 25.

Renia salusalis Wlk. SLP: Berrien, Washtenaw; July 2-27.

Renia factiosalis Wlk. NLP: Alpena, Charity Isl., Fox Isls., Kalkaska, Midland, Oceana; July 1-Aug. 18. SLP: Berrien, Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 31-Sept. 15.

Renia discoloralis Gn. SLP: Berrien, Livingston, Oakland; July 24-Aug. 19. H. xxxvii: 24.

Renia flavipunctalis Geyer. UP: Isle Royale, Mackinac; July 23-Aug. 6. NLP: Alpena, Bay, Beaver Isls., Charity Isl., Charlevoix, Cheboygan, Fox Isls., Iosco, Lake, Midland, Montmorency, Muskegon, Oceana, Oscoda, Otsego; July 1-Sept. 3. SLP: Berrien, Branch, Cass, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 1-Sept. 16.

Renia sobrialis Wlk. SLP: Berrien; July 27.

Renia larvalis Grt. NLP: Cheboygan; July 17. SLP: Washtenaw; June 13-July 13. Determined by Brower.

Bleptina caradrinalis Gn. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; July 8-30. NLP: Bay, Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Crawford, Lake, Midland, Montmorency, Muskegon, Oceana, Presque Isle, Roscommon; June 25-Aug. 5. SLP: Berrien, Branch, Cass, Livingston, Macomb, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; June 10-Sept. 5. H. xxxvii: 32.

Tetanolita mynesalis Wlk. SLP: Livingston, Macomb, Wayne; Sept. 19-Oct. 15. H. text fig. 174.

Phalaenophana pyramusalis Wlk. UP: Mackinac, Schoolcraft; June 18-July 10. NLP: Beaver Isls., Charlevoix, Fox Isls.; June 2-July 14. SLP: Cass, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 4-Aug. 15. H. xxxvii: 26.

Lascoria ambigualis Wlk. NLP: Montmorency; May 31. SLP: Berrien, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; Apr. 28-Sept. 16. H. xlvi: 2.

Palthis angulalis Hbn. UP: Alger, Chippewa, Mackinac, Schoolcraft; June 8-July 30. NLP: Beaver, Benzie, Cheboygan (Welch, 1915), Osceola, Otsego; June 20-Aug. 25. SLP: Berrien, Livingston, Macomb, Oakland, Ottawa, St. Clair, Washtenaw, Wayne; May 5-Aug. 27. H. xxxvii: 25.

Palthis asopialis Gn. NLP: Crawford; May 29. SLP: Berrien, Oakland; June 29-Aug. H. xlvi: 1.

Capis curvata Grt. UP: Dickinson, Mackinac, Schoolcraft; June 13-Aug. 1. NLP: Cheboygan (Welch, 1915), Montmorency; July 10-Aug. 4. SLP: Jackson, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 6-Aug. 15. H. xxxvii: 33.

Salia interpuncta Grt. NLP: Midland; July 22. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 16-Aug. 8. H. text fig. 176.

Bomolocha manalis Wlk. SLP: Berrien, Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 30-Sept. 5. H. xlvi: 3.

Bomolocha baltimorensis Gn. UP: Luce, Schoolcraft; July 5-15. NLP: Beaver Isls., Cheboygan, Crawford, Midland, Montmorency, Oceana; May 30-Aug. 6. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 14-Sept. 3. H. xlvi: 4.

Bomolocha bijugalis Wlk. UP: Mackinac; June 30-July 2. NLP: Charity Isl., Cheboygan; June 27-Aug. 19. SLP: Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 13-Sept. 12. H. xlvi: 7.

Bomolocha palparia Wlk. UP: Mackinac; July 28. NLP: Beaver Isls., Benzie, Oceana, Oscoda; June 28-July 22. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 21-Sept. 3. H. xlvi: 10, as *scutellaris*.

Bomolocha abalienalis Wlk. NLP: Benzie, Cheboygan, Presque Isle; June 24-July 22. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 16-Aug. 12. H. xlvi: 5.

Bomolocha deceptalis Wlk. UP: Mackinac; July 12. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Fox Isls.; June 15-Aug. 9. SLP: Berrien, Hillsdale, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Wash-tewaw, Wayne; May 15-Aug. 26. H. xlvi: 8.

Bomolocha madefactalis Gn. SLP: Livingston, Macomb, Oakland, Washtenaw; June 9-Aug. 15. H. xlvi: 6.

Bomolocha sordidula Grt. NLP: Midland; June 10. SLP: Lapeer, Lenawee, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 14-Aug. 11.

Bomolocha atomaria Sm. SLP: Livingston, Oakland, Washtenaw; May 27-Aug. 29.

Bomolocha toreuta Grt. SLP: Livingston, Oakland, St. Clair, Washtenaw; May 27-Aug. 12. H. xlvi: 9.

Bomolocha edictalis Wlk. UP: Alger; July 21. NLP: Charlevoix; Aug. 11. SLP: Oakland, Washtenaw; July 1-Aug. 9. H. xlvi: 11.

Bomolocha citata Grt. SLP: Washtenaw, Wayne; Aug. 26-Oct. 3.

Lomanaltes eductalis Wlk. NLP: Iosco; Aug. 6. H. text Fig. 177.

Plathypena scabra Fabr. UP: Gogebic, Mackinac; June 15-Aug. 29. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Fox Isls., Iosco, Kalkaska, Midland, Oceana, Oscoda; May 30-Sept. 26. SLP: Alpena, Berrien, Branch, Cass, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 20-Nov. 17. H. xlvi: 14.

Hypena humuli Harris. UP: Dickinson; July 1-31. NLP: Osceola; Oct. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 23-Oct. 8. H. xlvi: 12, 13.

NOTODONTIDAE

Ichthyura apicalis Wlk. UP: Mackinac; July 6. NLP: Beaver Isls., Cheboygan, Midland, Montmorency, Oscoda; May 30-Aug. 1. SLP: Berrien, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 28-Sept. 5. H. xl: 18.

Ichthyura inclusa Hbn. NLP: Newaygo; June 12. SLP: Berrien, Oakland, Washtenaw, Wayne; Apr. 28-July 23. H. xl: 19.

Ichthyura strigosa Grt. UP: Mackinac; June 21-July 5. NLP: Beaver Isls., Cheboygan, Midland, Montmorency, Oceana; May 30-Aug. 1. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 13-Aug. 12. H. xl: 17.

Ichthyura albosigma Fitch. UP: Dickinson, Mackinac; June 22-Aug. 3. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Emmet, Iosco, Midland, Montmorency, Newaygo, Oceana, Osceola, Oscoda, Presque Isle, Roscommon; May 7-Oct. 5. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 17-Sept. 2. H. xl: 16.

Ichthyura brucei Hy. Edw. UP: Dickinson; July 31.

Datana ministra Dru. UP: Chippewa, Isle Royale, Mackinac, Schoolcraft; June 7-July 26. NLP: Beaver Isls., Charity Isl., Cheboygan, Midland, Newaygo; June 11-July 22. SLP: Berrien, Cass, Lapeer, Lenawee, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 29-Aug. 6. H. xl: 11.

Datana angusi G. & R. NLP: Oceana; June 28. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw; May 22-Aug. 15. H. xl: 12.

Datana drexeli Hy. Edw. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; June 3-July 29.

Datana perspicua G. & R. NLP: Midland; July 4-25. SLP: Berrien, Cass, Livingston, Oakland, Washtenaw, Wayne; June 29-Sept. 18. H. xl: 14.

Datana integerrima G. & R. NLP: Benzie, Oceana; July 12-22. SLP: Berrien, Branch, Cass, Ingham, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 30-Aug. 26. H. xl: 13.

Datana contracta Wlk. NLP: Midland, Oceana; May 30-July 18. SLP: Livingston, Oakland, Washtenaw, Wayne; June 8-July 24.

Hyperaeschra stragula Grt. UP: Luce; July 5. NLP: Beaver Isls., Cheboygan, Midland, Oscoda; May 30-Aug. 20. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 25-Aug. 30. H. xl: 1.

Hyperaeschra georgica H. S. UP: Mackinac; June 29. NLP: Arenac, Crawford, Newaygo; May 28-July 22. SLP: Ingham, Livingston, Oakland, Washtenaw, Wayne; May 16-Aug. 17. H. xl: 7.

Odontosia elegans Skr. UP: Isle Royale, Mackinac; June 28-July 28. NLP: Beaver Isls., Cheboygan, Crawford, Lake, Midland, Montmorency, Oscoda; May 30-July 30. SLP: Clinton, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 20-July 31. H. xl: 3.

Notodonta basitriens Wlk. UP: Luce, Mackinac; July 6-30. NLP: Beaver Isls., Benzie, Cheboygan, Fox Isls., Newaygo, Oceana; June 12-Aug. 9. SLP: St. Clair, Washtenaw; June 20-July 30. H. xl: 5.

Notodonta simplaria Graef. NLP: Arenac, Cheboygan, Mason, Montmorency, Oceana; May 30-Aug. 9. SLP: St. Clair; Aug. 11. H. xl: 6.

Pheosia rimosa Pack. UP: Chippewa, Luce, Mackinac; July 6-Aug. 24. NLP: Arenac, Beaver Isls., Charlevoix, Cheboygan, Crawford, Midland, Newaygo, Oceana, Oscoda; May 28-Sept. 5. SLP: Berrien, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 22-Aug. 12. H. xl: 9, as *dimidiata*.

Lophodonta ferruginea Pack. UP: Luce, Mackinac; June 20-July 25. NLP: Beaver Isls., Cheboygan, Midland, Oceana, Oscoda; June 12-Aug. 5. SLP: Sanilac, Washtenaw; July 5-6. H. xl: 8.

Lophodonta angulosa A. & S. UP: Mackinac; July 23. NLP: Beaver Isls., Cheboygan (Welch, 1915), Lake, Newaygo; June 12-Aug. 2. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; June 5-Aug. 31. H. xl: 15.

Nadata gibbosa A. & S. UP: Isle Royale, Luce, Mackinac, Schoolcraft; June 28-July 20. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Fox Isls., Midland, Muskegon, Newaygo, Oceana; May 28-Aug. 16. SLP: Kent, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 13-Aug. 19. H. xxxix: 1.

Nerice bidentata Wlk. UP: Schoolcraft; July. NLP: Benzie, Cheboygan, Iosco, Midland; June 24-July 25. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 16-Aug. 4. H. xxxix: 2.

Symmerista albifrons A. & S. NLP: Beaver Isls., Benzie, Cheboygan, Lake; June 28-July 30. SLP: Berrien, Lapeer; May 30-July 30. H. xxxix: 7, is not *albifrons* but is *canicosta*.

Symmerista canicosta Franclemont. NLP: Benzie, Cheboygan; June 17-July 27. SLP: Berrien, Lapeer, Livingston, Oakland, Washtenaw, Wayne; May 19-Aug. 7. H. xxxix: 7, as *albifrons*.

Dasylophia thyatiroides Wlk. NLP: Beaver Isls., Cheboygan, Oceana; June 18-Aug. 27. SLP: Berrien, St. Clair; July-Aug. 27. H. xxxix: 6.

Heterocampa obliqua Pack. NLP: Cheboygan; July 18. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; July 1-Aug. 8. H. xl: 2.

Heterocampa umbrata Wlk. NLP: Beaver Isls., Cheboygan, Oceana, Oscoda; June 14-July 8. SLP: Livingston; June 10-Aug. 1. H. xxxix: 26.

Heterocampa manteo Dbdly. UP: Mackinac; July 26-Aug. 12. NLP: Beaver Isls., Cheboygan, Lake, Oceana, Oscoda; June 5-July 26. SLP: Livingston, Oakland; June 13-July 30. H. xxxix: 23.

Heterocampa biundata Wlk. UP: Mackinac; June 28-July 12. NLP: Beaver Isls., Benzie, Cheboygan, Fox Isls., Montmorency, Oceana; May 31-July 17. SLP: Berrien, Livingston, Oakland, Washtenaw; May 3-Aug. 5. H. xxxix: 25.

Heterocampa guttivitta Wlk. NLP: Beaver Isls., Benzie, Montmorency, Newaygo, Oceana, Oscoda; May 29-July 24. SLP: Berrien, Lapeer, Lenawee, Livingston, Oakland, Washtenaw; May 9-Aug. 21.

Heterocampa bilineata Pack. NLP: Midland, Oceana; July 18-26. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 20-Aug. 18. H. xxxix: 24.

Misogada unicolor Pack. NLP: Newaygo, June 11. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 4-Aug. 11. H. xxxix: 21.

Ianassa lignicolor Wlk. NLP: Beaver Isls., Cheboygan; July 8-18. SLP: Lapeer, Livingston, Oakland, St. Clair, Washtenaw; May 29-Aug. 29. H. xxxix: 19.

Ianassa semirufescens Wlk. UP: Schoolcraft; July. NLP: Cheboygan, Oceana; July 6-22. SLP: Berrien, Livingston, St. Clair, Washtenaw; June 13-July 28. Determined by Gates Clark.

Schizura ipomoeae Dbdly. UP: Luce, Schoolcraft; July 6-13. NLP: Beaver Isls., Cheboygan, Lake, Midland, Oceana; June 24-Aug. 7. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; July 13-Aug. 23. H. xxxix: 13.

Schizura concinna A. & S. NLP: Beaver Isls., ex larvae, Cheboygan (Welch, 1915). SLP: Livingston, Macomb, Oakland, Washtenaw; June 30-Aug. 12. H. xxxix: 15.

Schizura badia Pack. UP: Chippewa; July 29. NLP: Midland, Oceana, Oscoda; June 5-July 24. SLP: Berrien, Branch, Livingston, St. Clair, Washtenaw; June 10-Aug. 13. H. xxxix: 14.

Schizura unicornis A. & S. UP: Luce, Mackinac; June 16-July 28. NLP: Beaver Isls., Benzie, Cheboygan, Iosco, Midland, Newaygo, Oscoda, Presque Isle; May 29-Aug. 12. SLP: Berrien, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 13-Aug. 19. H. xxxix: 17.

Schizura apicalis G. & R. NLP: Oscoda; June 12-July 19.

Schizura leptinoides Grt. UP: Mackinac; July 28. NLP: Beaver Isls.; July 16. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; May 29-Aug. 11. H. xxxix: 16. Determined by Gates Clark.

Hyparpax aurora A. & S. NLP: Iosco, Newaygo; June 11-July 6. SLP: Berrien, Oakland, Washtenaw, Wayne; June 18-July 23. H. xxxix: 4.

Cerura scitascripta multiscripta Riley. NLP: Cheboygan, Crawford, Midland, Oscoda; June 12-July 24. SLP: Cass, Ingham, Macomb; June 7-Sept. 3. H. xxxix: 12.

Cerura borealis Bdv. SLP: Livingston, Oakland, Washtenaw; June 1-Aug. 8. H. xxxix: 9.

Cerura occidentalis Lint. UP: Dickinson, Schoolcraft; July 21-25. NLP: Midland; July 26. SLP: Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 30-Aug. 29. H. xxxix: 10, as *albicomata*.

Cerura cinerea Wlk. UP: Luce, Mackinac; June 16-July 6. NLP: Beaver Isls., Cheboygan, Lake, Midland, Newaygo, Oscoda; May 30-Aug. 3. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 24-Aug. 19. H. xxxix: 8.

Cerura scolopendrina Bdv. NLP: Beaver Isls., Cheboygan, Oscoda; May 31-Aug. 3. SLP: Oakland, St. Clair, Washtenaw, Wayne; May 21-Aug. 5. H. xxxix: 11 is *modesta*.

Cerura modesta Hudson. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; Apr. 22-June 30. H. xxxix: 11, as *scolopendrina*. Formerly listed as a race of *scolopendrina* but is now considered a valid species. (McDunnough, 1938).

Fentonnia marthesia Cram. NLP: Lake, Midland, Oceana; July 6-Sept. 4. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; June 5-Aug. 12. H. xxxix: 30.

Glaphisia septentrionalis Wlk. UP: Chippewa, Dickinson, Houghton, Luce, Mackinac, Schoolcraft; June 30-Aug. 13. NLP: Alpena, Bay, Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Iosco, Lake, Midland, Montmorency, Muskegon, Newaygo, Ogemaw, Oscoda, Roscommon; May 25-

Aug. 28. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 13-Sept. 1. H. xxxix: 28.

Glaphisia lintneri Grt. NLP: Beaver Isls., Crawford, Montmorency, Newaygo, Osceola, Oscoda, Roscommon; May 16-June 16. SLP: Livingston, Macomb, Wayne; Apr. 30-June 2.

Ellida caniplaga Wlk. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; Apr. 24-July 27. H. xxxix: 31.

THYATIRIDAE

Habrosyne scripta Gosse. UP: Alger, Chippewa, Isle Royale, Mackinac; June 23-Aug. 3. NLP: Beaver Isls., Cheboygan, Iosco, Montmorency; May 31-July 21. SLP: Macomb, Oakland, St. Clair; June 10-Aug. 13. H. xl: 22.

Habrosyne rectangulata Ottol. UP: Mackinac, Schoolcraft; July 23-28. NLP: Beaver Isls., Charlevoix, Montmorency; May 31-July 28. SLP: Livingston, Oakland, Washtenaw; June 1-Sept. 10.

Pseudothyatira cymatophoroides Gn. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; June 18-July 30. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan, Crawford, Iosco, Midland, Montmorency, Oceana, Osceola, Presque Isle; May 29-Oct. 6. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 8-Sept. 23. H. xl: 25, 26.

Euthyatira pudens Gn. NLP: Beaver Isls., Lake; May 1-June 7. SLP: Livingston, Macomb, Oakland, Washtenaw; Apr. 21-June 4. H. xl: 23, 24.

LYMANTRIIDAE

Notolophus antiqua Linn. UP: Alger, Chippewa, Keweenaw, Mackinac, Schoolcraft; June 22-Sept. 24. NLP: Beaver Isls.; Aug. 19-Sept. 5. H. xxxviii: 18.

Hemerocampa leucostigma A. & S. UP: Alger, Dickinson, Schoolcraft; Aug. 7-29. NLP: Beaver Isls., Cheboygan, Midland, Osceola, Otsego; July 4-Oct. 6. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; July 3-Oct. 17. H. xxxviii: 20, 21.

Hemerocampa plagiata Wlk. NLP: Charlevoix, Osceola, Otsego; Aug. 26-Sept. 8. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; June 3-Oct. 18. H. xxxviii: 17, as *definita*.

Porthetria dispar Linn. SLP: Ingham. An infestation of larvae discovered in 1954.

Olene vagans willingi B. & McD. NLP: Charlevoix, Cheboygan, Iosco, Oceana, Oscoda; July 3-Aug. 29. SLP: Livingston; July 15.

Olene atomaria Wlk. UP: Schoolcraft; July. NLP: Cheboygan, Midland; July 10-Aug. 10. SLP: Livingston; July 30-Aug. 12.

Olene cinnamomea G. & R. NLP: Midland; July 24-31. SLP: Branch, Cass, Livingston, Macomb, Oakland, Washtenaw; July 1-Aug. 17.

Olene plagiata Wlk. NLP: Presque Isle, July 28. Determined by Benjamin.

EUPTEROTIDAE

Apatelodes torrefacta A. & S. NLP: Midland, Newaygo; May 29-June 25. SLP: Berrien, Branch, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 20-July 17. H. xl: 20.

Apatelodes angelica Grt. NLP: Midland; July 16. SLP: Berrien, Washtenaw; June 20-July 5. H. xl: 21.

LASIOCAMPIDAE

Tolype velleda Stoll. NLP: Charlevoix, Crawford, Midland, Osceola, Oscoda; Sept. 5-26. SLP: Livingston, Macomb, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; Aug. 26-Oct. 7. H. xi: 7, 8.

Tolype laricis Fitch. NLP: Beaver Isls., Cheboygan; Aug. 9-Sept. 19. SLP: Livingston, Oakland, St. Clair; June 25-Sept. 5.

Malacosoma americana Fabr. UP: Alger, Chippewa, Mackinac, Schoolcraft; July 12-Aug. 12. NLP: Alpena, Bay, Beaver Isls., Benzie, Cheboygan, Crawford, Iosco, Lake, Midland, Montmorency, Oceana, Oscoda; July 3-Aug. 6. SLP: Branch, Huron, Ingham, Lapeer, Livingston, Macomb, Oakland, Ottawa, St. Clair, Washtenaw; June 13-July 23. H. x: 12.

Malacosoma disstria Hbn. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; July 6-Aug. 9. NLP: Bay, Beaver Isls., Benzie, Charlevoix, Cheboygan, Midland, Montmorency, Oscoda; June 26-Aug. 21. SLP: Cass, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 12-Oct. 16. H. x: 9.

Epicnaptera americana Harris. UP: Isle Royale, Mackinac; June 5-Aug. 8. NLP: Beaver Isls., Cheboygan, Midland, Montmorency, Newaygo, Oscoda, Roscommon; May 14-July 29. SLP: Berrien, Cass, Huron, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Mar. 27-Aug. 31. H. xli: 19, 20.

DREPANIDAE

Eudeilinia herminiata Gn. UP: Dickinson, Mackinac; June 20-July 16. NLP: Beaver Isls., Cheboygan, Fox Isls., Midland, Montmorency, Oceana, Oscoda; May 11-Aug. 5. SLP: Huron, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 16-Sept. 27. H. text Fig. 194.

Oreta rosea Wlk. UP: Alger; Aug. (Pettit, 1901). NLP: Cheboygan, Iosco, Midland, Oceana, Osceola; June 18-Aug. 28. SLP: Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 4-Aug. 23. H. xli: 24.

Oreta irrorata Pack. NLP: Cheboygan; July 3, 4. H. xli: 6.

Drepana arcuata Wlk. UP: Alger, Chippewa, Isle Royale, Mackinac, Schoolcraft; June 5-Aug. 5. NLP: Beaver Isls., Charlevoix, Cheboygan, Fox Isls., Midland, Montmorency, Newaygo, Oscoda, Presque Isle; May 30-Aug. 30. SLP: Berrien, Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw; May 31-Aug. 19. H. xli: 22, 23.

Drepana bilineata Pack. UP: Mackinac; June 20-Aug. 1. NLP: Beaver Isls., Charlevoix, Cheboygan, Crawford, Midland, Newaygo, Oscoda; May 10-Aug. 25. H. xli: 7.

GEOMETRIDAE

Brephinae

Brephos infans Moesch. NLP: Lake; Apr. 11. H. xlvi: 16.

Oenochrominae

Alsophila pometaria Harris. UP: Mackinac; Nov. 2. SLP: Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Mar. 17-May 4; Oct. 2-Dec. 3. H. xlvi: 25, as *vernata*.

Hemitheinae

Nemoria brunnearia Pack. SLP: Livingston, May 13-16.

Nemoria mimosaria Gn. UP: Dickinson, Mackinac, Schoolcraft; June 18-Aug. 1. NLP: Beaver Isls., Cheboygan, Crawford, Fox Isls., Midland, Montmorency, Ogemaw, Oscoda; May 27-July 22. SLP: Berrien, Lapeer, Livingston, Oakland, St. Clair, Washtenaw; May 24-Aug. 1.

Nemoria rubrifrontaria Pack. NLP: Alpena, Crawford, Montmorency, Newaygo, Oscoda, Roscommon; May 27-July 12. SLP: Livingston, May 16-July 27.

Synchlora aerata Fabr. UP: Chippewa, Mackinac, Schoolcraft; July 2-Aug. 16. NLP: Beaver Isls., Charlevoix, Crawford, Presque Isle; May 28-Sept. 15. SLP: Berrien, Branch, Lapeer, Livingston, Macomb, Oakland, Ottawa, St. Clair, Washtenaw, Wayne; May 30-Oct. 17.

Synchlora rubrifrontaria Pack. UP: Mackinac; July 20-Aug. 16. NLP: Beaver Isls.; July 22. SLP: Livingston, Oakland, Washtenaw; June 19-Aug. 12.

Dichorda iridaria Gn. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; May 24-Aug. 21. H. xlivi: 24.

Chlorissa pistasciaria Gn. NLP: Beaver Isls., Crawford, Montmorency, Oscoda, Roscommon; May 27-June 22. SLP: Berrien; Aug.

Mesothaea incertata Wlk. UP: Mackinac, Schoolcraft; May 21-June 28. NLP: Beaver Isls., Crawford, Emmet, Gladwin, Iosco, Midland, Montmorency, Oscoda, Roscommon; Apr. 27-May 30. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 12-June 12. H. xlivi: 18.

Chlorochlamys chloroleucaria Gn. UP: Mackinac, Schoolcraft; June 22-Aug. 20. NLP: Beaver Isls., Benzie, Cheboygan, Emmet, Midland, Muskegon, Newaygo, Oceana, Oscoda; June 1-Aug. 10. SLP: Berrien, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 15-Sept. 13. H. xlivi: 17.

Acidaliainae

Euacidalia balistaria Gn. SLP: Livingston, Oakland, Washtenaw; May 5-Aug. 9. Determined by Brower.

Euacidalia peralbata Pack. NLP: Montmorency; July 19.

Xystrota hepaticaria Gn. NLP: Crawford, Oscoda, Roscommon; May 27-June 31. Determined by Benjamin.

Acidalia cacuminaria Morr. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; May 29-Aug. 20.

Acidalia junctaria Wlk. UP: Alger, Chippewa, Dickinson, Isle Royale, Luce, Mackinac, Schoolcraft; June 23-Aug. 14. NLP: Beaver Isls., Cheboygan, Fox Isls., Midland, Roscommon; June 22-Aug. 9. SLP: Berrien, Cass, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 10-Aug. 15. Determined by Swett.

Acidalia enucleata Gn. UP: Dickinson, Mackinac, Schoolcraft; June 10-Aug. 14. NLP: Alpena, Beaver Isls., Charity Isl., Cheboygan, Crawford, Fox Isls., Iosco, Mason, Midland, Montmorency, Muskegon, Oceana; June 25-Aug. 16. SLP: Berrien, Branch, Cass, Huron, Lapeer, Livingston, Oakland, Ottawa, Saginaw, St. Clair, Washtenaw, Wayne; May 22-Aug. 17. H. xlivi: 5, as *alabastaria*.

Ptychopoda demissaria Hbn. NLP: Midland; July 23-26. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw; May 28-Aug. 27.

Ptychopoda inductata Gn. UP: Chippewa, Mackinac, Schoolcraft; June 22-July 21. NLP: Benzie, Charlevoix, Cheboygan, Crawford, Iosco, Midland, Muskegon, Osceola, Oscoda, Roscommon; May 20-Sept. 16. SLP: Berrien, Branch, Huron, Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 16-Sept. 23. H. xlivi: 6.

Haematopis grataria Fabr. UP: Alger (Pettit, 1901), Dickinson, Mackinac; Aug. 9-Sept. 6. NLP: Cheboygan, Midland, Montmorency, Ogemaw, Otsego; June 13-Sept. 14. SLP: Allegan, Berrien, Branch, Genesee, Huron, Ingham, Kalamazoo, Kent, Lapeer, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; Apr. 30-Sept. 18. H. xlivi: 2.

Timandra amaturaria Wlk. SLP: Berrien, Lenawee, Livingston, Washtenaw; June 2-Aug. 30. H. xlivi: 22.

Pleuroprucha insulsaria Gn. UP: Mackinac; June 18-Sept. 20. NLP: Beaver Isls., Midland, Osceola, Oscoda; July 18-Sept. 5. SLP: Allegan, Berrien, Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, Wayne; June 20-Nov. 2.

Cosymbia packardaria Prout. SLP: Livingston, Washtenaw; May 16-July 22.

Cosymbia lumenaria Hbn. UP: Dickinson, Keweenaw, Mackinac; June 7-Aug. 4. NLP: Beaver Isls., Cheboygan (Welch, 1915), Clare, Crawford, Lake, Midland, Montmorency, Muskegon, Ogemaw, Osceola, Oscoda, Otsego, Presque Isle, Roscommon; May 24-Aug. 22. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 14-Aug. 20. H. xlivi: 12.

Larentiinae

Trichodesia albovittata Gn. UP: Alger, Chippewa, Gogebic, Mackinac, Marquette; June 4-July 29. NLP: Beaver Isls., Cheboygan (Welch, 1915), Fox Isls., Midland, Osceola, Oscoda; May 11-Aug. 9. SLP: Berrien, Lenawee, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 9-Aug. 14. H. xliv: 19.

Nyctobia limitaria Wlk. UP: Isle Royale, Mackinac; May 15-Sept. 10. NLP: Benzie, Crawford; Apr. 29-May 30. SLP: Livingston, St. Clair, Washtenaw, Wayne; Apr. 29-June 1. H. xlvi: 22.

Cladara atroliturata Wlk. NLP: Benzie; Apr. 17. SLP: Oakland; Apr. 23-May. H. xlvi: 23.

Lobophora nivigerata Wlk. UP: Chippewa, Isle Royale, Luce, Mackinac, Schoolcraft; May 30-July 30. NLP: Arenac, Beaver Isls., Benzie, Cheboygan, Crawford, Emmet, Gladwin, Iosco, Midland, Montmorency, Newaygo, Oscoda, Roscommon; May 9-July 12. SLP: Lapeer, Livingston, Macomb, Oakland, Washtenaw; May 9-July 9.

Heterophleps refusata Wlk. UP: Schoolcraft; July. NLP: Midland, Montmorency; May 30-June 17. SLP: Berrien, Lapeer, Livingston, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 20-July 11. H. xlvi: 31.

Heterophleps triguttaria H. S. NLP: Midland, Muskegon; June 30-Aug. 2. SLP: Berrien, Cass, Kent, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 30-Sept. 20. H. xlvi: 29.

Dyspteris abortivaria H. S. NLP: Benzie, Cheboygan, Newaygo, Oceana; June 12-July 7. SLP: Berrien, Branch, Huron, Lapeer, Lenawee, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 13-Aug. 29. H. xlii: 21.

Rachela bruceata Hulst. NLP: Benzie, Osceola; Oct. 8-Nov. 8. SLP: Ingham, Macomb, St. Clair, Washtenaw, Wayne; Oct. 26-Nov. 8. H. xlvi: 24.

Triphosa affirmaria Wlk. UP: Mackinac, Schoolcraft; Sept. 14-29. NLP: Beaver Isls., Charlevoix, Osceola, Presque Isle; July 23-Oct. SLP: Oakland, St. Clair, Washtenaw, Wayne; Apr. 28-Oct. 7.

Calocalpe undulata Linn. UP: Chippewa, Luce, Mackinac, Schoolcraft; June 10-July 27. NLP: Beaver Isls., Benzie, Cheboygan, Emmet, Leelanau, Midland, Montmorency, Oceana, Oscoda; May 31-Aug. 2. SLP: Berrien, Lapeer, Livingston, Oakland, St. Clair, Washtenaw; May 30-Aug. 26. H. xlvi: 34.

Coryphista meadi Pack. SLP: Washtenaw, Wayne; May 8-Oct. 2.

Lygris diversilineata Hbn. NLP: Beaver Isls., Clare, Fox Isls.; July 13-Sept. 3. SLP: Berrien, Cass, Livingston, Oakland, St. Clair, Washtenaw; June 15-Aug. 10. H. xlvi: 42.

Lygris gracililineata Gn. UP: Mackinac, Schoolcraft; Aug. 12-30. NLP: Beaver Isls., Charity Isl., Charlevoix, Cheboygan; July 6-Sept. 3. SLP: Berrien, Branch, Huron, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 15-Sept. 16.

Lygris testata Linn. UP: Alger, Luce, Mackinac, Schoolcraft; July 19-Sept. 14. NLP: Beaver Isls., Charlevoix, Cheboygan, Gladwin, Osceola, Presque Isle; July 3-Sept. 21. SLP: Livingston, Oakland, St. Clair, Washtenaw; July 11-Sept. 27.

Lygris molliculata Wlk. UP: Mackinac; Aug. 21. NLP: Beaver Isls., Charlevoix; Aug. 6-26. SLP: Berrien, Oakland, St. Clair, Washtenaw; July 7-Sept. 7. Determined by Benjamin.

Lygris explanata Wlk. UP: Alger, Chippewa; July 21-Aug. 3. NLP: Beaver Isls., Iosco, Montmorency, Oceana; July 4-Aug. 21. SLP: Oakland, Washtenaw; July 4-11.

Diactinia silaceata abolineata Pack. UP: Luce, Mackinac; July 6-Aug. 8. NLP: Beaver Isls., Charlevoix, Fox Isls.; June 24-Sept. 3.

Thera contractata Pack. UP: Isle Royale, Mackinac; July 20-Sept. 10. NLP: Alpena, Beaver Isls.; July 8-Sept. 18. SLP: Oakland; June 22.

Dysstroma truncata Hufn. UP: Alger, Mackinac; July 2-Aug. 28. NLP: Beaver Isls., Charlevoix, Cheboygan, Fox Isls., Osceola; Aug. 23-Oct. 4.

Dysstroma hersiliata Gn. UP: Alger, Isle Royale, Mackinac; July 22-Aug. 1. NLP: Beaver Isls., Charlevoix; July 16-28. SLP: Jackson, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 17-July 20. H. xlvi: 46.

Hydriomena perfracta Swett. UP: Luce, Mackinac; June 28-July 5. NLP: Beaver Isls., Fox Isls.; June 16-July 7.

Hydriomena divisaria Wlk. NLP: Oscoda; June 4-6.

Hydriomena frigidata Wlk. NLP: Oscoda; June 5. SLP: Livingston, Oakland, Washtenaw, Wayne; Apr. 26-June 17.

Hydriomena renunciata Wlk. UP: Alger, Chippewa, Keweenaw, Mackinac, Schoolcraft; July 6-Aug. 1. NLP: Beaver Isls., Benzie, Cheboygan, Fox Isls., Iosco, Midland, Montmorency, Newaygo, Oceana, Oscoda, Roscommon; May 27-July 28. SLP: Huron, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 6-July 24.

Hydriomena ruberata Frey. NLP: Beaver Isls., Montmorency, Oscoda; May 30-July 8.

Xanthorhoe lacustrata Gn. UP: Luce, Mackinac, Schoolcraft; July 5-Aug. 9. NLP: Beaver Isls., Cheboygan, Iosco, Midland; June 21-Aug. 6. SLP: Berrien, Branch, Lapeer, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 2-Aug. 30. H. xlvi: 50, as *intermediata*.

Xanthorhoe designata Hufn. UP: Alger, Chippewa, Dickinson, Isle Royale, Schoolcraft; July 27-Aug. 3. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan (Welch, 1915), Fox Isls., Montmorency; May 29-Aug. 13. SLP: Berrien, Oakland, St. Clair, Washtenaw, Wayne; Apr. 29-Sept. 13. H. xlvi: 44.

Xanthorhoe ferrugata Clerk. UP: Mackinac; June 22. NLP: Midland, Oscoda; May 29-Aug. 13. SLP: Berrien, Jackson, Lapeer, Lenawee, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 2-Aug. 28.

Xanthorhoe munitata Hbn. SLP: Oakland, Washtenaw; June 9-Aug. 1.

Xanthorhoe convallaria Gn. UP: Alger, Chippewa, Schoolcraft; July 22-29. NLP: Beaver Isls.; July 16. Determined by Swett.

Xanthorhoe iduata Gn. UP: Alger, Chippewa, Schoolcraft; July 18-26. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco; July 9-Aug. 12. SLP: Washtenaw; June 2-Aug. 9. H. xlvi: 49 is *intermediata*, not *iduata*.

Xanthorhoe abrasaria H. S. UP: Chippewa, Schoolcraft; July 7-27.

Orthonama obstipata Fabr. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; June 17-Sept. 20. NLP: Bay, Beaver Isls., Charlevoix, Cheboygan, Iosco, Lake, Midland, Montmorency, Oceana, Oscoda, Presque Isle, Roscommon; May 31-Sept. 9. SLP: Allegan, Berrien, Branch, Cass, Huron, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 25-Oct. 27. H. xlvi: 48, as *fluviata*.

Orthonama evansi McD. UP: Mackinac; June 29.

Entephria aurata Pack. UP: Isle Royale; Aug. 1.

Spargania magnoliata Gn. UP: Chippewa, Mackinac, Marquette; June 24-July 30. NLP: Beaver Isls., Cheboygan, Fox Isls.; June 14-Sept. 7. SLP: St. Clair; July 25.

Oporinia dilutata Schiff. UP: Mackinac; Oct. 5. SLP: Livingston, Washtenaw, Wayne; Oct. 10-Nov. 13.

Euphyia intermediata Gn. UP: Alger, Chippewa, Mackinac, Schoolcraft; July 1-27. NLP: Beaver Isls., Benzie, Cheboygan, Oceana, Oscoda; May 31-Sept. 3. SLP: Berrien, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 2-Aug. 24. H. xlvi: 50, as *lacustrata*; 49 is *iduata*.

Euphyia centrostrigaria Woll. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; June 22-July 31. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Emmet, Fox Isls., Midland, Montmorency, Newaygo, Oceana, Roscommon; May 22-Sept. 3. SLP: Allegan, Berrien, Branch, Cass, Huron, Lapeer, Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 5-Oct. 12. H. xlvi: 35, as *latirupta*.

Euphyia multiferata Wlk. NLP: Beaver Isls., Newaygo; June 12-July 10. SLP: Lapeer, Livingston, Oakland, St. Clair, Washtenaw; May 6-June 8.

Campogramma stellata Gn. NLP: Beaver Isls.; Aug. 25. SLP: Livingston, Washtenaw; Sept. 9-Oct. 6. H. xlvi: 37, as *sitellata*.

Mesoleuca ruficillata Gn. UP: Chippewa, Isle Royale, Mackinac; June 24-Aug. 3. NLP: Beaver Isls., Lake, Montmorency, Newaygo, Oceana, Oscoda; June 11-Aug. 6. SLP: Berrien, Lapeer, Lenawee, Oakland, St. Clair, Washtenaw; May 21-Aug. 11.

Eulype hastata Linn. UP: Dickinson, Isle Royale, Luce, Mackinac, Marquette; June 5-July 31. NLP: Beaver Isls., Charity Isl., Cheboygan, Crawford, Fox Isls., Midland, Oscoda; May 17-July 10. SLP: Berrien, Oakland, Washtenaw, Wayne; June 23-July 9. H. xlvi: 40.

Epirrhoa alternata Mull. UP: Alger, Chippewa; July 7-24. NLP: Cheboygan (Welch, 1915). SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 1-Aug. 30.

Perizoma basaliata Wlk. UP: Alger, Isle Royale, Mackinac; July 24-Aug. 9. NLP: Beaver Isls., Cheboygan, Iosco; July 24-Sept. 3.

Earophila vasiliata Gn. SLP: Livingston, Macomb, Oakland; Apr. 18-May 14.

Venusia cambrica Curt. UP: Alger, Chippewa, Isle Royale, Mackinac; July 12-Aug. 8.

Venusia comptaria Wlk. NLP: Benzie, Oscoda; May 30-June 26. SLP: Macomb, Oakland, Washtenaw; Apr. 23-May 15. H. xlvi: 15, as *duodecemlineata*.

Hydrelia lucata Gn. UP: Mackinac, June 5-July 29. NLP: Beaver Isls., July 7. H. xliv: 6.

Hydrelia inornata Hulst. UP: Chippewa, Luce, Mackinac; June 28-July 18. NLP: Iosco (no date). SLP: Berrien, St. Clair; July 7-28. H. xlvi: 33, as *comptaria*.

Hydrelia albifera Wlk. UP: Alger, Mackinac; July-Aug. 4. NLP: Cheboygan, Midland; June 8-Aug. 16. SLP: Berrien, Lapeer, Livingston, Oakland, Washtenaw, Wayne; May 25-Sept. 12.

Eudule mendica Wlk. UP: Alger, Chippewa, Dickinson, Luce, Mackinac, Marquette, Schoolcraft; June 16-July 27. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Iosco, Midland, Montmorency, Oceana, Otsego; June 3-Aug. 12. SLP: Berrien, Huron, Jackson, Kent, Lapeer, Livingston, Monroe, Oakland, St. Clair, Washtenaw, Wayne; June 2-July 30. H. xlii: 27.

Eupithecia miserulata Grt. NLP: Benzie, Branch, Cheboygan, Emmet, Oceana, Oscoda; June 9-Aug. 26. SLP: Berrien, Branch, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 2-Nov. 6. Determined by Swett.

Eupithecia russeliata Swett. NLP: Oscoda; June 5. Determined by McDunnough.

Eupithecia affinata Pears. SLP: Washtenaw; Aug. 12. Determined by McDunnough.

Eupithecia filmata Pears. UP: Isle Royale; May 13-15. Determined by McDunnough.

Eupithecia cimicifugata Pears. SLP: Livingston, Oakland, Washtenaw; June 22-July. Determined by Swett.

Eupithecia catskillata Pears. UP: Luce, Mackinac, Schoolcraft; June 29-July 5. NLP: Fox Isls., Aug. 16. SLP: Livingston; June 13. Determined by Swett.

Eupithecia palpata Pack. NLP: Beaver Isls., Cheboygan, Montmorency; May 29-July 1. Determined by Swett.

Eupithecia erpata Pears. SLP: Macomb; May 16. Determined by McDunnough.

Eupithecia coagulata Gn. UP: Mackinac; July 28. NLP: Cheboygan, Fox Isls., Montmorency; May 29-July 14. SLP: Washtenaw; Aug. 12. Determined by Swett.

Eupithecia geminata Pack. UP: Mackinac, Schoolcraft; Aug. 26. NLP: Beaver Isls., Fox Isls., Midland; Aug. 5-22. SLP: Livingston, Macomb, Oakland, Washtenaw, Wayne; July 29-Sept. 12. Determined by Swett.

Eupithecia stratonata Pack. NLP: Oscoda; June 1. SLP: Huron; May 29. Determined by McDunnough.

Eupithecia latipennis Hulst. NLP: Beaver Isls., Fox Isls., Oscoda; June 1-Aug. 16. Determined by Swett.

Eupithecia interruptofasciata Pack. UP: Mackinac; Sept. 26. NLP: Alpena, Beaver Isls., Lake; June 15-Sept. 20. SLP: Livingston, Oakland, Washtenaw; June 9-Oct. 12. Determined by Swett.

Eupithecia gelidata Moesch. NLP: Cheboygan; June 27. Determined by McDunnough.

Eupithecia ravocostaliata Pack. NLP: Montmorency, Oscoda; May 29-31. SLP: Livingston, Macomb, Washtenaw; Apr. 28-May 11.

Eupithecia cognizata Pears. UP: Schoolcraft; July. Determined by Swett.

Eupithecia fumata Taylor. NLP: Beaver Isls.; July 18. SLP: Oakland, Wayne; June 14-Sept. 3. Determined by Swett.

Eupithecia anticaria Wlk. UP: Mackinac; July 3-27. NLP: Beaver Isls.; July 7. Determined by Swett.

Horisme intestinata Gn. UP: Chippewa, Mackinac, Schoolcraft; July 20-30. NLP: Beaver Isls., Charlevoix, Cheboygan, Lake, Midland, Roscommon; May 27-Sept. 5. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 24-Sept. 5. H. xlii: 30.

Geometrinae

Isturgia truncataria Wlk. UP: Chippewa, Mackinac, Schoolcraft; May 19-June 14. NLP: Crawford, Ogemaw, Oscoda, Roscommon; May 25-June 1. SLP: Livingston; May 17-Aug. 28. H. xlivi: 26.

Isturgia amitaria Gn. UP: Alger, Chippewa, Schoolcraft; June 15-July 30. NLP: Beaver Isls., Cheboygan, Crawford, Emmet, Iosco, Mecosta, Montmorency, Ogemaw, Oscoda, Roscommon; May 25-June 25. SLP: Oakland, Wayne; June 16.

Eufidonia notataria Wlk. UP: Chippewa, Mackinac, Schoolcraft; June 8-July 24. NLP: Cheboygan, Crawford, Midland, Montmorency, Newaygo, Ogemaw, Oscoda; May 22-June 25. SLP: Livingston, Oakland; May 25-June 12. This may include *E. discospilata* Wlk. now considered a valid species. H. xlivii: 25.

Orthofidonia tintaria Wlk. NLP: Crawford, Oscoda; May 28-July 19.

Bapta semiclarata Wlk. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; May 22-July 5. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Midland, Montmorency, Ogemaw, Oscoda, Roscommon; May 23-July 4. SLP: Oakland, St. Clair, Wayne; Apr. 24-June 24. H. xlivi: 30.

Bapta vestaliata Gn. UP: Mackinac, Schoolcraft; June 10-17. NLP: Beaver Isls., Benzie, Charity Isl., Charlevoix, Cheboygan, Crawford, Midland, Oscoda; May 18-July 24. SLP: Berrien, Branch, Huron, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; Apr. 24-June 24. H. xlivi: 31.

Bapta glomeraria Grt. SLP: Livingston, Macomb, Oakland; Apr. 23-May 7. H. xliv: 3.

Heliomata cycladata Grt. SLP: Branch, Lapeer, Livingston, St. Joseph, Washtenaw; May 30-June 30. H. xlivi: 29.

Mellilla xanthometata Wlk. SLP: Livingston; Aug. Determined by Benjamin.

Physostegania pustularia Gn. UP: Alger, Isle Royale, Mackinac, Marquette, Schoolcraft; July 20-Aug. 25. NLP: Beaver Isls., Benzie, Cheboygan, Lake, Midland, Oceana, Otsego, Presque Isle, Roscommon; June 25-Sept. 3. SLP: Berrien, Branch, Livingston, Oakland, Ottawa, St. Clair, Washtenaw, Wayne; May 9-Aug. 25. H. xlivi: 35.

Gueneria basiaria Wlk. NLP: Cheboygan (Welch, 1915), Midland; June 1. SLP: Berrien, Livingston, Oakland; May 17-June 22.

Cabera variolaria Gn. UP: Alger, Chippewa, Dickinson, Mackinac, Schoolcraft; June 10-Sept. 24. NLP: Beaver Isls., Charity Isl., Cheboygan, Iosco, Midland, Muskegon, Oscoda, Otsego; June 25-Aug. 11. SLP: Huron, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 16-Sept. 2. H. xlivi: 36 is *erythemia* not *variolaria*.

Cabera erythemia Gn. UP: Dickinson, Isle Royale, Mackinac, Schoolcraft; June 12-Aug. 28. NLP: Arenac, Beaver Isls., Charity Isl., Charlevoix, Cheboygan, Iosco, Midland, Montmorency, Oscoda; May 29-July 20. SLP: Berrien, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 18-Sept. 5. H. xlivi: 36, as *variolaria*.

Drepanulatrix liberaria Wlk. NLP: Osceola; Sept. 18. SLP: Ingham, Livingston, Oakland, Washtenaw, Wayne; Aug. 4-Oct. 3.

Philobia aemulataria Wlk. SLP: Allegan, Berrien, Lapeer, Livingston, Oakland, Washtenaw, Wayne; May 8-Aug. 22. H. xlivi: 39, as *enotata*.

Philobia ulsterata Pears. UP: Alger, Isle Royale, Mackinac, Schoolcraft; July 3-Aug. 5. NLP: Beaver Isls., Cheboygan; June 11-July 30.

Macaria minorata Pack. NLP: Beaver Isls., Cheboygan; June 25-July 30. SLP: Berrien, Ottawa, St. Clair, Washtenaw; May 31-Aug. 1.

Macaria bisignata Wlk. UP: Isle Royale, Mackinac, Menominee; July 25-Aug. 5. NLP: Beaver Isls., Benzie, Cheboygan, Midland, Muskegon, Newaygo, Oceana, Oscoda; June 1-Aug. 5. SLP: Berrien, Huron, Oakland, St. Clair, Washtenaw; June 3-Sept. 22.

Macaria bicolorata Fabr. UP: Chippewa, Schoolcraft; July 14-29. NLP: Iosco; Aug. 6. H. xlivi: 40, as *praeatomata*. Determined by Benjamin.

Macaria punctolineata Pack. SLP: Washtenaw; Oct. 11.

Macaria granitata Gn. UP: Chippewa, Isle Royale, Luce, Mackinac, Schoolcraft; May 24-July 28. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Cheboygan, Fox Isls., Iosco, Lake, Montmorency, Newaygo; May 29-Aug. 29. SLP: Allegan, Berrien, Cass, Huron, Livingston, Oakland, St. Clair, Washtenaw; May 13-Aug. 22. H. xlivi: 37.

Macaria abruptata Wlk. SLP: Livingston; July 1.

Phasiane nigrocomina Warr. NLP: Cheboygan, Leelanau, Muskegon; June 23-Aug. 16. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; May 12-Sept. 5. H. xlivi: 41, as *heliothidata*.

Phasiane neptaria Gn. UP: Dickinson, Mackinac; July 31-Aug. 9. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Iosco, Newaygo, Oscoda; May 28-Aug. 12.

Phasiane mellistrigata Grt. UP: Houghton, Luce, Schoolcraft; July 8-Aug. 7. NLP: Cheboygan, Midland, Montmorency, Oscoda; May 29-Aug. 24. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 9-Sept. 5. H. xlivi: 42.

Phasiane snoviata Pack. SLP: Berrien, Washtenaw; May 14-Aug. 1.

Phasiane infimata Gn. NLP: Charlevoix, Midland, Oscoda; June 11-Aug. 25. SLP: Berrien, Branch, Cass, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 12-Aug. 19. H. xlvi: 32, as *absynthiata*.

Phasiane orillata Wlk. UP: Chippewa, Mackinac, Schoolcraft; June 20-July 11. NLP: Beaver Isls., Cheboygan, Iosco, Montmorency, Oscoda; June 14-Aug. 15. SLP: Oakland; Aug. 30.

Phasiane eremiata Gn. UP: Schoolcraft; July 22. NLP: Beaver Isls., Benzie, Emmet, Iosco; June 17-July 18. SLP: Berrien, Livingston, Oakland, Washtenaw; June 2-Aug. 5.

Phasiane ordinata Wlk. SLP: Oakland; May 20-July 14. Determined in U.S.N.M.

Hesperumia sulphuraria Pack. UP: Chippewa; July 22-28. NLP: Cheboygan, Oscoda; July 9-12. H. xliv: 1, form *baltearia*.

Itame ribearia Fitch. NLP: Beaver Isls., Charity Isl., Cheboygan, Midland, Oceana; July 16-Aug. 6. SLP: Livingston, Oakland, St. Clair, Washtenaw; June 14-July 27. H. xlvi: 45.

Itame sulphurea Pack. UP: Chippewa, Dickinson, Mackinac, Schoolcraft; July 10-Aug. 3. NLP: Montmorency, Presque Isle; July 15-23. SLP: Huron, Oakland; July 15-29. Determined by Swett.

Itame occiduaria Pack. NLP: Cheboygan; July 18.

Itame evagaria Hlst. SLP: Hillsdale, Lenawee, Livingston; June 3-12.

Itame inceptaria Wlk. UP: Alger, Chippewa, Mackinac, Schoolcraft; June 20-Aug. 3. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Cheboygan, Crawford, Iosco, Lake, Montmorency, Muskegon, Newaygo, Oscoda, Presque Isle, Roscommon; May 31-Aug. 5. SLP: Huron, Livingston, Oakland, St. Clair, Washtenaw; June 8-July 22. Determined by Swett and by Brower. H. xlivi: 46.

Itame brunneata Thun. UP: Alger, Chippewa, Dickinson, Luce, Mackinac, Marquette, Schoolcraft; July 5-Aug. 5. NLP: Beaver Isls., Benzie, Crawford, Oscoda; May 30-July 24. SLP: Livingston; June 30.

Itame coortaria Hlst. NLP: Alpena, Cheboygan, Midland, Presque Isle; July 8-23. SLP: Livingston, Oakland, St. Clair, Washtenaw; June 2-22. H. xlivi: 49.

Itame anataria Swett. UP: Mackinac; Aug. 1. NLP: Beaver Isls.; July 23-Aug. 6. SLP: Berrien, Livingston; July 7-20.

Itame bitactata Wlk. UP: Alger, Chippewa, Gogebic; July. SLP: Cass, Macomb, St. Clair, Washtenaw; June 26-July 27.

Itame pustularia Hbn. UP: Luce, Mackinac, Schoolcraft; June 7-July 6. NLP: Beaver Isls., Cheboygan, Crawford, Midland, Montmorency, Newaygo, Oscoda, Roscommon; May 27-July 24.

Itame virginialis Hlst. UP: Dickinson, Luce; July 5-24. NLP: Charlevoix, Cheboygan, Crawford, Lake, Montmorency, Oceana, Oscoda, Otsego; May 15-Aug. 27. SLP: Lapeer, Livingston, Macomb, Oakland, Washtenaw; May 22-Aug. 30. Determined by U.S.N.M.

Dysmigia loricaria Evers. UP: Alger, Chippewa, Mackinac, Schoolcraft; June 24-July 25. NLP: Cheboygan, Midland, Oscoda; June 18-July 24. SLP: Lapeer, Oakland, St. Clair, Washtenaw; June 20-July 4. Determined by Forbes.

Homochlodes fritillaria Gn. UP: Chippewa, Luce, Mackinac, Schoolcraft; June 17-July 28. NLP: Beaver Isls., Benzie, Cheboygan, Iosco, Kalkaska, Midland, Montmorency, Oscoda; May 31-July 10. SLP: Berrien, Livingston, Oakland, Washtenaw, Wayne; May 20-July 15.

Apaeicasia detersata Gn. UP: Schoolcraft; May 24-June 17. NLP: Bay, Crawford, Midland, Oscoda, Roscommon; May 28-June 18.

Apaeicasia atropunctata Pack. UP: Schoolcraft; June 9-July. NLP: Oscoda; June 1-15.

Apaeicasia subaequaria Wlk. UP: Alger, Chippewa, Mackinac, Schoolcraft; May 22-June 29. NLP: Bay, Beaver Isls., Charity Isl., Cheboygan, Crawford, Emmet, Oscoda; May 23-July 2. SLP: Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 1-July 6. H. xlivi: 52, as *defluata*.

Catopyrrha coloraria Fabr. NLP: Iosco, Newaygo, Ogemaw, Oscoda; May 25-July 8. SLP: Huron, Livingston, St. Clair; June 29-July 14. H. xlivi: 53, 54.

Caripeta divisata Wlk. UP: Chippewa, Mackinac, Marquette, Schoolcraft; June 30-July 28. NLP: Beaver Isls., Cheboygan, Emmet, Iosco, Oceana, Oscoda; June 27-Aug. 6. SLP: Berrien, St. Clair; July 4-Aug. 13. H. xlivi: 58.

Caripeta piniata Pack. UP: Chippewa, Schoolcraft; July 8-22. NLP: Beaver Isls., July 1-15. H. xliv: 2, as *angustiorata*.

Caripeta angustiorata Wlk. UP: Chippewa, Mackinac, Schoolcraft; July 8-22. NLP: Alpena, Beaver Isls., Cheboygan, Crawford, Iosco, Oceana, Oscoda; June 4-Aug. 6. H. xliv: 2 is *piniata*, not *angustiorata*.

Nepytia canosaria Wlk. UP: Mackinac, Schoolcraft; July 25-Sept. 24. NLP: Beaver Isls., Cheboygan, Otsego; Aug. 21-Sept. 17. SLP: Oakland, St. Clair, Van Buren; Aug. 7-Sept. 1. H. xlvi: 60, as *semiclusaria*.

Paraphia unipuncta Haw. SLP: Livingston, Oakland, Washtenaw, Wayne; June 11-Aug. 20. H. xliv: 11 (?).

Paraphia subatomaria Wood. UP: Isle Royale, Schoolcraft; July 18-27. NLP: Beaver Isls., Charlevoix, Cheboygan, Lake, Midland, Montmorency, Muskegon, Newaygo, Oceana; May 31-Aug. 6. SLP: Lapeer, Lenawee, Livingston, Macomb, Oakland, St. Clair, St. Joseph (Forbes, 1948), Washtenaw, Wayne; May 22-Aug. 30. H. xliv: 10(?). Determined by Forbes.

Lytrosis unitaria H. S. NLP: Lake, Midland, Muskegon, Ogemaw; July 10-Aug. 4. SLP: Berrien, Lapeer, Livingston, Washtenaw; June 17-Aug. 1.

Cleora buckholzaria Lemm. NLP: Newaygo, June 12.

Cleora indicataria Wlk. UP: Alger, Dickinson, Mackinac, Schoolcraft; July 12-28. NLP: Beaver Isls., Charity Isl., Cheboygan, Crawford, Iosco, Montmorency, Oceana, Oscoda; May 30-Sept. 3. SLP: Livingston; June 5-Aug. 15.

Cleora cribataria Gn. SLP: Oakland, St. Clair; June 7-23.

Cleora manitoba Grossb. NLP: Montmorency; May 29.

Cleora pampinaria Gn. UP: Mackinac; June 22. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Midland, Muskegon, Oceana, Osceola, Oscoda, Roscommon; May 27-July 24. SLP: Berrien, Branch, Cass, Ingham, Lapeer, Livingston, Oakland, Saginaw, St. Clair, Washtenaw, Wayne; Apr. 28-Sept. 13. H. xliv: 4.

Cleora polygrammaria Pack. NLP: Crawford; June 24.

Cleora humaria Gn. UP: Mackinac; May 20. SLP: Huron; June. Determined by Swett.

Cleora vellivolata Hlst. UP: Luce; July 5. NLP: Crawford, Montmorency, Newaygo, Oscoda, Roscommon; May 27-July 24. SLP: Cass, Livingston, Oakland, Washtenaw, Wayne; May 18-July 19.

Cleora ephyraria Wlk. UP: Alger; July 25-Aug. 6. SLP: Berrien, Huron, Livingston, Oakland, St. Clair, Washtenaw; June 28-Aug. 15.

Cleora larvaria Gn. UP: Chippewa, Luce, Mackinac, Schoolcraft; June 15-July 12. NLP: Beaver Isls., Midland, Montmorency, Oscoda; May 31-Aug. 20. SLP: Washtenaw; July 8.

Melanolophia canadaria Gn. NLP: Oscoda; June 4. SLP: Washtenaw; June 9. H. xliv: 7.

Melanolophia signataria Wlk. UP: Mackinac; July 1. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Montmorency, Oscoda, Roscommon; May 28-July 16. SLP: Berrien, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 2-Aug. 1.

Aethaloptera anticaria Wlk. NLP: Cheboygan, Crawford, Midland, Montmorency, Newaygo, Oscoda, Roscommon; May 9-July 17. SLP: St. Clair; May 30-July 4.

Ectropis crepuscularia D. & S. UP: Chippewa, Luce, Mackinac, Schoolcraft; June 18-July 27. NLP: Beaver Isls., Benzie, Cheboygan, Montmorency, Osceola, Oscoda; May 29-Oct. 10. SLP: Berrien, Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 20-Sept. 21. H. xliv: 9.

Epimecis virginaria Cram. SLP: Berrien, Livingston, Macomb, Washtenaw, Wayne; May 2-July 8. H. xliv: 28, 29.

Lycia ursaria Wlk. NLP: Benzie, Crawford; Mar.-May 9. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; Mar. 22-May 8.

Amphidasis cognataria Gn. UP: Chippewa, Isle Royale, Mackinac; June 29-July 30. NLP: Alpena, Arenac, Beaver Isls., Benzie, Cheboygan, Crawford, Manistee, Midland, Montmorency, Oceana, Oscoda, Presque Isle; May 29-Aug. 21. SLP: Ingham, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; May 16-Sept. 2. H. xliv: 13.

Nacophora queraria A. & S. NLP: Cheboygan, Midland, Newaygo; May 22-July 12. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 20-July 20. H. xliv: 14.

Phigalia olivacea Morr. SLP: Livingston, Macomb, Oakland, Washtenaw; Mar. 14-May 7.

Phigalia titea Cram. NLP: Benzie, Crawford, Oscoda; Mar.-May 9. SLP: Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Mar. 17-May 8. H. xliv: 16.

Palaearcita vernata Peck. NLP: Midland; Mar. 16-18. SLP: Ingham, Livingston, Oakland, Washtenaw, Wayne; Mar. 14-May 25. H. xlvi: 25 is *pometaria*, not *vernata*.

Erannis tiliaria Harris. UP: Mackinac; Oct. 5-19. NLP: Beaver Isls., Crawford, Fox Isls., Osceola; Oct. 1-16. SLP: Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Sept. 20-Nov. 30. H. xliv: 17.

Cingilia catenaria Dru. UP: Keweenaw, Schoolcraft; Sept. 12-25. NLP: Beaver Isls., Cheboygan, Midland, Oscoda; Sept. 6-Oct. SLP: Livingston, Oakland, St. Clair, Washtenaw, Wayne; Sept. 11-Oct. 14. H. xliv: 21.

Anagoga pulveraria Linn. UP: Chippewa, Mackinac; June 17-July 21. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Fox Isls., Oscoda; May 28-June 25. SLP: Berrien, Macomb; Apr. 29-Aug. 15.

Sicya macularia Harris. UP: Alger, Chippewa, Isle Royale, Mackinac; July 22-Aug. 25. NLP: Beaver Isls., Benzie, Cheboygan, Midland, Roscommon; July 6-Aug. 14. SLP: Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 9-Aug. 5. H. xliv: 22, 23.

Elloptia endropiaria G. & R. UP: Mackinac; June 28. NLP: Charlevoix, Fox Isls.; June 16-22. SLP: Berrien; Aug. H. xliv: 26.

Elloptia fiscellaria Gn. UP: Keweenaw, Mackinac, Schoolcraft; Aug. 30-Sept. 23. NLP: Alpena, Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Emmet, Osceola, Otsego; Aug. 23-Oct. 8. SLP: Livingston, Montcalm, Oakland; Sept. 11-20. H. xliv: 25.

Elloptia turbataria B. & McD. NLP: Beaver Isls.; Sept. 7. SLP: Livingston, Washtenaw, Wayne; Sept. 6-Oct. 12.

Campaea perlata Gn. UP: Alger, Chippewa, Isle Royale, Mackinac, Marquette, Schoolcraft; July 12-Aug. 30. NLP: Alpena, Benzie, Charity Isl., Charlevoix, Cheboygan, Midland, Montmorency, Newaygo, Osceola, Oscoda; June 4-Sept. 4. SLP: Lenawee, Lapeer, Livingston, St. Clair, Washtenaw; May 30-Sept. 6. H. xliv: 30, as *praegrandaria*.

Eugonobapta nivosaria Gn. UP: Alger, Chippewa; July 17-21. NLP: Arenac, Charity Isl.; July 17-19. SLP: Berrien, Branch, Jackson, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 25-July 27. H. xliv: 31.

Ennomos subsignarius Hbn. UP: Isle Royale, Mackinac, Marquette, Schoolcraft; July 20-Sept. 10. NLP: Beaver Isls., Benzie, Cheboygan, Fox Isls., Newaygo, Oceana; June 28-Aug. 12. SLP: Cass, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 19-Aug. 4. H. xliv: 35.

Ennomos magnarius Gn. UP: Mackinac, Schoolcraft; Aug. 29-Sept. 13. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Midland, Osceola, Oscoda, Presque Isle; July 28-Oct. 10. SLP: Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Aug. 3-Oct. 21. H. xliv: 34.

Xanthotype sospeta Dru. UP: Alger, Chippewa, Mackinac, Menominee, Schoolcraft; June 18-July 24. NLP: Alpena, Beaver Isls., Charity Isl., Charlevoix, Cheboygan, Lake, Midland, Montmorency; June 28-July 23. SLP: Berrien, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 13-Sept. 21. H. xliv: 40, as *caelaria*.

Xanthotype urticaria Swett. UP: Dickinson, Luce, Mackinac, Schoolcraft; June 28-July 24. NLP: Beaver Isls., Cheboygan, Clare; July 2-18. SLP: Branch, Cass, Livingston, Oakland, St. Clair, Washtenaw, Wayne; June 11-Aug. 24.

Plagodis serinaria H. S. UP: Mackinac; June 28. NLP: Benzie, Newaygo, Roscommon; May 27-June 11. SLP: Berrien, Livingston, Oakland, St. Clair, Washtenaw; May 16-June 9. H. xliv: 33.

Plagodis keutzingaria Pack. NLP: Benzie, Newaygo; June 12-July 4. SLP: Washtenaw; May 15. H. xliv: 36, as *keutzingi*.

Plagodis approximaria Dyar. UP: Mackinac; June 18-July 3. NLP: Beaver Isls.; June 16-July 1. SLP: Macomb, Washtenaw; Apr. 20-May 14.

Plagodis purpuraria Pears. SLP: Berrien; May 31.

Plagodis fervidaria H. S. NLP: Benzie, Newaygo; May-June 12. SLP: Livingston, Oakland, Washtenaw, Wayne; May 1-July 18.

Plagodis alcoolaria Gn. UP: Mackinac; June 18. NLP: Benzie, Crawford, Newaygo, Oceana, Oscoda; May 24-June 28. SLP: Berrien, Lapeer, Lenawee, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 8-Aug. 20. H. xliv: 32, as *emargataria*.

Plagodis phlogosaria Gn. NLP: Charlevoix, Crawford; May 30-Aug. 1. SLP: Berrien, Branch, Cass, Livingston, Macomb, Oakland, St. Clair, Washtenaw; June 25-Aug. 9.

Plagodis arrogaria Hst. NLP: Montmorency, Oscoda; May 29-30. SLP: Livingston, Oakland, Washtenaw, Wayne; July 9-Aug. 6.

Hyperetis amicaria H. S. UP: Mackinac, Schoolcraft; June 15-July 3. NLP: Beaver Isls., Benzie, Charlevoix, Cheboygan, Crawford, Emmet, Midland, Montmorency, Newaygo, Oceana, Oscoda; May 26-July 23. SLP: Berrien, Cass, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; Apr. 18-Aug. 11. H. xliv: 38.

Nematocampa limbata Haw. UP: Alger, Dickinson, Mackinac; June 26-Aug. 6. NLP: Beaver Isls., Charity Isl., Cheboygan, Clare, Crawford, Iosco, Midland, Montmorency, Oceana, Presque Isle; June 25-Aug. 20. SLP: Berrien, Branch, Ingham, Lapeer, Livingston, Oakland, St. Clair, Van Buren, Washtenaw, Wayne; June 7-Sept. 16. H. xliv: 37.

Gonodontis hypochraria H. S. UP: Schoolcraft; June 17. NLP: Beaver Isls., Benzie, Charity Isl., Cheboygan, Midland, Newaygo, Oscoda; June 1-26. SLP: Berrien, Ingham, Lapeer, Livingston, Monroe, Oakland, St. Clair, Washtenaw, Wayne; May 27-June 29. H. xliv: 1.

Gonodontis warneri Harvey. NLP: Charlevoix, Cheboygan, Crawford, Midland, Montmorency, Ogemaw, Oscoda; May 25-July 24. SLP: Oakland, St. Clair, Washtenaw; May 27-June 20. Determined by Benjamin.

Gonodontis duaria Gn. UP: Mackinac, Schoolcraft; June 10-July 5. NLP: Beaver Isls., Charlevoix, Crawford, Iosco, Montmorency, Newaygo, Oscoda; May 28-June 26. SLP: Berrien, Lapeer, Livingston, Oakland, Washtenaw, Wayne; May 10-June 14. H. xliv: 2.

Gonodontis angularia B. & McD. UP: Dickinson; Aug. 10.

Gonodontis franclemonti Rupert. UP: Schoolcraft; June 19. NLP: Oscoda, Crawford; May 31-June 12. SLP: Berrien, Livingston, Oakland; May 18-June 12.

Gonodontis obfirmaria Hbn. NLP: Crawford, Iosco, Ogemaw, Oscoda, Roscommon; May 25-June 1. SLP: Livingston, Oakland, St. Joseph; May 18-June 12. H. xliv: 14.

Euchlaena serrata Dru. NLP: Beaver Isls., Charlevoix, Cheboygan, Iosco, Midland, Oceana, Oscoda; June 24-July 30. SLP: Berrien, Cass, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 16-July 27. H. xliv: 4.

Euchlaena obtusaria Hbn. NLP: Alpena, Midland; June 28-July 13. SLP: Ingham, Lapeer, Livingston, Oakland, Washtenaw; June 14-July 31. H. xlv: 3.

Euchlaena effecta Wlk. UP: Alger, Dickinson, Luce, Mackinac, Menominee, Schoolcraft; July 5-Aug. 1. NLP: Alpena, Beaver Isls., Benzie, Cheboygan, Crawford, Kalkaska, Lake, Midland, Oceana, Oscoda, Presque Isle; May 30-Aug. 10. SLP: Berrien, Ingham, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 30-July 27. H. xlv: 24.

Euchlaena johnsonaria Fitch. UP: Alger, Chippewa, Mackinac, Schoolcraft; July 12-Aug. 14. NLP: Alpena, Beaver Isls., Cheboygan, Iosco, Midland, Montmorency, Newaygo, Oceana, Oscoda, Otsego, Roscommon; June 24-Aug. 6. SLP: Berrien, Ingham, Livingston, Oakland, Ottawa, St. Clair, Washtenaw, Wayne; June 4-Sept. 4.

Euchlaena vinulentaria G. & R. NLP: Iosco, Oscoda; June 14-Aug. 6.

Euchlaena astylusaria Wlk. UP: Chippewa; July 22 (listed by McAlpine, 1918, as *obtusaria*). NLP: Beaver Isls., Crawford, Iosco, Midland, Montmorency, Oscoda; June 14-July 18. SLP: Berrien, Ingham, Lapeer, Livingston, Oakland, Washtenaw; May 23-Aug. 31. H. xlv: 8.

Euchlaena marginata Minot. UP: Mackinac, Schoolcraft; June 22-July 3. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Midland, Montmorency, Newaygo, Oscoda, Roscommon; May 22-July 2. SLP: Livingston, Oakland, Washtenaw, Wayne; May 21-June 20.

Euchlaena tigrinaria Gn. NLP: Charlevoix; June 23. SLP: Berrien, Livingston, Washtenaw; June 5-Aug. 15. H. xlv: 25, as *pectinaria*.

Selenia alciphearia Wlk. UP: Mackinac; June 18-July 3. NLP: Montmorency; May 30. SLP: Berrien; Aug. 13.

Selenia kentaria G. & R. SLP: Berrien; July 20.

Metanema inatomaria Gn. UP: Chippewa, Dickinson, Isle Royale, Luce, Mackinac; June 15-Aug. 4. NLP: Beaver Isls., Cheboygan, Crawford, Iosco, Midland, Montmorency, Newaygo, Oceana, Oscoda; May 28-Aug. 10. SLP: Berrien, Ingham, Livingston, Oakland, St. Clair, Washtenaw, Wayne; Apr. 27-Aug. 15. H. xlv: 13.

Metanema determinata Wlk. UP: Dickinson, Mackinac, Schoolcraft; June 18-Aug. 1. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Midland, Montmorency, Oscoda; May 30-Aug. 6. SLP: Berrien, Lapeer, Livingston, Macomb, Oakland, St. Clair, Washtenaw; Apr. 30-Aug. 26. H. xlv: 12.

Metanema quercivoraria Gn. UP: Mackinac; June 28. NLP: Beaver Isls., Lake, Newaygo; May 29-July 31. SLP: Livingston, Oakland, St. Clair, Washtenaw; May 5-Aug. 25. H. xlv: 28.

Priocyclo armataria H. S. NLP: Cheboygan, Oceana; June 24-July 3. SLP: Berrien, Livingston, Oakland, Sanilac, St. Clair, Washtenaw; June 1-July 12. H. xlv: 6.

Priocyclo decoloraria Hlst. NLP: Cheboygan, Muskegon; July 5-Aug. 16. SLP: Livingston, Macomb, Washtenaw; June 2-July 23. Determined by Benjamin.

Pero honestarius Wlk. NLP: Benzie, Charlevoix, Crawford, Midland, Newaygo; May 19-Aug. 16. SLP: Ingham, Livingston, Macomb, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; Apr. 30-Sept. 18. H. xlv: 23, as *ancetaria*.

Pero morrisonarius Hy. Edw. UP: Mackinac; June 28-July 6. NLP: Beaver Isls., Crawford, Midland; May 29-July 3. SLP: Berrien, Branch, Lapeer, Livingston, Macomb, Oakland, Washtenaw; May 20-Aug. 12.

Pero marmoratus Grossb. UP: Luce; July 6. NLP: Beaver Isls., Benzie, Cheboygan, Crawford, Midland, Newaygo; May 29-July 8. SLP: Berrien, Ingham, Livingston, Macomb, Oakland, Washtenaw, Wayne; May 6-Sept. 5.

Pero barnesi Swett & Casino. SLP: Washtenaw; May 15. This species has probably been rejected by collectors mistaking it for other species of the genus.

Apica confusaria Hbn. NLP: Alpena, Beaver Isls., Benzie, Charity Isl., Cheboygan, Midland, Muskegon, Oceana, Presque Isle; June 18-Aug. SLP: Berrien, Branch, Cass, Livingston, Macomb, Monroe, Oakland, St. Clair, Washtenaw, Wayne; June 19-Aug. 20. H. xlv: 29.

Apica irraria B. & McD. NLP: Beaver Isls., Cheboygan, Midland, Montmorency, Oceana, Oscoda, Presque Isle; May 30-July 16. SLP: Lapeer, Livingston, Oakland, Washtenaw, Wayne; June 4-July 4. H. xlv: 31, as *majoraria*.

Tetracis crocallata Gn. UP: Mackinac; May 30-July 3. NLP: Beaver Isls., Benzie, Crawford, Midland, Montmorency, Oceana, Oscoda; May 29-July 31. SLP: Berrien, Kent, Lapeer, Livingston, Oakland, St. Clair, Washtenaw, Wayne; May 23-Aug. 2. H. xlv: 16.

Sabulodes arcasaria Wlk. UP: Mackinac; June 20. NLP: Cheboygan, Crawford, Roscommon; May 27-June 30. SLP: Berrien, Washtenaw; June 9-Aug. 16. H. xlv: 17, female 18 as *sulphurata*.

Sabulodes lorata Grt. UP: Alger, Chippewa, Luce, Mackinac; June 18-July 21. NLP: Beaver Isls., Benzie, Crawford, Midland; June 11-July 8. SLP: Berrien, Ingham, Lapeer, Livingston, Oakland, Sanilac, St. Clair, Washtenaw, Wayne; May 16-July 17. H. xlv: 19.

Sabulodes transversata Dru. UP: Dickinson, Mackinac, Marquette, Schoolcraft; July 9-Sept. 24. NLP: Alpena, Beaver Isls., Charlevoix, Cheboygan, Crawford, Fox Isls., Iosco, Lake, Midland, Montmorency, Oceana, Oscoda, Otsego; July 8-Sept. 27. SLP: Allegan, Berrien, Cass, Huron, Ingham, Livingston, Macomb, Oakland, St. Clair, Washtenaw, Wayne; June 27-Sept. 23. H. xlv: 34.

Abbottana clemataria A. & S. UP: Ontonagon; June 23. NLP: Arenac, Beaver Isls., Benzie, Cheboygan, Crawford, Midland, Newaygo, Ogemaw,

Oscoda; May 10-June 24. SLP: Berrien, Cass, Lapeer, Livingston, Macomb, Oakland, Sanilac, Washtenaw, Wayne; Apr. 17-Sept. 12. H. xlv: 32, 33.

Sphacelodes vulneraria Hbn. SLP: Wayne; Aug. 9. A stray from the south. H. xlvi: 20.

EPIPLEMIDAE

Callizzia amorata Pack. UP: Mackinac; June 18-July 6. NLP: Beaver Isls.; June 11-July 17.

LITERATURE CITED

- Adams, Charles C.
 1909 Annotations on Certain Isle Royale Invertebrates. In: An Ecological Survey of Isle Royale, Lake Superior. Ann. Rept. Mich. Geol. Surv. for 1908. Lansing. Pp. 249-77.
- Andrews, Arthur W.
 1929 List of Some of the Insects Found at Huron Mountain [Marquette Co. Michigan]. In: The Book of Huron Mountain, ed. by B. H. Christy. Chicago. Pp. 116-52.
- Barnes, Wm., and J. McDunnough
 1917 Check List of the Lepidoptera of Boreal America. Decatur, Ill. Pp. x + 392.
- Beebe, Ralph
 1953 Sampling Michigan Lepidoptera by the Fixed Light Trap. Lepidopterists' News, 7(1): 28.
- Forbes, William T. M.
 1923 The Lepidoptera of New York and Neighboring States. Primitive Forms, Microlepidoptera, Pyraloids, Bombyces. Cornell Univ. Agr. Exp. Sta. Mem., 68, 729 pp., 439 text figs.
- 1948 Part II. Geometridae, Sphingidae, Notodontidae, Lymantriidae. Ibid., 274, 263 pp., 255 text figs.
- Holland, W. J.
 1905 The Moth Book. New York, Doubleday, Page & Co. (Many subsequent printings.) Pp. xxiv, 479, 48 col. pls., 263 text figs.
- McAlpine, W. S.
 1918 A Collection of Lepidoptera from Whitefish Point, Michigan. Occ. Papers Mus. Zool. Univ. Mich., 54:1-26, 1 folding map.
- McDaniel, E. I.
 1933 Important Leaf Feeding and Gall Making Insects Infesting Michigan's Deciduous Trees and Shrubs. Spec. Bull. 243, Agr. Exp. Sta. Mich. State Coll. Sec. Entomol., pp. 1-70, Figs. 1-76.
- McDunnough, J.
 1938 Part I. Macrolepidoptera. Check List of the Lepidoptera of Canada and the United States of America. Mem. S. Calif. Acad. Sci., 1:1-272.
- 1939 Part II. Microlepidoptera. Ibid., 2(1):1-171.
- Moore, Sherman
 1922 A List of Northern Michigan Lepidoptera. Occ. Papers Mus. Zool. Univ. Mich., 114:1-28.
- 1930 Lepidoptera of the Beaver Islands. Ibid., 214:1-28.
- Newcomb, W. W.
 1913 Checklist of Michigan Lepidoptera. II. Sphingidae. 15th Rept. Mich. Acad. Sci., pp. 213-14.

Pettit, R. H.

- 1901 Insect and Animal Life on the Upper Peninsula Experiment Station. 1st Rept.
Upper Penin. Exp. Sta., Mich. State Agr. Coll. Exp. Sta. Bull., 186 (Dec. 1900),
pp. 28-42, illus.

Ruthven, A. G.

- 1906 Spiders and Insects from the Porcupine Mountains and Isle Royale, Michigan.
In: C. C. Adams, An Ecological Survey in Northern Michigan. Ann. Rept. Mich.
Geol. Surv. for 1905. Lansing. Pp. 100-106.

Welch, Paul S.

- 1915 The Lepidoptera of the Douglas Lake Region, Northern Michigan. Ent. News,
26(3):115-19.

INDEX

- abalienalis*, *Bomolocha* 53
Abbottana 76
abbotti, *Sphecodina* 6
abortivaria, *Dyspteris* 63
abrasaria, *Xanthorhoe* 64
Abrostola 47
abruptata, *Macaria* 68
absorptalis, *Hormisa* 51
absynthiata, *Phasiane* 69
Achatodes 36
achemon, *Pholus* 6
Acidalia 61
Acidaliinae 61
acraea, *Estigmene* 11
Acronycta 32
Acronymatinae 28
acronyctoides, *Panthea* 45
Adelocephala 7
adjuncta, *Polia* 20
Aellopos 5
aemula, *Epizeuxis* 50
aemulataria, *Philobia* 68
aerata, *Synchlora* 60
aerea, *Plusia* 47
aereoides, *Plusia* 47
aeruginosa, *Zale* 44
Aethaloptera 72
affinata, *Eupithecia* 66
affirmaria, *Triphosa* 63
afflita, *Acronycta* 32
Agaristidae 12
Agriopodes 32
Agroperina 30
Agrotinae 13
Agrotis 15
Alabama 49
alabastaria, *Acidalia* 61
albata, *Clemensia* 9
albicoma, *Cerura* 57
albidula, *Lithacodia* 39
albifera, *Hydrelia* 66
albifrons, *Symmerista* 56
albilinea, *Neleucania* 24
albibennis, *Euxoa* 14
albosigma, *Ichthyura* 54
albovenosa, *Simyra* 34
albovittata, *Trichodesia* 62
alciphearia, *Selenia* 75
alcoolaria, *Plagodis* 74
algens, *Hillia* 25
alia, *Septis* 29
alias, *Autographa* 46
alleni, *Syneda* 48
Allotria 44
Alsophila 60
alternata, *Epirrhoe* 65
alternata, *Rhynchagrotis* 19
Alypia 12
amanda, *Graptolitha* 26
amatrix, *Catocala* 43
amaturaria, *Timandra* 62
ambifusca, *Oligia* 30
ambigualis, *Lascoria* 53
americanis, *Epizeuxis* 50
americana, *Acronycta* 33
americana, *Apamea* 36
americana, *Epicnaptera* 59
americana, *Malacosoma* 59
amica, *Catocala* 44
amicaria, *Hyperetis* 74
amitaria, *Isturgia* 67
Ammalo 9
Amolita 38
amorata, *Callizzia* 77
Ampelocera 6
Amphidasis 72
Amphion 6
Amphipyra 28
ampla, *Autographa* 47
Amyna 39
amynitor, *Ceratomia* 3
Anagoga 72
anataria, *Itame* 70
ancetaria, *Pero* 76
anchocelioides, *Rhyncha-*
grotis 19
andremona, *Hypocala* 48
Andropolia 34
angelica, *Apateodes* 59
anguina, *Polia* 21
angulalis, *Palthis* 53
angularia, *Gonodontis* 74
angulifera, *Callosamia* 7
angulosa, *Lophodonta* 55
angusi, *Datana* 55
angusii, *Catocala* 41
angustiorata, *Caripeta* 70
anilis, *Argyrostromis* 44
Anisota 7
anna, *Apantesis* 11
anodontia, *Conservula* 31
Anomis 49
antennata, *Graptolitha* 26
anticaria, *Aethaloptera* 72
anticaria, *Eupithecia* 67
Anticarsia 48
antinympha, *Catocala* 41
antiqua, *Notolophus* 58
Anytus 18
Apaeclasia 70
Apamea 36
apamiformis, *Septis* 28
Apantesis 11
Apateodes 59
Apharetra 18
apiata, *Epiglaea* 26
Apica 76
apicalis, *Ichthyura* 54
apicalis, *Schizura* 57
apicosa, *Lithacodia* 39
Aplectoides 18
approximaria, *Plagodis* 73
apraca, *Tarache* 40
arcasaria, *Sabulodes* 76
Archana 38
arcifera, *Schinia* 13
arcigera, *Schinia* 13
Arctia 12
arctica, *Septis* 29
Arctiidae 8
Arctiinae 9
arctivorens, *Papaipema* 37
arcuata, *Drepana* 60
arge, *Apantesis* 11
argillacea, *Alabama* 49
Argyrostromis 44
armataria, *Priocyla* 75
armigera, *Heliothis* 13
arrograria, *Plagodis* 74
arthrolita, *Orthosia* 23
Arzama 38
asopialis, *Palthis* 53
assimilans, *Phragmatobia* 10
assimilis, *Polia* 21
asteroides, *Cucullia* 24
astricta, *Lycophotia* 17
astuta, *Papaipema* 37
astylusaria, *Euchlaena* 75
Atethmia 27
atlantica, *Polia* 20
atomaria, *Bomolocha* 54
atomaria, *Olene* 58
atomaris, *Phoberia* 48
atropunctata, *Apaeclasia* 70
atroliturata, *Cladara* 62
attenta, *Euretagrotis* 19
aurantiaca, *Eubaphe* 10
aurantiago, *Rhodoecia* 36
aurata, *Entephria* 64
auricinctaria, *Melanomma* 49
aurora, *Hyparpax* 57
aurulenta, *Agrotis* 16
australis, *Baileya* 41
Autographa 46
Automeris 7
aweme, *Papaipema* 37

badia, *Schizura* 57
badinodis, *Agrotis* 15
badistriga, *Homohadena* 25
Bagisara 38
Baileya 41
baja, *Agrotis* 16
balistarria, *Euacidalia* 61
balluca, *Plusia* 47
Balsa 35
baltearia, *Hesperumia* 69
baltimoralis, *Bomolocha* 53
Bapta 67
Barathra 19
barnesi, *Pero* 76
basaliata, *Perozoma* 65
basalis, *Marathyssa* 40

- basaria, *Gueneria* 68
 basigera, *Autographa* 46
Basilona 8
basistriga, *Calamia* 38
basitriens, *Notodonta* 55
beeriana, *Papaipema* 37
bella, *Uteheisa* 12
bellicula, *Lithacodia* 39
Bellura 38
belmaria, *Eubaphe* 10
bethunei, *Graptolitha* 25
bethunei, *Zale* 45
bicarnea, *Agrotis* 16
bicolor, *Adelocephala* 7
bicolor, *Lexis* 9
bicolorago, *Parastichtis* 27
bicolorata, *Macaria* 68
bidentata, *Nerice* 56
bijugalis, *Bomolocha* 53
bilineata, *Drepana* 60
bilineata, *Heterocampa* 56
biloba, *Autographa* 46
bimaculata, *Autographa* 47
bisignata, *Macaria* 68
bistriaris, *Parallelia* 44
bitactata, *Itame* 70
bivittata, *Hormisa* 51
biundata, *Heterocampa* 56
blandula, *Catocala* 43
Bleptina 52
bombyciformis, *Eutolype* 25
bombycodies, *Lapara* 4
Bomolocha 53
borealis, *Cerura* 57
bostoniensis, *Euxoa* 14
Brachycosmia 27
brassicae, *Autographa* 46
Brephinae 60
Brephos 60
brevicornis, *Eubaphe* 10
bridghami, *Oligia* 30
briseis, *Catocala* 42
bruceata, *Rachela* 63
brucei, *Ichthyura* 54
brunnearia, *Nemoria* 60
brunneata, *Itame* 69
brunneicollis, *Rhynchosia* 18
brunneipennis, *Rhynchosia* 19
buckholzaria, *Cleora* 71

Cabera 68
cacuminaria, *Acidalia* 61
caduca, *Helotropha* 36
caducus, *Menopsimus* 36
caelaria, *Xanthotype* 73
Caenurgia 44
caia americana, *Arctia* 12
Calamia 38
Callizzia 77
Callopistria 31
Callosamia 7

Calocalpe 63
Calpe 48
calycanthata, *Zale* 45
cambrica, *Venusia* 65
Campaea 73
Camptogramma 65
canadaria, *Melanolophia* 71
canadensis, *Calpe* 48
canadensis, *Sphinx* 4
candefacta, *Tarachidia* 40
canicosta, *Symmerista* 56
caniplaga, *Ellida* 58
canosaria, *Nepytia* 71
capax, *Xylototype* 26
Capis 53
capsularis, *Epia* 21
cara, *Catocala* 43
Caradrina 35
caradrinalis, *Bleptina* 52
cariosa, *Septis* 28
Caripeta 70
carneola, *Lithacodia* 39
carnosa, *Psestraglaea* 27
caryae, *Halisdota* 9
casta, *Crambidia* 9
Catabena 34
catalpae, *Ceratomia* 4
cataphracta, *Papaipema* 37
catenaria, *Cingilia* 72
catenula, *Euxoa* 14
Catocala 41
Catocalinae 41
Catopyrrha 70
catskillata, *Eupithecia* 66
cecropia, *Samia* 6
cecropia x columbia, *Samia* 7
Celama 8
Celerio 6
celia, *Apantesis* 11
Celiptera 44
centrostrigaria, *Ephydia* 65
Ceramica 23
Ceratocampidae 7
Ceratomia 3
cerinthia, *Chamyris* 39
cerisy, *Smerinthus* 4
Cerma 32
cerogama, *Catocala* 42
ceromatica, *Conistra* 27
Cerura 57
Chabuata 21
chagnoni, *Xylomoia* 36
chalcedonia, *Monodes* 35
Chamyris 39
Characoma 40
Charadra 45
chersis, *Sphinx* 4
chionochroa, *Acronycta* 33
Chlorissa 61
Chlorochlamys 61
chloroleucaria, *Chlorochlamys* 61
chlorostigma, *Chytonix* 31

Chutapha 31
Chytolita 52
Chytonix 31
cilicoides, *Celama* 8
cimicifugata, *Eupithecia* 66
cinerea, *Cerura* 57
cinereola, *Ogdoconta* 37
cineritia, *Xylenea* 26
cinerosa, *Graptolitha* 26
Cingilia 72
cingulata, *Herse* 3
cingulifera, *Zale* 45
cinnamomea, *Olene* 59
circumlucens, *Papaipema* 37
Cirphis 23
Cirrhophanus 38
Cissura 48
citata, *Bomolocha* 54
Citheronia 8
Cladara 62
clandestina, *Agrotis* 17
clemataria, *Abbottana* 76
Clemensia 9
Cleora 71
cluentius, *Cocytius* 3
clymene, *Haploa* 12
c-nigrum, *Agrotis* 16
coagulata, *Eupithecia* 66
coccinata, *Catocala* 43
Cocytius 3
coelebs, *Catocala* 41
cognataria, *Amphidasis* 72
cognizata, *Eupithecia* 67
collaris, *Agrotis* 16
Colocasia 45
colona, *Haploa* 12
coloraria, *Catopyrrha* 70
columbia, *Samia* 6
commoides, *Cirphis* 23
compressipalpis, *Plusiodonta* 48
comptaria, *Hydrelia* 65
comptaria, *Venusia* 65
comstocki, *Monophana* 25
concinna, *Schizura* 57
concumbens, *Catocala* 43
condita, *Aplectoides* 18
confragosa, *Eurotype* 26
confusa, *Haploa* 12
confusa, *Morrisonia* 22
confusaria, *Apica* 76
congermana, *Sideridis* 23
congrua, *Estigmene* 11
Conistra 27
connecta, *Acronycta* 32
Conservula 31
contexta, *Autographa* 46
contigua, *Haploa* 12
contracta, *Datana* 55
contracta, *Metalestra* 50
contractata, *Thera* 63
contrahens, *Eriopyga* 22
convallaria, *Xanthorhoe* 64
convexipennis, *Cucullia* 24

- coortaria, Itame 70
 Copipanolis 25
 cora, Cerma 32
 Coryphista 63
 Cosmia 38
 Cosymbia 62
 Crambidia 9
 Crambodes 35
 crassiuscula, Caenurgia 44
 crataegi, Catocala 43
 crenulata, Eriopyga 22
 crepuscularia, Ectropis 72
 Cressonia 5
 cribataria, Cleora 71
 cristata, Septis 28
 crocallata, Tetracis 76
 cruralis, Zanclognatha 51
 Cryphia 39
 Ctenucha 8
 cubilis, Copipanolis 25
 Cuculliae 24
 Cuculliinae 24
 Culea, Eriopyga 22
 cunea, Hyphantria 10
 cupida, Rhynchagrotis 19
 curialis, Barathra 19
 curvata, Capis 53
 curvimacula, Xylena 26
 cuspidea, Euclidia 44
 cycladata, Heliomata 68
 cymatophoroides, Pseudothyatira 58
 cynica, Agrotis 16
 cynica, Eriopyga 22
 dactylina, Acronycta 34
 Darapsa 6
 Dasyliphia 56
 Datana 54
 deceptalis, Bomolocha 53
 declarata, Euxoa 14
 decliva, Epiglaea 26
 decolor, Enargia 38
 decoloraria, Priocycia 76
 decoralis, Pangrpta 49
 defecta, Calamia 38
 definita, Hemerocampa 58
 deflorata, Ecpanteria 11
 defluata, Apaecasia 70
 Deidamia 6
 dejecta, Catocala 42
 delicata, Trachea 29
 Delta 34
 demissaria, Ptychopoda 61
 dentata, Aphareta 18
 denticulalis, Epizeuxis 50
 depilis, Eutotype 25
 deridens, Charadra 45
 designata, Xanthorhoe 64
 determinata, Apantesis 11
 determinata, Metanema 75
 determinata, Polia 20
 detersa, Euxoa 14
 detersata, Apaecasia 70
 detracta, Polia 19
 devastator, Sidemia 31
 devia, Conistra 27
 Diacrisia 10
 Dialectina 63
 Dichorda 61
 diffinis, Haemorrhagia 5
 diffusa, Bellura 38
 digitalis, Brachycosmia 27
 dilutata, Oporinia 65
 dimidiata, Pheosia 55
 diminuendis, Epizeuxis 50
 diphteroides, Leuconycta 32
 Dipterygia 28
 discalis, Metalestra 50
 discivaria, Taeniosea 30
 discoloralis, Renia 52
 discospilata, Eufidonia 67
 dispar, Portherria 58
 disposita, Graptolitha 25
 dissidens, Magusa 28
 dissilia, Malacosoma 59
 distans, Acronycta 34
 distincta, Polia 20
 divergens, Euxoa 15
 diversicolor, Oligia 30
 diversilineata, Lygris 63
 divisaria, Hydriomena 64
 divisata, Carpeta 70
 Dolba 3
 dolosa, Xylomyges 22
 dormitans, Baileya 41
 doubledayi, Baileya 41
 Drasteria 48
 Drepana 60
 Drepanidae 59
 Drepanulatrix 68
 dredxi, Datana 55
 drupiferarum, Sphinx 4
 duaria, Gondontis 74
 dubitans, Agroperina 30
 ducens, Feltia 15
 duodecemlineata, Venusia 65
 duovata, Papaipema 37
 duplicita, Zale 45
 dyari, Haploa 12
 Dysmigia 70
 Dyspteris 63
 Dyspyralis 50
 Dysstroma 63
 Earophila 65
 Ecpanteria 11
 Ectropis 72
 edictalis, Bomolocha 54
 eductalis, Lomanaltes 54
 effecta, Euchaena 75
 egena, Autographa 46
 egle, Euchaetias 12
 electilis, Psaphida 25
 elegans, Odontosia 55
 elimata, Matuta 18
 Ellida 58
 ello, Erinnyis 5
 Ellopia 73
 elonympha, Allotria 44
 emargataria, Plagodis 74
 emmedonia, Nephelodes 22
 Enargia 38
 endropiaria, Ellopia 73
 Ennomos 73
 enotata, Philobia 68
 Entephria 64
 enucleata, Acidalia 61
 Enyo 5
 Eosphoropteryx 47
 ephyraria, Cleora 71
 Epa 21
 Epicnaptera 59
 epigaea, Autographa 46
 Epiglaea 26
 Epimecis 72
 epimenis, Psychomorpha 39
 epione, Catocala 41
 Epiplemidae 77
 Epipsilia 17
 Epirrhoë 65
 Epizeuxis 50
 Erannis 72
 Erastria 40
 Erastriinae 39
 erastrioides, Tarachidia 40
 Erebinae 47
 Erebus 48
 erchtea, Caenurgia 44
 eremiata, Phasiane 69
 eremitus, Sphinx 4
 Erinnyis 5
 Eriopyga 22
 erpata, Eupithecia 66
 erosa, Anomis 49
 erythemaria, Cabera 68
 Estigmene 11
 Euacidalia 61
 Eubaphe 9
 Euchaetias 12
 Euchaena 74
 Euclidia 44
 Eucoptocnemis 17
 Eudeilinia 59
 Eudule 66
 Eufidonia 67
 Eugonobapta 73
 Eulype 65
 eumelusalis, Philometra 52
 Euparthenos 44
 eupatorii, Papaipema 37
 Euphyia 65
 Eupithecia 66
 Euplexia 29
 Eupterotidae 59
 Euretagrotis 19
 Eurotype 26
 Eutelia 40
 Euteliinae 40

- Euthisanotia 38
 Euthyatira 58
 Eutolype 25
 Euxoa 14
 evagaria, Itame 69
 evansi, Orthonoma 64
 evicta, Morrisonia 22
 excaecata, Paonias 5
 excellens, Euxoa 15
 exhausta, Oligia 30
 explanata, Lygris 63
 extincta, Andropolia 34
 Exyra 40
- factiosalis, Renia 52
 fagina, Graptolitha 26
 Fagitana 31
 falcifera, Autographa 46
 fallax, Agriopodes 32
 fax, Exyra 40
 Feltia 15
 fennica, Agrotis 17
 Fentonia 57
 Feralia 25
 ferrealis, Graptolitha 25
 ferrugata, Xanthorhoe 64
 ferruginea, Lophodonta 55
 ferruginosa, Eubaphe 10
 fervidaria, Plagodis 74
 fessa, Amolita 38
 festivoides, Monodes 35
 filimata, Eupithecia 66
 finitima, Trachea 29
 fiscellaria, Ellopia 73
 flavago, Xanthia 28
 flavigornis, Colocasia 45
 flavidipunctalis, Renia 52
 flebilis, Catocala 41
 florida, Rhodophora 13
 fluviata, Orthonoma 64
 forbesi, Epizeuxis 50
 formosa, Abrostola 47
 formosalis, Nigentia 8
 fractilinea, Menopsimus 36
 fractilinea, Oligia 30
 fragilis, Acronycta 32
 franclemonti, Gonodontis 74
 frater, Raphia 47
 frigida, Papaipema 37
 frigidata, Hydriomena 64
 fritillaria, Homochlodes 70
 frugiperda, Laphygma 35
 frustulum, Celiptera 44
 fucosa, Hypoprepia 9
 fuliginosa, Phragmatobia 10
 fulvicollis, Scepsis 8
 fulvicosta, Haploa 12
 fumalis vestitura, Euxoa 14
 fumata, Eupithecia 67
 fungorum, Epipsilia 17
 furcata, Papaipema 36
 furcifera, Acronycta 33
 furcilla, Panthea 45
 furfurata, Eriopyga 22
- Gabara 49
 Galgula 35
 galli intermedia, Celerio 6
 garmani, Orthosia 23
 gelidata, Eupithecia 67
 geminata, Eupithecia 66
 geminatus, Smerinthus 4
 gemmatilis, Anticarsia 48
 geniculata, Agrotis 16
 Geometridae 60
 Geometrinae 67
 georgei, Monodes 36
 georgica, Hyperaeschra 55
 georgii, Graptolitha 26
 germana, Lithomoia 25
 gibbosa, Nadata 55
 gilvipennis, Rhynchagrotis 19
 glabella, Amphipyra 28
 gladiaria, Feltia 15
 glomeraria, Bapta 67
 Gluphisia 57
 Gonodontis 74
 goodelli, Polia 21
 gordius, Sphinx 4
 Gortyna 36
 gortynoides, Bellura 38
 gracilinata, Lygris 63
 gracilis, Catocala 43
 gracilis, Haemorrhagia 5
 graefiana, Conistra 27
 grandis, Eutolype 25
 grandis, Polia 20
 granitata, Macaria 68
 graphica atlantica, Drasteria 48
 Graptolitha 25
 grata, Euthisanotia 38, 39
 grata, Monodes 35
 grataria, Haematopis 62
 grisea, Acronycta 33
 grotei, Psaphida 25
 grynea, Catocala 43
 Gueneria 68
 guttivitta, Heterocampa 56
- habilis, Catocala 41
 Habrosyne 58
 Hadeneiae 19
 Haematopis 62
 Haemorrhagia 5
 haesitata, Acronycta 32
 Halisidota 9
 hanhami, Philometra 52
 Haploa 12
 Harpaglaea 26
 Harrisimemna 31
 haruspica, Agrotis 17
 hasta, Acronycta 33
 hastata, Eulype 65
 hastulifera, Acronycta 34
 hebraicum, Polygrammate 32
 Heliomata 68
 heliothidata, Phasiante 69
 Heliothis 13
- Helotropha 36
 helva, Agroperina 30
 Hemerocampa 58
 Hemileuca 7
 Hemitheinae 60
 henrici, Simyra 34
 hepara, Galgula 35
 hepaticaria, Xystrota 61
 herilis, Feltia 15
 herminiata, Eudeilinia 59
 Herse 3
 hersiliata, Dysstroma 63
 Hesperumia 69
 Heterocampa 56
 Heterophragma 62
 hibisci, Orthosia 23
 Hillia 25
 hircina, Homoglaea 28
 Homochlodes 70
 Homoglaea 28
 Homohadena 25
 honestarius, Pero 76
 Horisme 67
 Hormisa 51
 horrida, Zale 45
 humaria, Cleora 71
 humili, Hypena 54
 Hydriomena 64
 hylaeus, Dolba 3
 Hyparpax 57
 Hypena 54
 Hypeninae 49
 Hyperaeschra 55
 Hyperetis 74
 Hypoprepia 9
 hypocharria, Gonodontis 74
 Hyphantria 10
 Hydrelia 65
 Hyphoraia 10
 Hyppa 34
 Hypocala 48
 Hyssia 22
- Ianassa 56
 Ichthyura 54
 iduata, Euphyia 65
 iduata, Xanthorhoe 64
 ilia, Catocala 42
 illocata, Dyspyralis 50
 illocata, Trachea 29
 imbrifera, Polia 19
 immaculata, Eubaphe 10
 impecuniosa, Papaipema 37
 imperialis, Basilona 8
 imperialis pini, Basilona 8
 impleta, Acronycta 33
 implicata, Polia 21
 impressa, Acronycta 34
 impulsa, Trachea 29
 inatomaria, Metanema 75
 inceptaria, Itame 69
 incertata, Mesothea 61
 incincta, Eriopyga 22
 inclara, Acronycta 32

- includens, Oligia 30
 inclusa, Ichthyura 54
 inconspicualis, Zanclognatha 51
 indicataria, Cleora 71
 indirecta, Conistra 27
 indocilis, Trachea 29
 inductata, Ptychopoda 61
 infans, Brephos 60
 inficita, Agroperina 30
 inficita, Marathyssa 40
 infimata, Phasiane 69
 ingravis, Polia 20
 innominata, Graptolitha 25
 innotata, Acronycta 33
 innubens, Catocala 41
 inornata, Hydrelia 65
 inquaesita, Papaipema 36
 inquinata, Calamia 38
 inscriptum, Deidamia 6
 insolabilis, Catocala 42
 insueta, Cirphis 23
 insulsaria, Pleuroprucha 62
 integerrima, Datana 55
 intermedia, Cucullia 24
 intermediata, Euphyia 65
 intermediata, Xanthorhoe 64
 interpuncta, Salia 53
 interrupta, Acronycta 33
 interruptofasciata, Eupithecia 66
 intestinata, Horisme 67
 intractata, Eriopyga 22
 inulta, Conistra 27
 io, Automeris 7
 Iodia 27
 Ipimorpha 37
 ipomoeae, Schizura 56
 iridaria, Dichorda 61
 iris, Hillia 25
 iris, Phlogophora 31
 irraria, Apica 76
 irrorata, Oreta 60
 isabella, Isia 10
 Isia 10
 Isogona 49
 Isturgia 67
 Itame 69
 jacchusalis, Zanclognatha 51
 jaquenetta, Catocala 43
 jocasta, Trachea 29
 jocosa, Feralia 25
 johnsonaria, Euchlaena 75
 jucunda, Agrotis 17
 jucunda, Melipotis 48
 judith, Catocala 41
 juglandis, Cressonia 5
 julia, Epizeuxis 50
 junctaria, Acidalia 61
 junctura, Catocala 43
 kalmiae, Sphinx 4
 kentaria, Selenia 75
 keutzingaria, Plagodis 73
 keutzingi, Plagodis 73
 labecula, Balsa 35
 labruscae, Pholus 6
 lacustrata, Euphyia 65
 lacustrata, Xanthorhoe 64
 laeta, Archana 38
 laeta, Eubaphe 9
 laevigata, Zanclognatha 51
 lanceolaria, Acronycta 34
 langtoni, Alypia 13
 Lapara 4
 Laphygma 35
 Larentiinae 62
 larentiooides, Phalaenostola 49
 laricis, Tolype 59
 larvalis, Renia 52
 larvaria, Cleora 71
 Lascoria 53
 Lasiocampidae 59
 lateritia, Agroperina 30
 latex, Polia 20
 laticinerea, Graptolitha 26
 latipennis, Diacrisia 10
 latipennis, Eupithecia 66
 latipes, Pelamia 44
 latirupta, Euphyia 65
 laudabilis, Polia 21
 lecontei, Haploa 12
 legitima, Polia 20
 leo, Spragueia 40
 lepidula, Agriopodes 32
 Lepipolys 24
 leporina, Acronycta 33
 leptinoides, Schizura 57
 Leucania 24
 Leuconycta 32
 leucostigma, Hemerocampa 58
 levitans, Baileya 41
 Lexis 9
 libatrix, Scoliopteryx 48
 liberaria, Drepangulatrix 68
 liburna, Scolecocampa 49
 lignicolor, Ianassa 56
 lignicolora, Septis 28
 lilacina, Polia 21
 lima, Phurys 44
 limbata, Nematocampa 74
 limbolaris, Syneda 48
 limitaria, Nyctobia 62
 limpida, Papaipema 37
 lineata, Celerio 6
 lineolata, Catabena 34
 lintnerana, Sarrothripus 41
 lintneri, Gluphisia 58
 Lithacodia 39
 Litholomia 25
 Lithomoia 25
 Lithosiinae 9
 lithospila, Acronycta 34
 litophora, Hormisa 51
 littera, Fagitalia 31
 littoralis, Epipsilia 17
 lituralis, Zanclognatha 51
 lobeliae, Acronycta 33
 Lobophora 62
 Lomanaltes 54
 longa, Acronycta 34
 Lophodonta 55
 lorata, Sabulodes 76
 lorea, Polia 21
 loricaria, Dysmigia 70
 louisiana, Xylormisa 52
 lubens, Polia 20
 lubricalis, Epizeuxis 50
 lubricans, Lycophotia 18
 lucata, Hydrelia 65
 lucipara, Euplexia 29
 lugubris, Enyo 5
 lumeneria, Cosymbia 62
 luna, Tropaea 7
 lunata, Zale 44
 lunifera, Zale 45
 lunilinea, Strenoloma 48
 Luperina 31
 luscitiosa, Sphinx 4
 lustralis, Polia 19
 lutea, Xanthia 28
 luteopallens, Leucania 24
 Lycia 72
 Lycomorpha 8
 Lycophotia 17
 Lygranthoecia 13
 Lygris 63
 Lymantriidae 58
 lynx, Schinia 13
 Lytrosis 71
 Macaria 68
 Macrocoptua 30
 mactata, Trachea 29
 macularia, Sicya 72
 maculata, Halisidota 9
 madefactalis, Bomolocha 54
 magnarius, Ennomos 73
 magnoliata, Spargania 64
 Magusa 28
 maia, Hemileuca 7
 majoralis, Epizeuxis 51
 majoraria, Apica 76
 Malacosoma 59
 malana, Balsa 35
 manalis, Bomolocha 53
 manifesta, Epipsilia 17
 manitoba, Cleora 71
 manteo, Heterocampa 56
 mappa, Autographa 47
 Marathyssa 40
 margaritosa, Lycophotia 18
 marginata, Euchlaena 75
 marginata, Lygranthoecia 13
 marginidens, Papaipema 36
 marmoratus, Pero 76
 marthesia, Fentonnia 57
 Matuta 18
 meadi, Coryphista 63
 meditata, Polia 20

- Melanolophia 71
 Melanomma 49
 Melipotis 48
 Mellilla 68
 mellistrigata, Phasiane 69
 mendica, Eudule 66
 Menopsimus 36
 meralis, Caradrina 35
 merricata, Papaipema 37
 meskeana, Lygranthoecia 13
 meskei, Catocala 42
 Mesoleuca 65
 Mesothea 61
 messoria, Euxoa 14
 Metalestra 50
 Metanema 75
 metonalis, Philometra 52
 militaris, Haploa 12
 mimallonis, Euxoa 14
 mimosaria, Nemoria 60
 minerea, Zale 45
 miniangs, Nephelodes 22
 miniata, Hypoprepia 9
 ministra, Datana 54
 minorata, Macaria 68
 minuscula, Oligia 30
 minuscula, Roeselia 8
 minuscula phylla, Roeselia 8
 minuta, Catocala 43
 mira, Catocala 43
 miranda, Proxenus 35
 miselioides, Trachea 29
 misera, Oligia 30
 miserulata, Eupithecia 66
 Misogada 56
 modesta, Cerura 57
 modesta, Hysia 22
 modesta, Pachysphinx 5
 modica, Trachea 29
 Moffatiana, Conistra 27
 molliculata, Lygris 63
 mollis, Euxoa 14
 mollissima, Callopistria 31
 Momophana 25
 monstifera, Callopistria 31
 monochromatea, Epipsilia 17
 Monodes 35
 morbidalis, Chytolita 52
 morrisonarius, Pero 76
 morrisoni, Conistra 27
 Morrisonia 22
 morula, Acronycta 33
 multifera, Caradrina 35
 multiferata, Euphyia 65
 multilinea, Cirphis 23
 munitata, Xanthorhoe 64
 muscosa, Lithacodia 39
 musta, Lithacodia 39
 mynesalis, Tetanolita 53
 myops, Paonias 5
 myron, Ampeloeeca 6
- Nacophora 72
 Nadata 55
- nais, Apantesis 11
 napaea, Litholomia 25
 nebris, Papaipema 37
 nebulosa, Catocala 42
 necopina, Papaipema 37
 Neleucania 24
 Nematocampa 74
 Nemoria 60
 neogama, Catocala 42
 Nephelodes 22
 neptaria, Phasiane 69
 Nepytia 71
 Nerice 56
 nessus, Amphion 6
 nevadae canadensis, Polia 20
 nictitans, Apamea 36
 nigellus, Dyspyralis 50
 Nigentia 8
 nigrior, Septis 28
 nigrocomina, Phasiane 69
 nilotica, Characoma 40
 nimboosa, Polia 20
 niveivenosa, Protagrotis 19
 nivigerata, Lobophora 62
 nivosaria, Eugonobapta 73
 noctivaga, Acronycta 32
 Noctuidae 13
 Nolinæ 8
 normani, Sideridis 23
 normaniana, Agrotis 16
 notataria, Eufidonia 67
 Notodontidae 54
 Notolophus 58
 nubilis, Euparthenos 44
 nundina, Schinia 13
 nupera, Xylena 26
 Nyctobia 62
- obeliscoides, Euxoa 15
 obfirmaria, Gonodontis 74
 oblinita, Acronycta 34
 obliqua, Arzama 38
 obliqua, Heterocampa 56
 obliqua, Zale 45
 oblonga, Archana 38
 obscura, Catocala 41
 obscura, Polia 21
 obscurata, Lygranthoecia 13
 obsoleta, Heliothis 13
 obstipata, Orthonama 64
 obtusa, Luperina 31
 obtusa, Stiridæ 38
 obtusaria, Euchlaena 75
 occidentalis, Cerura 57
 occiduaria, Itame 69
 occulta, Lycophotia 17
 ochreipennis, Zanclognatha 51
 ochrogaster, Euxoa 15
 octo, Amyna 39
 octomaculata, Alypia 12
 octoscripta, Autographa 46
 oculatrix, Paectes 40
 Odontosia 55
- odora, Erebus 48
 Oenochrominae 60
 Ogdoonta 37
 Olene 58
 Oligia 30
 olivacea, Polia 21
 olivacearia, Phigalia 72
 Oncocnemis 24
 oo, Autographa 46
 ontario, Euxoa 14
 onusta, Macroctua 30
 opella, Eubaphe 10
 ophthalmica, Baileya 41
 Oporinia 65
 orbifera, Magusa 28
 orciferalis, Hormisa 52
 ordinata, Phasiane 69
 oregonensis, Euchaetias 12
 Oreta 60
 orillata, Phasiane 69
 orina, Cosmia 38
 ornithogalli, Prodenia 35
 Orthofidonia 67
 Orthonama 64
 Orthosia 23
 osculata, Catocala 42
 ou, Autographa 47
 ovata, Acronycta 32
 oviduca, Eriopyga 22
 Oxytilla 49
 oxygramma, Autographa 46
- Pachysphinx 5
 packardaria, Cosymbia 62
 Paectes 40
 Palaeacrita 72
 paleacea, Enargia 38
 palaeogama, Catocala 42
 Palaeoplusia 47
 palliatricula, Chytonix 31
 pallida, Crambidia 9
 palparia, Bomolocha 53
 palpata, Eupithecia 66
 Palthis 53
 pampina, Atethmia 27
 pampinaria, Cleora 71
 panatela, Oxycilla 49
 Panrapta 49
 Panopoda 48
 Pantheinae 45
 Paonias 5
 Papaipema 36
 paradoxa, Heliothis 13
 Parahypenodes 51
 Parallelia 44
 Paraphilia 71
 Parastichtis 27
 parta, Catocala 42
 partita, Galgula 35
 parthenice, Apantesis 11
 parthenos, Hyphoraia 10
 passer, Luperina 31
 patefacta, Graptolitha 25
 pectinaria, Euchlaena 75

- pedipilalis, *Zanclognatha* 51
Pelamia 44
 peralbata, *Euacidalia* 61
 perattenta, *Euretagrotis* 19
 perditalis, *Spargaloma* 49
 perfracta, *Hydriomena* 64
 periculosa, *Chutapha* 31
Perigea 30
Perizoma 65
 perlata, *Campaea* 73
Pero 76
 perolivalis, *Euxoa* 14
 perpolita, *Euxoa* 14
 perquiritata, *Aplectoides* 18
 perscripta, *Lepipolys* 24
 persephone, *Apantesis* 11
 perspicua, *Datana* 55
 pervertens, *Cryphia* 39
 petrealis, *Chytolita* 52
 pettiti, *Conistra* 27
 petulca, *Graptolitha* 26
 pexata, *Graptolitha* 26
Phalaenophana 53
Phalaenostola 49
 phalerata, *Apantesis* 12
Phasiane 69
Pheosia 55
Phigalia 72
Philobia 68
Philometra 52
Phlogophora 31
 philogosaria, *Plagodis* 74
 phloxiphaga, *Heliothis* 13
Phoberia 48
Pholus 5
 pholus, *Darapsa* 6
 pholus, *Lycomorpha* 8
 phragmatidicola, *Cirphis* 23
Phragmatobia 10
 phyllira, *Apantesis* 11
 phyllophora, *Agrotis* 17
Phytometra 49
Phurys 44
Physostegania 68
 piatrix, *Catocala* 41
 picta, *Ceramica* 23
 piniata, *Caripeta* 70
 pistasciaria, *Chlorissa* 61
 pityochromus, *Plagiomimicus* 38
 placida, *Rhynchagrotis* 18
 plagiata, *Hemerocampa* 58
 plagiata, *Olene* 59
Plagiomimicus 38
Plagodis 73
Plathypena 54
Platysenta 35
 plecta, *Agrotis* 16
 pleonectusa, *Ipmorpha* 37
Pleuroprucha 62
Plusia 47
Plusiinae 46
Plusiodonta 48
plutonia, *Septis* 29
Polia 19
polygama, *Catocala* 43
Polygrammaria, *Cleora* 71
Polygrammate 32
polyphemus, *Telea* 7
 pometaria, *Alsophilina* 60
 pometaria, *Palaeacrita* 72
populi, *Acronycta* 33
Porosagrotis 13
Porthetria 58
postera, *Cucullia* 24
praeatomata, *Macaria* 68
praeclarata, *Catocala* 43
praegrandaria, *Campaea* 73
prasina, *Matuta* 18
precationis, *Autographa* 47
pressus, *Aplectoides* 18
prima, *Caradrina* 35
Priocyla 75
privata, *Anytus* 18
Prodenia 35
promethea, *Callosamia* 7
propinquialis, *Rivula* 49
propinquilinea, *Colocasia* 45
Protagrotis 19
Protoparce 3
protumnusalis, *Zanclognatha* 51
Proxenus 35
pruni, *Acronycta* 32
Psaphida 25
Psestraglaea 27
pseudargyria, *Cirphis* 23
Pseudeva 47
Pseudothyatira 58
Psychomorpha 39
pterissi, *Papaipema* 37
Ptychopoda 61
pudens, *Euthyatira* 58
pulcherrima, *Eutelia* 40
pulveraria, *Anagoga* 72
puncticosta, *Dyspyralis* 50
punctolineata, *Macaria* 68
purpuraria, *Plagodis* 73
purpurifascia, *Papaipema* 37
purpurigera, *Pseudeva* 47
purpurissata, *Polia* 20
pustularia, *Itame* 70
pustularia, *Physostegania* 68
puta, *Parastichtis* 27
putnami, *Autographa* 46
pygmaea, *Paectes* 40
pyramidoites, *Amphyipyra* 28
pyramusalis, *Phalaenophana* 53
Pyrrhia 36
quadralis, *Parahyphenodes* 51
quadrata, *Acronycta* 33
quadrisignata, *Metalestra* 50
quercivoraria, *Metanema* 75
queraria, *Nacophora* 72
quinquelinea lutulenta, *Euxoa* 14
quinquemaculata, *Protoparce* 3
Rachela 63
radcliffei, *Acronycta* 33
ralla, *Parastichtis* 27
ramosula, *Delta* 34
Raphia 47
ravocostaliata, *Eupithecia* 67
rectangulata, *Autographa* 46
rectangulata, *Habrosyne* 58
rectifascia, *Bagisara* 38
rectilinea, *Apantesis* 11
redimicula, *Euxoa* 15
refusata, *Heterophleps* 62
regalis, *Citheronia* 8
relicta, *Catocala* 42
Renia 52
reniformis, *Helotropha* 36
renigera, *Polia* 21
renunciata, *Hydriomena* 64
repanda, *Pelamia* 44
residua, *Catocala* 41
resumens, *Psaphida* 25
retardata, *Acronycta* 33
retecta, *Catocala* 42
revayana, *Sarrothripus* 40
reversa, *Haploa* 12
revicta, *Orthosia* 23
Rhodoezia 36
Rhodophora 13
Rhynchagrotis 18
ribearia, *Itame* 69
rigida, *Papaipema* 37
rimosa, *Pheosia* 55
riparia, *Oncocnemis* 24
Rivula 49
robinsoni, *Catocala* 41
Roeselia 8
rolandi, *Eutolype* 25
rosea, *Oreta* 60
rosea, *Sideridis* 23
rotundalis, *Epizeuxis* 50
rubefacta, *Sideridis* 23
ruberata, *Hydriomena* 64
rubicunda, *Anisota* 7
rubicunda, *Eubaphe* 10
rubida, *Autographa* 46
rubifera, *Agrotis* 16
rubrescens, *Orthosia* 23
rubrifrontaria, *Nemoria* 60
rubrifrontaria, *Synchlora* 60
rubripennis, *Neleucania* 24
rufago, *Iodia* 27
rufillacata, *Mesoleuca* 65
rufimargo, *Panopoda* 48
rufipectus, *Rhynchagrotis* 18
russeliata, *Eupithecia* 66
rutila, *Papaipema* 37
Sabulodes 76
Salia 53
salicarum, *Epipsilia* 17

- salusalis, *Renia* 52
Samia 6
Sarrothripinae 40
Sarrothripus 40
satellitia pandorus, *Pholus* 5
Saturniidae 6
satyricus, *Ufeus* 18
saucia, *Lycophotia* 18
saudersiana, *Oncocnemis* 24
scabra, *Plathypena* 54
scabriuscula, *Dipterygia* 28
scandens, *Lycophotia* 17
Scepsis 8
Schinia 13
Schizura 56
scitiscrimpta multascripta,
 Cerura 57
Scotogramma 19
scholastica, *Euxoa* 14
scobialis, *Epizeuxis* 50
Scolecocampa 49
Scoliopteryx 48
scolopendrina, *Cerura* 57
scripta, *Habroyne* 58
scutellaris, *Bomolocha* 53
secta, *Erastria* 40
sectilis, *Morrisonia* 22
selecta, *Autographa* 46
Selenia 75
semicana, *Oligia* 30
semiclarata, *Bapta* 67
semiclusaria, *Nepytia* 71
semipurpurea, *Phytometra* 49
semirelicta, *Catocala* 43
semirufescens, *Ianassa* 56
semiusta, *Graptolitha* 25
senatoria, *Anisota* 7
sensilis, *Chytonix* 31
separans, *Trachea* 29
septentrionalis, *Glaphisia* 57
Septis 28
serena, *Catocala* 41
sericea, *Harpaglaea* 26
serinaria, *Plagodis* 73
serrata, *Euchlaena* 74
sexpunctata, *Spargaloma* 49
sexta, *Protoparce* 3
Sicya 72
Sidemia 31
Sideridis 23
sidus, *Conistra* 27
sigmooides, *Euretagrotis* 19
signata, *Chabuata* 21
signata, *Conistra* 27
signataria, *Melanolophia* 71
signosa, *Graptolitha* 26
silacea albolineata, *Diactinia*
 63
similis, *Catocala* 43
simplicia, *Notodontida* 55
simplex, *Autographa* 46
Simyra 34
sitellata, *Campogramma* 65
Smerinthus 4
snoviata, *Phasiame* 69
sobrialis, *Renia* 52
solidaginis, *Lithomoia* 25
sordidula, *Bomolocha* 54
sospeta, *Xanthotype* 73
spadix, *Cissura* 48
Spargaloma 49
spargania 64
speciosa, *Aplectoides* 18
sperata, *Acronycta* 34
speyeri, *Cucullia* 24
Sphacelodes 77
Sphecodina 6
Sphingidae 3
Sphinx 4
Spragueia 40
spumosum, *Stibadium* 37
squamularis, *Zale* 45
stellata, *Campogramma* 65
Stibadium 37
stigma, *Anisota* 7
stipata, *Luperina* 31
Stiriodes 38
stragula, *Hyperaeschra* 55
stramentosa, *Gortyna* 36
strattonata, *Eupithecia* 66
Strenoloma 48
strigosa, *Ichthyura* 54
subaequaria, *Apaeccasia* 70
subatomaria, *Paraphia* 71
subflava, *Archana* 38
subgothica, *Feltia* 15
subjuncta, *Oligia* 30
subjuncta, *Polia* 20
subnata, *Catocala* 42
subnivosa, *Gabarla* 49
subochrea, *Acronycta* 32
subsignarius, *Ennomos* 73
sulphuraria, *Hesperumia* 69
sulphurata, *Sabulodes* 76
sulphurea, *Itame* 69
superans, *Acronycta* 32
sutor, *Perigea* 30
Symmerista 56
Synchlora 60
Syneda 48
synochitis, *Lithacodia* 39
Syntomidae 8
Taeniosea 30
talidiformis, *Crambodes* 35
tantalus, *Aellopos* 5
tantillus, *Metalestra* 50
Tarache 40
Tarachidia 40
tarda, *Caradrina* 35
Telea 7
tenebrifera, *Matuta* 18
tenera, *Ammalo* 9
tenuis, *Isogona* 49
tepidia, *Graptolitha* 26
teratophora, *Agriopodes* 32
terminimaculata, *Tarache* 40
tersa, *Xylophanes* 6
tessellaris, *Halisidota* 9
tessellata, *Euxoa* 14
testata, *Lygris* 63
Tetanolita 53
Tetricis 76
textor, *Hyphantria* 10
thaxteri, *Graptolitha* 26
thaxteriana, *Psaphida* 25
Thera 63
theralis, *Zanclognatha* 51
Thyatiridae 58
thyatiroides, *Dasylophia* 56
thyatyroides, *Eosphoropteryx* 47
Thysania 48
thysbe, *Haemorrhagia* 5
tigrinaria, *Euchlaena* 75
tilaria, *Erannis* 72
Timandra 62
tinctaria, *Orthofidonia* 67
titan, *Aellopos* 5
titea, *Phigalia* 72
Tolype 59
toreuta, *Bomolocha* 54
torrefacta, *Apatelodes* 59
tortricina, *Tarachidia* 40
Trachea 29
tragopoginis, *Amphyra* 28
transversata, *Sabulodes* 76
treati, *Agrotis* 16
triangulifer, *Cirrhophanus* 38
Trichodesia 62
trifascia, *Schinia* 13
trifolii, *Scotogramma* 19
triguttaria, *Heterophleps* 62
Triphosa 63
triquetrana, *Celama* 8
trisignata, *Harrisimemna* 31
tristicula, *Euxoa* 15
tristigmata, *Conistra* 27
tristrigella, *Balsa* 35
tritona, *Acronycta* 33
tripars, *Eucoptocnemis* 17
Tropaea 7
truncata, *Dysstroma* 63
truncataria, *Isturgia* 67
turbataria, *Ellopia* 73
turbulenta, *Trachea* 29
Ufeus 18
ulsterata, *Philobia* 68
ultronia, *Catocala* 43
umbra, *Pyrrhia* 36
umbrata, *Heterocampa* 56
undularis, *Zale* 45
undulata, *Calocalpe* 63
undulosa, *Ceratomia* 4
unicolor, *Agrotis* 17
unicolor, *Misogada* 56
unicornis, *Schizura* 57
unijuga, *Catocala* 42
unilineata, *Zale* 44

- unimacula, *Agrotis* 17
 unimoda, *Graptolitha* 26
 unio, *Euthisanotia* 38, 39
 unipuncta, *Cirphis* 24
 unipuncta, *Paraphia* 71
 unitaria, *Lytrosis* 71
 urentis, *Abrostola* 47
 ursaria, *Lycia* 72
 urticaria, *Xanthotype* 73
Utetheisa 12
 uxor, *Catocala* 42
- vagans willingi, *Olene* 58
 variana, *Calamia* 38
 variolaria, *Cabera* 68
 vasilata, *Europhe* 65
 v-brunneum, *Chutapha* 31
 vecors, *Eriopyga* 22
 vecors, *Perigea* 30
 velata, *Apamea* 36
 velleda, *Tolype* 59
 vellivolata, *Cleora* 71
 venerabilis, *Feltia* 15
 ventilator, *Marathyssa* 40
Venusia 65
 venusta, *Palaeoplusia* 47
 verbascoidea, *Septis* 28
 vernata, *Alsophila* 60
- vernata, *Palaeacrita* 72
 verona, *Papaipema* 37
 verruca, *Autographa* 46
 versicolor, *Ampeloceca* 6
 versicolor, *Monodes* 35
 vestaliata, *Bapta* 67
 vetusta, *Porosagrotis* 13
 vicina, *Polia* 21
 videns, *Platysenta* 35
 vidua, *Catocala* 42
 villificans, *Cryphia* 40
 vinnula, *Acronycta* 32
 vinulentaria, *Euchlaena* 75
 virescens, *Heliothis* 13
 viriditincta, *Oncocnemis* 24
 virginalis, *Itame* 70
 virginaria, *Epimecis* 72
 virginica, *Ctenucha* 8
 virginica, *Diacrisia* 10
 virginiensis, *Anisota* 7
 virgo, *Apantesis* 11
 virguncula, *Apantesis* 11
 vittata, *Apantesis* 12
 volubilis, *Feltia* 15
 vomerina, *Morrisonia* 22
 vulgaris, *Septis* 28
 vulneraria, *Sphacelodes* 77
 vultuosa, *Septis* 28
- walkeri, *Conistra* 27
 warneri, *Gonodontis* 74
 williamsi, *Apantesis* 11
 wiskotti, *Arctia* 12
- Xanthia 28
 xanthometata, *Mellilla* 68
 xanthoides, *Perigea* 30
Xanthorhoe 64
Xanthotype 73
Xylena 26
xyliniformis, *Acronycta* 34
xyloides, *Hypa* 34
Xylomoia 36
Xylomyges 22
Xylophanes 6
Xylormisa 52
Xylotype 26
Xystrota 61
- psilon*, *Agrotis* 16
- Zale 44
Zanclognatha 51
zeae, *Achatodes* 36
zenobia, *Thysania* 48

(CONTINUED FROM INSIDE FRONT COVER)

- No. 30. The Darters of the Genera *Holelepis* and *Villora*. By Carl L. Hubbs and Mott Dwight Cannon. (1935) Pp. 93, 3 plates, 1 figure
- No. 31. Goniobasis of the Coosa River, Alabama. By Calvin Goodrich. (1936) Pp. 60, 1 plate, 1 figure
- No. 32. Following Fox Trails. By Adolph Murie. (1936) Pp. 45, 6 plates, 6 figures
- No. 33. The Discovery of the Nest of the Colima Warbler (*Vermivora crissalis*). By Josselyn Van Tyne. (1936) Pp. 11, colored frontis., 3 plates, 1 map
- No. 34. Mollusca of Petén and North Alta Vera Paz, Guatemala. By Calvin Goodrich and Henry van der Schalie. (1937) Pp. 50, 1 plate, 1 figure, 1 map
- No. 35. A Revision of the Lamprey Genus *Ichthyomyzon*. By Carl L. Hubbs and Milton B. Trautman. (1937) Pp. 109, 2 plates, 5 figures, 1 map
- No. 36. A Review of the Dragonflies of the Genera *Neurocordulia* and *Platycordulia*. By Francis Byers. (1937) Pp. 36, 8 plates, 4 maps
- No. 37. The Birds of Brewster County, Texas. By Josselyn Van Tyne and George Miksch Sutton. (1937) Pp. 119, colored frontis., 5 plates, 1 map
- No. 38. Revision of *Sciurus variegatoides*, a Species of Central American Squirrel. By William P. Harris, Jr. (1937) Pp. 39, 3 plates (2 colored), 3 figures, 1 map
- No. 39. Faunal Relationships and Geographic Distribution of Mammals in Sonora, Mexico. By William H. Burt. (1938) Pp. 77, 26 maps
- No. 40. The Naiad Fauna of the Huron River, in Southeastern Michigan. By Henry van der Schalie. (1938) Pp. 83, 12 plates, 28 figures, 18 maps
- No. 41. The Life History of Henslow's Sparrow, *Passerherbulus henslowi* (Audubon). By A. Sidney Hyde. (1939) Pp. 72, 4 plates, 3 figures, 1 map
- No. 42. Studies of the Fishes of the Order Cyprinodontes. XVI. A Revision of the Goodeidae. By Carl L. Hubbs and C. L. Turner. (1939) Pp. 85, 5 plates
- No. 43. Aquatic Mollusks of the Upper Peninsula of Michigan. By Calvin Goodrich and Henry van der Schalie. (1939) Pp. 45, 2 maps
- *No. 44. The Birds of Buckeye Lake, Ohio. By Milton B. Trautman. (1940) Pp. 466, 15 plates and a frontis., 2 maps. \$4.50.
- No. 45. Territorial Behavior and Populations of Some Small Mammals in Southern Michigan. By William H. Burt. (1940) Pp. 58, 2 plates, 8 figures, 2 maps
- No. 46. A Contribution to the Ecology and Faunal Relationships of the Mammals of the Davis Mountain Region, Southwestern Texas. By W. Frank Blair. (1940) Pp. 39, 3 plates, 1 map
- No. 47. A Contribution to the Herpetology of the Isthmus of Tehuantepec. IV. By Norman Hartweg and James A. Oliver. (1940) Pp. 31
- No. 48. A Revision of the Black Basses (*Micropterus* and *Huro*) with Descriptions of Four New Forms. By Carl L. Hubbs and Reeve M. Bailey. (1940) Pp. 51, 6 plates, 1 figure, 2 maps
- No. 49. Studies of Neotropical Colubrinae. VIII. A Revision of the Genus *Dryadophis* Stuart, 1939. By L. C. Stuart. (1941) Pp. 106, 4 plates, 13 figures, 4 maps
- No. 50. A Contribution to the Knowledge of Variation in *Opheodrys vernalis* (Harlan), with the Description of a New Subspecies. By Arnold B. Grobman. (1941) Pp. 38, 2 figures, 1 map
- No. 51. Mammals of the Lava Fields and Adjoining Areas in Valencia County, New Mexico. By Emmet T. Hooper. (1941) Pp. 47, 3 plates, 1 map
- No. 52. Type Localities of Pocket Gophers of the Genus *Thomomys*. By Emmet T. Hooper. (1941) Pp. 26, 1 map
- No. 53. The Crane Flies (*Tipulidae*) of the George Reserve, Michigan. By J. Speed Rogers. (1942) Pp. 128, 8 plates, 1 map
- No. 54. The Ecology of the Orthoptera and Dermaptera of the George Reserve, Michigan. By Irving J. Castrall. (1943) Pp. 182, 10 plates, 2 maps
- No. 55. Birds from the Gulf Lowlands of Southern Mexico. By Pierce Brodkorb. (1943) Pp. 88, 1 map
- No. 56. Taxonomic and Geographic Comments on Guatemalan Salamanders of the Genus *Oedipus*. By L. C. Stuart. (1943) Pp. 33, 2 plates, 1 map
- No. 57. The Amnicolidae of Michigan: Distribution, Ecology, and Taxonomy. By Elmer G. Berry. (1943) Pp. 68, 9 plates, 10 figures, 10 maps
- No. 58. A Systematic Review of the Neotropical Water Rats of the Genus *Nectomys* (*Cricetinae*). By Philip Hershkovitz. (1944) Pp. 88, 4 plates, 5 figures, 2 maps
- No. 59. San Francisco Bay as a Factor Influencing Speciation in Rodents. By Emmet T. Hooper. (1944) Pp. 89, 5 plates, 18 maps
- No. 60. The Fresh-Water Tricladidae of Michigan. By Roman Kenk. (1944) Pp. 44, 7 plates, 5 figures
- No. 61. Home Range, Homing Behavior, and Migration in Turtles. By Fred R. Cagle. (1944) Pp. 34, 2 plates, 4 figures, 1 map
- No. 62. Monograph of the Family Mordellidae (Coleoptera) of North America, North of Mexico. By Emil Liljeblad. (1945) Pp. 229, 7 plates

- No. 63. Phylogenetic Position of the Citharidae, a Family of Flatfishes. By Carl L. Hubbs. (1945) Pp. 38, 1 figure
- No. 64. *Goniobasis livescens* of Michigan. By Calvin Goodrich. (1945) Pp. 36, 1 plate, 1 figure, 1 map
- No. 65. Endemic Fish Fauna of Lake Waccamaw, North Carolina. By Carl L. Hubbs and Edward C. Raney. (1946) Pp. 30, 1 plate, 2 maps
- No. 66. Revision of Ceratichthys, a Genus of American Cyprinid Fishes. By Carl L. Hubbs and John D. Black. (1947) Pp. 56, 2 plates, 1 figure, 2 maps
- No. 67. A Small Collection of Fishes from Rio Grande do Sul, Brazil. By A. Lourenço Gomes. (1947) Pp. 39, 3 plates, 2 figures
- No. 68. The Cyprinodont Fishes of the Death Valley System of Eastern California and Southwestern Nevada. By Robert R. Miller. (1948) Pp. 155, 15 plates, 5 figures, 3 maps
- No. 69. The Amphibians and Reptiles of Alta Verapaz, Guatemala. By L. C. Stuart. (1948) Pp. 109, 10 figures, 1 map
- No. 70. The Land and Fresh-water Mollusks of Puerto Rico. By Henry van der Schalie. (1948) Pp. 134, 15 plates, 4 figures, 64 maps
- No. 71. The Animal Life of Temporary and Permanent Ponds in Southern Michigan. By Roman Kenk. (1949) Pp. 66, 3 plates, 7 figures, 1 map
- No. 72. Faunal Relationships of Recent North American Rodents. By Emmet T. Hooper. (1949) Pp. 28
- No. 73. A Study of Small Mammal Populations in Northern Michigan. By Richard H. Manville. (1949) Pp. 83, 4 plates, 6 figures, 1 map
- No. 74. Studies of the Nesting Birds of the Edwin S. George Reserve. Part I. The Vireos. By George M. Sutton. (1949) Pp. 37, 5 plates
- *No. 75. The Birds of Michigan. By Norman A. Wood. (1951) Pp. 559, 16 plates, 1 map \$4.00.
- No. 76. Studies of the Black Swamp Snake, *Seminatrix Pygaea* (Cope), with Descriptions of Two New Subspecies. By Herndon G. Dowling. (1950) Pp. 38, 6 figures, 1 map
- No. 77. A Systematic Review of the Harvest Mice (Genus *Reithrodontomys*) of Latin America. By Emmet T. Hooper. (1952) Pp. 255, 9 plates, 24 figures, 12 maps Cloth bound
- No. 78. Studies of Cyprinodont Fishes. XX. A New Subfamily from Guatemala, with Ctenoid Scales and a Unilateral Pectoral Clasper. By Carl L. Hubbs. (1950) Pp. 28, 4 plates, 1 map
- No. 79. An Analysis of Some Physical Factors Affecting the Local Distribution of the Short-tail Shrew (*Blarina brevicauda*) in the Northern Part of the Lower Peninsula of Michigan. By William O. Pruitt, Jr. (1953) Pp. 39, 9 figures
- No. 80. A Comparative Study of the Osteology and Myology of the Cranial and Cervical Regions of the Shrew, *Blarina brevicauda*, and the Mole, *Scalopus aquaticus*. By George R. L. Gaughran. (1954) Pp. 82, 67 figures
- No. 81. A Systematic Study of the Avian Family Fringillidae, Based on the Structure of the Skull. By Harrison B. Tordoff. (1954) Pp. 42, 77 figures
- No. 82. The Meibomian Glands of Voles and Lemmings (Microtinae). By Wilbur B. Quay. (1954) Pp. 24, 3 plates, 3 figures
- No. 83. The Comparative Myology of the Mammalian Genera *Sigmodon*, *Oryzomys*, *Neotoma*, and *Peromyscus* (Cricetinae), With Remarks on Their Intergeneric Relationships. By George C. Rinker. (1954) Pp. 124, 18 figures
- No. 84. The Burrowing Beetles of the Genus *Mycotrupes* (Coleoptera: Scarabaeidae: Geotrupinae). By Ada L. Olson, T. H. Hubbell, and H. F. Howden. (1954) Pp. 59, 8 plates, 3 figures
- No. 85. The Myology of the Pectoral Appendage of Three Genera of American Cuckoos. By Andrew J. Berger. (1954) Pp. 35, 4 figures
- No. 86. The Anatomy of the Diastemal Palate in Microtine Rodents. By Wilbur B. Quay. (1954) Pp. 41, 4 plates, 12 figures
- No. 87. Records of Fishes in the John N. Lowe Collection From the Upper Peninsula of Michigan. By William Ralph Taylor. (1954) Pp. 50, 1 map
- No. 88. An Annotated List of the Moths of Michigan Exclusive of Tineoidea (Lepidoptera). By Sherman Moore. (1955) Pp. 87.