STRUCTURAL AND FUNCTIONAL CORRELATIONS OF THE THYROID HORMONE RECEPTOR

by

Yi Chen

A dissertation submitted in partial fulfillment of the requirements for the degree of Doctor of Philosophy (Biophysics) in The University of Michigan 2010

Doctoral Committee:

Assistant Professor Matthew A. Young, Chair Professor Gordon M. Crippen Professor Ronald J. Koenig Professor Richard R. Neubig Associate Professor Zhaohui Xu

ACKNOWLEDGEMENTS

The task of writing this dissertation and performing the research could not been accomplished without several people and organizations to whom I owe a debt of gratitude. First I would like to thank Professor Young for his mentoring and support. Professor Young have taught me many important things in the scientific research – from experimental and computation techniques to critical thinking, academic writing, and scientific presentation. Additionally, I would like to thank the current and former members of the Young group: Annie Bao, Douglas Jacobson, Cherisse Loucks, Owen Darr, and Jeremiah Nummela, for their many wonderful scientific (and non-scientific) conversations, their help and their support. Additional thanks go to my committee members, Professor Ronald Koenig, Professors Gordon Crippen, Professor Richard Neubig, and Professor Zhaohui Xu, for their patience, assistance, encouragement, and scientific insights. The departments of Biophysics, Biological Chemistry and Bioinformatics have all been very supportive during my Ph.D. study here. I would like to thank my family members and friends for their support. And I would also extend an additional thank you to Patricia Gold for her help during the writing of this work.

TABLE OF CONTENTS

ACKNOWLEDGEMENTS	ii
LIST OF FIGURES	vi
CHAPTER	
I. Introduction	1
1.1 Biological Background	1
1.1.1 Thyroid hormones function and diseases	1
1.1.2 Thyroid hormone synthesis	3
1.1.3 Thyroid hormone receptors: isoforms, domain organization	5
1.1.4 Functional domains	8
1.1.5 Molecular Mechanism of thyroid hormone receptor action	12
1.2 Experimental and Computational Techniques	15
1.2.1 Fluorescence anisotropy	15
1.2.2 Homology modeling	16
1.2.3 Molecular dynamics	17
1.2.3 Free energy calculation	18
1.3 Specific Aims	20
II. Structure of the Thyroid Hormone Receptor DNA Binding Domain on the	
Inverted Palindrome Response Elements	34
2.1 Abstract	34
2.2 Introduction	35
2.3 Results	39
2.3.1 Overall architecture	39

	2.3.2 The homodimer TR DBD assembly on F2 TRE	43
	2.3.3 Recognition of the DNA sequence	48
	2.3.4 Conformation flexibility of the CTE helix	51
	2.3.5 Affinity and stoichiometry of the F2 TRE binding	55
	2.4 Discussion	62
	2.5 Methods	67
	2.5.1 Protein and DNA Purification	67
	2.5.2 Crystallization and Data Collection	68
	2.5.3 Structure Determination	69
	2.5.4 Native Gel-shift Assay	70
	2.5.5 Fluorescence Anisotropy Assay	71
III.	. Structural Characteristics of the Thyroid Hormone Receptor Ligand Binding	
	Domain in the Ligand-free state	80
	3.1 Abstract	80
	3.2 Introduction	81
	3.3 Results	86
	3.3.1 Overall structures	86
	3.3.2 Stability Analysis of the <i>apo</i> LBD models	90
	3.3.3 Clustering of <i>apo</i> TR LBD model structures	93
	3.3.4 Regional fluctuations and dynamics	95
	3.4 Discussion	99
	3.5 Methods	101
	3.5.1 Deriving <i>apo</i> TR homology models	101
	3.5.2 Molecular dynamics simulation	102
	3.5.3 Free energy calculation	102
IV.	. Corepressor Recruitment by the Thyroid Hormone Receptor Ligand Binding	
	Domain	107
	4.1 Abstract	107
		108

4.3 Results	14
4.3.1 Corepressor binding to TR LBD1	14
4.3.2 Computational homology model of corepressor binding 1	18
4.3.3 Corepressor binding interface	21
4.3.4 Characterization of the distinct nuclear receptor interaction	
domains 1	27
4.3.5 Corepressor induced conformational alterations 1	32
4.3.6 Ligand induced effect on corepressor binding	33
4.4 Discussion	36
4.5 Methods	38
4.5.1 Protein expression and purification	38
4.5.2 Homology modeling	39
4.5.3 Molecular dynamics simulations	40
V. Conclusions and Perspectives	46

LIST OF FIGURES

Figure

1.1	Chemical structure of thyroid hormones and domain organizations of the TF	}
	isoforms	4
1.2	Molecular mechanism diagram of nuclear receptor function	13
2.1	Three types of TRE and schematic diagram of the TR DBD construct	40
2.2	Overall structure of the TR DBD homodimer on the F2 TRE, and summary	
	diagram of the protein-DNA interactions	42
2.3	Electron density map of different regions in the TR DBD - F2 TRE complex	ζ,
	zoomed-in view of TR DBD and DNA half-site interactions, and molecule	
	packing in the crystal	47
2.4	CTE helix displacement and zoomed-in view of the T-box region	50
2.5	Native gel shift assays of the wild-type TR DBD with different TREs and	
	mutant TR DBD with F2 TRE, and intensity quantification chart	54
2.6	Structure models of the TR DBD homodimer with various TREs	57
2.7	Fluorescence anisotropy measurements	60
2.8	Model of TR DBD-LBD homodimer on an F2 TRE	65
3.1	Crystal structures of apo PPAR and apo RXR in dimeric and	
	tetrameric states	84

3.2	Sequence alignments of TR, RXR, and PPAR; T3-bound TR LBD and apo	
	TR LBD homology models	38
3.3	2-dimensional rmsd map of apo TR LBD homology models, and free energy	
	calculation for both homology models	92
3.4	Representative structures of clusters of two homology model trajectories and	
	the percentage of occurrence of each cluster	94
3.5	B-factor plot of apo TR LBD models	97
3.6	Regional rmsd charts of two homology model trajectories	98
4.1	Schematic diagrams of domain organizations of NR corepressors, and amino	1
	acid sequences of the NR interaction boxes of the coactivator protein SRC-1	
	and corepressor proteins	10
4. 2	Co-expression and purification of the TR LBD-NCoRsh complex	15
4. 3	Crystal structures of the TR LBD-coactivator complex, a homology model of	f
	TR LBD-SMRT S2 complex, and T3-bound TR LBD	17
4.4	Overlay of three homology models of TR LBD-SMRT S2 peptide models	
	generated by different alignment protocols, and rmsd plot of simulations on	
	each model	19
4. 5	Three homology models of TR LBD-NCoR peptide complexes, and zoomed-	-
	in views at the binding interfaces	22
4.6	Rmsd plot of TR LBD-NCoR peptide homology models, and representative	
	structures of clusters generated from three homology model trajectories of Tl	R
	LBD-NCoR pentide complexes	24

4.7	Alignments of amino acid sequences of NR interaction boxes of NCoR and
	SMRT in different organisms, and conservation of each residue
4.8	Distances between corepressor peptides and TR LBD and the distribution of
	the values
4.9	B-factor plot of TR LBD-NCoR peptide complex models and b-factor plot of
	apo TR LBD-NCoR N2 and holo TR LBD-NCoR N2
4.10	Representative structures of clusters of the homology model trajectories of
	apo TR LBD-NCoR N2 and holo TR LBD-NCoR N2, and distances between
	corepressor peptides and TR LBD