

CODEBOOK WITH MARGINALS
WASHTENAW COUNTY GENERAL PUBLIC
1971 SURVEY ON DRINKING AND DRIVING

Arthur C. Wolfe
Marion M. Chapman

UM-HSRI-AL-72-1

January 1972

Prepared
for
Washtenaw County Alcohol Safety Action Program
Washtenaw County Health Department
Ann Arbor, Michigan 48104

by

Highway Safety Research Institute
The University of Michigan
Huron Parkway & Baxter Road
Ann Arbor, Michigan 48105

CODEBOOK OF THE 1971 WASHTENAW GENERAL PUBLIC SURVEY
ON HIGHWAY SAFETY

The following codebook shows the results obtained from household interviews with 606 residents of Washtenaw County aged 16 and older during the period February 13 to July 25 of 1971. The 606 interviews represent a response rate of 76.2% from among the 795 eligible respondents in the representative sample. Seventy-six percent of these interviews were obtained on the first or second call by the interviewer, while the remaining 24% required three or more calls. In addition to the Form A interviews a four-page mail-back questionnaire was left with the respondents, or the interviewer waited while the respondent filled it out. Form B was returned by 516 or 85% of the interviewed respondents, and in addition Form B was filled out by 11 persons who refused to have the Form A personal interview.

For most of the Form A variables from V18-V158 and V219-V247 five sets of percentage distributions are provided in the left margin of the codebook. The first set under the heading "TI" contains the percentages for the 606 total interviews. The second column under the heading "NL" (never licensed) contains the percentages for the 41 respondents who have never had a driver's license. The third column under the heading "ND" (non-drinking drivers) contains percentages for the 263 present or former drivers who say they never drink before driving. The fourth column under the heading "MD" (moderate drinking drivers) contains the percentages for the 168 present or former drivers who say they do drink before driving but that they have not driven in the previous year after drinking more than they should have. Finally, the fifth column under the heading "XD" (excessive drinking drivers) contains the percentages for the 133 former or present drivers who admit to having driven after drinking more than they should have at least once in the previous year. It is of course this last group (22% of the sample) which is of greatest concern

to the Washtenaw County Alcohol Safety Action Program. If a number in one of these columns is preceded by an "*" this means that it is an actual frequency rather than a percent.

For a few general sampling variables percentages and/or frequencies are given only for the total sample ("TS") and for total interviews ("TI"). Also response rate ("RR") is given for Variables 5 and 6, and for the Form B Variables 159-218 percentages are given for the total Form B respondents ("TB") and for the respondents in the four subcategories who answered Form B (32,219,143,122 respondents respectively). For nine numeric variables percentage distributions are inappropriate (e.g., V29 Washtenaw Fatalities), so the tenth, thirtieth, fiftieth, seventieth, and ninetieth percentiles are shown for these variables. In most cases percentages will add to one hundred in each column, but for the multiple response variables (e.g., V81 What DAD Messages) the percentages are based on dividing the number of mentions of a category by the number of respondents and will usually add to more than one hundred.

Appended to the end of the codebook are pages containing the actual content of the "other" responses which did not fit into the regular code categories on certain questions.

TABLE OF CONTENTS FOR CODEBOOK

SUMMARY OF HEADINGS

- A. Sampling, Interviewing, and Coding Information
- B. Accident Causation and the Role of Alcohol
- C. Accident Knowledge and Precautionary Behavior
- D. Attitudes Toward General Highway Safety Countermeasures
- E. Safe/Legal Amounts of Alcohol and Accident Risk
- F. Knowledge of Importance of Factors Affecting Alcohol Influence
- G. Knowledge of Sobering Up Methods
- H. Implied Consent and Use of Breath Tests
- I. Attitudes Toward Punishment/Deterrence Drunk Driving Countermeasures
- J. Attitudes Toward and Awareness of Educational Drunk Driving Countermeasures
- K. Attitudes Toward Alcohol Help Drunk Driving Countermeasures
- L. Local Extent of and Help for Alcohol Problems
- M. Support for and Awareness of Alcohol Safety Programs
- N. Own Drinking Behavior and Attitudes
- O. Perceived Importance of Various Reasons People Drink
- P. Responsibilities of Servers of Alcohol and Own Behavior
- Q. Own Driving Experience and Record
- R. Own Behavior in Regard to Drinking and Driving
- S. Personal Background of Respondent
- T. Own Local Media Use

<u>Var.#</u>	<u>Variable Description</u>	<u>Page</u>
A.	SAMPLING, INTERVIEWING, AND CODING INFORMATION	
1	Data Set Number (01)	1
2	Respondent Number	1
3	Data Sources for Respondent	1
4	Cluster Identification Number	1
5	Residence Community (Telephone Exchange)	1
6	Type of Sample (Household/Student Group Housing)	1
7	First Selection Number of HU (1 or 2)	1
8	Number of Respondents Designated at HU	1
9	Person Number of Given Respondent at HU	2
10	Sex of Respondent	2
11	Number of Calls Seeking Respondent	2
12	Interviewer Identification Number	2
13	Coder Identification Number	3
14	Result of Calls Seeking Respondent	3
15	Type of Structure of Non-interviewed Respondent	3
16	Date of Interview	3
219	Date of Interview-7 (collapsed to 7 categories)	58
17	Length of Interview	3
145	Number of Eligible Persons in HU	42
146	R's Cooperation with Interviewer	42
147	R's Interest in Interview	43
148	R's Acceptance of Form B	43
B.	ACCIDENT CAUSATION & THE ROLE OF ALCOHOL	
18	Poor Road Design	4
19	Bad Cars	4
20	Poor Traffic Laws	4
21	Poor Driving Conditions	4
22	Poor Drivers	5
23	Fast Drivers	5
24	Careless Drivers	5
25	Drinking Drivers	5
26	Careless Bicyclists & Pedestrians	5
27	Drinking Pedestrians	6
220	Relative Importance of Drinking Drivers	58
35	Alcohol % Role in Fatalities	8

<u>Var.#</u>	<u>Variable Description</u>	<u>Page</u>
B (cont'd)		
224	Alcohol % Role in Fatalities-7	59
36	Perceived Chance of a Drunk Driving Accident	8
37	Alcohol Accident Experience	9
38	Seriousness of Alcohol Accident	9
225	Alcohol Accident Experience and Seriousness	59
39	Social or Problem Drinkers Most Important	9
C. ACCIDENT KNOWLEDGE AND PRECAUTIONARY BEHAVIOR		
29	Number of Washtenaw Fatalities	6
221	Number of Washtenaw Fatalities-7	58
30	Number of Washtenaw Injuries	6
222	Number of Washtenaw Injuries-7	59
223	Washtenaw Injury/Death Ratio	59
31	Most Frequent Accident Times	7
32	Special Precautions at Most Frequent Accident Times	7
33	Use of Seatbelts on Short Trips	7
34	Use of Seatbelts on Long Trips	8
D. ATTITUDES CONCERNING GENERAL HIGHWAY SAFETY COUNTERMEASURES		
28	Strictness of Traffic Law Enforcement	6
149	Never Deny Right to Drive to Work	43
150	Permit Person to Drive Only if No Abuse	43
154	Stiffer Driver Licensing Standards Needed	44
155	Annual Safety Inspections Should be Required	44
156	Driver Education Should be Required for a License	44
157	Poor Drivers Should be Issued Special License Plates	45
E. SAFE/LEGAL AMOUNTS OF ALCOHOL AND ACCIDENT RISK		
40	Number of Safe Drinks for Average Person	10
41	Impaired BAC Number	10
42	Knowledge of Impaired BAC Level	11
43	Number of Drinks Before Legal Impairment for Average Person	11
226	Ratio of Number of Safe to Number of Legal Drinks	60
44	Increased Accident Risk with 3 Drinks	12
45	Increased Accident Risk with 6 Drinks	12
46	Increased Accident Risk with 9 Drinks	12
227	Increased Accident Risk with 3 Drinks-8	60
228	Increased Accident Risk with 6 Drinks-8	60

<u>Var.#</u>	<u>Variable Description</u>	<u>Page</u>
E (cont'd)		
229	Increased Accident Risk with 9 Drinks-8	60
152	Many Drive Better with 1 Drink	44
153	Even 1 Drink Impairs Driving	44
F. KNOWLEDGE OF IMPORTANCE OF FACTORS AFFECTING ALCOHOL INFLUENCE		
60	Age	16
61	Drinking on an Empty Stomach	16
62	Weight	16
63	Bolting Drinks	16
64	Psychological Feelings	17
65	Changing Drinks	17
66	Smoking Marijuana	17
67	Using Strong Drugs	17
68	Other's Behavior	17
69	Drinking Habituation	18
70	Taking Medicine	18
232	Knowledge of Three Most Important Factors	61
G. KNOWLEDGE OF SOBERING UP METHODS		
71	Effectiveness of Coffee	18
72	Effectiveness of Walking	18
73	Effectiveness of Waiting	18
74	Effectiveness of Starchy Food	19
233	Summary Index of Knowledge About Sobering Up Methods	62
H. IMPLIED CONSENT AND USE OF BREATH TESTS		
47	Police Can Test Randomly	12
48	Police Should Test Randomly	12
49	Police Can Test Drunk Before He Drives	12
50	Police Should Test Drunk Before He Drives	12
51	Police Can Test Arrested Drunk Driver	12
52	Police Should Test Arrested Drunk Driver	12
53	Police Can Test Any Driver in an Accident	13
54	Police Should Test Any Driver in an Accident	13
230	Correctness of Knowledge of Present Breath Test Use	61
231	New Situations Approved for Breath Test Use	61

<u>Var. #</u>	<u>Variable Description</u>	<u>Page</u>
H (cont'd)		
170	All Drivers in Accidents Should be Tested	47
171	Police Should Use Breath Test in Random Road Checks	48
55	Penalty for Refusing Breath Test	13
56	Possible Conviction When Pass Breath Test	13
I. ATTITUDES TOWARD PUNISHMENT/DETERRENCE DRUNK DRIVING COUNTERMEASURES		
57	Usual Penalty for First Offense	15
58	Best Penalty for First Offense	15
59	Best Penalty for Third Offense	15
94	Effectiveness of Greater Police Enforcement	25
97	Effectiveness of More Severe Penalties	26
100	Effectiveness of Random Road Checks	26
158	Stronger Punishments Would Reduce Accidents	45
159	Drunk Drivers Should Lose Their Licenses	45
160	Drunk Drivers Should Go to Jail	45
164	Police Should Patrol More Near Bars	46
165	Police Should Patrol More Near House Parties	46
167	All Alcohol-related Offenses Should be on Driver Record	47
168	Drunk Drivers Should Use Special License Plates	47
169	Drunk Drivers Should Have License Plates Revoked	47
172	More Police Enforcement of Drunk Driving Laws Needed	48
176	Collision Insurance of Drunk Drivers Should be Cancelled	49
185	Most Drunk Drivers are Not Caught	51
190	Govt. Responsibility is Only to Catch & Punish Drunk Drivers	52
243	Number of Deterrent Countermeasures Strongly Agreed With	65
J. ATTITUDES TOWARD & AWARENESS OF EDUCATIONAL DRUNK DRIVING COUNTERMEASURES		
75	Educate Public to Never Drink Before Driving or to Follow Safe Limits	19
76	Reason for Preferred Main Educational Approach	19
79	Own Awareness of Drinking Driving Messages	20
80	Source(s) of Drinking Driving Messages	21
81	Content of Drinking Driving Messages	21
82	Effectiveness of Public Information Campaign	25

<u>Var.#</u>	<u>Variable Description</u>	<u>Page</u>
J (cont'd)		
99	Effectiveness of Special Alcohol Education Courses for Drunk Drivers	26
163	Drivers Should Learn Safe Drinking Levels	46
175	Should Require Special Alcohol Education Courses for Drunk Drivers	49
177	Should Include Alcohol Information in Driver Education Courses	49
K. ATTITUDES TOWARD ALCOHOL HELP DRUNK DRIVING COUNTERMEASURES		
77	Special Efforts to Help Walking Drunks Avoid Accidents	20
96	Effectiveness of Improved Treatment Services for Problem Drinkers	25
98	Effectiveness of Use of Antabuse Pills	26
173	Should Require Medical Treatment for Drunk Drivers with Drinking Problems	48
174	Should Require Drunk Drivers to Use Antabuse Pills	48
183	Counseling or Treatment Better Than Jail for Drunk Drivers	51
191	Govt. Should Provide Medical Help to Drunk Drivers	52
244	Number of Alcohol Help Countermeasures Strongly Agreed With	65
L. LOCAL EXTENT OF & HELP FOR ALCOHOL PROBLEMS		
87	Seriousness of Alcohol Problems in Washtenaw County	23
88	Percent in County with Alcohol Problems	23
234	Percent in County with Alcohol Problems-7	62
89	Close Friend or Relative With Alcohol Problem	24
90	General Success in Overcoming Alcohol Problems	24
91	Knowledge of Local Alcohol Help Organizations	24
92	Knowledge of Washtenaw County Council on Alcoholism	24
93	Knowledge of WCCA Activities	25
181	Alcoholism Is a Disease	50
182	Drunk is Not Responsible for His Illegal Actions	50
184	Alcoholics Could Stop Themselves	51
188	Alcoholics Can't be Treated	52
189	Necessary Treatment for Alcoholism too Expensive	52

<u>Var.#</u>	<u>Variable Description</u>	<u>Page</u>
M.	SUPPORT FOR AND AWARENESS OF ALCOHOL SAFETY PROGRAMS	
78	Willingness to Pay Taxes for ASAP Support	20
83	Heard of Washtenaw ASAP	22
84	Knowledge of Group Running Washtenaw ASAP	22
85	Knowledge of Washtenaw ASAP Activities	22
86	Membership in Organization Concerned with Drunk Driving	23
151	Too Much Fuss About Dangers of Drinking & Driving	43
235	Number of Alcohol Countermeasures Rated Very Effective	62
N.	OWN DRINKING BEHAVIOR & ATTITUDES	
101	General Drinking Level	27
102	Times Per Month 4 + Drinks at a Sitting	27
103	Times Per Month 8 + Drinks at a sitting	28
104	General Ability to Handle Alcohol	28
178	Okay to Get Drunk Anytime	49
179	Okay to Get Drunk Once in a While	50
180	Okay to Drink Some But Not to Get Drunk	50
186	Society Should Give Up Alcohol	51
187	Alcohol Harmless in Moderation	51
O.	PERCEIVED IMPORTANCE OF VARIOUS REASONS PEOPLE DRINK	
192	Social Enjoyment	53
193	Relaxation	53
194	Livens Things Up	53
195	Makes People Feel Good	53
196	Way of Being Sociable	53
197	Cools Off Anger	54
198	Because Friends Drink	54
199	Because Like Taste	54
200	Celebration of Special Occasions	54
P.	RESPONSIBILITIES OF SERVERS OF ALCOHOL & OWN BEHAVIOR	
161	Bars Should Provide Transportation for Drunk Customers	45
162	Bars Should Limit Drinks to Driving Customers	46
166	Hosts Should Limit Drinks to Driving Guests	46
107	Has R Ever Limited Drinks to Driving Guests	28
106	Ever Persuaded Guest Not to Drive	28
107	Has R Ever Provided Food & Coffee for Sobering Up	29

<u>Var.#</u>	<u>Variable Description</u>	<u>Page</u>
Q.	OWN DRIVING EXPERIENCE AND RECORD	
108	Current Driver License or Not	29
109	Years of Driving Experience	29
110	Usual Annual Mileage	29
111	Self-perception of Driving Skill	30
112	How Learned to Drive	30
119	Number of Non-Alcohol Traffic Violations in 3 Yrs.	33
120	Ever Lost License	34
121	Number of Accidents as a Driver in 3 Yrs.	34
139	Michigan Driver License & Willingness to Give Number	41
140	State of License	41
141	Michigan License Number	41
R.	OWN BEHAVIOR IN REGARD TO DRINKING AND DRIVING	
113	Ever Drink Before Driving	30
114	Specific Rules for How Much Drinking Before Driving	31
115	Times in Year Driven After Drinking Too Much	32
116	Times in Year Used Other Transportation When Too Drunk to Drive	32
117	Other Transportation Means Used	33
118	Drunk Driving Arrests	33
236	Drinking & Driving Behavior & Drunk Driving Arrests	63
237	Drinking & Driving Behavior-9 categories	63
238	Drinking & Driving Behavior-6 categories	63
239	Drinking & Driving Behavior-3 categories	64
122	Times in Year a Passenger with a Drunk Driver	34
123	Turned Down Ride with Drunk Driver in Past Year	34
S.	PERSONAL BACKGROUND OF RESPONDENT	
124	Age Jan. 1, 1971	35
240	Age-6 categories	64
125	Marital Status	35
126	Number of Times Married	35
127	Education	35
128	Own Employment Status	36
129	Own Type of Work	36
130	Head's Employment Status	36
131	Head's Type of Work	37
132	Religious Preference	37

<u>Var.#</u>	<u>Variable Description</u>	<u>Page</u>
S (cont'd)		
241	Religious Preference-7 categories	64
133	Church Attendance	39
134	Time in Washtenaw County	39
135	State of Previous Residence	39
136	Family Income Level	40
242	Family Income Level-4 categories	64
137	Number of Children Supported on Income	40
138	Number of Adults Supported on Income	41
142	Sex	42
143	Race	42
144	Relation to Head of Household	42
T. OWN LOCAL MEDIA USE		
82	Best Place for Drinking Driving Message	22
201	Reads Ann Arbor News	54
202	Reads Ypsilanti Press	54
203	Reads Huron Valley Advisor	55
204	Reads Other Local Newspaper	55
245	Readership of Local Newspapers	65
205	Listens to WAAM	55
206	Listens to WPAG	55
207	Listens to WNRS	55
208	Listens to WUOM	56
209	Listens to WYSI	56
210	Listens to Other Local Radio Station	56
246	Number of Local Radio Stations Listened To	66
211	Listens 7-9 AM	56
212	Listens 9AM-3PM	56
213	Listens 3-5 PM	57
214	Listens 5-7 PM	57
215	Listens 7-9 PM	57
216	Listens 9-11 PM	57
217	Listens After 11 PM	57
218	Seldom Listens	57
247	Number of Times Listened to Local Radio Stations	66

CODEBOOK FOR WASHTENAW GENERAL PUBLIC SURVEY I

V1 R1 Data Set Number (01) TL=1-2 W=2

V2 R2 Respondent ID Number TL=3-6 W=4

V3 R3 Data Sources TL=7

TS Freqs	TS%	T1%
516	65	85
90	11	15
11	1	--
178	23	--
795	100	100

1. Cover sheet, Form A Interview & Form B
2. Cover sheet & Form A
3. Cover sheet & Form B
4. Cover sheet only

V4 R4 Cluster ID Number TL=8-10 W=3

V5 R5 Residence Community (Telephone Exchange) TL=11

TS%	T1%	RR%
48	50	80
7	9	90
29	25	66
3	3	90
4	4	76
1	1	80
2	2	86
2	2	75
4	3	63
*1	*1	100
1	1	86
*3	*3	100

1. Ann Arbor households (101-169)
1. University of Michigan group housing (171-199)
2. Ypsilanti households (201-231)
2. EMU group housing (281-288)
3. Chelsea households (301-306)
4. Dexter households (311-314)
5. Manchester households (321-323)
6. Milan households (333-334)
7. Saline households (341-345)
8. South Lyon households (351,356)
9. Whitmore Lake households (361-362)
1. Concordia Lutheran College group housing (371)

V6 R6 Type of Sample TL=12

TS%	T1%	RR%
90	88	75
10	12	90

1. Household sample
2. Student group housing sample

V7 R7 First Selection No. (1 or 2) TL=13 MD=0

TS Freqs.	T1 Freqs.
80	72
405	301
310	233

0. Inap., student group housing respondent
1. One
2. Two

V8 R8 Number of Respondents (designated at HU) TL=14 MD=0

TS Freqs.	T1 Freqs.
458	389
166	135
12	10
159	72

1. One
2. Two
3. Three
0. Inap., listing not completed, or student group housing respondent

V9 R9 Person Number (of chosen R) TL=15 MD=0

TS%	T1%
47	47
39	39
9	9
5	5
1	*2
*1	*1
*159	*72

1. One
2. Two
3. Three
4. Four
5. Five
6. Six
0. Inap., listing not completed, or student group housing respondent

V10 R10 Sex of Chosen R TL=16 MD=0,9

TS%	T1%
49	49
51	51
*1	0
*78	0

1. Male
2. Female
9. NA
0. Inap., listing not completed

V11 R11 Number of Calls (Made to HU) TL=17 MD=9

CODE ACTUAL NUMBER FROM CALL RECORD (INCLUDING ONE AT WHICH INTERVIEW WAS COMPLETED). MAKE A ROUGH GUESS WHEN SOME INFORMATION IS AVAILABLE BUT EXACT NUMBER IS NOT CLEAR.

TS%	T1%
45	51
24	25
13	13
7	5
3	3
7	2
1	*2
*3	0
*1	*1
0	0

1. One
2. Two
3. Three
4. Four
5. Five
6. Six
7. Seven
8. Eight or more
9. NA
0. None

V12 R12 Interviewer Number (most recent I'er) TL=18-19 W=2

- | | |
|--------------------|--|
| 01. Fred Byrum | 12. Adnan Qaquish |
| 02. Stephen Carr | 13. Michael St. Dennis |
| 03. Pat Coats | 14. Keith Sanderson |
| 04. Kalyan Dutta | 15. Gregg Steele |
| 05. Richard Gainey | 16. Kurt Strubel |
| 06. Fred Gilson | 17. Patrick Taylor |
| 07. Edwin Hoag | 18. Anthony Watson |
| 08. William Israel | 19. Barry Williams |
| 09. Margie Kin | 20. Jimmie Wright (or NA which Wright) |
| 10. Karen O'Connor | 21. June Wright |
| 11. Alan Pollyea | 31. Marion Chapman |

V13 R13 Coder Number TL=20-21 W=2

01. Tony Watson
02. Adnan Qaquish
03. Karen Qaquish
04. June Wright
05. Kalyan Dutta
06. Marion Chapman

V14 R14 Result of Calls TL=22

<u>TS Freqs.</u>	<u>TS%</u>
606	76
32	4
62	8
48	5
31	4
5	1
6	1
2	*2
3	*3

1. Interview
2. Ref (IC), Refusal Before Listing
3. Ref (R), Refusal After Listing
4. NAH, No One at Home and No Listing
5. RA, Listing Completed but Designated R Not Available
6. R Ill
7. R Physically Incapacitated-Senile, Retarded, Deaf, etc.
8. R Unable to Speak English
9. Other Reason for Nonresponse

% Non-Interviews Only

3
52
8
2
16
4
1
2
14

V15 R15 Type of Structure (nonresponse Q.2a) TL=23
MD=0

1. Trailer
2. Detached Single-Family house
3. Two to Four-family house
4. Row house
5. Apartment house (5 or more units; free access)
6. Apartment house (5 or more units; locked, guarded, or both)
7. Apartment in partially commercial structure
8. Other
9. NA (nonresponse cover sheet)
0. Inap., Interview Obtained

V16 R16 Date of Interview (3 digit month & day) TL=24-26
SEE ALSO V219 (2/13-7/25) MD=000,999
W=3

999. NA
000. Inap., No interview

V17 R17 Length of Interview (in minutes) TL=27-29
(excluding any time waiting for Form B) MD=000,999
W=3

Percentiles

	<u>T1</u>	<u>XD</u>
10.	30	30
30.	40	40
50.	45	45
70.	55	55
90.	73	75

999. NA
000. Inap., no interview

V18-V27 IMPORTANCE OF VARIOUS ACCIDENT CAUSES

Q.1. First I have a question about the important causes of traffic accidents. I will name some causes of accidents and ask you to tell me how important you think each is, using the numbers on this card.

How important do you think poor road design or maintenance is in causing traffic accidents?

Percentages

T1	NL	ND	MD	XD
50	56	53	49	43
38	29	35	42	44
10	12	11	6	12
2	2	1	3	2
*2	0	1	0	0
0	0	0	0	0

V18 R18 Poor Road Design (Q.1a. Poor road design or maintenance) TL=30 MD=0,9

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V19 R19 Bad Cars (Q.1b. Cars which have something wrong with them) TL=31 MD=0,9

T1	NL	ND	MD	XD
55	65	58	52	47
35	27	33	36	40
9	3	7	11	11
2	5	1	1	1
0	0	0	0	0
*2	*1	0	0	*1

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V20 R20 Poor Traffic Laws (Q.1c. Poor traffic laws and regulations) TL=32 MD=0,9

T1	NL	ND	MD	XD
37	54	38	37	29
33	21	34	29	38
23	21	20	28	23
7	5	8	5	10
*1	0	*1	0	0
*3	0	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V21 R21 Poor Conditions (Q.1d. Poor driving conditions such as rain, fog, or icy roads) TL=33 MD=0,9

T1	NL	ND	MD	XD
66	69	68	65	61
27	26	25	28	32
6	5	7	7	6
1	0	*1	1	1
0	0	0	0	0
*3	*2	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V22 R22 Poor Drivers (Q.le. Drivers who can't handle a car well) TL=34 MD=0,9

T1	NL	ND	MD	XD
80	77	85	77	74
17	18	12	20	22
3	3	2	3	4
1	3	*1	1	1
0	0	0	0	0
*3	*2	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V23 R23 Fast Drivers (Q.lf. Drivers who drive too fast) TL=35 MD=0,9

T1	NL	ND	MD	XD
62	77	67	55	55
31	21	29	35	33
7	3	4	10	12
*1	0	0	1	0
0	0	0	0	0
*3	*2	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V24 R24 Careless Drivers (Q.lg. Drivers who don't care about traffic regulations) TL=36 MD=0,9

T1	NL	ND	MD	XD
79	84	81	76	78
19	13	18	23	19
1	3	*1	2	3
*2	0	1	0	0
0	0	0	0	0
*4	*3	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V25 R25 Drinking Drivers (Q.lh. Drivers who have had too much to drink) TL=37 MD=0,9
SEE ALSO V220

T1	NL	ND	MD	XD
92	95	94	89	91
7	5	5	10	8
1	0	*1	1	1
*2	0	1	0	0
0	0	0	0	0
*4	*3	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V26 R26 Careless Pedestrians (Q.li. Pedestrians and bicyclists who don't follow traffic regulations) TL=38 MD=0,9

T1	NL	ND	MD	XD
41	49	44	42	30
39	43	37	35	46
18	8	16	21	19
3	0	3	1	5
0	0	0	0	0
*5	*4	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V27 R27 Drinking Pedestrians (Q.1j. Pedestrians who have had too much to drink) TL=39 MD=0,9

T1	NL	ND	MD	XD
32	49	35	31	22
28	22	28	28	31
27	24	27	28	29
12	5	9	12	19
*2	0	*1	1	0
*5	*4	*1	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V28 R28 Traffic Enforcement (Q.2. Do you think traffic laws and regulations around here are enforced:) TL=40 MD=0,9

T1	NL	ND	MD	XD
8	10	6	10	8
57	57	54	58	63
28	15	32	28	24
7	17	9	4	5
*2	*1	*1	0	0

1. Too strictly
3. Just about right
5. Less strictly than they should be
8. No opinion, DK
9. NA
0. Inap., no interview

Percentiles

	T1	XD
10.	15	20
30.	45	40
50.	72	75
70.	124	150
90.	450	492

V29 R29 Washtenaw Fatalities (Q.3. About how many persons would you guess were killed last year in traffic accidents in Washtenaw County?) TL=41-43 MD=000,998 W=3

SEE ALSO V221, V223

CODE ACTUAL NUMBER GIVEN. IF A RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

001. None or one
996. 996-1000
997. Over 1000
998. DK, no guess
999. NA
000. Inap., no interview

Percentiles

	T1	XD
10.	60	100
30.	200	200
50.	300	350
70.	600	1000
90.	2000	2000

V30 R30 Washtenaw Injuries (Q.4. How many would you guess were injured?) TL=44-47 MD=0000,9998 W=4

SEE ALSO V222, V223

CODE ACTUAL NUMBER GIVEN. IF A RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

0001. None or one
9996. 9,996-10,000
9997. Over 10,000
9998. DK, no guess
9999. NA
0000. Inap., no interview

V31 R31 Accident Times (Q.5. At what times of the day and week do you think most traffic accidents take place?) TL=48-50 MD=0,9 Responses=3

CODE UP TO 3 MENTIONS WITH PRIORITY TO 7,4,1,6,3,5,2 (UNLESS ORDERING IS INDICATED BY R)

T1	NL	ND	MD	XD
49	46	51	46	48
3	0	3	3	4
12	12	10	12	13
14	22	14	15	11
6	5	7	6	5
37	19	39	39	36
31	41	26	34	32
*3	0	1	0	0
*5	0	*5	0	0

1. Weekdays during rush hours
2. Weekdays during other daylight hours
3. Weekday evenings
4. Weekdays late at night and early morning
5. Weekends during the day
6. Weekends during the evening
7. Weekends late at night and early morning
8. No guess, DK
9. NA
0. Inap., no interview, no second or third response

V32 R32 Special Precautions (Q.5a. Do you ever take any special precautions when you go out at those times? (IF YES) What do you do?) TL=51-52 MD=0,9 Responses=2

CODE UP TO TWO DIFFERENT MENTIONS

T1	NL	ND	MD	XD
35	18	35	36	38
17	8	17	20	14
16	3	19	17	15
7	5	9	7	2
5	13	6	3	3
1	0	1	0	0
1	3	*1	0	1
36	50	31	34	42
*39	*3	*18	*11	*7

1. Yes, generally more cautious, more alert, more defensive, etc.
2. Yes, drive more slowly
3. Yes, more cautious in some other specific way (more careful when passing, use of lights before dark, avoid busy roads, no tailgating, use seatbelts, lock doors, etc.)
4. Yes, drive as little as possible at high-risk times
5. Yes, don't drive at all at high-risk times
6. Yes, don't drink
7. Yes, other
8. No, DK, no special precautions
9. NA (including not asked because no answers to Q.5)
0. Inap., no interview; no second response

V33 R33 Seatbelt, Short Trip (Q.6. About how often would you say you use a seatbelt when you are travelling around this area on short trips?) TL=53 MD=0,9

T1	NL	ND	MD	XD
24	12	28	22	23
9	10	7	12	7
7	5	8	7	7
17	17	18	16	17
43	56	38	43	46
1	0	1	0	0
0	0	0	0	0

1. Always
2. Most of the time
3. About half of the time
4. Only occasionally
5. Never
6. No seatbelt available
9. NA
0. Inap., no interview

V34 R34 Seatbelt, Long Trip (Q.7. How about when you are on longer trips?) TL=54 MD=0,9

T1	NL	ND	MD	XD
46	24	47	48	47
13	17	13	13	13
5	10	4	7	4
10	10	9	9	12
26	39	25	23	25
1	0	1	0	0
*1	0	*1	0	0

1. Always
2. Most of the time
3. About half of the time
4. Only occasionally
5. Never
6. No seatbelt available
9. NA
0. Inap., no interview

V35 R35 Alcohol Fatalities % (Q.8. Out of every 100 traffic accidents in which someone is killed, how many would you guess involve a driver who has been drinking?) SEE ALSO V224 TL=55-56 MD=00,98 W=2

Percentiles

	T1	XD
10.	20	20
30.	40	40
50.	50	50
70.	60	60
90.	75	75

CODE ACTUAL NUMBER. IF A RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

97. 97, 98, 99, or 100
98. DK, no guess
99. NA
00. Inap., no interview

V36 R36 Chances D/D Accident (Q.9. What would you say the chances are that in the coming year you will be involved in an accident caused by a driver who has been drinking?) TL=57 MD=9

T1	NL	ND	MD	XD
17	19	16	23	10
21	15	18	29	20
21	17	19	20	24
13	19	14	8	16
11	15	9	10	13
6	2	7	4	7
7	2	9	4	10
1	2	1	1	0
4	7	6	1	0
*1	0	*1	0	0

0. 1 in 1000 or less
1. About 1 in 500
2. About 1 in 100
3. About 1 in 50
4. About 1 in 20
5. About 1 in 10
6. About 1 in 5
7. About 1 in 3 or more
8. No guess, DK
9. NA, Inap., no interview

V37 R37 Accident Involvement (Q.10. Have you ever been involved in a serious accident when a driver had been drinking? Q.10a. Has this happened within the past three years? How many times? Q10c. Has any close friend or relative ever been involved in a serious accident when a driver had been drinking?) SEE ALSO V225 TL=58 MD=0,9

(IGNORE PRECODING ON QUESTIONNAIRE)

T1	NL	ND	MD	XD
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
3	2	3	3	5
5	10	2	5	7
37	34	37	34	41
55	54	58	58	47
0	0	0	0	0
0	0	0	0	0

1. R involved 4 or more times in past 3 years
2. R involved 3 times in past 3 years
3. R involved 2 times in past 3 years
4. R involved once in past 3 years (or DK, NA, how many times)
5. R involved before past 3 years
6. R not involved; other involved
7. Neither R nor other involved (or DK R and no other) ("no" or "DK" Q.10 and "no" to Q.10c., or "no to Q.10 and "DK" to Q.10c)
8. DK both R and other involvement ("DK" to both Q.10 and Q.10c)
9. NA (whole question)
0. Inap., no interview

V38 R38 Accident Seriousness (Q10b, 10d. How serious was the accident? Did it involve:) TL=59 MD=0,9

SEE ALSO V225

T1	NL	ND	MD	XD
7	10	8	4	7
13	12	16	8	15
13	12	11	15	13
12	12	8	15	17
0	0	0	0	0
0	0	0	0	0
55	54	58	58	47
0	0	0	0	0
0	0	0	0	0

1. Property damage only
2. Minor injury
3. Major injury
4. Death
5. Seriousness DK
6. Seriousness NA
7. Neither R nor other involved in drinking accident (or DK R and no other)
8. DK both R and other involvement
9. NA (whole question)
0. Inap., no interview

V39 R39 Soc./Prob. Drinkers (Q.11. Would you guess that more accidents are caused by the many social drinkers (people who occasionally drink too much) or by the smaller number of problem drinkers (people who frequently drink a great deal?)

TL=60 MD=0,9

T1	NL	ND	MD	XD
65	61	61	63	74
33	37	35	35	25
3	2	3	2	1
0	0	0	0	0

1. Social drinkers
5. Problem drinkers
8. DK
9. NA
0. Inap., no interview

V40 R40 No. of Safe Drinks (Q.12. Now I'd like your guess as to how many drinks containing one ounce of whiskey or other hard liquor (that is a normal shot) the average man can drink in two hours without becoming too drunk to drive safely. How many drinks do you think?) TL=61-62 MD=99 W=2

CODE ACTUAL NUMBER. IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.
SEE ALSO V226

T1	NL	ND	MD	XD
1	0	1	1	0
5	7	6	4	5
25	24	27	23	24
27	24	25	30	30
16	7	14	19	19
9	12	8	8	10
6	5	3	8	7
1	2	1	0	1
2	2	1	2	2
*1	0	*1	0	0
2	2	3	2	1
1	0	1	1	0
*1	2	0	0	0
*1	0	0	1	0
*1	0	0	0	0
5	10	8	3	1
*1	0	*1	0	0

- 00. None
- 01. One
- 02. Two
- 03. Three
- 04. Four
- 05. Five
- 06. Six
- 07. Seven
- 08. Eight
- 09. Nine
- 10. Ten
- 12. Twelve
- 16. Sixteen
- 20. Twenty
- 26. Twenty-six (a fifth)
- 88. DK, no guess
- 99. NA; Inap., no interview

V41 R41 Impaired BAC Number (Q.13. As you may know, a blood alcohol test is used to measure the amount of alcohol in the blood stream resulting from drinking alcoholic beverages. Do you happen to know the lowest blood alcohol concentration at which a driver is considered impaired under Michigan law?) TL=63-64 MD=00,99 W=2

CODE ACTUAL NUMBER, WHETHER OR NOT IT INCLUDES A DECIMAL POINT. IF ANSWER IS IN MG CONVERT TO PERCENT (100 MG = .10). IF NO. IS A 1-DIGIT WHOLE NUMBER USE A LEADING 0; IF IT IS A 1-DIGIT DECIMAL USE A FOLLOWING 0.

SEE V42 FOR RESULTS ON THIS QUESTION

- 98. DK, no idea
- 99. NA
- 00. Inap., no interview

V42 R42 Correct Impaired BAC (Q.13. As you may know, a blood alcohol test is used to measure the amount of alcohol in the blood stream resulting from drinking alcoholic beverages. Do you happen to know the lowest blood alcohol concentration at which a driver is considered impaired under Michigan law?) TL=65 MD=0,9

T1	NL	ND	MD	XD
3	3	1	4	5
1	3	1	2	0
11	7	12	13	9
7	0	7	7	9
13	13	11	14	17
1	0	1	2	1
0	0	0	0	0
64	75	67	59	59
*3	*1	*2	0	0

1. Exactly correct number including decimal point (.10 or .1)
2. Exactly correct number but no decimal point (10)
3. Nearly correct number including decimal point (.05-.09, .11-.15)
4. Nearly correct number but no decimal point (5-9, 11-15)
5. Not nearly correct (other numbers)
6. Nearly correct but no 0 immediately after decimal (.5-.9 or .50-.99)
7. Other
8. DK, no idea
9. NA
0. Inap., no interview

V43 R43 No. of Legal Drinks (Q.14. About how many drinks do you think the average man can have before he reaches a blood alcohol concentration high enough to be convicted of impaired driving?)
SEE ALSO V226 TL=66-67 MD=00,99 W=2

CODE ACTUAL NUMBER. IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD IF NECESSARY.

T1	NL	ND	MD	XD
4	3	4	4	7
14	10	13	16	16
23	23	23	22	23
17	15	19	15	16
13	23	14	11	13
7	5	6	10	8
2	3	1	2	3
3	0	3	4	4
*1	0	0	0	1
2	3	2	1	3
*1	0	*1	0	0
*1	0	0	1	0
*1	0	0	0	1
1	0	*1	2	1
*1	0	0	1	0
*1	0	*1	0	0
11	17	14	11	6
*6	*1	*3	*2	0

01. One
02. Two
03. Three
04. Four
05. Five
06. Six
07. Seven
08. Eight
09. Nine
10. Ten
11. Eleven
12. Twelve
13. Thirteen
15. Fifteen
20. Twenty
26. Twenty-six (a fifth)
88. No idea, DK
99. NA
00. Inap., no interview; or none

V44 R44 Accident 3 Drinks (Q.15. Suppose a man of average weight has 3 drinks in two hours. How many times more likely do you think he is to cause an accident than a driver who has not been drinking?) TL=68-69 MD=00,98 W=2
SEE ALSO V227

CODE ACTUAL NUMBER, IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY. IF ANSWER IS IN %, ROUND TO NEAREST WHOLE NUMBER AND MAKE A CARD.

Percentiles

	T1	XD
10.	1	1
30.	2	2
50.	2	2
70.	3	3
90.	10	10

- 01. No increased chance of accident
- 96. 96-100
- 97. Over 100
- 98. No idea, DK
- 99. NA
- 00. Inap., no interview

V45 R45 Accident 6 Drinks (Q.15a. How about with 6 drinks in two hours?) TL=70-71 MD=00,98 W=2
SEE ALSO V228

CODE ACTUAL NUMBER, IF RANGE IS GIVEN, CODE MIDPOINT ROUND TO ODD WHEN NECESSARY.

Percentiles

	T1	XD
10.	2	2
30.	4	4
50.	5	8
70.	10	10
90.	50	82

- 01. No increased chance of accident
- 96. 96-100
- 97. Over 100
- 98. No idea, DK
- 99. NA
- 00. Inap., no interview

V46 R46 Accident 9 Drinks (Q.15b. How about with 9 drinks in two hours?) TL=72-73 MD=00,98 W=2
SEE ALSO V229

CODE ACTUAL NUMBER, IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

Percentiles

	T1	XD
10.	3	2
30.	7	9
50.	10	15
70.	34	50
90.	96	97

- 01. No increased chance of accident
- 96. 96-100
- 97. Over 100
- 98. No idea, DK
- 99. NA
- 00. Inap., no interview

V47 R47 Can Test Randomly (Q.16. The police generally use a breathalyzer for testing the amount of alcohol in the body. I would like to know when you think they can try to make a driver take a breath test. Q.16a. Do you think they can ask any driver stopped in a random road check to take the breath test?) SEE ALSO V230 TL=74 MD=0,9

T1	NL	ND	ND	XD
47	44	49	42	49
47	54	42	52	47
7	2	9	6	5
*2	0	0	0	0

- 1. Yes
- 5. No
- 8. DK
- 9. NA
- 0. Inap., no interview

V48 R48 Should Test Randomly (Q.16b. Do you think they should have this power?) TL=75 MD=0,9
SEE ALSO V231

T1	NL	ND	MD	XD
57	44	68	50	49
42	56	32	50	49
1	0	1	1	2
*3	0	*2	*2	0

- 1. Yes
- 5. No
- 8. DK
- 9. NA
- 0. Inap., no interview

V49 R49 Can Test Drunk (Q.16c. How about any time they see a drunk person get into a driver's seat?) SEE ALSO V230 TL=76 MD=0,9

T1	NL	ND	MD	XD
68	73	73	61	67
28	27	23	34	31
4	0	5	5	2
*2	*1	*1	0	0

- 1. Yes
- 5. No
- 8. DK
- 9. NA
- 0. Inap., no interview

V50 R50 Should Test Drunk (Q.16d. Do you think they should have this power?) TL=77 MD=0,9
SEE ALSO V231

T1	NL	ND	MD	XD
84	85	89	76	82
15	10	10	23	17
1	5	1	1	1
*1	0	*1	0	0

- 1. Yes
- 5. No
- 8. DK
- 9. NA
- 0. Inap., no interview

V51 R51 Can Test Arrestee (Q.16e. How about any time a driver is arrested for drunk driving?) SEE ALSO V230 TL=78 MD=0,9

T1	NL	ND	MD	XD
95	100	95	94	92
4	0	3	4	7
1	0	1	2	1
*3	*1	*2	*1	*1

- 1. Yes
- 5. No
- 8. DK
- 9. NA
- 0. Inap., no interview

V52 R52 Should Test Arrestee (Q16f. Do you think they should have this power?) TL=79 MD=0,9

T1	NL	ND	MD	XD
97	97	99	96	95
3	3	1	2	5
1	0	0	2	0
*8	*1	*2	*3	*2

- 1. Yes
- 5. No
- 8. DK
- 9. NA
- 0. Inap., no interview

V53 R53 Can Test Any Acc. (Q.16g. How about any time a driver is involved in an accident whether he is arrested or not?) TL=80 MD=0,9
SEE ALSO V230

T1	NL	ND	MD	XD
60	57	65	56	54
34	35	28	39	40
7	7	7	5	6
*5	*1	*2	*1	*1

1. Yes
5. No
8. DK
9. NA
0. Inap., no interview

V54 R54 Should Test Any Acc. (Q.16h. Do you think they should have this power?) TL=81 MD=0,9
SEE ALSO V231

T1	NL	ND	MD	XD
75	65	83	67	71
24	33	15	33	29
1	3	1	1	1
*4	*1	*1	*1	*1

1. Yes
5. No
8. DK
9. NA
0. Inap., no interview

V55 R55 Refusal Penalty (Q17. Do you happen to know what happens to a driver who refuses to take the breath test when a policeman asks him to (IF YES) What is that?) TL=82-84 MD=0,9
Responses=3

T1	NL	ND	MD	XD
15	3	14	16	21
7	10	7	5	6
3	5	3	1	2
*1	0	*1	0	0
14	20	9	21	14
4	3	3	7	1
5	3	4	7	7
55	60	60	46	52
*6	*1	*1	*2	*2

1. License suspended or revoked (Priority code)
2. Jail
3. Fine, ticket
4. Warning
5. Arrested, charged with drunk driving-NA specific penalty
6. Nothing
7. Other
8. DK, no idea
9. NA
0. Inap., no interview; no second, or third response

V56 R56 Conviction Legal BAC (Q.18. If someone is arrested by the police and passes the breath test do you think he can still be convicted of drunk driving?) TL=85 MD=0,9

T1	NL	ND	MD	XD
26	30	24	25	30
67	65	65	69	67
7	5	11	7	3
*4	*1	*2	*1	0

1. Yes
5. No
8. No idea
9. NA
0. Inap., no interview

V57 R57 First Penalty Now (Q.19. What do you think is most likely to happen the first time a driver is convicted of drunk driving in Washtenaw County?) TL=86-89 MD=0 Responses=4

T1	NL	ND	MD	XD
13	17	10	16	15
43	46	46	39	49
1	2	1	1	1
1	2	0	1	1
3	5	3	2	4
66	39	65	70	72
14	15	12	13	18
1	5	1	2	1
27	29	32	27	17
*17	0	*10	*4	*3

1. Go to jail for a period
2. Lose his license temporarily
3. Lose his license permanently
4. Be required to take pills which cause a person to be sick if he drinks alcohol
5. Have his car taken away temporarily
6. Pay a fine
7. Be required to attend a driver education course
8. Be required to seek medical help
9. Be given a warning and to go on Probation
0. DK; NA; Inap., no interview; no second, third or fourth response

V58 R58 Best First Penalty (Q19a. What do you think should happen to a first offender?) TL=90-93 MD=0 Responses=4

T1	NL	ND	MD	XD
10	13	13	7	8
49	35	50	49	50
2	0	3	1	4
1	0	1	2	2
4	10	4	3	4
53	48	52	51	59
17	17	15	18	21
5	3	5	7	3
30	37	29	33	25
*11	*1	*6	*4	0

1. Got to jail for a period
2. Lose his license temporarily
3. Lose his license permanently
4. Be required to take pills which cause a person to be sick if he drinks alcohol
5. Have his car taken away temporarily
6. Pay a fine
7. Be required to attend a driver education course
8. Be required to seek medical help
9. Be given a warning and to go on probation
0. No punishment, nothing; DK; NA; Inap., no interview; no second, third or fourth response

V59 R59 Best Third Penalty (Q19b. What do you think should happen to a driver the third time he is convicted of drunk driving?) TL=94-97 MD=0 Responses=4

T1	NL	ND	MD	XD
26	19	22	29	31
36	29	36	40	38
48	46	50	48	45
2	2	3	2	1
11	2	12	14	10
28	29	28	25	33
10	2	9	11	14
20	12	19	24	20
4	2	5	2	4
*5	0	*5	0	0

1. Go to jail for a period
2. Lose his license temporarily
3. Lose his license permanently
4. Be required to take pills which cause a person to be sick if he drinks alcohol
5. Have his car taken away temporarily
6. Pay a fine
7. Be required to attend a driver education course
8. Be required to seek medical help
9. Be given a warning and to go on probation
0. DK; NA; Inap., no interview; no second, third or fourth response

V60 R60 Age Effect (Q.20. Some people say that the effects of alcohol are not the same for everyone, depending on certain conditions. In your opinion, how important are each of the following conditions in affecting how a person feels or acts after drinking? How important would you say a person's age is in affecting his behavior after drinking?)

TL=98 MD=0,9

T1	NL	ND	MD	XD
<u>34</u>	<u>63</u>	<u>32</u>	<u>31</u>	<u>32</u>
37	19	36	37	41
21	7	24	23	18
8	7	7	8	8
1	2	1	1	0
*3	0	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V61 R61 Empty Stomach Effect (Q.20b. If he drinks on an empty stomach)

TL=99 MD=0,9

SEE ALSO V232

T1	NL	ND	MD	XD
<u>76</u>	<u>73</u>	<u>77</u>	<u>80</u>	<u>69</u>
21	24	19	17	26
3	0	3	2	4
*2	0	*1	0	1
1	2	1	0	0
*3	0	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V62 R62 Weight Effect (Q.20c. How much he weighs)

TL=100 MD=0,9

SEE ALSO V232

T1	NL	ND	MD	XD
<u>33</u>	<u>27</u>	<u>33</u>	<u>34</u>	<u>33</u>
40	32	40	42	41
19	22	20	19	17
7	17	6	5	8
1	2	1	0	0
*3	0	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V63 R63 Bolting Effect (Q.20d. If he bolts his drinks)

TL=101 MD=0,9

T1	NL	ND	MD	XD
<u>63</u>	<u>56</u>	<u>62</u>	<u>71</u>	<u>59</u>
23	27	23	19	27
9	7	9	8	10
4	7	4	2	4
1	2	1	1	0
*3	0	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V64 R64 Feelings Effect (Q.20e. How he is feeling
(sad, tired, nervous, happy, etc.) TL=102 MD=0,9

T1	NL	ND	MD	XD
55	66	51	55	59
34	17	35	36	33
9	10	11	8	7
2	5	2	1	1
1	2	1	0	0
*3	0	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V65 R65 Change Drinks Effect (Q.20f. If he changes
from one kind of drink to another) TL=103 MD=0,9

T1	NL	ND	MD	XD
47	59	49	47	40
29	15	29	30	30
16	17	14	17	18
7	5	7	6	11
1	5	1	0	1
*3	0	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V66 R66 Marijuana Effect (Q.20g. If he is smoking
marijuana) TL=104 MD=0,9

T1	NL	ND	MD	XD
67	78	70	67	56
15	7	12	16	21
9	5	8	9	11
4	2	3	4	5
6	7	6	5	8
*5	0	*3	*1	*1

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V67 R67 Strong Drug Effect (Q.20h. If he is using
some strong drug like LSD) TL=105 MD=0,9

T1	NL	ND	MD	XD
89	95	88	88	90
5	2	5	5	5
2	0	2	2	1
1	0	2	2	0
3	2	3	3	5
*5	0	*3	*1	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V68 R68 Effect of Others (Q.20i. How the people he
is with are acting) TL=106 MD=0,9

T1	NL	ND	MD	XD
38	37	40	39	32
45	45	42	45	52
11	10	11	11	13
5	5	7	4	3
1	3	1	1	0
*5	*1	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V69 R69 Habitual Effect (Q.20j. If he is used to drinking alcoholic beverages) TL=107 MD=0,9
SEE ALSO V232

T1	NL	ND	MD	XD
34	29	38	31	29
48	54	44	49	53
14	10	13	18	13
3	5	4	1	4
1	2	1	0	0
*3	0	*3	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V70 R70 Medicine Effect (Q.20k. If he is taking medicine for some sickness) TL=108 MD=0,9

T1	NL	ND	MD	XD
71	66	69	71	73
23	15	25	23	20
4	10	3	5	5
1	5	1	0	0
2	5	2	1	2
*6	0	*6	0	0

1. Important
2. Somewhat important
3. Not very important
4. Not important at all
8. DK
9. NA
0. Inap., no interview

V71 R71 Coffee to Sober Up (Q.21. People also have different ideas about the most effective ways to sober up from drinking too much. Would you say that drinking lots of black coffee is a very effective, a somewhat effective, or a not very effective way to sober up?) TL=109 MD=0,9
SEE ALSO V233

T1	NL	ND	MD	XD
8	19	10	5	3
55	51	62	54	47
33	27	24	39	48
3	2	5	2	2
0	0	0	0	0

1. Very effective
3. Somewhat effective
5. Not very effective
8. DK
9. NA
0. Inap., no interview

V72 R72 Walking to Sober Up (Q.21a. How about walking around the block?) SEE ALSO V233 TL=110 MD=0,9

T1	NL	ND	MD	XD
9	7	12	8	4
50	54	42	55	57
39	32	41	37	38
3	7	5	0	1
0	0	0	0	0

1. Very effective
3. Somewhat effective
5. Not very effective
8. DK
9. NA
0. Inap., no interview

V73 R73 Waiting to Sober Up (Q.21b. How about waiting an hour?) SEE ALSO V233 TL=111 MD=0,9

T1	NL	ND	MD	XD
19	17	20	17	19
57	46	55	58	65
23	29	24	24	17
1	7	1	1	0
*2	0	*2	0	0

1. Very effective
3. Somewhat effective
5. Not very effective
8. DK
9. NA
0. Inap., no interview

V74 R74 Food to Sober Up (Q.21c. How about eating a lot of starchy food?) TL=112 MD=0,9
SEE ALSO V233

T1	NL	ND	MD	XD
13	19	13	15	7
40	29	38	41	45
39	39	37	40	43
8	12	12	4	5
0	0	0	0	0

1. Very effective
3. Somewhat effective
5. Not very effective
8. DK
9. NA
0. Inap., no interview

V75 R75 Best Main Approach (Q.22. In trying to reduce the number of alcohol-related traffic accidents, do you think the main effort should be to get people never to drink before driving, or to get people to understand how much they can safely drink and to stick to those limits) TL=113 MD=0,9

T1	NL	ND	MD	XD
24	22	34	18	12
76	78	66	82	88
0	0	0	0	0
0	0	0	0	0

1. Never drink before driving
5. Understand and stick to limits
8. DK
9. NA
0. Inap., no interview

V76 R76 Why Main Approach (Q.22a. Why do you feel that way?) TL=114-115 MD=0,9 Responses=2

T1	NL	ND	MD	XD
----	----	----	----	----

18	17	26	12	11
----	----	----	----	----

Support for Never Drinking Before Driving

1. Any drinking before driving is dangerous; difficult (or impossible) to establish any safe limits for a driver
2. Education won't work; - people won't or can't stop at safe limit
3. Drinking is immoral; people should never drink
4. Other never drink before driving response

4	3	5	4	1
---	---	---	---	---

1	0	1	0	0
---	---	---	---	---

3	3	3	3	0
---	---	---	---	---

Support for Education to Safe Limits

56	43	49	62	65
----	----	----	----	----

5. Not realistic to try to stop all drinking before driving; can't be enforced; drinking is a strong social custom that can't be stopped

10	10	10	12	6
----	----	----	----	---

6. Not appropriate (not legal) to try to stop all drinking before driving; moderate drinking is safe (at least for some)

21	27	17	24	26
----	----	----	----	----

7. People can be educated to limit their drinking before driving

3	7	3	3	2
---	---	---	---	---

8. Other education to safe limits response

13	*1	*6	*1	*5
----	----	----	----	----

9. NA

0. Inap., no interview; no second response

V77 R77 Help Walking Drunks (Q.23. Many of the pedestrians who get involved in traffic accidents are drunk at the time. Do you think there should be any special efforts to help drunk pedestrians avoid getting hit, such as warning signs or extra lighting near bars, or special patrols to assist drunk pedestrians; or don't you think such special efforts should be made? Q.23a. How much special effort do you think is desirable; a lot, some, or only a little?) TL=116 MD=0,9

NOTE THAT CATEGORIES 2 AND 3 ARE DIFFERENT FROM PRECODING.

T1	NL	ND	MD	XD
16	24	17	13	13
31	19	34	32	26
6	7	7	7	6
0	0	0	0	0
43	39	40	43	50
4	10	3	5	4
*1	0	*1	0	0

1. Yes, a lot
2. Yes, some
3. Yes, only a little
4. Yes, DK or NA how much
5. No
8. No opinion, DK
9. NA
0. Inap., no interview

V78 R78 ASAP Tax Support (Q.24. If there were an expanded government program which could cut down on alcohol-related traffic accidents by as much as one third or one half, how much more taxes per year would you personally be willing to pay to support such a program?) TL=117 MD=9

T1	NL	ND	MD	XD
22	22	21	22	23
15	13	13	18	18
14	16	15	17	5
12	8	15	10	13
9	8	10	6	12
11	16	19	9	12
3	3	4	3	1
11	13	9	13	12
2	0	1	2	2
*27	*4	*17	*5	*1

0. None
1. \$1-\$5
2. \$6-\$10
3. \$11-\$20
4. \$21-\$39
5. \$40-\$59
6. \$60-\$99
7. \$100 or more
8. Yes, willing to support but DK how much
9. NA; DK; Inap., no interview

V79 R79 DAD Advertisements (Q.25. Do you remember seeing or hearing any recent advertisements, spot commercials, articles, films, or other items about the effects of drinking on driving?) TL=118 MD=0,9

T1	NL	ND	MD	XD
80	61	78	83	86
20	39	22	17	14
0	0	0	0	0
0	0	0	0	0

1. Yes
5. No
8. DK
9. NA
0. Inap., no interview

Percentages of all Respondents

T1	NL	ND	MD	XD
67	51	68	66	71
11	5	13	14	7
13	10	11	16	17
18	10	16	20	21
10	7	10	9	10
1	0	2	1	1
5	7	6	5	5
0	0	0	0	0
*1	0		*1	0
20	39	22	17	14

V80 R80 What DAD Media (Q.25a. Where did you see or hear these?) TL=119-121 MD=9 Responses=3

1. Television
2. Newspapers
3. Magazines
4. Radio
5. Billboards and outdoor signs
6. Pamphlets, booklets
7. Other
8. DK
9. NA
0. Inap., no interview or coded 5-9 in R79; or no second or third response

T1	NL	ND	MD	XD
39	28	39	41	42
6	3	6	8	6
10	5	7	11	14
11	8	15	7	8
6	3	5	9	5
2	0	2	2	2
3	3	3	3	4
9	13	9	8	8
*13	*2	*6	*2	*3
20	39	22	17	14

V81 R81 What DAD Messages (Q.25b. What do you remember most from what you heard or saw?) TL=122-123 MD=9 Responses=2

1. Inform (scare) people about extent of DAD problem in general
2. Inform (scare) people about legal penalties for drunk driving
3. Educate people about physiological effects of alcohol, number of safe drinks, relation of number of drinks to chances of accident to BAC levels etc.
4. Educate people never to drive after drinking
5. Encourage more governmental actions to solve DAD problems (Scream Bloody Murder); to keep drinking drivers off the road
6. Encourage people with alcohol problems to obtain treatment
7. Other
8. DK, Don't Remember, nothing specific
9. NA
0. Inap., no interview, or coded 5-9 in R79; no second response

T1	NL	ND	MD	XD
78	77	80	75	77
35	43	35	38	29
23	22	19	28	23
34	35	36	33	34
24	15	23	21	32
3	5	3	3	1
1	0	1	1	1
*1	0	*1	0	0
*1	*1	0	0	0

V82 R82 Best Message Media (Q.26. In which of the following places would you be most likely to notice messages about traffic safety & drinking?) TL=124-126 MD=0,9 Responses=3

1. Television
2. Newspapers
3. Magazines
4. Radio
5. Billboards and signs
6. Pamphlets
7. Other
8. DK
9. NA
0. Inap., no interview; no second or third response

V83 R83 Heard of Washtenaw ASAP (Q.27. Have you heard of the special new program in Washtenaw County to reduce alcohol-related traffic accidents?) TL=127 MD=0,9

T1	NL	ND	MD	XD
<u>11</u>	<u>3</u>	<u>12</u>	<u>13</u>	<u>8</u>
89	97	88	87	92
0	0	0	0	0
*3	*1	*1	0	*1

1. Yes
5. No
8. DK
9. NA
0. Inap., no interview

V84 R84 Group Running ASAP (Q.27a. Do you happen to know what group is in charge of this program?) (IF YES) What is that?) TL=128 MD=9

T1	NL	ND	MD	XD
*2	0	0	*2	0
*4	0	*2	0	*2
*5	0	*4	*1	0
*1	0	0	*1	0
*3	0	*2	0	*1
*2	0	*1	*1	0
*6	0	0	*3	*3
7	2	8	8	4
0	0	0	0	0
89	98	88	87	92

1. County Health Department
2. Police, sheriff's dept.
3. Highway Safety Research Institute
4. Courts
5. University of Michigan
6. Washtenaw County Council on Alcoholism
7. Other
8. No, DK
9. NA
0. Inap., no interview, or coded 5-9 in R83

V85 R85 ASAP Activities (Q.27b. Can you tell me anything about what this program is doing?) TL=129-132 Responses=4

T1	NL	ND	MD	XD
*4	0	*2	*1	*1
*14	0	*6	*4	*4
*6	0	*2	*2	*2
*12	0	*4	*5	*3
*6	0	*3	0	*3
*2	0	*1	*1	0
*2	0	*2	0	0
*1	0	0	*1	0
*10	0	*4	*5	*1
94	99	93	92	95

1. Increased police enforcement
2. Roadside breath tests
3. Antabuse drug
4. Public information campaign
5. Treatment services for problem drinkers
6. Strict court sentences
7. Strict driver license rules
8. Driver course
9. Other
0. No, nothing, DK, NA; Inap., no interview; or coded 5-9 in R83; or no second, third or fourth response

V86 R86 Member DAD Organiz. (Q.28. Are you yourself a member of any organization or club that is concerned about the drinking driver problem? (IF YES) What group is that?) TL=133 MD=0,9

T1	NL	ND	MD	XD
3	2	3	5	1
*2	0	0	1	1
1	0	1	1	1
1	0	1	1	1
93	98	93	92	95
1	0	1	2	1
0	0	0	0	0
0	0	0	0	0
*2	0	*1	0	*1

1. Yes, auto clubs, SAE
2. Yes, service clubs, Chamber of Commerce, other civic, fraternal, or verterans groups
3. Yes, church groups
4. Yes, professional involvement through employment or studies (Brighton Hosp., WASAP, WCCA, Univ. of Mich. units, police, etc.)
5. No
6. Yes, other
7. Yes, NA what organization
8. DK
9. NA
0. Inap., no interview

V87 R87 Alcoholism Serious (Q.29. Compared to other health problems, how serious do you think problem drinking or alcoholism is in Washtenaw County? Would you say it is:) TL=134 MD=0,9

T1	NL	ND	MD	XD
20	22	23	14	21
33	39	36	31	27
35	32	31	39	42
8	2	7	11	7
4	5	4	4	3
*3	0	*2	*1	0

1. Very serious
2. Quite serious
3. Somewhat serious
4. Not very serious
8. No opinion, DK
9. NA
0. Inap., no interview

V88 R88 Alcoholic Percentage (Q.30. Out of every 100 adults in Washtenaw County how many would you guess are alcoholics or have serious drinking problems?) SEE ALSO V234 TL=135-136 MD=00,88

Percentiles		
	T1	XD
10.	2	2
30.	5	5
50.	10	8
70.	20	15
90.	50	30

CODE ACTUAL NUMBER. IF RANGE IS GIVEN CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

01. One percent or less
88. DK
99. NA
00. Inap., no interview

V89 R89 Ever Close Alcoholic (Q.31. Have you ever had a close friend or relative who had a serious drinking problem? Q.31a. Was he or she (were they) able to over come this problem or not?)

TL=137 MD=0,9

T1	NL	ND	MD	XD
15	12	15	18	15
9	10	8	9	11
30	29	31	32	28
*1	0	0	0	1
43	49	45	38	44
2	0	1	3	1
0	0	0	0	0
*1	0	*1	0	0

1. Yes, overcome
2. Yes, partially overcome
3. Yes, not overcome
4. Yes, NA if overcome
5. No
7. Yes, DK if overcome
8. DK (Q.31)
9. NA (Q.31)
0. Inap., no interview

V90 R90 Alcoholism Success (Q.32. How often do you think persons with serious drinking problems are able to overcome them? Would you say:) TL=138 MD=0,9

T1	NL	ND	MD	XD
2	2	2	2	3
10	17	7	12	11
32	37	33	30	32
44	29	43	46	49
10	7	14	8	5
2	7	1	2	0
*2	0	*2	0	0

1. Almost always
2. Most of the time
3. About half of the time
4. Only occasionally
5. Almost never
8. No opinion, DK
9. NA
0. Inap., no interview

V91 R91 Helpful Organization (Q.33. Do you know of any agencies or organizations in Washtenaw County that offer help for drinking problems? (IF YES) What are their names?) TL=139-141 MD=9 Responses=3

T1	NL	ND	MD	XD
3	0	3	4	2
58	49	52	66	64
1	0	1	1	3
3	0	4	3	3
1	0	1	2	1
2	0	2	2	3
3	0	3	3	5
5	2	3	7	6
*1	0	0	0	*1
37	49	45	29	31

1. Washtenaw County Council on Alcoholism
2. Alcoholics Anonymous
3. Ozone House, Free Clinic
4. Social Service Agencies
5. Mental health agencies
6. Crisis Clinic
7. Hospitals
8. Church groups; other groups
9. NA; Inap., no interview
0. No, none; no second or third response

V92 R92 Heard of WCCA (Q.33a. Have you heard of the Washtenaw County Council on Alcoholism?)

TL=142 MD=0,9

T1	NL	ND	MD	XD
18	3	18	21	20
79	93	81	76	74
3	5	1	3	6
*38	*1	*18	*13	*6

1. Yes (including coded 1 in R91)
5. No
8. DK
9. NA
0. Inap., no interview

V93 R93 WCCA Activities (Q.33b. Can you tell me what the council does?) TL=143-144 MD=9 Responses=2

TL	NL	ND	MD	XD
1	0	1	1	1
3	0	2	3	3
1	0	1	1	0
3	0	3	0	6
*2	0	0	0	1
0	0	0	0	0
*2	0	*1	0	1
11	*1	10	13	11
*1	0	0	*1	0
83	98	84	81	81

1. Referral service for treatment
2. Education and information service
3. Research
4. Treatment or counseling
5. Blood testing
- 6.
7. Other
8. DK, not sure
9. NA
0. Inap., no interview; coded 5-9 in R92; no second response

V94 R94 Enforcement Effect (Q.34. How effective do you think each of the following methods would be in reducing the drinking driver problem? Just give me the number on this card. How effective do you think greater police enforcement of drunk driving laws would be?) SEE ALSO V235

TL=145 MD=0,9

TL	NL	ND	MD	XD
31	35	35	28	29
37	20	39	39	38
24	37	19	24	30
7	3	7	9	3
1	5	*1	1	0
*2	*1	*1	0	0

1. Very effective
2. Fairly effective
3. Somewhat effective
4. Not at all effective
8. DK
9. NA
0. Inap., no interview

V95 R95 Education Effect (Q.34b. A large-scale public information and education campaign) TL=146 MD=0,9
SEE ALSO V235

T1	NL	ND	MD	XD
22	33	21	21	20
41	27	44	37	45
28	27	27	33	25
8	10	7	8	10
1	3	1	0	0
*2	*1	*1	0	0

1. Very effective
2. Fairly effective
3. Somewhat effective
4. Not at all effective
8. DK
9. NA
0. Inap., no interview

V96 R96 Treatment Effect (Q.34c. Improved treatment services for problem drinkers) SEE ALSO V235

TL=147 MD=0,9

T1	NL	ND	MD	XD
36	35	36	37	32
36	35	36	35	38
23	23	23	23	23
5	3	5	5	7
1	5	0	1	0
*2	*1	0	0	0

1. Very effective
2. Fairly effective
3. Somewhat effective
4. Not at all effective
8. DK
9. NA
0. Inap., no interview

V97 R97 Penalties Effect (Q.34d. More severe penalties for convicted drunk drivers) SEE ALSO V235 TL=148 MD=0,9

T1	NL	ND	MD	XD
37	37	41	33	37
30	27	29	29	32
19	15	18	24	17
13	17	11	14	13
1	3	1	0	0
*4	*1	*3	0	0

1. Very effective
2. Fairly effective
3. Somewhat effective
4. Not at all effective
8. DK
9. NA
0. Inap., no interview

V98 R98 Antabuse Effect (Q.34e. Having convicted drunk drivers use a pill which causes them to be sick if they drink alcohol) SEE ALSO V235 TL=149 MD=0,9

T1	NL	ND	MD	XD
19	28	22	13	19
21	13	22	24	15
19	15	20	19	20
39	41	34	44	45
1	3	2	0	1
*7	*2	*1	*1	*3

1. Very effective
2. Fairly effective
3. Somewhat effective
4. Not at all effective
8. DK
9. NA
0. Inap., no interview

V99 R99 DAD Courses Effect (Q.34f. Special alcohol-education courses for convicted drunk drivers) SEE ALSO V235 TL=150 MD=0,9

T1	NL	ND	MD	XD
22	27	23	22	17
36	25	36	37	40
29	30	28	31	30
12	15	12	10	13
1	3	1	0	0
*3	*1	*1	*1	0

1. Very effective
2. Fairly effective
3. Somewhat effective
4. Not at all effective
8. DK
9. NA
0. Inap., no interview

V100 R100 Random Check Effect (Q.34g. Police using random road checks to find drivers who have been drinking) SEE ALSO V235 TL=151 MD=0,9

T1	NL	ND	MD	XD
16	23	21	11	11
25	17	26	24	24
30	25	29	30	31
29	33	23	34	33
1	3	1	0	0
*4	*1	*2	0	*1

1. Very effective
2. Fairly effective
3. Somewhat effective
4. Not at all effective
8. DK
9. NA
0. Inap., no interview

V101 R101 Drinking Type (Q.35. Drinking is an accepted part of business & social activity for many people. Do you yourself ever drink alcoholic beverages, or are you a total abstainer? (Q.36. At the present time do you consider yourself to be a:)) TL=152 MD=0,9

IGNORE PRECODING ON Q.35

T1	NL	ND	MD	XD
41	41	45	48	24
23	15	9	34	37
14	0	4	18	32
1	0	0	0	7
*1	0	0	1	0
0	0	0	0	0
21	44	42	0	0
0	0	0	0	0

1. Very light drinker
2. Fairly light drinker
3. Moderate drinker
4. Fairly heavy drinker
5. Heavy drinker
6. Yes, drink (Q.35), NA how much (Q.36)
7. No, total abstainer (Q.35)
9. NA both Q.35 & A.36
0. Inap., no interview

V102 R102 Times Four Drinks (Q.37. About how many times in a month would you say you have 4 or more drinks at a time? (BY "DRINK" IS MEANT A GLASS OF WINE, A BOTTLE OR CAN OF BEER, A SINGLE SHOT OF WHISKY, ETC.)) TL=153-154 MD=99

CODE ACTUAL NUMBER. IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

T1	NL	ND	MD	XD
60	81	85	47	17
17	10	9	22	28
7	5	2	11	12
3	2	1	3	7
5	0	1	8	11
2	0	1	2	5
1	2	0	2	2
*2	0	0	1	1
1	0	0	1	5
1	0	0	1	1
*1	0	0	0	1
*1	0	0	1	0
*1	0	0	0	1
*1	0	0	0	1
1	0	0	1	4
*1	0	0	0	1
1	0	0	0	2
1	0	0	1	1
0	0	0	0	0
*2	0	0	*1	*1

00. None; or Inap., no interview or total abstainer
01. One
02. Two
03. Three
04. Four
05. Five
06. Six
07. Seven
08. Eight
10. Ten
12. Twelve
14. Fourteen
15. Fifteen
16. Sixteen
20. Twenty
27. Twenty-seven
28. Twenty-eight
30. Thirty
98. DK
99. NA

V103 R103 Times Eight Drinks (Q.38. About how many times in a month do you have 8 or more drinks at a time?) TL=155-156 MD=99

CODE ACTUAL NUMBER. IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

T1 NL ND MD XD

88 99 97 89 66

7 0 3 6 19
 3 0 1 4 5
 1 0 0 0 3
 1 0 0 0 3
 *1 0 0 1 0
 *1 0 0 0 1
 *2 0 0 0 1
 *2 0 0 1 1
 *1 0 0 0 1
 0 0 0 0 0
 *3 0 *1 *1 *1

00. None; or Inap., no interview, or total abstainer, or coded 00 in R120
 01. One
 02. Two
 03. Three
 04. Four
 05. Five
 06. Six
 08. Eight
 10. Ten
 14. Fourteen
 98. DK
 99. NA

V104 R104 Alcohol Ability (Q.39. How would you rate your own ability to handle alcohol compared to most people? Would you say it is above average, about average, or below average?) TL=157 MD=9

T1 NL ND MD XD

18 2 11 29 23
 42 37 27 52 62
 18 17 19 18 14
 1 0 1 1 0
 *5 0 *3 *2 0
 21 44 42 0 0

1. Above average
 3. About average
 5. Below average
 8. DK
 9. NA
 0. Inap., no interview, or total abstainer

V105 R105 Limit Guest Intake (Q.40. When you have served alcoholic drinks in your home, have you ever done any of the following things to try to reduce the risk of accident for your driving guests? Q.40a. Limit the drinking of guests who plan to drive home?) TL=158 MD=9

T1 NL ND MD XD

21 10 17 30 23
 43 15 24 61 66
 0 0 0 0 0
 *4 0 *1 *2 *1
 36 76 59 8 11

1. Yes
 5. No
 8. DK
 9. NA
 0. Inap., no interview, or total abstainer, or never serves

V106 R106 Stop Guest Driving (Q.40b. Persuade a guest not to drive but to go home another way or to stay the night with you?) TL=159 MD=9

T1 NL ND MD XD

38 15 24 49 59
 27 10 18 43 29
 0 0 0 0 0
 *4 0 0 0 0
 36 76 59 8 11

1. Yes
 5. No
 8. DK
 9. NA
 0. Inap., no interview, or total abstainer, or never serves

V107 R107 Give Food to Guests (Q.40c. Provide food and coffee to guests before they leave to help them sober up?) TL=160 MD=9

T1	NL	ND	MD	XD
50	17	32	73	66
15	7	9	18	23
*1	0	0	1	0
*4	0	*2	*1	*1
36	76	59	8	11

1. Yes
5. No
8. DK
9. NA
0. Inap., no interview, or total abstainer, or never serves

V108 R108 Have Driver License (Q.41,Q.54. Now I have some questions about your driving. Do you currently have a driver's license? (IF NO) Have you ever had a driver's license? Q.41a.,Q.54a. Why don't you have a license now?) TL=161 MD=0,9
SEE ALSO V237-V239

T1	NL	ND	MD	XD
91	0	97	98	99
*2	0	*1	*1	0
*5	0	*3	*1	0
*7	0	*5	*1	*1
*1	0	0	*1	0
7	*41	0	10	0
0	0	0	0	0

1. Yes
2. Formerly but not now because of suspension or revocation
3. Formerly but not now because of age or physical or mental disability
4. Formerly but not now because of other reasons
6. Formerly but not now, NA why
5. No, never had a driver's license
9. NA
0. Inap., no interview

V109 R109 Years Driven (Q.42,Q.55. About how many years have you been driving (did you drive?)) TL=162 MD=9

T1	ND	MD	XD
5	9	2	1
16	24	13	10
26	22	28	42
20	16	26	25
11	9	14	14
8	10	9	5
5	7	6	2
3	4	2	1
*1	0	0	0
7	0	0	0

1. 18 months or less
2. 2-4 years
3. 5-9 years
4. 10-19 years
5. 20-29 years
6. 30-39 years
7. 40-49 years
8. 50 years or more
9. NA, DK
0. Inap., no interview, or never a driver

V110 R110 Average Mileage (Q.43,Q.56. And about how many miles do (did) you yourself drive in a year?) TL=163 MD=9

T1	ND	MD	XD
8	14	5	1
12	19	8	7
7	7	9	3
20	23	22	16
20	18	24	27
17	10	21	29
8	5	8	16
2	5	1	0
*3	*2	0	0
7	0	0	0

1. Under 1000
2. 1000-2999
3. 3000-4999
4. 5000-9999
5. 10,000-14,999
6. 15,000-24,999
7. 25,000 & over
8. DK, no idea
9. NA
0. Inap., no interview, or never a driver

V111 R111 Driving Skill (Q.44,Q57. Would you consider your driving as excellent, very good, good, fair, or poor?) TL=164 MD=9

T1	ND	MD	XD
13	11	16	17
40	47	43	43
34	39	37	32
5	7	4	7
1	1	0	1
*1	*1	0	0
*2	*1	0	0
7	0	0	0

1. Excellent
2. Very good
3. Good
4. Fair
5. Poor
8. DK
9. NA
0. Inap., no interview, or never a driver

V112 R112 How Learn Driving (Q.45,Q.58. Who taught you to drive? (CHECK ALL APPROPRIATE CATEGORIES) TL=165-166 MD=9 Responses=2

T1	ND	MD	XD
34	34	37	41
7	6	9	7
5	9	3	2
43	44	46	50
9	11	7	11
9	11	11	8
*2	0	1	0
*2	*1	1	0
*3	*2	0	0
7	0	0	0

1. Parent or other relative
2. Friend
3. Spouse
4. Public school driver education course
5. Private driver education course
6. Self
7. Military
8. Other
9. NA
0. Inap., no interview, or never a driver; or no second response

V113 R113 Drink Before Drive (Q.46. Some people say that you should never drink alcohol before driving; others say it doesn't matter very much. How about you? Do you ever have a drink before driving? Q.46a. (IF NO) Don't you ever find that someone insists on your having a drink before you drive away? What do you do then?) TL=167 MD=9

SEE ALSO V237-V239

T1	NL	ND	MD	XD
49	0	0	97	97
1	0	0	2	0
1	0	0	1	3
8	0	19	0	0
16	0	37	0	0
1	0	2	0	0
*1	0	0	0	0
25	100	42	0	0

1. Yes
2. No, but sometimes accept if someone insists
3. Says "no, never" but answers Q.48 or Q.49 affirmatively
4. No, always refuse
5. No, no one ever insists
6. No, NA if ever accept
9. NA
0. Inap., no interview, or never a driver, or total abstainer

V114 R114 Specific Rules (Q.47. Do you have any specific rules for yourself as to how much you can drink before you drive? (IF YES) What are they?) TL=168-169 MD=99 W=2

MAKE A CARD FOR ANY SECOND RESPONSE

T1	MD	XD	
*1	0	1	10. Never drinks before driving
7	19	7	11. No more than 1 drink before driving (including 1 drink per hour)
7	18	11	12. No more than 2 drinks before driving (including 2 drinks per hr.)
2	4	5	13. No more than 3 drinks before driving (including 3 drinks per hour)
1	2	1	14. No more than 4 drinks before driving (including 4 drinks per hr.)
*2	1	1	15. No more than 5 drinks before driving (including 5 drinks per hr.)
0	0	0	16. No more than 6 drinks before driving (including 6 drinks per hr.)
0	0	0	17. No more than 7 drinks before driving (including 7 drinks per hr.)
0	0	0	18. No more than 8 drinks before driving (including 8 drinks per hr.)
11	21	22	19. Limits drinking before driving (nonspecific as to limit)
0	0	0	21. Waits less than 1 hour after drinking
1	1	2	22. Waits 1-1.9 hours after drinking
*1	1	0	23. Waits 2 or more hours after drinking
*2	1	0	29. Waits before driving (nonspecific as to how long)
*2	1	1	31. Have someone else drive
0	0	0	32. Take public transportation or taxi
*2	1	1	41. Drive only if not too tired
3	6	7	42. Drive only if feel capable, not dizzy
1	0	3	43. Drive more carefully, more slowly
*1	1	0	51. Depends on how much has eaten, depends on whether just eaten
*2	0	1	52. Depends on how far he has to go
*1	1	0	53. Depends on driving conditions
0	0	0	60. Other codable response
1	2	4	70. Yes, have rules, but no codable response given
13	24	32	80. No, no rules
*4	*3	0	99. NA
51	0	0	00. Inap,, no interview, or <u>never a driver, or total abstainer, or never drives after drinking</u> (coded 4-6 in R113)

V115 R115 Times Driven Drunk (Q.48. Of course even when one knows he has drunk more than he should have before driving, he often has no other way to get home. About how many times in the past year would you say you had driven after drinking more than you should have?) SEE ALSO V237-V239
TL=170-171 MD=99 W=2

CODE ACTUAL NUMBER. IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

T1	MD	XD
78	100	0

7	0	32
6	0	27
3	0	13
1	0	5
2	0	8
*2	0	1
*1	0	1
1	0	5
1	0	3
*1	0	1
*1	0	1
*1	0	1
*1	0	1
*1	0	1
0	0	0
*1	0	0

00. None; or inap., no interview, or never a driver, or total abstainer, or never drives after drinking (coded 4-6 in R113)

01. One
02. Two
03. Three
04. Four
05. Five
06. Six
07. Seven
10. Ten
12. Twelve
13. Thirteen
24. Twenty-four
25. Twenty-five
35. Thirty-five
75. Seventy-five
98. DK
99. NA

V116 R116 Times Other Way Home (Q.49. About how many times in the past year have you used other means of transportation home when you felt you had been drinking too much to drive safely yourself?) TL=172-173
MD=99

CODE ACTUAL NUMBER. IF RANGE IS GIVEN, CODE MIDPOINT ROUNDING TO ODD WHEN NECESSARY.

T1	ND	MD	XD
88	99	84	66

3	*1	4	8
2	*1	4	5
2	0	4	3
1	0	2	3
1	0	1	2
1	0	1	3
*2	0	0	1
*2	*1	0	1
*2	0	0	1
*1	0	0	1
1	0	0	2
*1	0	0	1
*1	0	0	1
*1	0	0	1
*1	0	1	0
*1	0	0	1
*2	0	0	0

00. None; or inap., no interview, or never a driver, or total abstainer, or never drives after drinking (coded 4-6 in R113)

01. One
02. Two
03. Three
04. Four
05. Five
06. Six
07. Seven
08. Eight
12. Twelve
15. Fifteen
20. Twenty
30. Thirty
40. Forty
50. Fifty
96. One hundred
98. DK
99. NA

V117 R117 What Other Way Home (Q.49a. What means did you use? (CHECK ALL ANSWERS GIVEN) TL=174-176

MD=9 Responses=3

T1	ND	MD	XD
3	0	4	8
4	0	5	14
5	1	4	16
1	0	2	2
0	0	0	0
1	*1	1	5
*3	0	2	0
*5	0	*3	*1
88	99	85	67

1. Spouse drove R's car
2. Someone else drove R's car
3. Someone else took R in his car
4. R went in a taxi
5. R went in a bus
6. R walked
7. Other
9. NA
0. Inap., no interview, or never a driver, or total abstainer, or never drives after drinking, or never used other means home (coded 00 in R116); or no second or third response

V118 R118 Time Arrested Drunk (Q.50. Have you ever been arrested for drunk driving? Q.59. Was there ever a time when you drank alcoholic beverages? (IF YES) Q.59a. Were you ever arrested for drunk driving? (IF YES) Q.50a. Has this happened any time in the past 3 years? Q.59b. Was this anytime in past 3 years? (IF YES) How many times?) SEE ALSO V236 TL=177 MD=9

T1	ND	MD	XD
*1	0	*1	0
0	0	0	0
0	0	0	0
0	0	0	0
*1	0	0	*1
*1	0	0	*1
*4	*3	0	*1
81	73	99	98
*1	0	0	0
18	26	0	0

1. Yes, arrested 1 time in past 3 years
2. Yes, arrested 2 times in past 3 years
3. Yes, arrested 3 times in past 3 years
4. Yes, arrested 4 times in past 3 years
5. Yes, arrested 5 times in past 3 years
6. Yes, arrested 6 or more times or NA how many times in past 3 years
7. Yes, arrested but not in past 3 years or NA if in past 3 years
8. No, never arrested for drunk driving
9. NA if ever arrested
0. Inap., no interview, or never a driver; or never drank (or NA if ever drank) alcoholic beverages

V119 R119 Other Violations (Q.51, Q.60. Have you been charged with any other traffic violations in the past 3 years? (IF YES) How many times? (NOT PARKING TICKETS)) TL=178 MD=9

T1	ND	MD	XD
71	80	66	50
20	15	23	31
4	2	7	7
2	1	1	5
1	*1	1	1
*2	0	0	1
*1	*1	0	0
0	0	0	0
2	1	2	5
*4	*3	0	0

0. No, none; or inap., no interview or never a driver
1. Yes, 1 time
2. Yes, 2 times
3. Yes, 3 times
4. Yes, 4 times
5. Yes, 5 times
6. Yes, 6 times
7. Yes, 7 or more times
8. Yes, NA how many times
9. NA

V120 R120 Ever Lost License (Q.52,Q.61. Has your driver license ever been suspended or revoked in any state?) TL=179 MD=9

T1	ND	MD	XD
4	3	4	5
90	97	96	95
*3	*2	0	0
7	0	0	0

1. Yes
5. No
9. NA
0. Inap., no interview or never driven

V121 R121 No. Accidents 3 Yrs. (Q.53,Q.62. In the past 3 years how many accidents have you been involved in as driver?) TL=180 MD=9

T1	ND	MD	XD
72	74	73	58
19	19	18	26
6	5	7	11
2	1	1	5
1	1	1	1
0	0	0	0
0	0	0	0
*1	0	0	1
0	0	0	0
*5	*4	0	0

0. None; or inap., no interview, or never a driver
1. One accident
2. Two accidents
3. Three accidents
4. Four accidents
5. Five accidents
6. Six accidents
7. Seven or more accidents
8. Involved in accident(s), DK or NA how many
9. NA if any accidents

V122 R122 Times DAD Passenger (Q.63. In the past year about how many times have you been a passenger in a car driven by someone you felt had been drinking too much?) TL=181 MD=9

T1	NL	ND	MD	XD
61	66	71	64	37
13	12	13	10	16
9	0	6	11	15
5	7	3	6	5
1	0	1	1	3
4	5	3	3	8
1	2	1	1	4
5	7	3	4	11
*1	0	0	0	1
*3	0	*2	0	*1

0. Never; or inap., no interview
1. One time
2. Two times
3. Three times
4. Four times
5. Five times
6. Six times
7. Seven or more times
8. Was a passenger with a drunk driver, DK or NA how many times
9. NA

V123 R123 Ever Refused Ride (Q.64. In the past year have you ever turned down a ride because you felt the driver had been drinking too much?) TL=182 MD=0,9

T1	NL	ND	MD	XD
18	17	11	18	29
82	83	89	82	71
*5	*1	*3	0	*1

1. Yes
5. No
9. NA
0. Inap., no interview

V124 R124 Age Jan. 1, 1971 (Q.65. Now we would like a little background information about yourself. What is your date of birth?) TL=183-184 MD=00,99
SEE ALSO V240 W=2

Percentiles

	<u>TI</u>	<u>XD</u>
10.	19	20
30.	21	22
50.	26	25
70.	37	30
90.	55	45

CODE ACTUAL AGE AS OF JAN. 1, 1971. SUBTRACT LAST TWO DIGITS OF BIRTH YEAR FROM 70. IF BEFORE 1900, SUBTRACT LAST TWO DIGITS FROM 100 AND ADD 70. IF Q.65 IS NA OR THERE IS NO INTERVIEW ALSO CHECK THE COVER SHEET LISTING BOX.

- 99. NA (including respondent chosen but age NA on cover sheet)
- 00. Inap., listing not completed.

V125 R125 Marital Status (Q.66. Are you married now and living with your (husband/wife) -- or are you widowed, divorced, separated, or single?) TL=185 MD=0,9

<u>TI</u>	<u>NL</u>	<u>ND</u>	<u>MD</u>	<u>XD</u>
56	29	54	64	56
3	12	3	1	1
3	0	2	4	2
*2	0	*1	1	0
39	59	39	31	40
0	0	0	0	0

- 1. Married & living with spouse (or spouse in service)
- 2. Widowed
- 3. Divorced
- 4. Separated
- 5. Single
- 9. NA
- 0. Inap., no interview

V126 R126 Times Married (Q.66a. (IF EVER MARRIED) Have you been married more than once? (IF YES) How many times in all?) TL=186 MD=9

<u>TI</u>	<u>NL</u>	<u>ND</u>	<u>MD</u>	<u>XD</u>
56	35	54	64	55
4	5	5	2	4
1	0	1	1	1
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
*16	*1	*5	*7	*3
40	60	40	33	41

- 1. Married once only
- 2. Married twice
- 3. Married 3 times
- 4. Married 4 times
- 5. Married 5 times
- 6. Married 6 times
- 7. Married 7 times
- 9. NA
- 0. Inap., no interview, or never married (coded 5 in R125)

V127 R127 Education of R (Q.67. How many years of school or college have you finished?) TL=187 MD=0,9

<u>TI</u>	<u>NL</u>	<u>ND</u>	<u>MD</u>	<u>XD</u>
3	15	3	1	0
2	5	2	0	1
10	17	12	9	3
22	12	23	21	22
35	44	37	27	37
13	2	10	19	17
10	2	7	14	13
6	2	5	9	7
*6	0	*2	*2	*2

- 1. 0-7 years
- 2. 8 years
- 3. 9-11 years
- 4. 12 years, high school diploma
- 5. 13-15 years, some college
- 6. 16 years, Bachelor's degree
- 7. 17-18 years, Master's degree
- 8. 19 or more years, Doctor's degree
- 9. NA
- 0. Inap., no interview

V128 R128 R Employment Status (Q.68. Are you presently employed; or are you unemployed, or retired, (or a housewife), or a student, or what?)

TL=188 MD=0,9

T1	NL	ND	MD	XD
50	17	37	58	53
4	7	4	4	4
3	2	4	3	2
15	29	19	13	6
33	44	36	22	35
*1	0	*1	0	0
0	0	0	0	0

1. Employed
2. Unemployed
3. Retired
4. Housewife
5. Student
7. Other
9. NA
0. Inap., no interview

V129 R129 R's Occupation (Q.68a. What kind of work do you do (did you do when you were employed)?)

TL=189 MD=9

T1	NL	ND	MD	XD
18	5	13	28	19
4	0	2	6	5
14	7	14	12	18
3	0	2	4	7
6	0	6	6	5
6	12	5	6	7
3	7	5	3	1
1	0	1	1	1
*14	0	*7	*5	*2
45	68	52	36	37

1. Professional, technical, & kindred workers
2. Managers, official & proprietors (except farm)
3. Clerical, sales, & kindred workers
4. Craftsmen, foremen, & kindred workers
5. Operatives & kindred workers
6. Service workers including private household workers
7. Laborers (except farm)
8. Farmers (including farm managers, foremen & laborers)
9. NA
0. Inap., no interview, or R a student only, or a housewife, or never employed

V130 R130 H Employment Status (Q.69. Is (HEAD) presently employed; or is he unemployed, or a student, or what?)

TL=190 MD=0,9

IF R IS HEAD OF HIS/HER FAMILY UNIT (INCLUDING SINGLE PERSONS) REPEAT THE R128 CODE.

T1	NL	ND	MD	XD
67	58	66	74	62
3	5	2	5	1
5	8	7	3	3
1	5	1	0	0
24	24	24	19	33
*1	0	*1	0	0
*7	*3	*4	0	0

1. Employed
2. Unemployed
3. Retired
4. Housewife
5. Student
7. Other
9. NA
0. Inap., no interview

V131 R131 H's Occupation (Q.69a. What kind of work does (HEAD) do (did he do when he was employed)?)

TL=191 MD=9

IF R IS HEAD OF HIS/HER FAMILY UNIT (INCLUDING SINGLE PERSONS) REPEAT THE R129 CODE.

T1	NL	ND	MD	XD
<u>26</u>	<u>18</u>	<u>23</u>	<u>32</u>	<u>26</u>
7	0	7	10	7
11	8	12	9	14
7	3	7	7	8
11	15	14	10	5
9	21	9	8	8
5	13	6	5	2
1	0	1	1	1
*21	*2	*12	*3	*4
22	23	21	18	29

1. Professional, technical & kindred workers
2. Managers, official & proprietors (except farm)
3. Clerical, sales & kindred workers
4. Craftsmen, foremen & kindred workers
5. Operatives & kindred workers
6. Service workers including private household workers
7. Laborers (except farm)
8. Farmers (including farm managers, foremen & laborers)
9. NA
0. Inap., no interview, or H a student only, or a housewife, or never employed

V132 R132 Religion (Q.70. Are you Protestant, Roman Catholic, Jewish, or something else? (IF PROTESTANT) Q.70a. What denomination is that?)

SEE ALSO V241 TL=192-194 MD=000,999 W=3

Protestant. General

100. Protestant, no denomination given
101. Non-denominational Protestant church
102. Community church (no denominational basis)
109. Other Protestant (not listed below)

Protestant. Reformation Era

110. Presbyterian
111. Lutheran
112. Congregational
113. Evangelical & Reformed
114. Reformed, Dutch Reformed, or Christian Reformed
115. United Church of Christ
116. Episcopalian, Anglican, Church of England

Protestant. Pietistic

120. Methodist
121. African Methodist Episcopal
122. United Brethren or Evangelical Brethren
123. Baptist
124. Disciples of Christ
125. 'Christian'
126. Mennonite, 'Amish'
127. Church of the Brethren

V132 (con'td)

Protestant. Neo-Fundamentalist

- 130. United Missionary or Protestant Missionary
- 131. Church of God
- 132. Nazarene or Free Methodist
- 133. Church of God in Christ
- 134. Plymouth Brethren
- 135. Pentecostal or Assembly of God
- 136. Church of Christ
- 137. Salvation Army
- 138. Primitive Baptist or Free Will Baptist
- 139. Seventh Day Adventist
- 140. Southern Baptist
- 141. Missouri Synod Lutheran
- 149. Other Fundamentalist

Non-Traditional Christian

- 150. Christian Scientists
- 151. Spiritualists
- 152. Latter Day Saints, Mormons
- 153. Unitarian or Universalist
- 154. Jehovah's Witnesses
- 155. Quakers
- 156. Unity

Catholic

- 200. Roman Catholic

Jewish

- 300. Jewish
- 400. Christian, NA which branch
- Greek Rite Catholic
- 700. Greek Rite Catholic

Eastern Orthodox

- 710. Greek Orthodox
- 711. Russian Orthodox
- 712. Roumanian Orthodox
- 713. Serbian Orthodox
- 719. Other Orthodox

Non-Christians, Other Than Jewish

- 720. Muslim
- 721. Buddhist
- 722. Hindu
- 723. Bahai
- 728. Agnostic, Atheist
- 729. Other Non-Jedeo-Christian Religions

790. Other Religions

- 800. No preference, no religion

V132 Cont'd

998. DK Preference

999. NA

000. Inap., no interview

V133 R133 Church Attendance (Q.71. Would you say you go to church (synagogue) regularly, often, seldom, or never?) TL=195 MD=0,9

T1	NL	ND	MD	XD
25	27	36	17	14
13	7	15	12	10
41	40	31	51	51
20	15	18	20	25
*14	*1	*8	*2	*3

1. Regularly

2. Often

4. Seldom

5. Never

9. NA

0. Inap., no interview

V134 R134 Time in County (Q.72. How long have you lived in Washtenaw County?) TL=196 MD=0,9

T1	NL	ND	MD	XD
13	24	13	7	17
16	12	17	14	17
15	12	14	14	19
14	12	9	18	17
17	17	19	19	11
13	10	12	14	13
5	0	7	7	3
7	12	8	8	3
*1	0	*1	0	0

1. Less than 12 months

2. 12-35 months

3. 36-59 months

4. 5-9 years

5. 10-19 years

6. 20-29 years

7. 30-39 years

8. 40 or more years

9. NA

0. Inap., no interview

V135 R135 Previous State ((IF LESS THAN 3 YEARS) Q.72a. Where did you live previously?) TL=197-198 MD=99

New England

01. Connecticut

02. Maine

03. Massachusetts

04. New Hampshire

05. Rhode Island

06. Vermont

Middle Atlantic

11. Delaware

12. New Jersey

13. New York

14. Pennsylvania

East North Central

21. Illinois

22. Indiana

23. Michigan

24. Ohio

25. Wisconsin

South

41. Alabama

42. Arkansas

43. Florida

44. Georgia

45. Louisiana

46. Mississippi

47. North Carolina

48. South Carolina

49. Texas

40. Virginia

Border Area

51. Kentucky

52. Maryland

53. Oklahoma

54. Tennessee

55. Washington, D.C.

56. West Virginia

V135 cont'd

West North Central

- 31. Iowa
- 32. Kansas
- 33. Minnesota
- 34. Missouri
- 35. Nebraska
- 36. North Dakota
- 37. South Dakota

Pacific Area

- 71. California
- 72. Oregon
- 73. Washington

Non-Contiguous U.S.

- 81. Alaska
- 82. Hawaii
- 83. Puerto Rico
- 84. American Samoa
- 85. Guam
- 86. Trust Territory of the Pacific Islands
- 87. Virgin Islands
- 88. Other U.S. Dependencies

Mountain Area

- 61. Arizona
- 62. Colorado
- 63. Idaho
- 64. Montana
- 65. Nevada
- 66. New Mexico
- 67. Utah
- 68. Wyoming

Foreign Areas

- 91. Canada
- 92. Central or South America
- 93. Europe
- 94. Asia
- 95. Australia, Pacific Islands
- 96. Africa
- 99. NA
- 00. Inap., no interview or coded 3-8 in R134

V136 R136 Family Income (Q.73. About how much was your total family income in 1970 -- that is, before taxes and deductions? or Nonresponse Q.2c)

SEE ALSO V242

TL=199 MD=0

T1	NL	ND	MD	XD
8	17	8	5	6
6	5	8	5	5
5	10	2	8	7
7	2	9	7	3
12	19	12	10	13
23	17	23	26	23
25	17	24	26	26
9	2	9	9	13
5	10	5	2	4
*3	0	*2	0	*1

- 1.A. Under \$2000
- 2.B. \$2000-\$3999
- 3.C. \$4000-\$5999; or under \$7000 on nonresponse form
- 4.D. \$6000-\$7999
- 5.E. \$8000-\$9999; or \$7000-\$12,000 on nonresponse
- 6.F. \$10,000-\$14,999
- 7.G. \$15,000-\$24,999; or over \$12,000 on nonresponse form
- 8.H. \$25,000 & over
- 9. DK, refused to say
- 0. NA

V137 R137 Children Supported (Q.74. How many children & how many adults were living on that income?)

TL=200 MD=9

T1	NL	ND	MD	XD
46	47	43	47	50
18	13	18	19	17
19	17	20	19	15
10	15	9	10	11
5	3	5	4	5
1	3	2	1	1
1	0	2	1	0
0	0	0	0	0
*2	3	*1	0	0
*10	*1	*7	*1	*1

- 0. None; or inap., no interview
- 1. One
- 2. Two
- 3. Three
- 4. Four
- 5. Five
- 6. Six
- 7. Seven
- 8. Eight or more
- 9. NA

V138 R138 Adults Supported (Q.74. How many children & how many adults were living on that income?)

TL=201 MD=0,9

T1	NL	ND	MD	XD
20	27	17	21	22
60	50	60	63	59
13	10	16	11	8
5	13	5	4	8
2	0	2	2	2
*1	0	0	0	1
0	0	0	0	0
0	0	0	0	0
*10	*1	*7	*1	*1

1. One
2. Two
3. Three
4. Four
5. Five
6. Six
7. Seven
8. Eight or more
9. NA
0. Inap., no interview

V139 R139 Mich. License & No. (Q.75. Is your driver license from the state of Michigan? Q.75b. In order to test how representative our sample of drivers is, we need to compare our respondents with other Michigan drivers who are not in the sample. Would you mind giving me the driver license number from your license?) TL=202 MD=0,9

T1	NL	ND	MD	XD
87	0	86	87	86
5	0	5	6	5
1	0	1	1	0
7	0	8	5	8
*1	0	*1		0
*56	*41	*9	*4	*1

1. Yes, & R gave license number
2. Yes, & R didn't give license number
4. No, & R gave other state license number
5. No, & R didn't give other state license number, or foreign license
9. NA
0. Inap., no interview, or no present license (coded 2-6 in R108)

V140 R140 State of License (Q.75a. What state is it from?) TL=203-204 MD=00-99 W=2

T1	NL	ND	MD	XD
8	0	9	7	8
92	0	91	93	92
*1	0	*1	0	0
*2	0	0	*1	*1
*56	*41	*9	*4	*1

- USE CODE FOR R135
- . Other states
 23. Michigan
 97. Refused to say
 99. NA
 00. Inap., no interview, or no present license (coded 2-6 in R108)

V141 R141 License Number (Q.75b. In order to test how representative our sample of drivers is, we need to compare our respondents with other Michigan drivers who are not in the sample. Would you mind giving me the driver license number from your license?) TL=205-217 W=13 C=alphabetic CODE ACTUAL NUMBER

000000000000. Inap., no interview, or no present license (coded 2-6 in R108), or didn't give number (coded 2 or 5 in R139), or foreign license

V142 R142 Sex (Q.77 or Cover Sheet Listing Box)

TL=218 MD=0,9

T1	NL	ND	MD	XD
49	19	39	57	68
51	81	61	43	32
0	0	0	0	0

1. Male
2. Female
9. NA
0. Inap., listing not completed, or no interview

V143 R143 Race (Q.78 or Nonresponse Q.2b.)

TL=219 MD=9

T1	NL	ND	MD	XD
94	85	92	96	96
5	10	7	2	4
1	2	*1	1	0
1	2	1	1	0
*8	0	*4	*3	*1

1. White
2. Black
3. Chicano
4. Other
9. NA

V144 R144 Relation to Head (of R's family residing at HU) (Q.79 or cover sheet listing box)

TL=220 MD=0,9

A SINGLE COLLEGE STUDENT IS CONSIDERED HEAD OF HIS/HER FAMILY UNIT.

T1	NL	ND	MD	XD
63	51	52	69	82
29	32	36	27	16
4	5	7	2	1
4	10	5	2	1
0	0	0	0	0
0	0	0	0	0
1	2	1	0	0
0	0	0	0	0

1. R is head
2. R is wife of head
3. R is son of head
4. R is daughter of head
5. R is father or father-in-law of head
6. R is mother or mother-in-law of head
7. R is other relative to head
9. NA
0. Inap., listing not completed

V145 R145 Number 16+ in HU (Q.80 or Cover Sheet Listing Box)

TL=221 MD=0,9

T1	NL	ND	MD	XD
9	10	8	9	9
60	48	55	61	72
15	26	19	15	8
12	10	15	11	9
2	7	3	1	3
1	0	1	3	1
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
*72	*10	*33	*13	*16

1. One
2. Two
3. Three
4. Four
5. Five
6. Six
7. Seven
8. Eight
9. NA
0. Inap., student group housing sample, or listing not completed

V146 R146 R's Cooperation (Q.81)

TL=222 MD=0,9

T1	NL	ND	MD	XD
48	41	49	50	45
41	39	40	39	46
9	19	10	10	5
1	0	1	1	5
*2	0	1	0	0
*10	0	*4	*5	*1

1. Very good
2. Good
3. Fair
4. Poor
5. Very poor
9. NA
0. Inap., no interview

V147 R147 R's Interest (Q.82. Respondent's general interest in the questions was?) TL=223 MD=0,9

T1	NL	ND	MD	XD
26	27	26	25	28
36	27	40	35	35
32	37	30	35	29
5	7	4	5	8
*2	0	1	0	0
*13	*1	*8	*2	*2

1. Very high
2. Fairly high
3. Average
4. Fairly low
5. Very low
9. NA
0. Inap., no interview

V148 R148 R and Form B (Q.83) TL=224 MD=0,9

T1	NL	ND	MD	XD
44	55	41	41	50
54	40	57	59	48
*3	0	*2	0	*1
*6	*4	*4	0	*1
0	0	0	0	0
*1	*1	0	0	0
*34	*1	*21	*6	*6

1. Completed by R & attached
2. Accepted by R with promise to mail
3. Accepted by R with some reluctance
4. Refused by R
5. Accepted by R for later pick up
6. Other
9. NA
0. Inap., no interview

V149 R149 Not Deny Right (Q.B1. No person should be denied the right to drive if he needs his car to get to work) TL=225 MD=0,9

TB	NL	ND	MD	XD
13	29	11	13	12
26	32	27	27	27
32	32	33	30	31
29	7	30	31	29
0	0	0	0	0
*1	*1	0	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no form B

V150 R150 Drive Only No Abuse (Q.B2. A person should be permitted to drive only as long as he doesn't abuse his privilege.) TL=226 MD=0,9

TB	NL	ND	MD	XD
72	69	79	65	68
23	31	17	28	26
4	0	4	4	3
2	0	1	2	3
0	0	0	0	0
*2	0	0	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V151 R151 Too Much Fuss DAD (Q.B3. Far too much fuss is made about the dangers of drinking and driving.) TL=227 MD=0,9

TB	NL	ND	MD	XD
2	6	1	2	3
7	9	5	9	8
17	22	9	25	21
74	63	85	64	68
0	0	0	0	0
0	0	0	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V152 R152 Drive Better with 1 (Q.B4. Many people drive better after one or two drinks.)

TL=228 MD=0,9

TB	NL	ND	MD	XD
<u>1</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>3</u>
4	0	3	3	7
21	34	17	25	23
74	63	79	71	68
0	0	0	0	0
0	0	0	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V153 R153 Drive Poorer with 1 (Q.B5. Having even one drink will make a person a poorer driver.)

TL=229 MD=0,9

TB	NL	ND	MD	XD
<u>23</u>	<u>19</u>	<u>28</u>	<u>15</u>	<u>20</u>
38	29	41	39	35
26	35	23	28	29
13	16	8	18	16
0	0	0	0	0
*3	*1	0	*1	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V154 R154 Stiffer Licensing (Q.B6. Driver licensing standards should be made stiffer to keep bad drivers off the highway.)

TL=230 MD=0,9

TB	NL	ND	MD	XD
<u>38</u>	<u>37</u>	<u>38</u>	<u>39</u>	<u>35</u>
42	34	42	43	45
14	19	15	11	14
6	9	5	7	6
0	0	0	0	0
*1	0	0	0	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V155 R155 Safety Inspection (Q.B7. Every driver should be required to have his car safety inspected each year.)

TL=231 MD=0,9

TB	NL	ND	MD	XD
<u>59</u>	<u>53</u>	<u>62</u>	<u>55</u>	<u>61</u>
30	41	31	25	29
7	3	4	13	7
4	3	3	7	3
0	0	0	0	0
0	0	0	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V156 R156 Required Driver Ed (Q.B8. Completion of an approved driver education course should be required in order to get a driver's license.)

TL=232 MD=0,9

TB	NL	ND	MD	XD
<u>58</u>	<u>53</u>	<u>57</u>	<u>57</u>	<u>62</u>
25	25	29	22	21
11	16	10	12	12
5	6	4	9	4
0	0	0	0	0
0	0	0	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V157 R157 Poor Driver Plates (Q.B9. Persons with poor driving records should be issued special license plates.) TL=233 MD=0,9

TB	NL	ND	MD	XD
14	9	15	15	12
32	25	32	32	34
29	34	27	27	32
25	31	25	26	21
*1	0	*1	0	0
*3	0	*1	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V158 R158 Stronger Punishment (Q.B10. The number of fatal accidents would go way down if those persons who drive after drinking were more strongly punished.) TL=234 MD=0,9

TB	NL	ND	MD	XD
25	28	32	16	17
46	31	47	47	49
20	19	15	25	25
9	19	6	13	8
*2	*1	0	0	*1
*1	0	*1	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V159 R159 Should Lose License (Q.B11. Persons who drive after drinking too much should lose their licenses.) TL=235 MD=0,9

TB	NL	ND	MD	XD
36	28	43	39	21
44	44	42	39	53
15	13	10	18	21
5	13	5	4	4
*1	*1	0	0	0
*3	0	*2	*1	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V160 R160 Should Go to Jail (Q.B12. Persons who drive after drinking too much should go to jail.) TL=236 MD=0,9

TB	NL	ND	MD	XD
21	25	27	19	13
39	34	40	34	43
29	16	23	37	34
11	25	10	11	11
*1	0	*1	0	0
*1	0	*1	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V161 R161 Bars Provide Transp. (Q.B13. Taverns & bars should be required to provide transportation for customers who get too drunk to drive safely.) TL=237 MD=0,9

TB	NL	ND	MD	XD
17	16	22	17	8
29	25	33	27	25
25	25	19	28	31
29	34	25	27	35
0	0	0	0	0
*3	0	*3	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V162 R162 Bars Limit Drinks (Q.B14. Bartenders should limit the number of drinks that they will serve to customers who plan to drive.) TL=238 MD=0,9

TB	NL	ND	MD	XD
30	37	42	25	11
35	44	28	40	42
19	9	16	21	25
15	9	13	14	22
*1	0	*1	0	0
*6	0	*3	*2	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V163 R163 Teach Safe DK Level (Q.B15. Drivers who drink should be taught to understand and follow their own safe consumption levels.) TL=239 MD=0,9

TB	NL	ND	MD	XD
61	75	62	57	61
32	19	29	38	34
3	3	3	2	5
3	3	6	2	0
*1	0	0	*1	0
*6	0	*3	*2	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V164 R164 Police Patrol Bars (Q.B16. The police should patrol more around bars and taverns at night.) TL=240 MD=0,9

TB	NL	ND	MD	XD
24	19	30	22	17
49	59	48	47	47
21	19	17	21	26
7	3	5	10	9
0	0	0	0	0
*3	0	*1	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V165 R165 Police Patrol Party (Q.B17. The police should patrol more around places where people are having parties at night.) TL=241 MD=0,9

TB	NL	ND	MD	XD
6	9	10	3	2
30	25	35	25	29
38	34	34	40	40
26	31	21	32	30
*1	0	*1	0	0
*4	0	*2	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V166 R166 Host Should Limit (Q.B18. A good host at a party will try to see that his guests who must drive home do not drink too much.) TL=242 MD=0,9

TB	NL	ND	MD	XD
62	65	68	63	51
29	25	23	31	41
4	3	4	4	5
4	6	5	2	3
*1	0	*1	0	0
*3	0	*1	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI67 R167 Record All Alcohol (Q.B19. All alcohol-related convictions should be entered on a driver's record whether or not they are related to driving (e.g., "drunk & disorderly")) TL=243 MD=0,9

TB	NL	ND	MD	XD
22	37	29	16	15
28	28	29	24	30
26	22	21	28	32
23	9	19	32	23
*2	3	1	0	0
*5	0	*2	*1	*2

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI68 R168 Special Plates (Q.B20. Drivers convicted of alcohol-related traffic accidents should have special license plates on their cars so they can be easily identified.) TL=244 MD=0,9

TB	NL	ND	MD	XD
11	25	12	12	5
30	22	37	28	26
27	25	22	26	35
31	28	29	34	35
*1	0	1	0	0
*4	0	*2	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI69 R169 Revoke Drunk Plates (Q.B21. The license plates of vehicles owned by persons convicted of drunk driving should be suspended or revoked.) TL=245 MD=0,9

TB	NL	ND	MD	XD
22	31	27	17	15
31	31	31	31	31
27	19	26	29	26
21	19	16	23	29
0	0	0	0	0
*7	0	*4	*2	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI70 R170 Test All Accidents (Q.B22. Breath tests to determine blood alcohol concentration should be required in all reported accidents.) TL=246 MD=0,9

TB	NL	ND	MD	XD
31	50	37	29	18
32	19	36	27	35
25	13	20	28	30
12	19	6	16	17
0	0	0	0	0
*3	0	*1	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V171 R171 Test Random Checks (Q.B23. The police should carry out random road checks to catch drivers who have drunk too much, and anyone stopped should be required to take a breath test.) TL=247 MD=0,9

TB	NL	ND	MD	XD
18	22	25	11	12
27	16	33	23	27
23	28	20	29	21
31	34	22	37	41
*2	0	1	0	0
*3	0	*1	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V172 R172 More Police Patrols (Q.B24. There should be more police enforcement of drinking-driving laws at times and places where alcohol-related accidents are most likely to happen.) TL=248 MD=0,9

TB	NL	ND	MD	XD
34	25	43	28	29
52	66	43	54	59
11	6	11	13	12
3	3	2	6	1
0	0	0	0	0
*5	0	*2	*2	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V173 R173 Medical Treatment (Q.B25. Drivers convicted of drunk driving and found to be problem drinkers should be required to submit to medical treatment.) TL=249 MD=0,9

TB	NL	ND	MD	XD
43	47	47	44	36
37	44	34	40	36
15	6	14	11	21
5	3	5	5	6
0	0	0	0	0
*3	0	*1	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V174 R174 Antabuse Pills (Q.B26. Drivers convicted of drunk driving should be required to take pills which cause them to be sick if they drink alcohol.) TL=250 MD=0,9

TB	NL	ND	MD	XD
7	16	8	7	4
22	22	25	18	21
31	25	29	33	31
39	37	37	41	42
1	0	1	0	1
*6	0	*3	*2	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V175 R175 Special Driver Ed (Q.B27. Drivers convicted of drunk driving should be required to take a special driver education course which teaches about the effects of alcohol on driving ability.)

TL=251 MD=0,9

TB	NL	ND	MD	XD
49	56	49	48	48
37	28	39	38	37
9	*3	6	13	12
4	6	6	1	3
0	0	0	0	0
*5	0	*1	*3	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V176 R176 Cancel Collison (Q.B28. Insurance companies should cancel the collision insurance policies of drivers convicted of drunk driving.) TL=252 MD=0,9

TB	NL	ND	MD	XD
14	16	18	12	10
31	53	32	27	32
29	16	28	32	29
26	16	23	29	28
*1	0	0	0	*1
*7	0	*3	*1	*2

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V177 R177 Driver Ed Alc. Info. (Q.B29. Information on the relationship of alcohol to driving ability should be included in driver education courses and driver license examinations.) TL=253 MD=0,9

TB	NL	ND	MD	XD
75	84	78	69	73
21	10	17	25	26
2	0	2	3	2
2	7	2	3	0
*1	0	*1	0	0
*4	*1	*1	*1	*1

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V178 R178 Drunk Anytime OK (Q.B30. It's all right to get drunk whenever you feel like it.)

TL=254 MD=0,9

TB	NL	ND	MD	XD
9	6	10	7	8
14	22	7	16	24
16	3	15	18	19
61	66	69	59	48
*1	*1	0	0	0
*9	0	*3	*3	*3

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V179 R179 Drunk Occasionally (Q.B31. It's all right to get drunk once in a while, but not as a regular thing.) TL=255 MD=0,9

TB	NL	ND	MD	XD
11	13	9	7	19
29	28	19	33	44
28	16	29	28	25
32	41	43	32	12
*1	*1	0	0	0
*13	0	*5	*5	*3

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V180 R180 Never Get Drunk (Q.B32. It's all right to drink as often as you want as long as you don't get drunk.) TL=256 MD=0,9

TB	NL	ND	MD	XD
12	9	9	16	13
31	28	24	31	41
38	41	41	34	37
19	19	26	19	9
*1	*1	0	0	0
*14	0	*6	*4	*4

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V181 R181 Alcoholism Disease (Q.B33. Alcoholism is a disease.) TL=257 MD=0,9

TB	NL	ND	MD	XD
77	59	78	82	78
12	13	11	11	14
5	16	4	4	3
5	9	6	3	6
*3	*1	*2	0	0
*5	0	*3	*2	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V182 R182 Drunk Not Respons. (Q.B34. Since a drunk person is not in full control of his actions he should not be held responsible for violating the law while drunk.) TL=258 MD=0,9

TB	NL	ND	MD	XD
3	0	2	3	5
4	9	3	4	4
7	9	5	6	8
85	81	88	85	83
*1	0	0	*1	0
*3	0	*2	*1	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V183 R183 Counseling Not Jail (Q.B35. It is better to place those arrested while driving "under the influence" on probation and into a counseling or treatment program than it is to put them in jail.)
 TL=259 MD=0,9

TB	NL	ND	MD	XD
47	53	46	45	50
37	34	35	43	34
11	3	13	9	10
5	9	5	2	6
*1	0	*1	0	0
*7	0	*4	*2	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V184 R184 Alcoholics Can Stop (Q.B36. Alcoholics could stop drinking if they really wanted to.)
 TL=260 MD=0,9

TB	NL	ND	MD	XD
16	22	15	18	15
21	25	24	20	15
31	25	30	29	38
31	25	31	33	32
*4	*1	*1	*1	*1
*6	0	*4	*1	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V185 R185 Most DAD Not Caught (Q.B37. Most drunk driving is not detected by the police.)
 TL=261 MD=0,9

TB	NL	ND	MD	XD
36	16	36	34	41
45	63	42	49	42
15	16	18	14	13
3	6	3	4	3
*2	0	*1	0	*1
*9	0	*6	*3	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V186 R186 Give Up Alcohol (Q.B38. The use of alcohol is a custom which should be given up by society.)
 TL=262 MD=0,9

TB	NL	ND	MD	XD
13	19	23	5	2
18	25	23	14	15
36	34	33	41	33
33	22	21	40	50
*1	0	*1	0	0
*12	0	*5	*3	*3

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V187 R187 Moderation Harmless (Q.B39. Alcoholic beverages are harmless when used in moderation.)
 TL=263 MD=0,9

TB	NL	ND	MD	XD
17	25	11	23	17
42	44	41	46	39
30	19	30	26	38
11	13	17	4	6
*1	0	*1	0	0
*4	0	*2	*2	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI88 R188 Treatment Hopeless (Q.B40. The physician who attempts to treat an alcoholic is wasting his time.) TL=264 MD=0,9

TB	NL	ND	MD	XD
4	0	4	5	4
9	6	10	11	5
29	25	34	28	25
58	69	52	56	66
0	0	0	0	0
*2	0	*2	0	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI89 R189 Cure Too Costly (Q.B41. If alcoholics could be cured by proper treatment, the cost would be more than it's worth.) TL=265 MD=0,9

TB	NL	ND	MD	XD
13	22	15	11	11
9	9	11	6	10
21	22	21	25	18
56	47	52	57	61
*1	0	*1	0	0
*4	0	*3	*1	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI90 R190 Gov't. Not to Help (Q.B42. The government's job is to catch and punish drunk drivers; anything further that is done for problem drinkers should be by private organizations such as Alcoholics Anonymous or special clinics.) TL=266 MD=0,9

TB	NL	ND	MD	XD
9	16	10	9	6
20	22	22	18	16
34	25	37	32	35
36	34	30	40	43
*3	*1	*2	0	0
*4	0	*2	*2	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

VI91 R191 Gov't. Should Help (Q.B43. The government should help keep drunk drivers off the roads even if it means spending money to provide medical and psychological help.) TL=267 MD=0,9

TB	NL	ND	MD	XD
37	47	36	37	38
44	25	44	46	49
11	16	14	8	8
7	9	6	9	5
*1	*1	0	0	0
*5	0	*3	*2	0

1. Agree strongly
2. Agree somewhat
3. Disagree somewhat
4. Disagree strongly
8. DK
9. NA
0. Inap., no Form B

V192--V200 REASONS WHY PEOPLE DRINK

V192 R192 Social Enjoyment (Q.B44. People drink wine, beer, or liquor for different reasons. Here are some statements people make about why they drink. Please check how important you think each of the following is to people as a reason for drinking--very important, fairly important, or not important at all. Q.44a. "It makes social occasions more enjoyable".) TL=268 MD=0,9

TB	NL	ND	MD	XD
<u>30</u>	<u>37</u>	<u>30</u>	<u>27</u>	<u>33</u>
54	47	49	57	60
16	16	21	16	7
*6	0	*4	*2	0

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V193 R193 Relaxation (Q.44b. "It helps people to relax".) TL=269 MD=0,9

TB	NL	ND	MD	XD
<u>30</u>	<u>26</u>	<u>25</u>	<u>37</u>	<u>38</u>
58	48	57	65	57
13	26	18	6	6
*7	*1	*4	*2	0

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V194 R194 Livens Things UP (Q.44c. "It livens things up when they are dull and boring".) TL=270 MD=0,9

TB	NL	ND	MD	XD
<u>17</u>	<u>26</u>	<u>19</u>	<u>14</u>	<u>16</u>
46	39	43	44	58
37	35	38	42	25
*1	*1	*4	*3	0

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V195 R195 Makes Good Feeling (Q.44d. "It makes people feel good".) TL=271 MD=0,9

TB	NL	ND	MD	XD
<u>23</u>	<u>27</u>	<u>25</u>	<u>21</u>	<u>22</u>
51	30	48	55	59
25	43	27	24	19
*9	*2	*5	*2	0

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V196 R196 Way to be Sociable (Q.44e. "It is a way of being sociable".) TL=272 MD=0,9

TB	NL	ND	MD	XD
<u>21</u>	<u>19</u>	<u>23</u>	<u>18</u>	<u>23</u>
52	45	46	57	57
27	35	31	25	20
*7	*1	*1	*2	0

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V197 R197 Cool Off Anger (Q.44f. "It helps people to cool off when they're feeling angry".)

TL=273 MD=0,9

TB	NL	ND	MD	XD
5	13	6	6	3
20	13	23	17	23
74	74	71	77	75
*6	*1	*3	*2	0

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V198 R198 Friends Drink (Q.44g. "People drink because their friends drink".)

TL=274 MD=0,9

TB	NL	ND	MD	XD
26	29	29	26	21
44	26	38	49	50
31	45	33	25	29
*5	0	*4	0	*1

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V199 R199 Like Taste (Q.44h. "People drink because they like the taste".)

TL=275 MD=0,9

TB	NL	ND	MD	XD
13	27	10	15	12
54	40	49	58	61
33	33	41	27	27
*6	*1	*4	0	*1

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V200 R200 Drink to Celebrate (Q.44i. "It helps people to celebrate special occasions".)

TL=276 MD=0,9

TB	NL	ND	MD	XD
30	20	30	33	27
54	35	51	54	65
16	35	19	13	9
*5	0	*4	0	*1

1. Very important
2. Fairly important
3. Not important at all
9. NA
0. Inap., no Form B

V201 R201 Reads A.A. News (Q.45) TL=277 MD=9

TB	NL	ND	MD	XD
47	31	42	58	47
12	9	14	10	14
12	19	11	13	11
*1	0	0	1	0
21	28	25	15	21
7	13	8	3	7

1. Reads paper 3-7 days a week
2. Reads paper 1-2 days a week
3. Reads paper less often
4. Reads paper, NA how often
5. Doesn't read paper
0. Doesn't read any local papers (or NA if reads any)
9. Inap., no Form B

V202 R202 Reads Ypsi Press (Q.45) TL=278 MD=9

TB	NL	ND	MD	XD
11	6	16	9	4
7	9	8	5	8
8	6	6	11	8
*1	0	1	0	0
67	66	61	72	72
7	13	8	3	7

1. Reads paper 3-7 days a week
2. Reads paper 1-2 days a week
3. Reads paper less often
4. Reads paper, NA how often
5. Doesn't read paper
0. Doesn't read any local papers (or NA if reads any)
9. Inap., no Form B

V203 R203 Reads H.V. Advisor (Q.45) TL=279 MD=9

TB	NL	ND	MD	XD
<u>3</u>	<u>3</u>	<u>3</u>	<u>5</u>	<u>3</u>
20	6	20	24	21
23	9	22	28	25
3	0	4	1	3
44	68	43	39	43
7	13	8	3	7

1. Reads paper 3-7 days a week
2. Reads paper 1-2 days a week
3. Reads paper less often
4. Reads paper, NA how often
5. Doesn't read paper
0. Doesn't read any local papers (or NA if reads any)
9. Inap., no Form B.

V204 R204 Reads Other local (Q.45) TL=280 MD=9

TB	NL	ND	MD	XD
<u>12</u>	<u>16</u>	<u>11</u>	<u>11</u>	<u>13</u>
6	9	7	3	8
1	0	2	1	2
*2	0	1	1	0
74	63	71	81	70
7	13	8	3	7

1. Reads paper 3-7 days a week
2. Reads paper 1-2 days a week
3. Reads paper less often
4. Reads paper, NA how often
5. Doesn't read paper
0. Doesn't read any local papers (or NA if reads any)
9. Inap., no Form B

V205 R205 Listen to WAAM (Q.46) TL=281 MD=9

TB	NL	ND	MD	XD
<u>17</u>	<u>9</u>	<u>15</u>	<u>21</u>	<u>16</u>
12	3	12	13	15
14	6	14	15	14
*2	0	1	1	0
25	31	26	27	22
31	50	32	24	34

1. Listens to station 3-7 days a week
2. Listens to station 1-2 days a week
3. Listens to station less often
4. Listens to station, NA how often
5. Doesn't listen to station
0. Doesn't listen to any local station (or NA if listens to any)
9. Inap., no Form B

V206 R206 Listens to WPAG (Q.46) TL=282 MD=9

TB	NL	ND	MD	XD
<u>8</u>	<u>9</u>	<u>10</u>	<u>7</u>	<u>4</u>
9	0	9	9	10
9	0	10	12	6
1	0	1	1	1
43	41	38	47	46
31	50	32	24	34

1. Listens to station 3-7 days a week
2. Listens to station 1-2 days a week
3. Listens to station less often
4. Listens to station, NA how often
5. Doesn't listen to station
0. Doesn't listen to any local station (or NA if listens to any)
9. Inap., no Form B

V207 R207 Listens to WNRS (Q.46) TL=283 MD=9

TB	NL	ND	MD	XD
<u>9</u>	<u>16</u>	<u>9</u>	<u>7</u>	<u>11</u>
5	3	4	6	7
5	0	5	5	7
*2	0	0	1	1
49	31	51	58	39
31	50	32	24	34

1. Listens to station 3-7 days a week
2. Listens to station 1-2 days a week
3. Listens to station less often
4. Listens to station, NA how often
5. Doesn't listen to station
0. Doesn't listen to any local station (or NA if listens to any)
9. Inap., no Form B

V208 R208 Listens to WUOM (Q.46) TL=284 MD=9

TB	NL	ND	MD	XD
<u>5</u>	<u>0</u>	<u>5</u>	<u>8</u>	<u>6</u>
4	3	1	4	7
6	0	8	3	6
0	0	0	0	0
53	47	53	61	47
31	50	32	24	34

1. Listens to station 3-7 days a week
2. Listens to station 1-2 days a week
3. Listens to station less often
4. Listens to station, NA how often
5. Doesn't listen to station
0. Doesn't listen to any local station (or NA if listens to any)
9. Inap., no Form B

V209 R209 Listens to WYSI (Q.46) TL=285 MD=9

TB	NL	ND	MD	XD
<u>3</u>	<u>6</u>	<u>2</u>	<u>4</u>	<u>2</u>
2	0	3	2	1
4	0	4	4	4
*1	0	1	0	0
60	44	58	66	60
31	50	32	24	34

1. Listens to station 3-7 days a week
2. Listens to station 1-2 days a week
3. Listens to station less often
4. Listens to station, NA how often
5. Doesn't listen to station
0. Doesn't listen to any local station (or NA if listens to any)
9. Inap., no Form B

V210 R210 Listens to Other (Q.46) TL=286 MD=9

TB	NL	ND	MD	XD
<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>1</u>
1	0	1	1	0
*1	0	0	0	1
0	0	0	0	0
67	50	65	75	65
31	50	32	24	34

1. Listens to station 3-7 days a week
2. Listens to station 1-2 days a week
3. Listens to station less often
4. Listens to station, NA how often
5. Doesn't listen to station
0. Doesn't listen to any local station (or NA if listens to any)
9. Inap., no Form B

V211 R211 Listens 7-9 AM (Q.47. For the local radio stations you check in Q.46, at what times of the day to you generally listen?) TL=287 MD=9

TB	NL	ND	MD	XD
<u>35</u>	<u>22</u>	<u>37</u>	<u>41</u>	<u>30</u>
1	0	1	0	2
33	28	31	35	34
32	50	32	24	34

1. Yes
4. Listens to some station, NA when (no times checked)
5. No
0. Doesn't listen to any local radio station (or NA)
9. Inap., no Form B

V212 R212 Listens 9AM-3PM (Q.47) TL=288 MD=9

TB	NL	ND	MD	XD
<u>22</u>	<u>16</u>	<u>22</u>	<u>25</u>	<u>19</u>
1	0	1	0	2
46	34	45	51	45
32	50	32	24	34

1. Yes
4. Listens to some station, NA when (no times checked)
5. No
0. Doesn't listen to any local radio station (or NA)
9. Inap., no Form B

V219 R219 Date of Interview (R16 Collapsed)

TL=295 MD=0,9

T1	NL	ND	MD	XD
30	24	31	35	25

6	7	6	6	7
---	---	---	---	---

9	7	9	10	7
---	---	---	----	---

44	54	42	38	53
----	----	----	----	----

5	5	5	3	7
---	---	---	---	---

1. Feb. 13-27 (before Feb. 28 general feature on p.1 of Ypsilanti Press)
2. Feb. 28-March.2 (before Mar. 2 general article on p.13 of A.A. NEws)
3. Mar.3-6 (before Mar.7 roadside survey article on p.3 of A.A. News)
4. Mar.7-Apr. 7 (before Apr.7 general article in Huron Valley Advisor)
5. Apr.8-May 18 (before May 25 article on drinking & driving on p.24 of A.A. News, May 30 feature in Parade Magazine of Detroit Free Press, and June 7 WASAP article in Detroit Free Press)

(no interviews took place between May 19 and June 16)

1	0	1	1	0
---	---	---	---	---

6. June 17-19 (before June 19 Antabuse article in Ypsi Press)

5	2	6	8	1
---	---	---	---	---

7. June 20-July 25

*2	0	*1	*1	0
----	---	----	----	---

9. NA

0. Inap., no interview

V220 R220 DAD Rel. Importance (from R25 and R18-R24, R26-R27)

TL=296 MD=0

T1	NL	ND	MD	XD
1	0	*1	1	1

9	3	8	8	15
---	---	---	---	----

42	39	42	38	47
----	----	----	----	----

32	39	34	35	22
----	----	----	----	----

8	13	9	7	6
---	----	---	---	---

*1	0	0	0	*1
----	---	---	---	----

2	3	1	4	1
---	---	---	---	---

5	3	3	7	6
---	---	---	---	---

1	0	1	1	1
---	---	---	---	---

*4	*3	*1	0	0
----	----	----	---	---

1. DAD important cause and no other cause rated important
2. DAD important cause and 1-2 other causes rated important
3. DAD important cause and 3-5 other causes rated important
4. DAD important cause and 6-8 other causes rated important
5. DAD important cause and 9 other causes rated important
6. DAD somewhat important cause & no other cause rated important
7. DAD somewhat important cause & 1-2 other causes rated important
8. DAD somewhat important cause & 3-9 other causes rated important
9. DAD not very important or not important at all
0. DAD DK or NA, or no interview

V221 R221 Fatalities-7 (R29 Collapsed) TL=297 MD=0,9

T1	NL	ND	MD	XD
2	2	3	1	1

26	15	24	31	29
----	----	----	----	----

16	10	16	19	16
----	----	----	----	----

7	2	7	10	6
---	---	---	----	---

19	17	20	16	20
----	----	----	----	----

18	27	16	18	21
----	----	----	----	----

3	7	5	2	1
---	---	---	---	---

8	19	9	4	5
---	----	---	---	---

0	0	0	0	0
---	---	---	---	---

1. 001-009
2. 010-049
3. 050-069
4. 070-099 (correct)
5. 100-199
6. 200-995
7. 996 or more
8. DK
9. NA
0. Inap., no interview

V222 R222 Injuries-7 (R30 Collapsed) TL=298 MD=0,9

T1	NL	ND	MD	XD
<u>5</u>	<u>7</u>	<u>6</u>	<u>4</u>	<u>3</u>
21	19	25	23	14
27	22	22	31	35
14	12	15	14	13
15	10	14	13	20
6	5	7	7	6
2	0	1	2	2
10	24	11	7	6
*1	0	0	*1	0

1. 0001-0049
2. 0050-0199
3. 0200-0499
4. 0500-0999
5. 1000-2499
6. 2500-9995(correct)
7. 9996 or more
8. DK
9. NA
0. Inap., no interview

V223 R223 Injury/Death Ratio (R30/R29) TL=299 MD=9

T1	NL	ND	MD	XD
<u>5</u>	<u>17</u>	<u>6</u>	<u>3</u>	<u>2</u>
11	20	14	10	6
29	30	28	29	31
23	20	23	24	25
10	10	10	9	11
12	0	11	13	15
7	3	6	7	9
3	0	3	5	2
*3	0	*1	*1	*1
*62	*11	*29	*12	*9

0. Less than 1.0
1. 1.0-1.999
2. 2.0-3.999
3. 4.0-6.999
4. 7.0-9.999
5. 10.0-19.999
6. 20.0-39.999
7. 40.0-99.999(correct)
8. 100.0-999.998
9. DK, NA on one or both R29 & R30; or inap., no interview

V224 R224 Alcohol Fatal %-7 (R35 Collapsed) TL=300 MD=0,9

T1	NL	ND	MD	XD
<u>8</u>	<u>10</u>	<u>7</u>	<u>8</u>	<u>7</u>
19	29	14	24	18
9	5	7	13	11
29	24	31	30	24
13	12	14	8	18
17	12	18	14	19
3	2	5	1	3
3	5	4	1	0
*2	0	*2	0	0

1. 01%-19%
2. 20%-34%
3. 35%-49%
4. 50%
5. 51-65%
6. 66-80%
7. 81%-100%
8. DK
9. NA
0. Inap., no interview

V225 R225 Alcohol Crash Exp. (R37 & R38 combined)
TL=301 MD=9

T1	NL	ND	MD	XD
<u>55</u>	<u>54</u>	<u>58</u>	<u>58</u>	<u>47</u>
4	7	5	2	4
2	2	2	1	4
10	5	14	4	11
3	7	2	4	5
11	10	9	14	11
2	2	1	1	2
12	12	8	14	16
*2	0	0	*2	*1
0	0	0	0	0

0. No involvement
1. Other involved, property damage only
2. R involved, property damage only
3. Other involved, minor injury
4. R involved, minor injury
5. Other involved, major injury
6. R involved, major injury
7. Other involved, death
8. R involved, death
9. DK, NA on R37 or R38; Inap., no interview

V226 R226 Safe/Legal Ratio (R40/R43) TL=302 MD=9

T1	NL	ND	MD	XD	
11	13	11	10	11	0. Less than .5
42	44	40	44	42	1. .5-.999
22	25	25	21	18	2. 1.0
5	3	7	4	4	3. 1.001-1.499
7	3	6	11	6	4. 1.5-1.999
8	6	6	6	14	5. 2.0-2.999
4	6	4	4	5	6. 3.0-9.999
0	0	0	0	0	7. 10.0-99.998
*84	*9	*45	*22	*8	9. <u>DK, NA on one or both</u> ; or inap., no interview

V227 R227 Accident 3 Drinks-8 (R44 Collapsed)

TL=303 MD=0

T1	NL	ND	MD	XD	
22	15	14	31	26	1. No or small increased chance of accident
37	49	37	39	34	2. 1.50-2.49
24	15	27	21	23	3. 2.50-5.49
10	8	12	4	12	4. 5.50-10.49
2	5	1	1	3	5. 10.50-25.49
1	0	1	1	0	6. 25.50-50.49
1	0	1	2	1	7. 50.50-100.49
0	0	0	0	0	8. Over 100.49
4	8	6	2	1	9. DK
*8	*2	*3	*3	0	0. <u>NA</u> ; inap., no interview

V228 R228 Accident 6 Drinks-8 (R45 Collapsed)

TL=304 MD=0

T1	NL	ND	MD	XD	
4	0	1	7	5	1. No or small increased chance of accident
14	15	12	18	14	2. 1.50-2.49
30	30	32	33	23	3. 2.50-5.49
25	23	25	25	28	4. 5.50-10.49
7	7	10	2	9	5. 10.50-25.49
6	10	5	4	9	6. 25.50-50.49
6	3	6	6	7	7. 50.50-100.49
2	0	2	1	2	8. Over 100.49
6	13	8	4	1	9. DK, NA; inap., no interview
*7	*1	*4	*2	0	0. <u>NA</u> ; inap., no interview

V229 R229 Accident 9 Drinks-8 (R46 Collapsed)

TL=305 MD= 0

T1	NL	ND	MD	XD	
2	0	1	3	1	1. No or small increased chance of accident
6	0	4	9	9	2. 1.50-2.49
15	15	15	16	15	3. 2.50-5.49
25	30	26	27	21	4. 5.50-10.49
15	13	13	14	18	5. 10.50-25.49
9	10	9	7	9	6. 25.50-50.49
14	17	14	14	14	7. 50.50-100.49
6	0	6	7	9	8. Over 100.49
7	15	10	7	3	9. DK
*33	*1	*11	*14	*7	0. <u>NA</u> ; inap., no interview

V230 R230 Breath Test Info. (R47,R49,R51,R53-knowledge of situations in which breat tests can be required.) TL=306 MD=0,9

T1	NL	ND	MD	XD
11	13	8	13	15
26	37	25	29	22
28	17	30	29	25
29	33	33	23	29
3	0	3	5	2
1	0	1	1	4
1	0	1	1	2
0	0	0	0	0
*5	*1	*2	*1	*1

1. Correct-yes to R51; no or DK or NA to R47, R49, R53
2. Mostly correct-yes to R51; & yes to 1 of R47, R49, R53
3. Somewhat correct-yes to R51; & yes to 2 of R47, R49, R53
4. Slightly correct-yes to R51; & yes to 3 of R47, R49, R53
5. Slightly wrong-no or DK to R41, no or DK or NA to R47, R49, R53
6. Somewhat wrong-no or DK to R51, yes to 1 of R47, R49, R53
7. Mostly wrong-no or DK to R51, yes to 2 of R47, R49, R53
8. Entirely wrong-no or DK to R51, yes to 3 of R47, R49, R53
9. NA on R51
0. Inap., no interview

V231 R231 New Breath Tests (R48,R50,R54-new situations in which R would approve of requiring a breath test) TL=307 MD=9

T1	NL	ND	MD	XD
7	10	4	10	7
13	22	7	18	18
5	5	6	5	3
6	5	4	8	7
3	0	3	5	2
17	19	18	15	19
48	39	58	39	42
*1	0	*1	0	0

0. No new situations
1. Random road check only (R48)
2. Drunk in drivers seat only (R50)
3. Random road check & drunk in driver's seat (R48, R50)
4. Any accident only (R54)
5. Random road check & any accident (R48, R54)
6. Drunk in driver's seat & any accident (R50, R54)
7. Random road check, drunk in driver's seat, and any accident (R48, R50, R54)
8. NA or DK all 3 situations
9. Inap., no interview

V232 R232 Effects Info. Index (Sum of R61, R62 & R69 recoded to 1=2, 2 or 8=1, 3 or 4=0, 0 or 9=9) TL=308 MD=9

T1	NL	ND	MD	XD
1	0	1	1	1
3	5	2	2	5
9	2	10	7	13
22	37	21	24	17
31	29	30	31	32
22	22	21	22	23
13	5	15	13	10
*3	0	*3	0	0

0. Entirely wrong-did not know that drinking on an empty stomach, body weight, & experience are at least "somewhat important". in affecting how alochol affects behavior
- 1.
- 2.
3. Partially correct, including DK all 3 items
- 4.
- 5.
6. Entirely correct-knew all 3 factors are important
9. NA on 1 or more items; inap., no interview

V233 R233 Sobering Up Info. X (Sum of R71, R72 & R74
 recoded as 1 or 3=0, 8=1, 5=2, 0 or 9=9; & R73
 recoded as 1 or 5 or 8=0, 3=1, 0 or 9=9)
 TL=309 MD=9

T1 NL ND MD XD
10 2 10 12 9

0. Entirely wrong-did not know that coffee, that
 walking & food are not very effective & that
 waiting an hour is somewhat effective

17 24 15 19 17
 18 37 21 13 14
 19 15 23 16 14
 10 2 10 10 11
 15 10 11 19 17
 5 5 4 7 5
 6 5 5 4 11
 *2 0 *2 0 0

1.
 2.
 3.
 4. Partially correct, including DK all 4 items
 5.
 6.
 7. Entirely correct answers to all 4 items
 9. NA on 1 or more items; inap., no interview

V234 R234 Alcoholic %-7 (R88 Collapsed)
 TL=310 MD=0,9

T1 NL ND MD XD
18 10 15 21 22
17 10 16 17 19
21 27 16 23 26
17 17 19 19 13
11 15 12 9 11
9 15 11 7 7
2 2 4 1 1
4 2 6 4 2
 *2 *1 *1 0 0

1. 1-3%
 2. 4-5%
 3. 6-10%
 4. 11-20%
 5. 21-30%
 6. 31-50%
 7. 51-95%
 8. DK
 9. NA
 0. Inap., no interview

V235 R235 No. Effective CM (number of countermeasures
 rated "very effective" in R94-R100)
 TL=311 MD=9

T1 NL ND MD XD
26 23 24 30 26
22 15 22 21 26
20 27 19 20 22
17 17 16 18 17
8 3 11 7 6
4 10 4 4 1
2 0 3 1 2
1 5 1 0 0
 *2 *1 *1 0 0

0. None
 1. One
 2. Two
 3. Three
 4. Four
 5. Five
 6. Six
 7. Seven
 9. NA on 3 or more items; inap., no interview

V236 R236 Driver-Drinker-Arr. (from R101,R108,R118)

TL=312 MD=0,9

<u>TL</u>	<u>NL</u>	<u>ND</u>	<u>MD</u>	<u>XD</u>
3	44	0	0	0
4	56	0	0	0
11	0	26	0	0
7	0	16	;	0
*1	0	*1	0	0
74	0	57	99	98
1	0	1	1	2
*1	0	0	0	0

1. Never a driver & is an abstainer
2. Never a driver & is not an abstainer
3. Former or present driver who never drank
4. Former or present driver who used to drink but is now an abstainer but was never arrested for drunk driving
5. Former or present driver who used to drink but is now an abstainer and was arrested for drunk driving
6. Former or present driver who drinks but was never arrested for drunk driving
7. Former or present driver who drinks & was arrested for drunk driving
9. NA on R75,R79, or R89
0. Inap., no interview

V237 R237 Drink & Drive-9 (from R101,R108,R113,R115)

TL=313 MD=9

<u>TL</u>	<u>NL</u>	<u>ND</u>	<u>MD</u>	<u>XD</u>
3	44	0	0	0
4	56	0	0	0
18	0	42	0	0
25	0	58	0	0
28	0	0	100	0
7	0	0	0	32
6	0	0	0	28
6	0	0	0	29
8	0	0	0	11
*1	0	0	0	0

0. Never a driver & is an abstainer
1. Never a driver & is not an abstainer
2. Present or former driver who is an abstainer
3. Present or former driver who drinks but never before driving
4. Present or former driver who drinks before driving but didn't drive after drinking too much in previous year
5. Present or former driver who drinks & drove twice in previous year after drinking too much
6. Present or former driver who drinks & drove twice in previous year after drinking too much
7. Present or former driver who drinks & drove 3-7 times in previous year after drinking too much
8. Present or former driver who drinks & drove 10-75 times in previous year after drinking too much
9. NA on R113 and/or R115; inap., no interview

V238 R238 Drink & Drive-6 (R237 collapsed)

TL=314 MD=9

<u>TL</u>	<u>ND</u>	<u>MD</u>	<u>XD</u>
7	0	0	0
18	42	0	0
25	58	0	0
28	0	100	0
13	0	0	59
9	0	0	41
1	0	0	0

1. Never a driver
2. Present or former driver who is an abstainer
3. Present or former driver who drinks but never before driving
4. Present or former driver who drinks before driving but did not drive after drinking too much in the previous year
5. Present or former driver who drinks & who drove once or twice in the past year after drinking too much
6. Present or former driver who drinks & who drove more than twice in the past year after drinking too much
9. NA on R113 and/or R115; inap., no interview

V239 R239 Drink & Drive-3 (R237 collapsed) TL=315 MD=9

T1%	TI	Freqs.
7		41
43		263
50		301
*1		1

1. Never a driver
2. Present or former driver who never drives after drinking
3. Present or former driver who drives (has driven) after drinking
9. NA on R113 and/or R115; inap., no interview

V240 R240 Age=6 (R124 collapsed) TL=316 MD=0

T1	NL	ND	MD	XD
5	15	7	1	1
18	29	22	13	14
35	19	26	39	53
22	12	18	29	23
15	12	19	15	9
5	12	7	4	1
*1	0	0	0	*1

1. 16-17
2. 18-20
3. 21-29
4. 30-44
5. 45-64
6. 65 up
9. NA
0. Inap., listing not completed

V241 R241 Religion-7 (R132 collapsed) TL=317 MD=9

T1	NL	ND	MD	XD
31	30	31	31	32
27	27	31	27	18
5	10	6	4	1
19	20	15	19	27
7	10	7	8	7
4	0	3	6	5
8	3	9	5	11
*4	*1	*1	*1	*1

1. Protestant, general or reformation era, or Unitarian (100-116,153)
2. Protestant, pietistic (120-127)
3. Protestant, neo-fundamentalist or non-traditional Christian (130-152,154-156)
4. Roman Catholic (200)
5. Jewish (300)
6. Other (400-790)
7. None (800)
9. NA, DK; inap., no interview

V242 R242 Income-4 (R136 collapsed) TL=318 MD=9

T1	NL	ND	MD	XD
19	32	18	19	18
19	22	21	17	16
23	17	23	26	23
34	19	33	36	39
5	10	5	2	4

1. Under \$6000 (or under \$7000 on nonresponse form)
2. \$6000-\$9999 (or \$7000-\$12,000 on nonresponse form)
3. \$10,000-\$14,999
4. \$15,000 & over (or over \$12,000 on nonresponse form)
9. NA, DK, refused

V243 R243 Deterrence CM Score (number of strong agreements (1) in R158, R159, R160, R164, R165, R167-R172, R176) TL=319 MD=99 W=2

TI	NL	ND	MD	XD	
26	25	19	27	37	0. None
15	9	12	18	18	1. One
15	13	13	15	20	2. Two
12	19	11	15	7	3. Three
11	6	13	11	7	4. Four
6	9	9	3	3	5. Five
5	3	9	2	3	6. Six
4	6	5	2	2	7. Seven
2	0	2	2	2	8. Eight
2	6	3	1	1	9. Nine
1	0	2	0	0	10. Ten
1	3	1	1	0	11. Eleven
0	0	0	0	0	12. Twelve
*94	*9	*46	*26	*12	99. <u>NA on 4 or more items; inap., no Form B</u>

V244 R244 Alc. Help CM Score (number of strong agreements (1) in R173, R174, R175, R183, R191) TL=320 MD=9

TI	NL	ND	MD	XD	
18	6	20	16	18	0. None
24	25	21	24	31	1. One
27	37	26	34	18	2. Two
20	16	21	17	22	3. Three
9	6	11	5	11	4. Four
2	9	1	4	0	5. Five
*96	*9	*46	*28	*12	9. <u>NA on 2 or more items; inap., no Form B</u>

V245 R245 Newspaper Reading (from R201-R204) TL=321 MD=9

TI	NL	ND	MD	XD	
30	47	30	24	31	0. Reads no local papers regularly
30	25	25	36	34	1. Reads Ann Arbor News only regularly (3-7 days a week)
6	3	10	4	3	2. Reads Ypsi Press only regularly (3-7 days a week)
1	0	2	1	0	3. Reads Ann Arbor News & Ypsi Press regularly
5	0	4	4	7	4. Reads Huron Valley Advisor only regularly (1-2 days or more a week)
15	6	14	20	14	5. Reads A.A. News regularly & H.V. Advisor
3	3	4	4	2	6. Reads Ypsi Press regularly & H.V. Advisor
*2	0	*1	*1	0	7. Reads A.A. News & Ypsi Press regularly & H.V. Advisor
10	16	11	7	10	8. Reads only other local paper regularly (3-7 days a week)
*90	*9	*44	*25	*11	9. Inap., Form B not answered

V246 R246 No.Reg. Stations (number of local radio stations listened to 3-7 days a week; count of 1's in R205-R210) TL=322 MD=9

TI	NL	ND	MD	XD	
<u>65</u>	<u>63</u>	<u>65</u>	<u>63</u>	<u>71</u>	0. None
27	34	28	27	23	1. One
6	3	6	9	4	2. Two
1	0	1	1	2	3. Three
*1	0	0	0	1	4. Four
0	0	0	0	0	5. Five
0	0	0	0	0	6. Six
*90	*9	*44	*25	*11	9. Inap., Form B not answered

V247 R247 No.Radio Times (number of daily time periods R generally listens to local radio stations; count of 1's in R211-R217) TL=323 MD=9

TI	NL	ND	MD	XD	
<u>35</u>	<u>50</u>	<u>36</u>	<u>25</u>	<u>43</u>	0. None
17	22	16	21	12	1. One
24	19	25	23	26	2. Two
11	0	11	17	8	3. Three
7	3	9	8	4	4. Four
3	3	2	3	3	5. Five
1	3	1	1	2	6. Six
1	0	1	1	1	7. Seven
*90	*9	*44	*25	*11	9. Inap., Form B not answered

LISTING OF OTHER RESPONSES TO THE WASHTENAW GENERAL
PUBLIC SURVEY

V14 R14 Result of Calls

Respondent #

~~5002~~ NA why no interview
5001 NA why no interview
5012 Dog Kennel (semlls too bad to talk)

V15 R15 Type of Structure

1019 Tourist rooms for rent

V29 R29 Washtenaw Fatalities

0014 2,000 fatalities
0627 1,500
0559 4,000 fatalities
0817 4,000
0110 2,000
0081 5,000
0531 2,000
0407 5,000 fatalities
0500 25,000

V30 R30 Washtenaw Injuries

0407 Injuries - 15,000
0500 50,000
0817 15,000
0081 12,000

V32 R32 Special Precautions

0443 Don't drive if I am tired
0422 Uses own plane for vacationing
0520 Takes flashlight

V37 R37 Accident Involvement

0072 NA how many times

V45 R45 Accident 6 Drinks

0160 Over 100 times
0540 6 drinks-very likely
0117 Infinite chance of accident
0113 150
0378 1,000
0598 400
0257 200
0515 200
0572 200

V46 R46 Accident 9 Drinks

0160 Over 100 times
 0540 9 drinks-probably wouldn't be able to drive
 0117 Infinite chance of accident
 0589 Shouldn't be on road
 0647 Don't think he should be driving
 0631 200
 0403 150X
 0746 1,000
 0754 1,000
 0679 1,000
 0113 500
 0101 500
 0027 1,000
 0279 120
 0759 1,000
 0378 5,000
 0411 1,000 times more likely to have accident after 9 drinks
 0141 His chances are inevitable of having an accident after
 9 drinks-no specific number given
 0143 200 X
 0598 1,000
 0708 1,000
 0710 1,000
 0700 1,000
 0257 400
 0466 500 times chance after 9 drinks
 0515 300
 0109 200
 0401 200
 0829 200
 0556 1,000
 0832 500
 0502 100
 0501 300
 0500 200
 0572 300

V55 R55 Refusal Penalty

0589 Automatically booked for drunk driving
 0195 Considered guilty
 0113 Driver is automatically "gotten" for drunk driving.
 "He can't refuse-they'll shove it in his mouth or
 something"
 0108 He gets written up, taken away, and forced to (take
 it) later. It just looks good that they ask-you really
 have to take it anyway
 0138 Assumed drunk
 0110 I would assume that policeman would think he had some-
 thing to hide and possibly was under the influence
 0094 Conviction for drunk driving
 0507 Must appear in court
 0671 Guilty of drunk driving

V55 (cont'd)

- 0550 Incriminates self
- 0426 Go to court
- 0845 I think he has to go with police downtown or something. If don't take test think can talk to city hall or something.
- 0440 Convicted of drunk driving
- 0278 Asked to take blood test
- 0119 Could be prosecuted for drunk driving-considered a drunk driver
- 0479 Assumed guilty
- 0384 Considered guilty
- 0648 Automatically guilty of drunk driving
- 0609 Automatic conviction of drunk driving
- 0175 Breath test refused held against person in court
- 0736 Same as guilty of drunk driving
- 0184 Forced to take it
- 0188 Conviction only
- ? If they are convicted the consequences will be greater
- 0498 Automatic admission of guilt
- 0154 Considered drunk
- 0583 Police assume he is drunk
- 0565 Against the law
- 0571 Automatic conviction
- 0631 He is considered guilty

V58 R58 Best First Penalty

- 0647 Nothing
- 0829 None
- 0144 They should take the guy home

V76 R76 Why Main Approach

A. Support for Never Drinking Before Driving

- 0488 Scares R to be around people who are drunk
- 0289 Personal experience
- 0434 It's the only answer but can never happen
- 0106 Better goal
- 0567 Neither will be effective. If you can propogandize enough, people may drink less
- 0458 People (would) know it is against the law and therefore should not drink and drive
- 0018 It would keep the people who do not drink before driving from starting to
- 0272 Too many accidents now
- 0341 Such a ruling may restrict them somewhat
- 0097 Most easily enforced
- 0114 Safest way for all concerned. Most secure method of removing difficulty before (it) happens. Not talking about degrees-just removing any form of accident due to drinking from the road
- 0422 I don't think at any time
- 0220 It should be the law
- 0028 Because people who already drink will never stop. (In response to "by never drink before driving")
- 0772 More of an example

V76 (cont'd)

B. Support for education to Safe Limits

- 0618 Everyone is different
- 0520 For safety
- 0154 It depends on how much you can drink
- 0139 It is very important to find out how much a person can drink and still have control
- 0266 I think people should learn to know their limitation
- 0134 When he's drinking he's not going to listen to anybody
- 0113 I don't feel either will work. I think gadget that won't start if person is drunk is best
- 0749 That's the way everybody I know lives
- 0626 People should be aware of what they are doing; the fact that they aren't themselves after drinking (in response to "stick to limits")
- 0681 Know someone who goes over limit
- 0270 People have different limits (in response to why "stick to limits")
- 0216 Should be more aware of what their limits are
- 0184 Fear is greater motivator than rationality
- 0181 Anything you drink slows down your reactions
- 0454 First choice is not rational. Picked second choice
- 0081 1st-you can't stop people from drinking; 2nd-but bars should set house limit
- 0549 Prohibition is the only way that will work (although R thought understand and stick to limits a better choice than never drink before)
- 0445 It's the only answer
- 0244 Some people can't control their liquor; non-drinking would be better. Answer previous to that was 5) people should understand and stick to limits
- 0159 I drink occasionally but never do it when I drive
- 0235 I am a Christian and I feel that it's not good for the body

V78 R78 ASAP Tax Support

- 0538 Tax on alcohol
- 0368 Whatever is necessary
- 0287 What is necessary, if that goal is feasible
- 0365 Whatever it takes
- 0510 10%
- 0741 How much would it take? Can't commit myself
- 0573 What everyone pays. My fair share and no more

V80 R80 What DAD Media

- 0202 Bumper stickers
- 0647 Films
- 0536 Driver training films
- 0212 Driver training. School classes
- 0748 Sign in party store "Are you sober enough to drive"
- 0545 US reports
- 0800 Drivers Ed. program
- 0800

V80 (cont'd)

0840 Driver's Ed program
 0827 High school
 0549 Driver's ed course
 0618 Movies in Driver's Ed
 0646 Nursing lecture
 0072 Green Cross (FoMoCo)
 0016 At work-at safety meeting
 0008 School
 0113 School
 0820 Class at EMU - 4-H
 0027 On safety posters at work
 0029 Films at school
 0020 School
 0459 Driver training
 0509 Driver Ed film
 0185 From children
 0850 First aid class at EMU
 0078 Film at Teamster Recreation Center
 0543 Film in Driver Ed - The Last Prom
 0832 High school
 0139 Subways in NYC
 0363 Drivers Ed
 0141 Medical Films - source of hearing about drinking and
 driving problem
 0844 School

V81 R81 What DAF Messages

0588 Advertising council sponsors as public service
 0229 Sonny Eliot program-slow down and live
 0177 New Program in Washtenaw County to get people to use
 pill which makes them sick if they drink
 0040 Hostess should serve coffee
 0546 AAA ad on radio-leave keys with host, drink coffee
 instead of booze
 0504 Movie "The Last Prom"
 0263 Suggestions geared to party offering the liquor rather
 than those consuming it
 0235 Serve Coffee to guests before they leave
 0463 A wheel of a car running over some champagne bottles
 0470 Hostess should not serve drinks to drivers
 0183 Sponsored by National Safety Council
 0282 Condemning alcohol
 0488 Seat belts should be used
 0286 Combination of certain liquors and drugs
 0364 AAA said we weren't attacking the drinking driving
 problem in the right manner
 0616 Help guests sober up before they leave
 0078 First aid film-what to do in case of an accident
 0659 Keep right on drinking;drown their sorrows
 0072 Films presented at these meetings (of Green Cross of
 FoMoCo)
 0000 If someone close to you were in the other car
 insurance comp. for support in more rigid laws

V82 R82 Best Message Media

0214 Ad in a bus
0441 High school
0447 When renewing license
0444 H.S. Driver's Ed course
0139 Gas stations
0036 Signs around school

V84 R84 Group Running ASAP

0446 State of Mich.
0139 Mich. Highway Women's group
0227 Mel Selzer, Paul Gikas
0595 Funded by Dept. of Transportation
0492 Alcohol Safety Action Program
0220 Thinks Dr. M. Selzer might be in charge of DAD program
in Wash. County
0466 United Fund

V85 R85 ASAP Activities

0737 Try to reduce BAC level from .15 to .10
0228 Collect Data on accidents & study effects of drinking
& driving
0508 Try to reduce legal BAC level
0848 General purpose research
0595 Provide transportation if drunk
0566 Making a study of each alcohol-related traffic accident
& the person involved. Trying to get at the cause of
the drinking
0844 If you get drunk & get stopped someone drives your car
home; also checking out the car to see how good the
equipment is
0139 "Blood-level reduced" (i.e., lower legal BAC)
0106 Changing law
0559 Lowering of BAC limit

V86 R86 Member DAD Organiz.

0137 Officer in local democratic party
0494 Jaycees
0510 AA
0107 Wash. Cty. Medical Society
0072 Green Cross (safety member)
0576 Mich. Beverage License Assoc.
0378 Mich. Driver Ed. Assoc.
0139 Mich. Highway Women's Group ("I think, because I get
the literature")
0279 WCCS(?)

V88 R88 Alcoholic Percentage (less than 1.0%)

0589 $1/500 = 0.2\%$
0114 0.75% (Definite: interviewer doubled-checked)
0139 Less than 1 in 1000

V91 R91 Helpful Organization

0297 WCTU
0536 Private agencies of UF. Friend of court in counseling
0571 Church organization
0556 Special school for convicted drunk drivers-doesn't know name
0105 Alateen
0341 S.O.S. at Eastern, Synanon
0506 Women's Temperance, Antabuse program, doctors, police
0008 Court program-go to school
0107 Private psychiatric help
0137 Clinics
0546 Churches
0059 Church
0747 Police dept.
0822 Wash. Cty. police
0609 Sheriff Dept.
0369 Church organization
0224 Private psychotherapy as an agency in Wash. Cty.
0116 Churches-pastoral counseling
0559 Church org.
0228 Allanon, National Council on Alcoholism
0711 St. Andrew's Church
0114 Telephone service-not limited to alcoholism, however
0015 A phone service-will talk to the person seeking help
0361 I've heard of some but can't remember their names

V93 R93 WCCA Activities

0226 WCCA-does survey
0717 "sits & gabs" - R thought they accomplished nothing constructive

V108 R108 (No longer) Have Drivers License

0433 R had a Latin American license, but has not sought an American license (Nicaragua)
0710 Can't afford car now
0472 No license now because "did not renew it"
0716 License expired; doesn't have car & hasn't bothered to renew it
0163 No need to or desire
0421 Don't need to drive any longer
0563 Expired-"I will not drive in Ann Arbor"

V112 R112 How Learn Driving

0374 Mechanic in garage (hired)
0513 Book

V114 R114 Specific Rules (other codable or second responses)

- 0246 Don't usually drink before I drive but would be more careful if I knew I was going to drink
- 0370 Distance of driving + hour of day determines how much I drink; further away and later in day and/or before eating means less drinking
- 0515 no hard stuff
- 0135 Be sure I eat and have coffee
- 0287 If I'm not alone and think I can't drive, I let the other person drive
- 0008 Have someone else drive
- 0498 Eat
- 0495 Eats
- 0505 Watch it-slow down- if I have any doubt, I let my wife drive
- 0516 Drink early in the evening; not right before driving
- 0489 Drink after eating
- 0748 Drive slower than speed limit
- 0468 Makes sure he is on a full stomach; never mixes drinks
- 0015 Try to stop drinking before driving
- 0679 Waits 1.5 hours after drinking

V117 R117 What Other Way Home

- 0372 R stayed at other person's house
- 0753 Train
- 0177 Stayed where he was

V121 R121 No. Accidents 3 yrs.

- 0608 10 Accidents as driver

V122 R122 Times DAD Passenger

- 0557 30 times
- 0068 10 "
- 0827 10 "
- 0397 10 "
- 0465 10 "
- 0714 52 "
- 0821 12 "
- 0450 10 "
- 0630 10 "
- 0612 10 "
- 0101 15 "
- 0088 20 "
- 0108 About 25
- 0109 10
- 0477 10
- 0474 10
- 0850 10-12
- 0842 10
- 0832 40
- 0736 10
- 0749 9-10
- 0036 12
- 0460 15

V122 (cont'd)

0374 30
0570 40
0362 40
0616 12
0471 10
0008 20
0112 20 (R's father)
0374 30
0830 20

V128 R128 R Employment Status

0721 Disabled

V132 R132 Religion

0260 Practicing Druid
0113 Romanticist (age 17)
0278 Humanist
0284 Christian Yogi
0054 Jehovah's Kingdom
0402 Maronite Catholic

V137 R137 Children Supported

0469 10

V143 R143 Race

0082 Indian (Asian)
0700 Oriental
0601 "
5004 Chinese
0499 Japanese

V144 R144 Relation to Head

0538 Nephew
5005 Live in maid
4008 R is sister to head
2044 Grandson
0105 R is sister to head
0673 Sister
0743 R is friend of head

V145 R145 R and Form B

0698 Int. didn't ask R to do Form B