


Survival Analysis of Study Participants with serum nuclear magnetic resonance (NMR) spectroscopy data that received either L-Carnitine (18g) or Placebo in the RACE Clinical Trial
<https://clinicaltrials.gov/ct2/show/NCT01665092>



Hazard Ratio (Mantel-Haenszel)		
Ratio (and its reciprocal)		1.128
95% CI of ratio		0.7246 to 1.757
	Placebo-treated	L-Carnitine (18g)-treated
Number of rows	165	165
# of blank lines	96	69
# rows with impossible data	0	0
# censored subjects	32	50
# deaths/events	37	46
Number of subjects at risk at various times:		
Survival Days	Placebo-treated	Carnitine (18g)-treated
0	69	96
0.08		96
0.16		95
0.2		94
0.21	69	
0.36		93
1	68	92
2	62	82
3	59	81
4	56	79
5	55	77
6	54	76
7	52	73
8	51	
9	49	71
10		69
11	48	
13	47	
14	46	
15		68
16	45	65
17		62
18		61
21	44	60
22	42	59
23		58
25		57
27		56
28	41	55
29	40	
30	39	
36	38	54
52		53
54		52
56	36	
66	35	
72		51
83	34	
84	33	
108		50
148		49
166	32	
190		48
227	31	
269	30	
365	29	47