

## Health Status

**Level:** Census Tract Level

**Definition:** Health status data represent data about the health of persons within a census tract, measured at the census tract level. This includes data about 1) mortality by condition; 2) exposures to toxic substances; and 3) disability.

**DATASET Version :** 1.1

**DATASET Release History:** First published 2017

**Initial Release :** 10/01/2017

**DATA set Name:** Neighborhood\_Health\_Status\_Census\_Tract\_Level.csv

**Sources:** State of Michigan Vital Statistics, Michigan Department of Health & Human Services; U.S. Census Bureau 2009-2013 5-Year American Community Survey

### Other Notes:

- Spatial coverage for mortality and disability data: 10-county Detroit-Warren-Ann Arbor Combined Statistical Area.
- Spatial coverage for elevated blood lead levels: City of Detroit only.
- SAS code for creation of mortality data available as an Appendix to this codebook.

Variables	Year	Description	Notes
Identifier			
GEOID10	2010	Census Tract ID	10-digit Census Tract ID
CountyCode	2010	County Code	County code; contained in Census Tract ID
CountyName		County Name	
<b>1) Mortality Rate BY Condition</b>			
YearDX2009	2009	Number of deaths reported BY census tract in 2009	Derived from the summing all deaths in the census tract. The source file is the individual level death and vital statistics for Michigan. Ref: line 65-87
YearDX2010	2010	Number of deaths reported BY census tract in 2010	Derived from the summing all deaths in the census tract. The source file is the individual level death and vital statistics for Michigan. Ref: line 65-87
YearDX2011	2011	Number of deaths reported BY census tract in 2011	Derived from the summing all deaths in the census tract. The source file is the individual level death and vital statistics for Michigan. Ref: line 65-87
YearDX2012	2012	Number of deaths reported BY census tract in 2012	Derived from the summing all deaths in the census tract. The source file is the individual level death and vital statistics for Michigan.

Variables	Year	Description	Notes
			Ref: line 65-87
YearDX2013	2013	Number of deaths reported BY census tract in 2013	Derived from the summing all deaths in the census tract. The source file is the individual level death and vital statistics for Michigan. Ref: line 65-87
YearDX2014	2014	Number of deaths reported BY census tract in 2014	Derived from the summing all deaths in the census tract. The source file is the individual level death and vital statistics for Michigan. Ref: line 65-87
Diab_YearDX2009_2013	2009 to 2013	Number of deaths with diabetes listed as cause reported BY census tract from 2009-2013	Derived from the summing all deaths in the census tract for 2009-2013. The source file is the individual level death and vital statistics for Michigan. Ref: 321-353 Cause of death listed as ICD10 codes – E11 to E14.
Diab_YearDX2010_2014	2010 to 2014	Number of deaths with diabetes listed as cause reported BY census tract from 2010-2014	Derived from the summing all deaths in the census tract for 2010-2014. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – E11 to E14.
Cardio_YearDX2009_2013	2009 to 2013	Number of deaths with cardiovascular disease listed as cause reported BY census tract from 2009-2013	Derived from the summing all deaths in the census tract for 2009-2013. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – I10 to I15, I20 to I25, I50, I60 to I69, I70 to I79.
Cardio_YearDX2010_2014	2010 to 2014	Number of deaths with cardiovascular disease listed as cause reported BY census tract from 2010-2014	Derived from the summing all deaths in the census tract for 2010-2014. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – I10 to I15, I20 to I25, I50, I60 to I69, I70 to I79.
LResp_YearDX2009_2013	2009 to 2013	Number of deaths with lower respiratory disease listed as cause reported BY census tract from 2009-2013	Derived from the summing all deaths in the census tract for 2009-2013. The source file is the individual level death and vital statistics for Michigan.

Variables	Year	Description	Notes
			Cause of death listed as ICD10 codes – J40 to J47.
LResp_YearDX2010_2014	2010 to 2014	Number of deaths with lower respiratory disease listed as cause reported BY census tract from 2010-2014	Derived from the summing all deaths in the census tract for 2010-2014. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – J40 to J47.
Kid_YearDX2009_2013	2009 to 2013	Number of deaths with kidney disease listed as cause reported BY census tract from 2009-2013	Derived from the summing all deaths in the census tract for 2009-2013. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – N17 to N19.
Kid_YearDX2010_2014	2010 to 2014	Number of deaths with kidney disease listed as cause reported BY census tract from 2010-2014	Derived from the summing all deaths in the census tract for 2010-2014. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – N17 to N19.
Cancer_YearDX2009_2013	2009 to 2013	Number of deaths with cancer listed as cause reported BY census tract from 2009-2013	Derived from the summing all deaths in the census tract for 2009-2013. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – C0 to C96, D0 to D49.
Cancer_YearDX2010_2014	2010 to 2014	Number of deaths with cancer listed as cause reported BY census tract from 2010-2014	Derived from the summing all deaths in the census tract for 2010-2014. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – C0 to C96, D0 to D49.
Mental_YearDX2009_2013	2009 to 2013	Number of deaths with mental disorders listed as cause reported BY census tract from 2009-2013	Derived from the summing all deaths in the census tract for 2009-2013. The source file is

Variables	Year	Description	Notes
			the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – F0 to F99.
Mental_YearDX2010_2014	2010 to 2014	Number of deaths with mental disorders listed as cause reported BY census tract from 2010-2014	Derived from the summing all deaths in the census tract for 2010-2014. The source file is the individual level death and vital statistics for Michigan.  Cause of death listed as ICD10 codes – F0 to F99.
Population_ACS_09_13	2009 to 2013		Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
Population_ACS_10_14	2010 to 2014		
AllCause_MortalityRate_09_13	2009 to 2013	All-cause mortality rate for the period 2009 to 2013 BY census tract	Derived from the total number of deaths as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
AllCause_MortalityRate_10_14	2010 to 2014	All-cause mortality rate for the period 2010 to 2014 BY census tract	Derived from the total number of deaths as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Diab_MortalityRate_09_13	2009 to 2013	Diabetes mortality rate for the period 2009 to 2013 BY census tract	Derived from the number of deaths in the years 2009 to 2013 with disease ICD10 codes – E11 to E14 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Diab_MortalityRate_10_14	2010 to 2014	Diabetes mortality rate for the period 2010 to 2014 BY census tract	Derived from the number of deaths in the years 2010 to 2014 with disease ICD10 codes – E11 to E14 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Cardio_MortalityRate_09_13	2009 to 2013	Cardiovascular disease mortality rate for the period 2009 to 2013 BY census tract	Derived from the number of deaths in the years 2009 to 2013 with disease ICD10 codes – I10 to I15, I20 to I25, I50, I60 to I69, I70 to I79 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353

Variables	Year	Description	Notes
Cardio_MortalityRate_10_14	2010 to 2014	Cardiovascular disease mortality rate for the period 2010 to 2014 BY census tract	Derived from the number of deaths in the years 2010 to 2014 with disease ICD10 codes – I10 to I15, I20 to I25, I50, I60 to I69, I70 to I79 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
LResp_MortalityRate_09_13	2009 to 2013	Lower Respiratory disease mortality rate for the period 2009 to 2013 BY census tract	Derived from the number of deaths in the years 2009 to 2013 with disease ICD10 codes – J40 to J47 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
LResp_MortalityRate_10_14	2010 to 2014	Lower Respiratory disease mortality rate for the period 2010 to 2014 BY census tract	Derived from the number of deaths in the years 2010 to 2014 with disease ICD10 codes – J40 to J47 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Kid_MortalityRate_09_13	2009 to 2013	Kidney disease mortality rate for the period 2009 to 2013 BY census tract	Derived from the number of deaths in the years 2009 to 2013 with disease ICD10 codes – N17 to N19 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Kid_MortalityRate_10_14	2009 to 2014	Kidney disease mortality rate for the period 2010 to 2014 BY census tract	Derived from the number of deaths in the years 2010 to 2014 with disease ICD10 codes – N17 to N19 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Cancer_MortalityRate_09_13	2009 to 2013	Cancer mortality rate for the period 2009 to 2013 BY census tract	Derived from the number of deaths in the years 2009 to 2013 with disease ICD10 codes – C0 to C96, D0 to D49 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Cancer_MortalityRate_10_14	2010 to 2014	Cancer mortality rate for the period 2010 to 2014 BY census tract	Derived from the number of deaths in the years 2010 to 2014 with disease ICD10 codes – C0 to C96, D0 to D49 as the numerator and ACS-

Variables	Year	Description	Notes
			derived 5-year population for the same period as the denominator Ref: 321-353
Mental_MortalityRate_09_13	2009 to 2013	Mental illness mortality rate for the period 2009 to 2013 BY census tract	Derived from the number of deaths in the years 2009 to 2013 with disease ICD10 codes – F0 to F99 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
Mental_MortalityRate_10_14	2010 to 2014	Mental illness disease mortality rate for the period 2010 to 2014 BY census tract	Derived from the number of deaths in the years 2010 to 2014 with disease ICD10 codes – F0 to F99 as the numerator and ACS-derived 5-year population for the same period as the denominator Ref: 321-353
<b>2) Exposure to Toxic Substances - Elevated Blood Lead Levels (Detroit only)</b>			
1_EBLL_2000_Children_Testeds	2000	Number of children tested in census tract	2002 Annual DATA Report on Blood Lead Levels of Children in Michigan
1_EBLL_2000_Children_withEBLL	2000	Number of children with elevated blood lead levels in census tract	2002 Annual DATA Report on Blood Lead Levels of Children in Michigan
1_EBLL_2000_PctChildren_withEBLL	2000	Percent of children with elevated blood lead levels in census tract	2002 Annual DATA Report on Blood Lead Levels of Children in Michigan
1_EBLL_2010_Children_Testeds	2010	Number of children tested in census tract	2012 Annual DATA Report on Blood Lead Levels of Children in Michigan
1_EBLL_2010_Children_withEBLL	2010	Number of children with elevated blood lead levels in census tract	2012 Annual DATA Report on Blood Lead Levels of Children in Michigan
1_EBLL_2010_PctChildren_withEBLL	2010	Percent of children with elevated blood lead levels in census tract	2012 Annual DATA Report on Blood Lead Levels of Children in Michigan
<b>3) Disability Status – Total and BY Sex</b>			
15_B18101_Disability_Status_HD01_VD01	2009 to 2013	Estimate; Total: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD01	2009 to 2013	Margin of Error; Total: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD01	2009 to 2013	Standard Error; Total: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD02	2009 to 2013	Estimate; Male: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
15_B18101_Disability_Status_HD02_VD02	2009 to 2013	Margin of Error; Male: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD02	2009 to 2013	Standard Error; Male: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD21	2009 to 2013	Estimate; Female: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD21	2009 to 2013	Margin of Error; Female: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD21	2009 to 2013	Standard Error; Female: with a disability status	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>4) Disability Status – BY Age and Sex</b>			
15_B18101_Disability_Status_HD01_VD03	2009 to 2013	Estimate; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD03	2009 to 2013	Margin of Error; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD03	2009 to 2013	Standard Error; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD04	2009 to 2013	Estimate; Male: - Under 5 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD04	2009 to 2013	Margin of Error; Male: - Under 5 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD04	2009 to 2013	Standard Error; Male: - Under 5 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD05	2009 to 2013	Estimate; Male: - Under 5 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD05	2009 to 2013	Margin of Error; Male: - Under 5 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD05	2009 to 2013	Standard Error; Male: - Under 5 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD06	2009 to 2013	Estimate; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD06	2009 to 2013	Margin of Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD06	2009 to 2013	Standard Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD07	2009 to 2013	Estimate; Male: - 5 to 17 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD07	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD07	2009 to 2013	Standard Error; Male: - 5 to 17 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
15_B18101_Disability_Status_HD01_VD08	2009 to 2013	Estimate; Male: - 5 to 17 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD08	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD08	2009 to 2013	Standard Error; Male: - 5 to 17 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD09	2009 to 2013	Estimate; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD09	2009 to 2013	Margin of Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD09	2009 to 2013	Standard Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD10	2009 to 2013	Estimate; Male: - 18 to 34 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD10	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD10	2009 to 2013	Standard Error; Male: - 18 to 34 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD11	2009 to 2013	Estimate; Male: - 18 to 34 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD11	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD11	2009 to 2013	Standard Error; Male: - 18 to 34 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD12	2009 to 2013	Estimate; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD12	2009 to 2013	Margin of Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD12	2009 to 2013	Standard Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD13	2009 to 2013	Estimate; Male: - 35 to 64 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD13	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD13	2009 to 2013	Standard Error; Male: - 35 to 64 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD14	2009 to 2013	Estimate; Male: - 35 to 64 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD14	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey



Variables	Year	Description	Notes
15_B18101_Disability_Status_HD03_VD14	2009 to 2013	Standard Error; Male: - 35 to 64 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD15	2009 to 2013	Estimate; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD15	2009 to 2013	Margin of Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD15	2009 to 2013	Standard Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD16	2009 to 2013	Estimate; Male: - 65 to 74 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD16	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD16	2009 to 2013	Standard Error; Male: - 65 to 74 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD17	2009 to 2013	Estimate; Male: - 65 to 74 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD17	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD17	2009 to 2013	Standard Error; Male: - 65 to 74 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD18	2009 to 2013	Estimate; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD18	2009 to 2013	Margin of Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD18	2009 to 2013	Standard Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD19	2009 to 2013	Estimate; Male: - 75 years and over: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD19	2009 to 2013	Margin of Error; Male: - 75 years and over: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD19	2009 to 2013	Standard Error; Male: - 75 years and over: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD20	2009 to 2013	Estimate; Male: - 75 years and over: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD20	2009 to 2013	Margin of Error; Male: - 75 years and over: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD20	2009 to 2013	Standard Error; Male: - 75 years and over: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD22	2009 to 2013	Estimate; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
15_B18101_Disability_Status_HD02_VD22	2009 to 2013	Margin of Error; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD22	2009 to 2013	Standard Error; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD23	2009 to 2013	Estimate; Female: - Under 5 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD23	2009 to 2013	Margin of Error; Female: - Under 5 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD23	2009 to 2013	Standard Error; Female: - Under 5 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD24	2009 to 2013	Estimate; Female: - Under 5 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD24	2009 to 2013	Margin of Error; Female: - Under 5 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD24	2009 to 2013	Standard Error; Female: - Under 5 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD25	2009 to 2013	Estimate; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD25	2009 to 2013	Margin of Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD25	2009 to 2013	Standard Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD26	2009 to 2013	Estimate; Female: - 5 to 17 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD26	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD26	2009 to 2013	Standard Error; Female: - 5 to 17 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD27	2009 to 2013	Estimate; Female: - 5 to 17 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD27	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD27	2009 to 2013	Standard Error; Female: - 5 to 17 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD28	2009 to 2013	Estimate; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD28	2009 to 2013	Margin of Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD28	2009 to 2013	Standard Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
15_B18101_Disability_Status_HD01_VD29	2009 to 2013	Estimate; Female: - 18 to 34 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD29	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD29	2009 to 2013	Standard Error; Female: - 18 to 34 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD30	2009 to 2013	Estimate; Female: - 18 to 34 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD30	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD30	2009 to 2013	Standard Error; Female: - 18 to 34 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD31	2009 to 2013	Estimate; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD31	2009 to 2013	Margin of Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD31	2009 to 2013	Standard Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD32	2009 to 2013	Estimate; Female: - 35 to 64 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD32	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD32	2009 to 2013	Standard Error; Female: - 35 to 64 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD33	2009 to 2013	Estimate; Female: - 35 to 64 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD33	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD33	2009 to 2013	Standard Error; Female: - 35 to 64 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD34	2009 to 2013	Estimate; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD34	2009 to 2013	Margin of Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD34	2009 to 2013	Standard Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD35	2009 to 2013	Estimate; Female: - 65 to 74 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD35	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
15_B18101_Disability_Status_HD03_VD35	2009 to 2013	Standard Error; Female: - 65 to 74 years: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD36	2009 to 2013	Estimate; Female: - 65 to 74 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD36	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD36	2009 to 2013	Standard Error; Female: - 65 to 74 years: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD37	2009 to 2013	Estimate; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD37	2009 to 2013	Margin of Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD37	2009 to 2013	Standard Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD38	2009 to 2013	Estimate; Female: - 75 years and over: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD38	2009 to 2013	Margin of Error; Female: - 75 years and over: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD38	2009 to 2013	Standard Error; Female: - 75 years and over: - With a disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD01_VD39	2009 to 2013	Estimate; Female: - 75 years and over: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD02_VD39	2009 to 2013	Margin of Error; Female: - 75 years and over: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
15_B18101_Disability_Status_HD03_VD39	2009 to 2013	Standard Error; Female: - 75 years and over: - No disability	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>5) Disability – Self-care Difficulties – Total and Sex</b>			
17_B18106_Selfcare_Difficulty_HD01_VD01	2009 to 2013	Estimate; Total: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD01	2009 to 2013	Margin of Error; Total: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD01	2009 to 2013	Standard Error; Total: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD02	2009 to 2013	Estimate; Male: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD02	2009 to 2013	Margin of Error; Male: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD02	2009 to 2013	Standard Error; Male: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD18	2009 to 2013	Estimate; Female: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
17_B18106_Selfcare_Difficulty_HD02_VD18	2009 to 2013	Margin of Error; Female: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD18	2009 to 2013	Standard Error; Female: with selfcare difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>6) Disability – Self-care Difficulties – Age and Sex</b>			
17_B18106_Selfcare_Difficulty_HD01_VD03	2009 to 2013	Estimate; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD03	2009 to 2013	Margin of Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD03	2009 to 2013	Standard Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD04	2009 to 2013	Estimate; Male: - 5 to 17 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD04	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD04	2009 to 2013	Standard Error; Male: - 5 to 17 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD05	2009 to 2013	Estimate; Male: - 5 to 17 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD05	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD05	2009 to 2013	Standard Error; Male: - 5 to 17 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD06	2009 to 2013	Estimate; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD06	2009 to 2013	Margin of Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD06	2009 to 2013	Standard Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD07	2009 to 2013	Estimate; Male: - 18 to 34 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD07	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD07	2009 to 2013	Standard Error; Male: - 18 to 34 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD08	2009 to 2013	Estimate; Male: - 18 to 34 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD08	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD08	2009 to 2013	Standard Error; Male: - 18 to 34 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
17_B18106_Selfcare_Difficulty_HD01_VD09	2009 to 2013	Estimate; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD09	2009 to 2013	Margin of Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD09	2009 to 2013	Standard Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD10	2009 to 2013	Estimate; Male: - 35 to 64 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD10	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD10	2009 to 2013	Standard Error; Male: - 35 to 64 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD11	2009 to 2013	Estimate; Male: - 35 to 64 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD11	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD11	2009 to 2013	Standard Error; Male: - 35 to 64 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD12	2009 to 2013	Estimate; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD12	2009 to 2013	Margin of Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD12	2009 to 2013	Standard Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD13	2009 to 2013	Estimate; Male: - 65 to 74 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD13	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD13	2009 to 2013	Standard Error; Male: - 65 to 74 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD14	2009 to 2013	Estimate; Male: - 65 to 74 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD14	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD14	2009 to 2013	Standard Error; Male: - 65 to 74 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD15	2009 to 2013	Estimate; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD15	2009 to 2013	Margin of Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
17_B18106_Selfcare_Difficulty_HD03_VD15	2009 to 2013	Standard Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD16	2009 to 2013	Estimate; Male: - 75 years and over: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD16	2009 to 2013	Margin of Error; Male: - 75 years and over: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD16	2009 to 2013	Standard Error; Male: - 75 years and over: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD17	2009 to 2013	Estimate; Male: - 75 years and over: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD17	2009 to 2013	Margin of Error; Male: - 75 years and over: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD17	2009 to 2013	Standard Error; Male: - 75 years and over: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD19	2009 to 2013	Estimate; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD19	2009 to 2013	Margin of Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD19	2009 to 2013	Standard Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD20	2009 to 2013	Estimate; Female: - 5 to 17 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD20	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD20	2009 to 2013	Standard Error; Female: - 5 to 17 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD21	2009 to 2013	Estimate; Female: - 5 to 17 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD21	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD21	2009 to 2013	Standard Error; Female: - 5 to 17 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD22	2009 to 2013	Estimate; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD22	2009 to 2013	Margin of Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD22	2009 to 2013	Standard Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD23	2009 to 2013	Estimate; Female: - 18 to 34 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
17_B18106_Selfcare_Difficulty_HD02_VD23	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD23	2009 to 2013	Standard Error; Female: - 18 to 34 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD24	2009 to 2013	Estimate; Female: - 18 to 34 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD24	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD24	2009 to 2013	Standard Error; Female: - 18 to 34 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD25	2009 to 2013	Estimate; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD25	2009 to 2013	Margin of Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD25	2009 to 2013	Standard Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD26	2009 to 2013	Estimate; Female: - 35 to 64 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD26	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD26	2009 to 2013	Standard Error; Female: - 35 to 64 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD27	2009 to 2013	Estimate; Female: - 35 to 64 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD27	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD27	2009 to 2013	Standard Error; Female: - 35 to 64 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD28	2009 to 2013	Estimate; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD28	2009 to 2013	Margin of Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD28	2009 to 2013	Standard Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD29	2009 to 2013	Estimate; Female: - 65 to 74 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD29	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD29	2009 to 2013	Standard Error; Female: - 65 to 74 years: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey



Variables	Year	Description	Notes
17_B18106_Selfcare_Difficulty_HD01_VD30	2009 to 2013	Estimate; Female: - 65 to 74 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD30	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD30	2009 to 2013	Standard Error; Female: - 65 to 74 years: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD31	2009 to 2013	Estimate; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD31	2009 to 2013	Margin of Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD31	2009 to 2013	Standard Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD32	2009 to 2013	Estimate; Female: - 75 years and over: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD32	2009 to 2013	Margin of Error; Female: - 75 years and over: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD32	2009 to 2013	Standard Error; Female: - 75 years and over: - With a self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD01_VD33	2009 to 2013	Estimate; Female: - 75 years and over: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD02_VD33	2009 to 2013	Margin of Error; Female: - 75 years and over: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
17_B18106_Selfcare_Difficulty_HD03_VD33	2009 to 2013	Standard Error; Female: - 75 years and over: - No self-care difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>7) Disability Hearing Difficulties - Total and sex</b>			
16_B18102_Hearing_Difficulty_HD01_VD01	2009 to 2013	Estimate; Total: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD01	2009 to 2013	Margin of Error; Total: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD01	2009 to 2013	Standard Error; Total: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD02	2009 to 2013	Estimate; Male: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD02	2009 to 2013	Margin of Error; Male: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD02	2009 to 2013	Standard Error; Male: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD21	2009 to 2013	Estimate; Female: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD21	2009 to 2013	Margin of Error; Female: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
16_B18102_Hearing_Difficulty_HD03_VD21	2009 to 2013	Standard Error; Female: with hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>8) Disability – Hearing Difficulties – Age BY Sex</b>			
16_B18102_Hearing_Difficulty_HD01_VD03	2009 to 2013	Estimate; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD03	2009 to 2013	Margin of Error; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD03	2009 to 2013	Standard Error; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD04	2009 to 2013	Estimate; Male: - Under 5 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD04	2009 to 2013	Margin of Error; Male: - Under 5 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD04	2009 to 2013	Standard Error; Male: - Under 5 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD05	2009 to 2013	Estimate; Male: - Under 5 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD05	2009 to 2013	Margin of Error; Male: - Under 5 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD05	2009 to 2013	Standard Error; Male: - Under 5 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD06	2009 to 2013	Estimate; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD06	2009 to 2013	Margin of Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD06	2009 to 2013	Standard Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD07	2009 to 2013	Estimate; Male: - 5 to 17 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD07	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD07	2009 to 2013	Standard Error; Male: - 5 to 17 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD08	2009 to 2013	Estimate; Male: - 5 to 17 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD08	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD08	2009 to 2013	Standard Error; Male: - 5 to 17 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD09	2009 to 2013	Estimate; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
16_B18102_Hearing_Difficulty_HD02_VD09	2009 to 2013	Margin of Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD09	2009 to 2013	Standard Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD10	2009 to 2013	Estimate; Male: - 18 to 34 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD10	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD10	2009 to 2013	Standard Error; Male: - 18 to 34 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD11	2009 to 2013	Estimate; Male: - 18 to 34 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD11	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD11	2009 to 2013	Standard Error; Male: - 18 to 34 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD12	2009 to 2013	Estimate; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD12	2009 to 2013	Margin of Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD12	2009 to 2013	Standard Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD13	2009 to 2013	Estimate; Male: - 35 to 64 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD13	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD13	2009 to 2013	Standard Error; Male: - 35 to 64 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD14	2009 to 2013	Estimate; Male: - 35 to 64 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD14	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD14	2009 to 2013	Standard Error; Male: - 35 to 64 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD15	2009 to 2013	Estimate; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD15	2009 to 2013	Margin of Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD15	2009 to 2013	Standard Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
16_B18102_Hearing_Difficulty_HD01_VD16	2009 to 2013	Estimate; Male: - 65 to 74 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD16	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD16	2009 to 2013	Standard Error; Male: - 65 to 74 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD17	2009 to 2013	Estimate; Male: - 65 to 74 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD17	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD17	2009 to 2013	Standard Error; Male: - 65 to 74 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD18	2009 to 2013	Estimate; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD18	2009 to 2013	Margin of Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD18	2009 to 2013	Standard Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD19	2009 to 2013	Estimate; Male: - 75 years and over: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD19	2009 to 2013	Margin of Error; Male: - 75 years and over: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD19	2009 to 2013	Standard Error; Male: - 75 years and over: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD20	2009 to 2013	Estimate; Male: - 75 years and over: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD20	2009 to 2013	Margin of Error; Male: - 75 years and over: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD20	2009 to 2013	Standard Error; Male: - 75 years and over: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD22	2009 to 2013	Estimate; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD22	2009 to 2013	Margin of Error; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD22	2009 to 2013	Standard Error; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD23	2009 to 2013	Estimate; Female: - Under 5 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD23	2009 to 2013	Margin of Error; Female: - Under 5 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
16_B18102_Hearing_Difficulty_HD03_VD23	2009 to 2013	Standard Error; Female: - Under 5 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD24	2009 to 2013	Estimate; Female: - Under 5 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD24	2009 to 2013	Margin of Error; Female: - Under 5 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD24	2009 to 2013	Standard Error; Female: - Under 5 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD25	2009 to 2013	Estimate; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD25	2009 to 2013	Margin of Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD25	2009 to 2013	Standard Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD26	2009 to 2013	Estimate; Female: - 5 to 17 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD26	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD26	2009 to 2013	Standard Error; Female: - 5 to 17 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD27	2009 to 2013	Estimate; Female: - 5 to 17 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD27	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD27	2009 to 2013	Standard Error; Female: - 5 to 17 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD28	2009 to 2013	Estimate; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD28	2009 to 2013	Margin of Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD28	2009 to 2013	Standard Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD29	2009 to 2013	Estimate; Female: - 18 to 34 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD29	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD29	2009 to 2013	Standard Error; Female: - 18 to 34 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD30	2009 to 2013	Estimate; Female: - 18 to 34 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
16_B18102_Hearing_Difficulty_HD02_VD30	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD30	2009 to 2013	Standard Error; Female: - 18 to 34 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD31	2009 to 2013	Estimate; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD31	2009 to 2013	Margin of Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD31	2009 to 2013	Standard Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD32	2009 to 2013	Estimate; Female: - 35 to 64 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD32	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD32	2009 to 2013	Standard Error; Female: - 35 to 64 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD33	2009 to 2013	Estimate; Female: - 35 to 64 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD33	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD33	2009 to 2013	Standard Error; Female: - 35 to 64 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD34	2009 to 2013	Estimate; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD34	2009 to 2013	Margin of Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD34	2009 to 2013	Standard Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD35	2009 to 2013	Estimate; Female: - 65 to 74 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD35	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD35	2009 to 2013	Standard Error; Female: - 65 to 74 years: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD36	2009 to 2013	Estimate; Female: - 65 to 74 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD36	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD36	2009 to 2013	Standard Error; Female: - 65 to 74 years: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
16_B18102_Hearing_Difficulty_HD01_VD37	2009 to 2013	Estimate; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD37	2009 to 2013	Margin of Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD37	2009 to 2013	Standard Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD38	2009 to 2013	Estimate; Female: - 75 years and over: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD38	2009 to 2013	Margin of Error; Female: - 75 years and over: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD38	2009 to 2013	Standard Error; Female: - 75 years and over: - With a hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD01_VD39	2009 to 2013	Estimate; Female: - 75 years and over: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD02_VD39	2009 to 2013	Margin of Error; Female: - 75 years and over: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
16_B18102_Hearing_Difficulty_HD03_VD39	2009 to 2013	Standard Error; Female: - 75 years and over: - No hearing difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>9) Disability Vision Difficulties – Total BY sex</b>			
18_B18103_Vision_Difficulty_HD01_VD01	2009 to 2013	Estimate; Total: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD01	2009 to 2013	Margin of Error; Total: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD01	2009 to 2013	Standard Error; Total: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD02	2009 to 2013	Estimate; Male: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD02	2009 to 2013	Margin of Error; Male: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD02	2009 to 2013	Standard Error; Male: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD21	2009 to 2013	Estimate; Female: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD21	2009 to 2013	Margin of Error; Female: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD21	2009 to 2013	Standard Error; Female: with vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>10) Disability – Vision Difficulties – Age BY Sex</b>			
18_B18103_Vision_Difficulty_HD01_VD03	2009 to 2013	Estimate; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
18_B18103_Vision_Difficulty_HD02_VD03	2009 to 2013	Margin of Error; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD03	2009 to 2013	Standard Error; Male: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD04	2009 to 2013	Estimate; Male: - Under 5 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD04	2009 to 2013	Margin of Error; Male: - Under 5 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD04	2009 to 2013	Standard Error; Male: - Under 5 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD05	2009 to 2013	Estimate; Male: - Under 5 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD05	2009 to 2013	Margin of Error; Male: - Under 5 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD05	2009 to 2013	Standard Error; Male: - Under 5 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD06	2009 to 2013	Estimate; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD06	2009 to 2013	Margin of Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD06	2009 to 2013	Standard Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD07	2009 to 2013	Estimate; Male: - 5 to 17 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD07	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD07	2009 to 2013	Standard Error; Male: - 5 to 17 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD08	2009 to 2013	Estimate; Male: - 5 to 17 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD08	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD08	2009 to 2013	Standard Error; Male: - 5 to 17 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD09	2009 to 2013	Estimate; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD09	2009 to 2013	Margin of Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD09	2009 to 2013	Standard Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey



Variables	Year	Description	Notes
18_B18103_Vision_Difficulty_HD01_VD10	2009 to 2013	Estimate; Male: - 18 to 34 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD10	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD10	2009 to 2013	Standard Error; Male: - 18 to 34 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD11	2009 to 2013	Estimate; Male: - 18 to 34 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD11	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD11	2009 to 2013	Standard Error; Male: - 18 to 34 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD12	2009 to 2013	Estimate; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD12	2009 to 2013	Margin of Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD12	2009 to 2013	Standard Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD13	2009 to 2013	Estimate; Male: - 35 to 64 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD13	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD13	2009 to 2013	Standard Error; Male: - 35 to 64 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD14	2009 to 2013	Estimate; Male: - 35 to 64 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD14	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD14	2009 to 2013	Standard Error; Male: - 35 to 64 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD15	2009 to 2013	Estimate; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD15	2009 to 2013	Margin of Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD15	2009 to 2013	Standard Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD16	2009 to 2013	Estimate; Male: - 65 to 74 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD16	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
18_B18103_Vision_Difficulty_HD03_VD16	2009 to 2013	Standard Error; Male: - 65 to 74 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD17	2009 to 2013	Estimate; Male: - 65 to 74 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD17	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD17	2009 to 2013	Standard Error; Male: - 65 to 74 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD18	2009 to 2013	Estimate; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD18	2009 to 2013	Margin of Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD18	2009 to 2013	Standard Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD19	2009 to 2013	Estimate; Male: - 75 years and over: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD19	2009 to 2013	Margin of Error; Male: - 75 years and over: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD19	2009 to 2013	Standard Error; Male: - 75 years and over: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD20	2009 to 2013	Estimate; Male: - 75 years and over: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD20	2009 to 2013	Margin of Error; Male: - 75 years and over: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD20	2009 to 2013	Standard Error; Male: - 75 years and over: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD22	2009 to 2013	Estimate; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD22	2009 to 2013	Margin of Error; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD22	2009 to 2013	Standard Error; Female: - Under 5 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD23	2009 to 2013	Estimate; Female: - Under 5 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD23	2009 to 2013	Margin of Error; Female: - Under 5 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD23	2009 to 2013	Standard Error; Female: - Under 5 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD24	2009 to 2013	Estimate; Female: - Under 5 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
18_B18103_Vision_Difficulty_HD02_VD24	2009 to 2013	Margin of Error; Female: - Under 5 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD24	2009 to 2013	Standard Error; Female: - Under 5 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD25	2009 to 2013	Estimate; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD25	2009 to 2013	Margin of Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD25	2009 to 2013	Standard Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD26	2009 to 2013	Estimate; Female: - 5 to 17 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD26	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD26	2009 to 2013	Standard Error; Female: - 5 to 17 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD27	2009 to 2013	Estimate; Female: - 5 to 17 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD27	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD27	2009 to 2013	Standard Error; Female: - 5 to 17 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD28	2009 to 2013	Estimate; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD28	2009 to 2013	Margin of Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD28	2009 to 2013	Standard Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD29	2009 to 2013	Estimate; Female: - 18 to 34 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD29	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD29	2009 to 2013	Standard Error; Female: - 18 to 34 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD30	2009 to 2013	Estimate; Female: - 18 to 34 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD30	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD30	2009 to 2013	Standard Error; Female: - 18 to 34 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
18_B18103_Vision_Difficulty_HD01_VD31	2009 to 2013	Estimate; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD31	2009 to 2013	Margin of Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD31	2009 to 2013	Standard Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD32	2009 to 2013	Estimate; Female: - 35 to 64 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD32	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD32	2009 to 2013	Standard Error; Female: - 35 to 64 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD33	2009 to 2013	Estimate; Female: - 35 to 64 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD33	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD33	2009 to 2013	Standard Error; Female: - 35 to 64 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD34	2009 to 2013	Estimate; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD34	2009 to 2013	Margin of Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD34	2009 to 2013	Standard Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD35	2009 to 2013	Estimate; Female: - 65 to 74 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD35	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD35	2009 to 2013	Standard Error; Female: - 65 to 74 years: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD36	2009 to 2013	Estimate; Female: - 65 to 74 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD36	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD36	2009 to 2013	Standard Error; Female: - 65 to 74 years: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD37	2009 to 2013	Estimate; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD37	2009 to 2013	Margin of Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
18_B18103_Vision_Difficulty_HD03_VD37	2009 to 2013	Standard Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD38	2009 to 2013	Estimate; Female: - 75 years and over: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD38	2009 to 2013	Margin of Error; Female: - 75 years and over: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD38	2009 to 2013	Standard Error; Female: - 75 years and over: - With a vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD01_VD39	2009 to 2013	Estimate; Female: - 75 years and over: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD02_VD39	2009 to 2013	Margin of Error; Female: - 75 years and over: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
18_B18103_Vision_Difficulty_HD03_VD39	2009 to 2013	Standard Error; Female: - 75 years and over: - No vision difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>11) Disability Cognitive Difficulties – Total BY Sex</b>			
14_B18104_Cognitive_Difficulty_HD01_VD01	2009 to 2013	Estimate; Total: with cognitive difficulty	Total population with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD01	2009 to 2013	Margin of Error; Total: with cognitive difficulty	Margin of error among population with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD01	2009 to 2013	Standard Error; Total: with cognitive difficulty	Standard Error of the population with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD02	2009 to 2013	Estimate; Male: with cognitive difficulty	Total population males with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD02	2009 to 2013	Margin of Error; Male: with cognitive difficulty	Margin of error among males with cognitive difficulty Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD02	2009 to 2013	Standard Error; Male:with cognitive difficulty	Standard Error of the males with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD18	2009 to 2013	Estimate; Female: with cognitive difficulty	Total females with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
14_B18104_Cognitive_Difficulty_HD02_VD18	2009 to 2013	Margin of Error; Female: with cognitive difficulty	Margin of error among females with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD18	2009 to 2013	Standard Error; Female: with cognitive difficulty	Standard Error of the females with cognitive difficulty Src: Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>12) Disability – Cognitive Difficulties – BY Age and Sex</b>			
14_B18104_Cognitive_Difficulty_HD01_VD03	2009 to 2013	Estimate; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD03	2009 to 2013	Margin of Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD03	2009 to 2013	Standard Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD04	2009 to 2013	Estimate; Male: - 5 to 17 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD04	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD04	2009 to 2013	Standard Error; Male: - 5 to 17 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD05	2009 to 2013	Estimate; Male: - 5 to 17 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD05	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD05	2009 to 2013	Standard Error; Male: - 5 to 17 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD06	2009 to 2013	Estimate; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD06	2009 to 2013	Margin of Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD06	2009 to 2013	Standard Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD07	2009 to 2013	Estimate; Male: - 18 to 34 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD07	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD07	2009 to 2013	Standard Error; Male: - 18 to 34 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD08	2009 to 2013	Estimate; Male: - 18 to 34 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
14_B18104_Cognitive_Difficulty_HD02_VD08	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD08	2009 to 2013	Standard Error; Male: - 18 to 34 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD09	2009 to 2013	Estimate; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD09	2009 to 2013	Margin of Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD09	2009 to 2013	Standard Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD10	2009 to 2013	Estimate; Male: - 35 to 64 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD10	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD10	2009 to 2013	Standard Error; Male: - 35 to 64 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD11	2009 to 2013	Estimate; Male: - 35 to 64 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD11	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD11	2009 to 2013	Standard Error; Male: - 35 to 64 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD12	2009 to 2013	Estimate; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD12	2009 to 2013	Margin of Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD12	2009 to 2013	Standard Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD13	2009 to 2013	Estimate; Male: - 65 to 74 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD13	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD13	2009 to 2013	Standard Error; Male: - 65 to 74 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD14	2009 to 2013	Estimate; Male: - 65 to 74 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD14	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD14	2009 to 2013	Standard Error; Male: - 65 to 74 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
14_B18104_Cognitive_Difficulty_HD01_VD15	2009 to 2013	Estimate; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD15	2009 to 2013	Margin of Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD15	2009 to 2013	Standard Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD16	2009 to 2013	Estimate; Male: - 75 years and over: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD16	2009 to 2013	Margin of Error; Male: - 75 years and over: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD16	2009 to 2013	Standard Error; Male: - 75 years and over: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD17	2009 to 2013	Estimate; Male: - 75 years and over: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD17	2009 to 2013	Margin of Error; Male: - 75 years and over: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD17	2009 to 2013	Standard Error; Male: - 75 years and over: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD19	2009 to 2013	Estimate; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD19	2009 to 2013	Margin of Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD19	2009 to 2013	Standard Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD20	2009 to 2013	Estimate; Female: - 5 to 17 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD20	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD20	2009 to 2013	Standard Error; Female: - 5 to 17 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD21	2009 to 2013	Estimate; Female: - 5 to 17 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD21	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD21	2009 to 2013	Standard Error; Female: - 5 to 17 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD22	2009 to 2013	Estimate; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD22	2009 to 2013	Margin of Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey



Variables	Year	Description	Notes
14_B18104_Cognitive_Difficulty_HD03_VD22	2009 to 2013	Standard Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD23	2009 to 2013	Estimate; Female: - 18 to 34 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD23	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD23	2009 to 2013	Standard Error; Female: - 18 to 34 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD24	2009 to 2013	Estimate; Female: - 18 to 34 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD24	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD24	2009 to 2013	Standard Error; Female: - 18 to 34 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD25	2009 to 2013	Estimate; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD25	2009 to 2013	Margin of Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD25	2009 to 2013	Standard Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD26	2009 to 2013	Estimate; Female: - 35 to 64 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD26	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD26	2009 to 2013	Standard Error; Female: - 35 to 64 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD27	2009 to 2013	Estimate; Female: - 35 to 64 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD27	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD27	2009 to 2013	Standard Error; Female: - 35 to 64 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD28	2009 to 2013	Estimate; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD28	2009 to 2013	Margin of Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD28	2009 to 2013	Standard Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD29	2009 to 2013	Estimate; Female: - 65 to 74 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
14_B18104_Cognitive_Difficulty_HD02_VD29	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD29	2009 to 2013	Standard Error; Female: - 65 to 74 years: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD30	2009 to 2013	Estimate; Female: - 65 to 74 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD30	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD30	2009 to 2013	Standard Error; Female: - 65 to 74 years: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD31	2009 to 2013	Estimate; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD31	2009 to 2013	Margin of Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD31	2009 to 2013	Standard Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD32	2009 to 2013	Estimate; Female: - 75 years and over: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD32	2009 to 2013	Margin of Error; Female: - 75 years and over: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD32	2009 to 2013	Standard Error; Female: - 75 years and over: - With a cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD01_VD33	2009 to 2013	Estimate; Female: - 75 years and over: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD02_VD33	2009 to 2013	Margin of Error; Female: - 75 years and over: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
14_B18104_Cognitive_Difficulty_HD03_VD33	2009 to 2013	Standard Error; Female: - 75 years and over: - No cognitive difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>13) Disability – Ambulatory Difficulties - Total and BY Sex</b>			
13_B18105_Ambulatory_Difficulty_HD01_VD01	2009 to 2013	Estimate; Total:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD01	2009 to 2013	Margin of Error; Total:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD01	2009 to 2013	Standard Error; Total:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD02	2009 to 2013	Estimate; Male:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD02	2009 to 2013	Margin of Error; Male:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

<b>Variables</b>	<b>Year</b>	<b>Description</b>	<b>Notes</b>
13_B18105_Ambulatory_Difficulty_HD03_VD02	2009 to 2013	Standard Error; Male:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD18	2009 to 2013	Estimate; Female:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD18	2009 to 2013	Margin of Error; Female:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD18	2009 to 2013	Standard Error; Female:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
<b>14) Disability – Ambulatory Difficulties - BY Age and Sex</b>			
13_B18105_Ambulatory_Difficulty_HD01_VD03	2009 to 2013	Estimate; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD03	2009 to 2013	Margin of Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD03	2009 to 2013	Standard Error; Male: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD04	2009 to 2013	Estimate; Male: - 5 to 17 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD04	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD04	2009 to 2013	Standard Error; Male: - 5 to 17 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD05	2009 to 2013	Estimate; Male: - 5 to 17 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD05	2009 to 2013	Margin of Error; Male: - 5 to 17 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD05	2009 to 2013	Standard Error; Male: - 5 to 17 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD06	2009 to 2013	Estimate; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD06	2009 to 2013	Margin of Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD06	2009 to 2013	Standard Error; Male: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD07	2009 to 2013	Estimate; Male: - 18 to 34 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD07	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD07	2009 to 2013	Standard Error; Male: - 18 to 34 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD08	2009 to 2013	Estimate; Male: - 18 to 34 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
13_B18105_Ambulatory_Difficulty_HD02_VD08	2009 to 2013	Margin of Error; Male: - 18 to 34 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD08	2009 to 2013	Standard Error; Male: - 18 to 34 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD09	2009 to 2013	Estimate; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD09	2009 to 2013	Margin of Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD09	2009 to 2013	Standard Error; Male: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD10	2009 to 2013	Estimate; Male: - 35 to 64 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD10	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD10	2009 to 2013	Standard Error; Male: - 35 to 64 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD11	2009 to 2013	Estimate; Male: - 35 to 64 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD11	2009 to 2013	Margin of Error; Male: - 35 to 64 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD11	2009 to 2013	Standard Error; Male: - 35 to 64 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD12	2009 to 2013	Estimate; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD12	2009 to 2013	Margin of Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD12	2009 to 2013	Standard Error; Male: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD13	2009 to 2013	Estimate; Male: - 65 to 74 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD13	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD13	2009 to 2013	Standard Error; Male: - 65 to 74 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD14	2009 to 2013	Estimate; Male: - 65 to 74 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD14	2009 to 2013	Margin of Error; Male: - 65 to 74 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD14	2009 to 2013	Standard Error; Male: - 65 to 74 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
13_B18105_Ambulatory_Difficulty_HD01_VD15	2009 to 2013	Estimate; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD15	2009 to 2013	Margin of Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD15	2009 to 2013	Standard Error; Male: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD16	2009 to 2013	Estimate; Male: - 75 years and over: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD16	2009 to 2013	Margin of Error; Male: - 75 years and over: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD16	2009 to 2013	Standard Error; Male: - 75 years and over: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD17	2009 to 2013	Estimate; Male: - 75 years and over: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD17	2009 to 2013	Margin of Error; Male: - 75 years and over: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD17	2009 to 2013	Standard Error; Male: - 75 years and over: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD19	2009 to 2013	Estimate; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD19	2009 to 2013	Margin of Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD19	2009 to 2013	Standard Error; Female: - 5 to 17 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD20	2009 to 2013	Estimate; Female: - 5 to 17 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD20	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD20	2009 to 2013	Standard Error; Female: - 5 to 17 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD21	2009 to 2013	Estimate; Female: - 5 to 17 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD21	2009 to 2013	Margin of Error; Female: - 5 to 17 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD21	2009 to 2013	Standard Error; Female: - 5 to 17 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD22	2009 to 2013	Estimate; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD22	2009 to 2013	Margin of Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
13_B18105_Ambulatory_Difficulty_HD03_VD22	2009 to 2013	Standard Error; Female: - 18 to 34 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD23	2009 to 2013	Estimate; Female: - 18 to 34 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD23	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD23	2009 to 2013	Standard Error; Female: - 18 to 34 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD24	2009 to 2013	Estimate; Female: - 18 to 34 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD24	2009 to 2013	Margin of Error; Female: - 18 to 34 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD24	2009 to 2013	Standard Error; Female: - 18 to 34 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD25	2009 to 2013	Estimate; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD25	2009 to 2013	Margin of Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD25	2009 to 2013	Standard Error; Female: - 35 to 64 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD26	2009 to 2013	Estimate; Female: - 35 to 64 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD26	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD26	2009 to 2013	Standard Error; Female: - 35 to 64 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD27	2009 to 2013	Estimate; Female: - 35 to 64 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD27	2009 to 2013	Margin of Error; Female: - 35 to 64 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD27	2009 to 2013	Standard Error; Female: - 35 to 64 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD28	2009 to 2013	Estimate; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD28	2009 to 2013	Margin of Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD28	2009 to 2013	Standard Error; Female: - 65 to 74 years:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD29	2009 to 2013	Estimate; Female: - 65 to 74 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

Variables	Year	Description	Notes
13_B18105_Ambulatory_Difficulty_HD02_VD29	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD29	2009 to 2013	Standard Error; Female: - 65 to 74 years: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD30	2009 to 2013	Estimate; Female: - 65 to 74 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD30	2009 to 2013	Margin of Error; Female: - 65 to 74 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD30	2009 to 2013	Standard Error; Female: - 65 to 74 years: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD31	2009 to 2013	Estimate; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD31	2009 to 2013	Margin of Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD31	2009 to 2013	Standard Error; Female: - 75 years and over:	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD32	2009 to 2013	Estimate; Female: - 75 years and over: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD32	2009 to 2013	Margin of Error; Female: - 75 years and over: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD32	2009 to 2013	Standard Error; Female: - 75 years and over: - With an ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD01_VD33	2009 to 2013	Estimate; Female: - 75 years and over: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD02_VD33	2009 to 2013	Margin of Error; Female: - 75 years and over: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey
13_B18105_Ambulatory_Difficulty_HD03_VD33	2009 to 2013	Standard Error; Female: - 75 years and over: - No ambulatory difficulty	Src: U.S. Census Bureau, 2009-2013 5-Year American Community Survey

## APPENDIX

### SAS Code for Creation of Mortality Variables

#### A) Summary of Steps

- Imported the Study file from dbf into SPSS
- Re-labeled the variables and inserted the codes using the Variable view screen
- Since the DATA included events that occurred outside the study area, and the study file did not have location information to the level of census tracts, I used ArcMap to overlay the point DATA with the census shape file. This step involved importing the XY coordinates, changing the projection systems to “NAD\_1983\_HARN\_StatePlane\_Michigan\_South\_FIPS\_2113\_Feet\_Intl” which is the projection for the metro area, THEN joining the file to obtain the points that are in the study area. The result of this is a file that has the census tract information MERGED with the mortality variables.
- With only the points that lay within the census tract, we have 146,026/527,568 records to work with, whose descriptive stats are below.
- Derived the birth date and death date variables
- Used these to calculate the persons age at time of death and create a variable with age groups.
- Derived the disease areas using the ICD10 codes
- Summed up the number of deaths BY census tract BY counting the number of cases in each census tract BY year. Creating a table of disease BY year in a census tract.
- MERGED the disease specific tables into one table which is used to generate the rates for each disease

#### B) SAS Code

In the code below, comments are in green color, Key SAS commands are in blue and variables are in black.

SAS Code for producing mortality rates



```

1  **Read in all the required DATAsets;
2  LIBNAME Mort "Z:\Mortality\Processing";
3  ** Read in the population estimates.  These are DATAsets downloaded from the census website.
4  PROC IMPORT OUT= Mort.Pop
5      DATAFILE= "Z:\Mortality\Processing\Population\Population_5yr_rev.csv"
6      DBMS=CSV REPLACE;
7      GETNAMES=YES;
8      DATAROW=2;
9  RUN;
10 ** Read in the mortality files these were shared BY the Michigan Department of Community Health.
11 PROC IMPORT OUT= WORK.MORT1
12     DATAFILE= "Z:\Mortality\Working_Files\Mort_DATA\Mort1.csv"
13     DBMS=CSV REPLACE;
14     GETNAMES=YES;
15     DATAROW=2;
16 RUN;
17 PROC IMPORT OUT= WORK.MORT2
18     DATAFILE= "Z:\Mortality\Working_Files\Mort_DATA\Mort2.csv"
19     DBMS=CSV REPLACE;
20     GETNAMES=YES;
21     DATAROW=2;
22 RUN;
23 DATA Mort1; SET Mort1;
24     char_var1 = PUT(nchsloc, 20. -L);
25     char_var2 = PUT(location, 20. -L);
26     char_var3 = PUT(wrkinjury, 20. -L);
27     char_var4 = PUT(injurydte, 20. -L);
28     char_var5 = PUT(injurytime, 20. -L);
29     DROP nchsloc location wrkinjury injurydte injurytime;
30     RENAME char_var1=nchsloc char_var2=location char_var3=wrkinjury char_var4=injurydte char_var5=injurytime;
31 RUN;
32 ** Outputs to check the data;
33 PROC FREQ DATA=Mort1;
34     WHERE countyfp10 in(49,87,91,93,99,115,125,147,161,163);
35     TABLES countyfp10*YearDx/nocol norow nopercent;
36 RUN;
37 PROC FREQ DATA = Mort2;
38     TABLES County*YearDx/nocol norow nopercent;
39 RUN;
40
41 ** Sort the two mortality DATAsets in preparation for merging them into one DATAsset
42 PROC SORT DATA= Mort1(Drop=ancestry2); BY deathnumb;
43 PROC SORT DATA= Mort2(Drop=ancestry2); BY deathnumb;
44 DATA Mort; SET Mort1 Mort2; BY deathnumb;RUN;
45 DATA Mort; SET Mort.Mort;
46     GEOID10=Substr(ID_POP,2,11);
47     Countycode=Substr(ID_POP,2,5);

```

```

48  RUN;
49  PROC FREQ;
50  **Output a 2x2 tables to examine the DATA;
51  TABLES County*YearDx/nocol norow nopercent;
52  RUN;
53  DATA Mort; SET Mort;
54  ** KEEP a DATASET that contains only the counties of focus;
55  IF County in ("26049","26087","26091","26093","26099","26115","26125","26147","26161","26163");
56  RUN;
57  PROC FREQ;
58  **Output a table of counts to check the DATA is accurate;
59  TABLES County*YearDx/nocol norow nopercent;
60  RUN;
61  **Sort to check for duplicates;
62  PROC SORT DATA=Mort OUT= NoDups_Mort_Events NODUPPLICATES ;
63  BY GEOID10 YearDX DEATHNUMB;
64  RUN;
65  **Sort in preparation for enumeration BY groups;
66  PROC SORT DATA= NoDups_Mort_Events OUT= Mort_Events;
67  BY GEOID10 YearDX;
68  RUN;
69  **Count events per census tract and KEEP only the last record;
70  DATA Mort_Count; SET Mort_Events;
71  NumDeaths + 1;
72  BY GEOID10 YearDX;
73  IF first.yeardx THEN NumDeaths = 1;
74  KEEP GEOID10 YearDX NumDeaths;
75  IF Last.YearDX;
76  RUN;
77  **Transpose to produce a DATASET of death counts in each census tract BY year;
78  PROC TRANSPOSE DATA=Mort_Count
79  OUT=Mort_by_Year(Keep=GEOID10 YearDX2009 YearDX2010 YearDX2011 YearDX2012 YearDX2013 YearDX2014)
80  PREFIX=YearDX;
81  BY GEOID10 ;
82  ID YearDX;
83  VAR NumDeaths;
84  RUN;
85  PROC SORT DATA= Mort_by_Year;
86  BY GEOID10;
87  RUN;
88
89  /* recreate the GeoID variable BY converting it from numeric to character */
90  DATA Pop_Rev(RENAME=(GEOID10_char=GEOID10));
91  SET Mort.Pop;
92  GEOID10_char=put(GEOID10,11.0);
93  DROP GEOID10;
94  RUN;

```

```

95 PROC SORT DATA= Pop_Rev;
96 BY GEOID10;
97 RUN;
98
99 *****Disease specific counts*****;
100 DATA Mort_Disease_specific;
101 SET Mort_Events;
102 ATTRIB code800_Txt length=$100;
103 **Recode the diseases into groups of interest;
104 IF code800_letter="A" or code800_letter="B" and (code800_Num ge 0 and code800_Num le 99)
105 THEN CODE800_TXT ="Certain infectious and parasitic diseases";
106 IF (code800_letter="C" and (code800_Num ge 0 and code800_Num le 99)) or (code800_letter="D" and (code800_Num ge 0
107 and code800_Num le 49))
108 THEN CODE800_TXT ="Neoplasms";
109 IF code800_letter="D" and (code800_Num ge 50 and code800_Num le 89)
110 THEN code800_Txt ="Diseases of the blood and blood-forming organs and certain disorders involving the immune
111 mechanism";
112 IF code800_letter="E" and (code800_Num ge 0 and code800_Num le 89)
113 THEN code800_Txt ="Endocrine, nutritional and metabolic diseases";
114 IF code800_letter="F" and (code800_Num ge 1 and code800_Num le 99)
115 THEN code800_Txt ="Mental, Behavioral and Neurodevelopmental disorders";
116 IF code800_letter="G" and (code800_Num ge 0 and code800_Num le 99)
117 THEN code800_Txt ="Diseases of the nervous system";
118 IF code800_letter="H" and (code800_Num ge 0 and code800_Num le 59)
119 THEN code800_Txt ="Diseases of the eye and adnexa";
120 IF code800_letter="H" and (code800_Num ge 60 and code800_Num le 95)
121 THEN code800_Txt ="Diseases of the ear and mastoid process";
122 IF code800_letter="I" and (code800_Num ge 0 and code800_Num le 99)
123 THEN code800_Txt ="Diseases of the circulatory system";
124 IF code800_letter="J" and (code800_Num ge 0 and code800_Num le 99)
125 THEN code800_Txt ="Diseases of the respiratory system";
126 IF code800_letter="K" and (code800_Num ge 0 and code800_Num le 95)
127 THEN code800_Txt ="Diseases of the digestive system";
128 IF code800_letter="L" and (code800_Num ge 0 and code800_Num le 99)
129 THEN code800_Txt ="Diseases of the skin and subcutaneous tissue";
130 IF code800_letter="M" and (code800_Num ge 0 and code800_Num le 99)
131 THEN code800_Txt ="Diseases of the musculoskeletal system and connective tissue";
132 IF code800_letter="N" and (code800_Num ge 0 and code800_Num le 99)
133 THEN code800_Txt =" Diseases of the genitourinary system";
134 IF code800_letter="O" and (code800_Num ge 0 and code800_Num le 99)
135 THEN code800_Txt =" Pregnancy, childbirth and the puerperium";
136 IF code800_letter="P" and (code800_Num ge 0 and code800_Num le 96)
137 THEN code800_Txt ="Certain conditions originating in the perinatal period";
138 IF code800_letter="Q" and (code800_Num ge 0 and code800_Num le 99)
139 THEN code800_Txt ="Congenital malformations, deformations and chromosomal abnormalities";
140 IF code800_letter="R" and (code800_Num ge 0 and code800_Num le 99)
141 THEN code800_Txt ="Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified";

```

```

142 IF (code800_letter="S" and (code800_Num ge 0 and code800_Num le 99)) or (code800_letter="T" and (code800_Num ge 0
143 and code800_Num le 98))
144 THEN code800_Txt ="Injury, poisoning and certain other consequences of external causes";
145 IF (code800_letter="V" and (code800_Num ge 0 and code800_Num le 99)) or (code800_letter="W" and (code800_Num ge 0
146 and code800_Num le 99)) or (code800_letter="X" and (code800_Num ge 0 and code800_Num le 99)) or (code800_letter="Y"
147 and (code800_Num ge 0 and code800_Num le 98))
148 THEN code800_Txt ="External causes of morbidity";
149 IF code800_letter="Z" and (code800_Num ge 0 and code800_Num le 99)
150 THEN code800_Txt ="Factors influencing health status and contact with health services";
151 IF (code800_letter="E" and (code800_Num ge 11 and code800_Num le 14))
152 THEN Diabetes=1; ELSE Diabetes=0;
153 IF (code800_letter="N" and (code800_Num ge 17 and code800_Num le 19))
154 THEN Kidney=1; ELSE Kidney=0;
155 IF (code800_letter="J" and (code800_Num ge 40 and code800_Num le 47))
156 THEN Lower_Resp=1; ELSE Lower_Resp=0;
157 IF (code800_letter="I" and (code800_Num ge 10 and code800_Num le 15)) or (code800_letter="I" and (code800_Num ge 20
158 and code800_Num le 25)) or (code800_letter="I" and (code800_Num = 50)) or (code800_letter="I" and (code800_Num ge 60
159 and code800_Num le 69)) or (code800_letter="I" and (code800_Num ge 70 or code800_Num le 79))
160 THEN Cardio=1; ELSE Cardio=0;
161 IF (code800_letter="C" and (code800_Num ge 00 and code800_Num le 96)) or (code800_letter="D" and (code800_Num ge 00
162 and code800_Num le 49))
163 THEN Cancer=1; ELSE Cancer=0;
164 IF (code800_letter="F" and (code800_Num ge 00 and code800_Num le 99))
165 THEN Mental=1; ELSE Mental=0;
166 IF code800_letter="E" and (code800_Num ge 11 and code800_Num le 14)
167 THEN Major_category ="Diabetes mellitus";
168 IF (code800_letter="N" and (code800_Num ge 17 and code800_Num le 19))
169 THEN Major_category="Kidney";
170 IF (code800_letter="J" and (code800_Num ge 40 and code800_Num le 47))
171 THEN Major_category ="Lower respiratory diseases";
172 IF (code800_letter="I" and (code800_Num ge 10 and code800_Num le 15)) or (code800_letter="I" and (code800_Num ge 20
173 and code800_Num le 25)) or (code800_letter="I" and (code800_Num = 50)) or (code800_letter="I" and (code800_Num ge
174 60 and code800_Num le 69)) or (code800_letter="I" and (code800_Num ge 70 or code800_Num le 79))
175 THEN Major_category= "Cardio";
176 IF code800_letter="C" and (code800_Num ge 00 and code800_Num le 96)
177 THEN Major_category ="Cancers";
178 IF code800_letter="D" and (code800_Num ge 00 and code800_Num le 49)
179 THEN Major_category ="Cancers";
180 IF code800_letter="F" and (code800_Num ge 00 and code800_Num le 99)
181 THEN Major_category ="Mental disorders";
182 RUN;
183 **Output tables to review the counts against the coded groups;
184 PROC FREQ DATA=Mort_Disease_specific;
185 TABLES code800_Txt Major_category;
186 TABLES code800_Txt*yeardx/norow nocol;
187 TABLES Major_category*yeardx/norow nocol;
188 TABLES code800_Txt*Major_category/nopercent norow nocol;

```

```

189 RUN;
190
191 **Count events per census tract and KEEP only the last record;
192 **Diabetes
193 PROC SORT DATA=Mort_Disease_specific OUT=Mort_Diab;
194     WHERE Diabetes=1;
195     BY GEOID10 Diabetes;
196 RUN;
197 DATA Mort_Diab;
198     SET Mort_Diab;
199     Mort_Diabetes + 1;
200     BY GEOID10 Diabetes;
201     IF first.Diabetes THEN Mort_Diabetes = 1;
202     KEEP GEOID10 Mort_Diabetes yeardx;
203     IF Last.Diabetes;
204 RUN;
205 PROC TRANSPOSE DATA=Mort_Diab OUT=Mort_Dia(Keep=GEOID10 Diab_YearDX2009 Diab_YearDX2010 Diab_YearDX2011
206 Diab_YearDX2012 Diab_YearDX2013 Diab_YearDX2014)
207     PREFIX=Diab_YearDX;
208     BY GEOID10 ;
209     ID YearDX;
210     VAR Mort_Diabetes;
211 RUN;
212
213 **Kidney infections
214 PROC SORT DATA=Mort_Disease_specific OUT= Mort_Kidney;
215     WHERE Kidney=1;
216     BY GEOID10 Kidney;
217 RUN;
218 DATA Mort_Kidney;
219     SET Mort_Kidney;
220     Mort_Kidney + 1;
221     BY GEOID10 Kidney;
222     IF first.Kidney THEN Mort_Kidney = 1;
223     KEEP GEOID10 Mort_Kidney yeardx;
224     IF Last.Kidney;
225 RUN;
226 PROC TRANSPOSE DATA=Mort_Kidney OUT=Mort_Kid(Keep=GEOID10 Kid_YearDX2009 Kid_YearDX2010 Kid_YearDX2011
227 Kid_YearDX2012 Kid_YearDX2013 Kid_YearDX2014)
228     PREFIX=Kid_YearDX;
229     BY GEOID10 ;
230     ID YearDX;
231     VAR Mort_Kidney;
232 RUN;
233
234 **Lower respiratory infections
235 PROC SORT DATA=Mort_Disease_specific OUT= Mort_LRESP;

```

```

236     WHERE Lower_resp=1;
237     BY GEOID10 Lower_resp;
238 RUN;
239 DATA Mort_LRESP;
240     SET Mort_LRESP;
241     Mort_LResp + 1;
242     BY GEOID10 Lower_resp;
243     IF first.Lower_Resp THEN Mort_LResp = 1;
244     KEEP GEOID10 Mort_LResp yeardx;
245     IF Last.Lower_Resp;
246 RUN;
247 PROC TRANSPOSE DATA=Mort_LResp OUT=Mort_LRes(Keep=GEOID10 LResp_YearDX2009 LResp_YearDX2010 LResp_YearDX2011
248 LResp_YearDX2012 LResp_YearDX2013 LResp_YearDX2014)
249     PREFIX=LResp_YearDX;
250     BY GEOID10;
251     ID YearDX;
252     VAR Mort_LResp;
253 RUN;
254
255 **Cardio vascular diseases
256 PROC SORT DATA=Mort_Disease_specific OUT= Mort_Cardio;
257     WHERE Cardio=1;
258     BY GEOID10 Cardio;
259 RUN;
260 DATA Mort_Cardio;
261     SET Mort_Cardio;
262     Mort_Cardio + 1;
263     BY GEOID10 Cardio;
264     IF first.Cardio THEN Mort_Cardio = 1;
265     KEEP GEOID10 Mort_Cardio yeardx;
266     IF Last.Cardio;
267 RUN;
268 PROC TRANSPOSE DATA=Mort_Cardio OUT=Mort_Card(Keep=GEOID10 Cardio_YearDX2009 Cardio_YearDX2010 Cardio_YearDX2011
269 Cardio_YearDX2012 Cardio_YearDX2013 Cardio_YearDX2014)
270     PREFIX=Cardio_YearDX;
271     BY GEOID10 ;
272     ID YearDX;
273     VAR Mort_Cardio;
274 RUN;
275
276 **Cancer
277 PROC SORT DATA=Mort_Disease_specific OUT= Mort_Cancer;
278     WHERE Cancer=1;
279     BY GEOID10 Cancer;
280 RUN;
281
282 DATA Mort_Cancer;

```

```

283     SET Mort_Cancer;
284     Mort_Cancer + 1;
285     BY GEOID10 Cancer;
286     IF first.Cancer THEN Mort_Cancer = 1;
287     KEEP GEOID10 Mort_Cancer yeardx;
288     IF Last.Cancer;
289 RUN;
290 PROC TRANSPOSE DATA=Mort_Cancer
291     OUT=Mort_Can(Keep=GEOID10 Cancer_YearDX2009 Cancer_YearDX2010 Cancer_YearDX2011 Cancer_YearDX2012
292     Cancer_YearDX2013 Cancer_YearDX2014)
293     PREFIX=Cancer_YearDX;
294     BY GEOID10 ;
295     ID YearDX;
296     VAR Mort_Cancer;
297 RUN;
298
299 **Mental illness;
300 PROC SORT DATA=Mort_Disease_specific OUT= Mort_Mental;
301     WHERE Mental=1;
302     BY GEOID10 Mental;
303 RUN;
304
305 DATA Mort_Mental;
306     SET Mort_Mental;
307     Mort_Mental + 1;
308     BY GEOID10 Mental;
309     IF first.Mental THEN Mort_Mental = 1;
310     KEEP GEOID10 Mort_Mental yeardx;
311     IF Last.Mental;
312 RUN;
313 PROC TRANSPOSE DATA=Mort_Mental OUT=Mort_Ment(Keep=GEOID10 Mental_YearDX2009 Mental_YearDX2010 Mental_YearDX2011
314     Mental_YearDX2012 Mental_YearDX2013 Mental_YearDX2014)
315     PREFIX=Mental_YearDX;
316     BY GEOID10 ;
317     ID YearDX;
318     VAR Mort_Mental;
319 RUN;
320
321 **MERGE DATA set and calculate the mortality rate;
322 DATA Mort_Rate; MERGE Mort_by_Year Pop_Rev Mort_Dia Mort_Card Mort_LRes Mort_KID Mort_Can Mort_Ment;
323 BY GEOID10;
324     IF Countycode^="";
325     **Sum each of disease counts divided by the population counts to derive mortality rates for each of the diseases.
326     MortalityRate=(sum(of YearDX2009 YearDX2010 YearDX2011 YearDX2012 YearDX2013 YearDX2010 YearDX2011 YearDX2012
327     YearDX2013 YearDX2014)/(sum(of Population_ACS_09_13 Population_ACS_10_14)));
328     MortalityRate_09_13=(sum(of YearDX2009 YearDX2010 YearDX2011 YearDX2012 YearDX2013)/Population_ACS_09_13);
329     MortalityRate_10_14=(sum(of YearDX2010 YearDX2011 YearDX2012 YearDX2013 YearDX2014)/Population_ACS_10_14);

```

```
330 Diab_MortalityRate_09_13=(sum(of Diab_YearDX2009 Diab_YearDX2010 Diab_YearDX2011 Diab_YearDX2012
331 Diab_YearDX2013)/Population_ACS_09_13);
332 Diab_MortalityRate_10_14=(sum(of Diab_YearDX2010 Diab_YearDX2011 Diab_YearDX2012 Diab_YearDX2013
333 Diab_YearDX2014)/Population_ACS_10_14);
334 Cardio_MortalityRate_09_13=(sum(of Cardio_YearDX2009 Cardio_YearDX2010 Cardio_YearDX2011 Cardio_YearDX2012
335 Cardio_YearDX2013)/Population_ACS_09_13);
336 Cardio_MortalityRate_10_14=(sum(of Cardio_YearDX2010 Cardio_YearDX2011 Cardio_YearDX2012 Cardio_YearDX2013
337 Cardio_YearDX2014)/Population_ACS_10_14);
338 LResp_MortalityRate_09_13=(sum(of LResp_YearDX2009 LResp_YearDX2010 LResp_YearDX2011 LResp_YearDX2012
339 LResp_YearDX2013)/Population_ACS_09_13);
340 LResp_MortalityRate_10_14=(sum(of LResp_YearDX2010 LResp_YearDX2011 LResp_YearDX2012 LResp_YearDX2013
341 LResp_YearDX2014)/Population_ACS_10_14);
342 Kid_MortalityRate_09_13=(sum(of Kid_YearDX2009 Kid_YearDX2010 Kid_YearDX2011 Kid_YearDX2012
343 Kid_YearDX2013)/Population_ACS_09_13);
344 Kid_MortalityRate_10_14=(sum(of Kid_YearDX2010 Kid_YearDX2011 Kid_YearDX2012 Kid_YearDX2013
345 Kid_YearDX2014)/Population_ACS_10_14);
346 Cancer_MortalityRate_09_13=(sum(of Cancer_YearDX2009 Cancer_YearDX2010 Cancer_YearDX2011 Cancer_YearDX2012
347 Cancer_YearDX2013)/Population_ACS_09_13);
348 Cancer_MortalityRate_10_14=(sum(of Cancer_YearDX2010 Cancer_YearDX2011 Cancer_YearDX2012 Cancer_YearDX2013
349 Cancer_YearDX2014)/Population_ACS_10_14);
350 Mental_MortalityRate_09_13=(sum(of Mental_YearDX2009 Mental_YearDX2010 Mental_YearDX2011 Mental_YearDX2012
351 Mental_YearDX2013)/Population_ACS_09_13);
352 Mental_MortalityRate_10_14=(sum(of Mental_YearDX2010 Mental_YearDX2011 Mental_YearDX2012 Mental_YearDX2013
353 Mental_YearDX2014)/Population_ACS_10_14);
354 RUN;
355
356 **Export the datasets created;
357 PROC EXPORT DATA= WORK.MORT_RATE
358 OUTFILE= "Z:\Mortality\Processing\Mortality_Rate_By_Census_Tract.sav"
359 DBMS=SPSS REPLACE;
360 RUN;
361 PROC EXPORT DATA= WORK.MORT_RATE
362 OUTFILE= "Z:\Mortality\Processing\Mortality_Rate_By_Census_Tract.csv"
363 DBMS=CSV REPLACE;
364 PUTNAMES=YES;
365 RUN;
366 PROC EXPORT DATA= WORK.MORT
367 OUTFILE= "Z:\Mortality\Processing\Mort_Events.csv"
368 DBMS=CSV REPLACE;
369 PUTNAMES=YES;
370 RUN;
```